COMMENTARY

What cancer patients want to know: national strategies and individual needs

Leydon and her colleagues present a provocative analysis of the information needs and information-seeking behavior of 17 cancer patients in a London oncology clinic. Through careful framework analysis of patient interviews, the authors identify 3 themes to explain the common observation that different patients want different amounts of information at different times during their illness. Faith in physician expertise, the threat that bad news can impose on hope, and a sense of charity toward the needs of sicker patients appear to limit these cancer patients' pursuit of information. The authors present their findings in the context of exploring a national health care information strategy for cancer patients.

In helping to better understand the needs of vulnerable

patients, this well-done study serves an important function. However, it is a qualitative study of a small number of patients in London, so the generalizability of its conclusions must be questioned. The study's findings may not apply to patients from other demographic backgrounds and to populations outside England.

Information-seeking, hope, and support issues appear to be different for men and women and vary according to the age of the patient. The authors promise an evaluation of sex differences in a forthcoming study. Other demographic issues that should be explored include language, race, ethnicity, economic status, and education level. Other sources of belief and understanding, such as religious faith and social support, are also likely to be important.

Michael W Rabow
Department of Medicine
University of California,
San Francisco
Mount Zion Medical
Center
1701 Divisadero St, Fifth
Floor
San Francisco, CA
94115

Correspondence to:
Dr Rabow
mrabow@medicine.
ucsf.edu

West J Med
2000;173:31-32

Beyond these demographic issues, the themes of faith, hope, and charity are universal in the physician-patient relationship, and they are important in the care of patients in the United States.

FAITH

Several factors suggest that patients in the United States may be less trusting than those described by Leydon and colleagues. Racial differences in health outcomes and the history of institutional racism in American medicine threaten patient trust.¹ Persistent mistrust may be a legacy of the infamous Tuskegee experiment, conducted from 1920 to 1960, in which African American patients with syphilis were denied effective treatment in order to study the natural history of the disease. In addition, faith assumes a fiduciary relationship between the physician and patient that has been threatened by managed care in this country.² Reimbursement arrangements are likely to affect patients' beliefs that their physician not only "knows best" but that he or she is motivated to do the best for them.

HOPE

Patients' feelings of hope may also be different in the United States. Although still profound, the ability of patients in this country to pursue denial as a coping strategy may be less evident than in England. Informed consent practices are a pervasive element of US health care. The Patient Self-Determination Act requires all federally funded US hospitals to inform patients about their rights to make medical decisions. Advance directives are more common in this country than in other industrialized countries.³ The American tradition of malpractice litigation may also lead US physicians to challenge patient denial. Physicians in the United States are keen to disclose as much medical information to their patients as possible, to reduce the chances of being sued.

The mass media may also influence patient hope. In the United States, the television program "ER" exposes its 35 million weekly American viewers to a huge amount of medical information and misinformation. In 1994-1995, regular viewers of the television shows "ER," "Chicago Hope," and "Rescue 911" witnessed 60 episodes of car-

diopulmonary resuscitation with outcomes far more successful than in real life.⁴ Such exposure, with its dramatic realism, may lead the public to an unrealistic view of medicine's healing power.

CHARITY

Particularities of the US health care system may leave its patients less charitable than those in London. In the absence of a nationalized health system, a sense of rationing of physician time and resources may not be as salient for American patients. In the United States, patients paying for their health care through salary deductions and "out of pocket" may have a greater sense of entitlement. Charity may have less of a role in a competitive health care marketplace, where patients consider themselves paying customers imbued with powerful consumers' rights.

The work by Leydon and colleagues challenges us to explore both the similarities and the differences in our patients. Whereas a study of 17 patients can demonstrate important common themes, it also reveals powerful individual stories. Isolation is one of the most profound experiences reported by cancer patients. In designing large information systems, we must remember that surfing the Worldwide Web can be a lonely process. One young patient in their study discovered on the way to radiology that she had cancer by reading her medical record. This should never happen. National strategies must be tailored to individual patients by compassionate physicians who are knowledgeable not only about patients in general, but about the particular person seeking solace, guidance, and care.

References

- 1 Freeman HP, Payne R. Racial injustice in health care [editorial]. *N Engl J Med* 2000;342:1045-1047.
- 2 Mechanic D, Schlesinger M. The impact of managed care on patients' trust in medical care and their physicians. *JAMA* 1996;275:1693-1697.
- 3 Sehgal AR, Weisheit C, Miura Y, Butzlaff M, Kielstein R, Taguchi Y. Advance directives and withdrawal of dialysis in the United States, Germany, and Japan. *JAMA* 1996;276:1652-1656.
- 4 Diem SJ, Lantos JD, Tulskey JA. Cardiopulmonary resuscitation on television: miracles and misinformation. *N Engl J Med* 1996;334:1578-1582.

Personal narratives of well-being

wjm is publishing a special theme issue on physician well-being. We invite you to write a short vignette, of up to 200 words, giving a personal account of how you have promoted your own well-being. What keeps you healthy and vibrant amidst the stresses and pressures of clinical practice? What lessons have you learned that can be shared with other physicians? We will publish these vignettes as fillers throughout the journal, and we hope that they will personalize the issue. The deadline for vignettes is August 30, 2000.