reviews

BOOKS • CD ROMS • WEBSITES • MEDIA • PERSONAL VIEWS • SOUNDINGS • MINERVA

Cardiovascular Disease in the Octogenarian and Beyond

Nanette K Wenger

Martin Dunitz, £75, pp 456
ISBN 1 85317 581 1

Rating: ★★★

Old age could be defined as that time when you may be deprived of beneficial services simply because of your years. Old age is also the time when your treating cardiologist ought to be considering many factors in addition to simply your cardiac function. An octogenarian qualifies as old on both counts. Defining old as 80 years and over is a bold move, given that many authors writing on system diseases in elderly people extrapolate evidence from those aged 50 and over, a tendency that is particularly alarming to pentagenarian geriatricians.

There is good reason to know something about heart disease in this population. Disability in an 80 year old person is as likely to arise from cardiovascular diseases as any other cause, and the expected further 8-9 years of life are as likely to be terminated by cardiovascular disease as any other cause. A book on the subject, though, has got to answer some fundamental questions. Is there any evidence about heart disease in those aged 80 and over, and is there any evidence of benefit from treatment? Does the elderly person actually want the treatment, and, if so, is society willing to pay for it?

The evidence of benefit from active treatment exists and is excellently set out in this comprehensive text. The older the population studied, the more events prevented per number of people treated. This applies to interventions as different as treating systolic hypertension and using tissue plasminogen activator rather than streptokinase after myocardial infarction. The greater benefit is a consequence of the greater number of events occurring. But even in cardiac rehabilitation and exercise programmes, older people show the most dramatic improvement in exercise capacity.

The evidence of benefit is encouraging; the evidence that elderly people are failing to receive the treatment is not. Older people

are less likely than younger people to receive beneficial treatment and are less likely to receive thrombolytic treatment or β blockers after myocardial infarction. Some of the decreased use may be explained by delayed or atypical presentation or by comorbid conditions providing contraindications or an increased risk of adverse effect. The lower use of aspirin or cardiac rehabilitation in older people, though, is a little more difficult to explain away.

Perhaps older people do not want the intervention. After all, isn't it quality of life rather than quantity that is important for this age group? A study published in 1998 suggests that very elderly (80-98 years old) hospitalised patients would prefer increased quantity of life in their present state of health to a shorter time in excellent health. It is always impressive when a text cites a paper from its year of publication, especially when the paper shakes some commonly held, comfortable assumptions.

There is a fine balance between therapeutic nihilism and therapeutic futility when treating elderly people. Clear, thorough, and comprehensive texts such as this help to get the balance right.

A John Campbell, dean, Faculty of Medicine, University of Otago, Dunedin, New Zealand

Safety, Health and Environmental Hazards at the Workplace

A J P Dalton

Cassell, £19.99, pp 282
ISBN 0 304 33291 7

Rating: ★★★

Earning a living is a necessity for most people, unless they can afford not to work or have others to provide for them. Having an occupation should, however, be a psychologically rewarding experience. What it should not be is a cause of misery, illness, injury, or death. Yet in the United Kingdom at the end of the second millennium over 300 people are killed at work each year and 130 000 are injured, a quarter of them seriously. Furthermore, surveys based on self

assessment suggest that these figures are only part of the story: two million people each year believe that work has affected their health, with musculoskeletal disorders and stress being the commonest causes of illness.

One reason for such disturbing statistics in a supposedly developed country is the failure on the part of government, health professionals, and the public to put a high priority on the issue of health and safety at work. Things are looking better now that we have a government which says that the workplace is an important aspect of public health. We even have a minister for public health, and she has expressed a determination to tackle some of these issues. The Health and Safety Executive also has groundbreaking proposals for a new emphasis on training, action, and the delivery of preventive measures to back up a strong enforcement regime.

Alan Dalton has long campaigned for a better deal for the economically active sector of the population. His new book aims to stimulate the reader "to take up the issues of work place SHE [safety, health, and environment]." As such, it has a campaigning style that some might find disagreeable. But it does not purport to be a standard text on

occupational health. What Dalton attempts to do is bring the important features of occupational health to a wide audience in the hope that more will get the message of the importance of preventive health in the workplace. In large measure, he succeeds.

There is much common sense in this book, and many facts and figures about the toll of ill health and injury caused by work. The author outlines where the responsibilities lie to improve matters, but the book is not a diatribe against big industry, although Dalton can and does cite multinational misdemeanours when it suits his case. He can be accused of exaggeration (asbestos was hardly "spread all over Birmingham" in a recent case of illegal dumping in the city), but this is largely a well researched book that admittedly champions the workers' case for a better deal.

Where Dalton scores over most other texts on occupational health and safety is his entirely appropriate emphasis on the need to include environmental factors in the case for a healthier workplace. Whether you are left wing, right wing, or in the centre, this book is an enlightening read.

J M Harrington, director, Institute of Occupational Health, University of Birmingham

Journal of Clinical Effectiveness

Eds Gifford Batstone, Mary Edwards

Financial Times Healthcare, annual subscription £53
ISSN 1361 5874

Rating: ★★

The promotion of evidence based practice is, at least in words, high on the agenda for reforming healthcare systems in different parts of the world. As has been recently pointed out by Trish Greenhalgh, "Evidence-based practice is more than the scholarly and rigorous interpretation and use of the best available information. It is a way of thinking." This is why the current enthusiasm for evidence based practice should be regarded with scepticism if it is divorced from appropriate efforts to change the cultural and social basis on which health care is currently practised. Such a change requires adopting a systematic approach in which the need for a new type of "systems oriented" knowledge is recognised, an infrastructure for information management is put into place (including a focus on implementation as opposed to mere dissemination of research information), and clinical practices are carefully monitored in order to determine whether changes occur in the right directions.

Reviews are rated on a 4 star scale
(4=excellent)

Within the broader framework of constructing an information management system, journals that explicitly endorse evidence based practice can be very important. They can both nurture the culture of evidence based practice and act as unifying vehicles by allowing open discussion among doctors, purchasers, and patients about the merits and limitations of evidence based medicine.

The recently established *Journal of Clinical Effectiveness* seems to fall in this category, being a journal fully devoted to the promotion and development of evidence based practice. It addresses issues of evidence based practice, clinical effectiveness, practice guidelines, and the value of clinical audit. The editorials, usually prepared by the editors, Batstone and Edwards, cover a wide range of subjects, ranging from critical aspects of implementing evidence based practice (such as uncertainty and applicability) to topics related to health services (is audit an effective activity? Do clinical indicators truly reflect patients' outcomes?).

The papers in the section "Original research" cover controversial issues ("Impact of accreditation systems on patient care," "Potential and limitations of questionnaires vs focus groups to elicit health services users' views") and report empirical findings from field work ("Is systematic osteoporosis prevention in a district hospital possible?" "Is audit an effective tool to reduce benzodiazepine use in a health district?"). The section "Digest of evidence" reports on published guidelines that can be of use for purchasers and providers. Articles are generally well written and tend to be relatively short. It is indeed a practical way of being updated on relevant documents.

As with any new journal, *Journal of Clinical Effectiveness* has some weaknesses, which can hopefully be overcome as it becomes more mature and the subject of evidence based practice recruits more practitioners. Firstly, some articles, especially those reviewing methodological issues about research of health services lack a well defined structure and fall somewhere between being long editorials, position papers, or qualitative reviews. Editorials and position papers can indeed be important tools for stimulating discussion as long as they are explicit and do not pretend to make conclusions based on the totality of available evidence.

Secondly, it is not clear what the difference is between the sections "Original articles" and "Original research." Though clearly separating these two aspects can sometimes be difficult, perhaps clarity could be gained by putting reviews and position papers in the former and reports of original research in the latter.

If these limitations are addressed the *Journal of Clinical Effectiveness* has the potential to become an important forum for discussing both methodological and practical aspects of evidence based practice.

Alessandro Liberati, University of Modena and Italian Cochrane Centre, Milan, Italy

MARCH BESTSELLERS

- 1 Oxford Handbook of Clinical Medicine 4th ed**
RA Hope, JM Longmore, SK McManus, CA Wood-Allum
OUP, £14.95, ISBN 0 19 262783 X
- 2 Winning the Publications Game: How to Get Published Without Neglecting Your Patients**
T Albert
Radcliffe Medical Press, £15, ISBN 1 85775 183 3
- 3 Biotechnology, Weapons and Humanity**
BMA Board of Science and Education
Harwood Academic Press, £14, ISBN 90 5702 460 8
- 4 How to Read a Paper: The Basics of Evidence Based Medicine**
T Greenhalgh
BMJ Books, £14.95, ISBN 0 7279 1139 2
- 5 Practical General Practice 3rd ed with CD Rom**
A Khot, A Polmear
Butterworth Heinemann, £35, ISBN 0 7506 3462 8
- 6 Hot Topics in General Practice 2nd ed**
E Stacey
Bios Scientific Publishers, £24.95, ISBN 1 85996 251 3
- 7 Oxford Handbook of Clinical Specialties 4th ed**
JAB Collier, JM Longmore, TJ Hodgetts
OUP, £14.95, ISBN 0 19 262537 3
- 8 MRCGP: MCQ and EMQ Practice Papers 2nd ed**
P Ellis, PG Elliott
Pastest, £17.25, ISBN 1 901198 29 4
- 9 Pocket Guide to Critical Appraisal**
IK Crombie
BMJ Books, £10.95, ISBN 0 7279 1099 X
- 10 The GP Training Handbook 3rd ed**
M Hall, D Dwyer, T Lewis
Blackwell Science, £24.95, ISBN 0632 050 39x

BMJ Bookshop

WEBSITE OF THE WEEK

Douglas Carnall
www.carnall.demon.co.uk

<http://www.whitedot.org> This week the *BMJ* publishes statistical evidence to suggest that a small but significant rise in the incidence of paracetamol overdose occurred after an episode of *Casualty* depicted an overdose. At first glance this is more strength to the likes of the National Viewers and Listeners Association, which has long argued that television does indeed influence behaviour, and by corollary that what can be shown should be restricted; Collee's editorial puts the contrary liberal point of view very well. But what is unsatisfactory about either position is the implicit assumption that if only we could get the content of mass media like the television right, everything would be fine.

In fact, as organisations like Whitedot (www.whitedot.org) will argue later this month, the problem is not that we watch television, the problem is what we don't do instead of watching it. If the average adult has watched nine years of television by the age of 65, this is an awful lot of family conversation unsaid, exercise not taken, children ignored, and civic non-participation.

The Fifth American National TV Turnoff Week runs from 22 to 28 April 1999: its website is www.tvfa.org/ and has backing from, among others, the American Medical Association and the American Academy of Paediatrics. Where the web fits remains unknown: on the one hand, browsing the web and television both involve sitting staring at a screen for long periods of time, but at least reading hypertexts involves making continual choices. To use either in an uncritical way is to invite a rise in potential or actual human unhappiness, but it seems that television will lose out in the long run. According to research at Internet.com (www.cyberatlas.com/big_picture/demographics/yanks.html), wired households watch less television, and children faced with the choice between PC or TV choose the PC.

PERSONAL VIEW

A step towards effective self regulation

I have no doubt that there are wide variations in the quality of service delivered by specialist departments in different hospitals throughout the United Kingdom. Although this may partly be due to the skills of the clinical staff, much of the variation is determined by local factors, such as the availability of resources and organisational considerations.

At present there is minimal exchange of information about clinical practice and outcomes between departments, which are isolated by distance, limited movement of staff, and, sadly, competition between rival trusts. The government and the media have focused on these differences, and it seems inevitable that external mechanisms will be devised to identify and eliminate unacceptably poor practice. As a profession we should try to do better than this.

The committee on renal diseases of the Royal College of Physicians of London has risen to this challenge by developing a protocol for multidisciplinary external audit visits for renal departments. This was based on earlier experience of external audit in the Welsh renal units. I have just returned from the first pilot visit to the Richard Bright renal unit in Bristol.

The audit consisted of a site visit over two working days by a multidisciplinary team from four different renal units. There was a series of presentations followed by extensive discussions covering all aspects of the service. We also conducted a physical inspection of accommodation, ancillary departments, and equipment. Before the visit we had been provided with detailed information about the unit, the population served, staffing levels, and audit outcomes.

As chairman of the visiting team I was responsible for providing a report, which included recommendations for improvements and highlighted examples of good practice. These were identified and agreed by both sides at the end of each discussion. Where possible recommendations were based on British Renal Association standards for audit and outcomes. According to their individual skills members of the team wrote the separate sections of the report.

The visitors were briefed to be sympathetic and constructive, and the audit process proved to be remarkably enjoyable as well as informative. The proceedings were designed to be informal and the discussions were wide ranging and animated. The main difficulty for me as chairman was enabling everyone to have their say while keeping to a fairly generous predetermined timetable.

The Bristol team had anticipated many of our recommendations, such as the use of

the newer, more expensive but safer types of peritoneal dialysis equipment, though their earlier efforts to implement these changes had been restricted by lack of resources. I hope that our report will facilitate their negotiations with the trust and health commissioners for additional funding. Other recommendations, such as the inclusion of teaching commitments in consultant job plans, had not been anticipated, and many of these could be implemented immediately. There were some problems for which we could offer no immediate solutions, though discussion of problems, such as the national shortage of trained dialysis nurses, was therapeutic for all sides.

The process is effective, relatively cheap, and immensely enjoyable

The benefits of the audit were not confined to the host unit. Every member of the visiting team has returned to their own departments with a variety of good ideas and examples of innovative practice. In Heartlands Hospital in Birmingham we will be looking at the establishment of a

clinical practice development nursing post to enhance recruitment and retention of staff. We intend to amplify this process by circulating examples of good practice to other renal units in the United Kingdom through the college committee.

Travel and accommodation expenses and workload would be minimised if groups of between eight and 10 geographically related departments organised themselves into audit consortiums, conducting audit visits on a rotational basis every six months. By this means every department will be audited every four to five years and an individual clinician's involvement in visits will be relatively infrequent.

External audit is not a new idea. The British Thoracic Society has practised inter-departmental peer review since 1992 with considerable success. Their visiting team consists of two clinicians. We found that the use of a multidisciplinary team, which may contain nurses, dieticians, pharmacists, social workers, or managers, enhanced the audit process by encouraging participation by the whole of the host unit team.

This pilot multidisciplinary audit visit has been an unequivocal success. The process is effective, relatively cheap, and immensely enjoyable. It can be applied in any clinical specialty provided that participants are prepared to put aside personal prejudices and rivalries. Wider use of this technique could take us a long way along the route towards effective self regulation and play a major part in the development of clinical governance.

Stephen A Smith, *clinical director, Birmingham*

SOUNDINGS

May I take this opportunity ...

It's the conference season in my discipline. I am growing weary of the 5.30 am alarm calls and crowded train journeys to some or other grubby suburban institution whose logo has always given the impression of a centre of international excellence. I am looking for a taxonomy for my growing collection of misspelt name badges, giveaway pencils, and plastic delegate bags. And I am developing a list of pet aversions which includes taxi drivers, contract caterers, women with clipboards who say they are evaluating the event, and, most of all, incompetent chairpersons.

I once chaired something really badly myself, so I know what I'm talking about. It was a monthly meeting of a group of health service managers, and the guest speaker was Claire Rayner of the Patients Association on the topic of patients' rights. I figured that I should say a few words of introduction so as to set the stage. Unfortunately, I went on rather longer than I had planned. Furthermore, since I had conscientiously researched the latest literature on the topic, I also inadvertently stole several of her most topical examples.

Ms Rayner took it like a lady. When I finally allowed her time to speak, she rolled up her programme and clouted me over the head with it. "You," she reminded me, "are supposed to be chair: I'm the one who was asked to speak." And she then proceeded to give a splendid ad lib on the finer points of my plundered examples, which managed to make it look as if we had staged managed the entire performance.

The chairperson's true task is to get the audience to shut up and listen to the speaker, and when the allotted time for the talk is almost up to get the speaker to shut up and take questions from the floor. In the past month I have heard half a dozen mini lectures from chairpersons who had clearly neither planned nor rehearsed their performance and who had erroneously decided that a synopsis of the forthcoming talk would be more helpful to the audience than a statement on how to find the toilets and what to do with the evaluation forms.

If you are asked to chair a lecture or talk remember two things. Firstly, if you were good enough to speak on the subject yourself you wouldn't have been asked to be the chairperson. Secondly, there is nothing more important to a word weary audience than being released on time for their coffee.

Trisha Greenhalgh, *general practitioner, London*