reviews

BOOKS • CD ROMS • WEBSITES • MEDIA • PERSONAL VIEWS • SOUNDINGS • MINERVA

The Nazi War on Cancer

Robert N Proctor

Princeton University Press,
£18.95, pp 390
ISBN 0 691 00196 0

Rating: ★★★★★

Is “mad and bad” what springs to mind when you think of Nazi medical science? Is the late 20th century United States where you locate the groundswell of support for natural foods, vocal concerns over ill health and the environment, and campaigns against passive smoking? And is it the famous 1950 study of Doll and Hill that you associate with establishing the link between smoking and cancer? If so, this book is essential reading, but prepare to be shocked.

The medical fraternity of the notorious Third Reich emerge here in unconventional guise, not only as the champions of wholegrain bread, soya beans (popularly denominated “Nazi beans”), and extensive medico-botanical gardens at Dachau and

Auschwitz, but also as the guys who launched a powerful antismoking campaign, waged war on cancer (in pursuit of its “final solution”), identified many workplace causes of cancer, and imposed bans on asbestos and carcinogenic pesticides. Nazi researchers were the first to prove conclusively that smoking was the major cause of lung cancer. Indeed, as early as 1936—the year that the young Richard Doll was attending the lectures in Frankfurt of the SS radiologist Professor Hans Holfelder—they had gathered sufficient statistical evidence to prove the cancerous hazards of what they labelled “passive smoking” (passivraucher). Furthermore, suggests Proctor, it is probably as a result of the preventive measures that the Nazi regime undertook with regard to smoking—health education and the banning of “lung masturbation” in trams, trains, and public buildings—that significantly lower rates of smoking related mortality from cancer occurred among German women after the war compared with US women.

The author’s aim is not to turn some of humanity’s greatest sinners into saints. Nor is it to entertain banalities about good coming out of evil. Even less is Proctor interested in resurrecting Hitler’s denunciation of tobacco as “one of man’s most dangerous poisons” in order to castigate as crypto-fascist those seeking to ghettoise or prohibit

smoking today. (Hitler took puritanical, not to say ideological, satisfaction from the fact that neither he nor Mussolini, or Franco, were victims of the weed, whereas Churchill, Stalin, and Roosevelt were.) Proctor’s purpose, rather, is to reveal that the boundaries between good and bad science and moral and immoral politics are far more permeable and historically complex and contingent than is usually admitted. One cannot, he shows, simply translate between Nazi science and Nazi ideology and policy. The point is powerfully made in the perception of life preserving cancer research in the same context as hideous experiments on humans—not to mention Nazi praise for wheatgerm in the same breath as genocide.

And it’s a point worth making, for the fiction that bad science only comes from bad politics—a fiction routinely sustained by holding up the caricature of the mad Nazi doctors—has long served to cloak a good deal of bad science and medicine undertaken in otherwise benign regimes. *The Nazi War on Cancer* is thus a powerfully ironic history of political correction. It is also a thoroughly engaging, highly professional, myth destroying work of scholarship.

Roger Cooter *director, Wellcome Unit for the History of Medicine, University of East Anglia, Norwich*

Oxford Handbook of Tropical Medicine

Michael Eddleston, Stephen Pierini

Oxford University Press,
£19.95, pp 666
ISBN 0 19 262772 4

Rating: ★★

Arriving at a district hospital in Zambia in 1991, I quickly became aware of the struggle for resources between social and environmental interventions, primary preventive care, and secondary medicine. Health reforms were under way: the “district” was the focus, and the hospital sector was receiving less attention. However, ordinary people want help when they need it, and a healthcare system that cannot offer individual care loses credibility.

Medicine in Zambia is still dominated by malaria, diarrhoea, malnutrition, respiratory infection, and HIV related diseases. Other than in major centres, doctors often work on their own with inadequate laboratory back up, but diagnoses must still be made and management planned. For most medical conditions no confirmatory or monitoring tests are available.

No text can replace experience, but without a colleague to turn to a reference must be consulted. The aim of the *Oxford Handbook of Tropical Medicine* is to provide a practical guide for junior doctors in the developing world, one that is small enough to carry in your pocket and relevant to local clinical problems and resources.

An appropriately broad range of infectious and non-infectious conditions is covered, from the standpoints of both symptoms and specific disease. Concise management plans are given, often conveniently boxed for ease of reference, with space for

amendment. It contains a lot of information for a handbook, and some of it is misleading. For example, melioidosis is not diagnosed primarily by Gram stain, and the lesions in leprosy are not hyperaesthetic. In addition, the text includes investigations—such as measuring glycated haemoglobin or computed tomography—and management options—such as ceftriaxone or a cardiac pacemaker—that reflect the book’s origins in the developed world of *The Oxford Textbook of Medicine* and not the resource-poor setting in which I worked.

A strong point of the handbook is its range of practical protocols developed by the World Health Organisation. These allow a structured approach to patient care and can be adapted to national policies and local conditions, used for easy reference, and disseminated appropriately. It’s not the fault of the book that so much of its advice can’t be followed in the developing world; it’s more a reflection of the socioeconomic conditions in which tropical and other diseases flourish.

John Hartley *specialist registrar in microbiology, University College London Hospital*

*Reviews are rated on a 4 star scale
(4=excellent)*

Some talk of genocide

Paying the Price—The Killing of the Children of Iraq: A special report by John Pilger, ITV, Monday 6 March at 9 30 pm

Last month, the United Nations' top official in Iraq resigned, no longer able to tolerate the suffering caused by nine years of economic sanctions. In taking this action for these reasons, he followed in the footsteps of his immediate predecessor. A few days after his resignation, the head of the UN world food programme in Iraq also resigned in protest.

John Pilger's documentary, *Paying the Price—The Killing of the Children of Iraq*, showed why these people might want to distance themselves as far as possible from the policies of the UN Security Council towards Iraq. "Every UN agency dealing with health, food, agriculture, and children has reported repeatedly that tens of thousands of the most vulnerable in society have died or are suffering as a result of the sanctions," says Pilger. "Why should the civilian population, including children born since the Gulf war, innocent people, be held hostage to the compliance of a dictator?"

The World Health Organization estimates that, since the sanctions, the death rate among children has doubled, adding another half a million deaths. What crime

did these children commit to deserve this punishment, asks an Iraqi paediatrician at the end of her heartbreaking ward round.

No doubt Pilger would have put this question to Britain's foreign secretary, Robin Cook, had he not declined to appear on the programme unless granted a string of demands that even Saddam Hussein would have been hard pressed to exceed. The US secretary of state, Madeleine Albright, was asked whether she thought the deaths of half a million children was a price worth paying for achieving the West's aims for Iraq. "We think the price is worth it," she told a US press conference.

In the documentary, a State Department official did his best to airbrush out this public relations gaffe. The estimate was "derived by a methodology we don't accept," he said, but he had no alternative methodology and therefore no alternative estimate.

Meanwhile, daily life for the Iraqis continues in a downward spiral, with people trying to turn their possessions into cash for food and medicines. In the street markets, doctors are selling their textbooks to put food on their families' tables. About \$1.5bn worth of overseas contracts for vital equipment remain on hold, mostly at the behest of the United States, although the UK Department of Trade and Industry blocked a shipment of vaccines against yellow fever and diphtheria because of their possible use in weapons of mass destruction.

Iraqi hospitals have limited drug supplies—aspirin rather than morphine for cancer pain. Crucial chemotherapy for childhood cancers is unobtainable. At the

same time, the demand for such treatments is increasing: lymphomas and neuroblastomas seem more common now than before the Gulf war, when weapons were laced with depleted uranium.

According to Derek Halliday, the former assistant secretary general of the United Nations in charge of humanitarian operations in Iraq, the West is waging war through the United Nations on the people of Iraq, with results that you do not expect to see in a war fought under the Geneva Conventions. "We're targeting civilians ... it's a monstrous situation for the UN, for the Western world, for all of us who are part of some democratic system, who are responsible for the policies of our governments and the implementation of economic sanctions on Iraq."

No end in sight

After nine years of sanctions, the end of the West's disagreement with Iraq seems as far off as ever, which the chairman of the UN Sanctions Committee attributes to internal divisions within the Security Council. It's clear that the United States and Britain are still playing the "weapons of mass destruction" card, despite the testimony of a former UN weapons inspector that this capability has been dismantled.

According to Halliday, the Security Council is now destroying the human rights of the Iraqi people. It's an "extraordinary situation that the chamber responsible for peace and security is neglecting the very provisions of the charter which forms the bases of the organisation itself. There is no democracy in the Security Council: if the issue of sanctions on Iraq after nine long years were to go to the General Assembly we'd see a very large majority overturning the sanctions tomorrow."

Pilger said the sanctions are not affecting Saddam Hussein and his cronies, who seem to have access to the health care they need, but he carefully avoided the issue of whether sanctions were working: the programme was an examination of the ethics of the means, not the ends.

Prime Minister Tony Blair, apparently borrowing from George Bush's script of several years before, intoned: "Our quarrel is not with the Iraqi people. It never has been." In which case, this programme should make despairing viewing for him and his government. The collateral damage of the actions meant to hurt Saddam Hussein's regime, Pilger argues convincingly, has brought the whole country to its knees. Halliday calls it genocide and believes that when the history books are written the Security Council, the United Nations, Washington, and London will be "slaughtered" for their actions. From Pilger's first draft of history, you can see the evidence the historians might cite.

And how did the paediatrician feel at the end of her ward round? "Very sad. All of the children look like your daughter or my son. And when you see my son in front of me dying, what happens to you?"

Tony Delamothe *BMJ*

WEBSITE OF THE WEEK

Risk of cardiovascular disease This week the *BMJ* revisits the issue of coronary risk, publishing no fewer than three instruments designed to support doctors' decision making in situations of cardiovascular risk. The consensus is that absolute risk, rather than any one risk factor, is what needs to be managed. Underpinning it all is the longitudinal data from the Framingham study. Its authors have produced similar charts to those published in this week's *BMJ*, and you can download them as lightweight (10 kb) PDFs at www.nhlbi.nih.gov/about/framingham/riskabs.htm.

Other risk factor calculators abound on the web, modelling the conventional wisdom with varying degrees of precision. Both the American Heart Association (www.americanheart.org/risk/quiz.html) and the American Stroke Association (www.americanheart.org/Stroke/Risk_Factors/quiz.html) have produced online quizzes to elicit risk factors for heart attack and stroke. The numerical score they produce is unexplained and therefore meaningless, but it does indicate reasonably accurately, whether your risk is low or high. Underneath there are direct links to information about reducing your risk. It's an interesting model, and, taken at face value, seems to have the potential for bringing about behaviour change.

The absence of a standard method of representing medical information electronically holds back the development of similar tools for professionals across the internet. This is a pity, because until then, each revision of clinical guidance means that each software developer will have to individually update its software, as happened before the trial reported on page 686. In small software markets, this inevitably means a primitive user interface, the need for training, and software that is less rhetorically effective and that rapidly becomes out of date.

Making useful content freely available would be a good first step: the National electronic Library for Health (www.nelh.nhs.uk/) seems to be coming along, so we can but hope.

Douglas Carnall
BMJ
dcarnall@bmj.com

PERSONAL VIEW

“Absolute” is inappropriate for quantitative risk estimation

Risk prediction, risk management, and risk avoidance are in fashion and invading medical practice, but current terminology is unfortunate and tendentious in a clinical context. Gambling and life insurance led to the first mathematics of risk. Individual outcomes were unpredictable, but if the circumstances and rules of the game did not change, the long run odds could be estimated from previous experience.

Longitudinal studies, of which the Framingham study was a pioneer, identified human risk factors which, when measured at the start of observation, correlated with the subsequently recorded risk. Risk is recorded as an event rate having numerator, denominator, and time period, but problems arose in how to portray different levels of risk at different levels of risk factors.

For half a century relative risk was king. Dividing high risk by low produced a simple multiple with no units—relative risk of smoking = 2.5. Relative risk had the advantage of consistency across populations differing in their overall levels of risk. Being a ratio, however, it can be paradoxical, highest when actual risk is very low—for example, in young versus older smokers. The alternative to division was subtraction. The risk difference (18 per thousand a year) was no longer relative.

Measured in real units of incidence it was therefore labelled “attributable” or “absolute” risk because in the language of logic “absolute” is the opposite of “relative.” Absolute risk varied so much by age, sex, and other risk factors that it did not generalise well across populations. Risk scores from one population predicted relative risk correctly in another while under or overestimating absolute risks.

Measures of absolute risk were so unfamiliar to doctors and others as incidence rates that many were incapable of recognising a small versus a large risk. Even high incidence rates are considerably smaller than one. Relative risk is more impressive as, for a harmful risk factor, it must be significantly greater than one. For medical education and patient motivation relative risk therefore reigned supreme, although modified in one scoring system to inform patients of their ranking within their own age and sex group. Relative risk was applied to single risk factors, but also to multifactorial risk scores where several were combined.

Relative risk, used in clinical practice to motivate patients to change their lifestyle, is now being supplanted by absolute risk, because the latter should determine clinical action. Estimates of real risk should be used in

deciding on treatments which have fixed costs and risks associated with them such as anti-hypertensive and lipid lowering drugs. Age, sex, and the presence or level of relevant factors are used in multifactorial or global estimates of real risk to see whether the risk threshold for intervention has been crossed. Reality has replaced relativity, but at the cost of adopting the term “absolute,” with inappropriate connotations for practice.

Risk can be measured with hindsight and precision in large populations and arguably, therefore, “absolutely” in a retrospective context. Prospective prediction of future risk, however, using historical data, can be only an estimate because populations, circumstances, and rules of the game are continuously changing.

For an individual there are always unmeasured and unknown factors and the outcome anyway can be only yes or no, so predictions cannot be individually validated. Risk varies far more across different populations than can be accounted

for by the risk factors incorporated into conventional scores such as that from the Framingham study, so that this score must be wrong much of the time, as it is in characterising risk by age and sex outside middle age.

Such criticisms do not matter if the Framingham score is the best on offer, and its use improves the efficiency of prescribing and helps to prevent cardiovascular disease. They do matter, however, if the term “absolute” risk is misunderstood. It suggests absolute power of prediction and a single, infallible answer, although “absolute” risk varies with what factors are included, what score is used, and what outcomes are being predicted. It therefore has misleading medicolegal and ethical implications.

For these reasons “absolute” risk is a misnomer when used for clinical prediction and patient management calculated from multifactorial scores. It should not be used prospectively.

It can be renamed simply as “the” risk, or, if risk is to be qualified, “quantitative” risk. Calculation of an individual’s predicted or projected risk could be called “quantitative risk estimation” and the individual result a “quantitative risk estimate.” The associated acronym, QRE, nearly homonymous with “query,” may remind those using it that, although prognosis is relevant to management, it is hazardous to prophesy and foolhardy to hazardously absolutely.

Hugh Tunstall-Pedoe professor of cardiovascular epidemiology, Dundee

“Absolute” risk ... has misleading medicolegal and ethical implications

SOUNDINGS

Seize the day

I recently attended the funeral of a patient who was also a friend. I am sad about it for several reasons. One is that he was a wise man and there are not many of them about. But mainly I am sad because I had always meant to get to know him better, and now I never will. Over the busy years since I first met him, I had always planned that, in the future, when things settled down, we would get together and talk about our shared interests. Alas. Things never settle down and life never gets less busy. Carpe diem, seize the day, do not put your trust in tomorrow.

One of our shared interests was in a strange and ancient language: mathematics. There are very few people interested in this language, so the loss of my friend was very particular.

Occasionally I chat to friends about this esoteric world and they listen politely and nod. They never quite get the hang of it at school, they say. My eccentricity in finding it relevant any more is implicit in their thin, bored smiles.

And yet it is the language in which the book of nature seems to be written. Many people have commented on the unreasonable effectiveness of mathematics in explaining the physical world, and yet it remains an arcane art, opaque to all but the selected acolytes.

Mathematicians themselves do not help the matter. Years of being the swot at school, and the dull boffin at university, have often left them with social and conversational skills that make an autistic child look flamboyant. Subsequently they are locked away for years in the austere cells of maths departments, emerging infrequently into the sunlight like Trappist monks. Indeed, they seem to have all the attributes of a religious order: years of solitary training in an obscure language that no one else understands but which seems to hold the key to the cosmos.

It is not immediately apparent why a skill that evolved from counting stones or cattle should be so extraordinarily successful in explaining the deepest workings of the universe. It is, I suppose, because mathematics is, in the end, merely about recognising patterns at the deepest level.

I’m reminded of some graffiti in the lavatories of the maths department at my university: “I don’t know as much as God does, but I know as much as he knew at my age.”

Kevin Barraclough general practitioner, Painswick, Gloucestershire