reviews

BOOKS • CD ROMS • ART • WEBSITES • MEDIA • PERSONAL VIEWS • SOUNDINGS • MINERVA

Practising Evidence Based Geriatrics

Sharon E Straus, David L Sackett

Radcliffe Medical Press, £25,
pp 166
ISBN 1 85775 394 1

Rating: ★★★

Interventions in geriatric medicine, particularly in assessing patients, have been extensively investigated. A growing body of evidence has shown that relatively simple unglamorous interventions are the most appropriate response to the health needs of elderly people with complex and disabling illnesses. Unfortunately, the funding for geriatric medicine is often justified by its ability to

ensure the smooth running of the acute health sector and its interface with residential care, rather than facilitating the optimal type of medical care for frail elderly people.

What has the practice of evidence based medicine to offer geriatrics? Will the "conscientious, explicit and judicious use of current best evidence" overcome ageist attitudes held by some funders and the community in general? Hoping so, many of the practitioners in geriatric medicine have learnt the jargon and methods of evidence based medicine to argue the case for their specialty. This book guides tutors towards facilitating tutorials on the principles of evidence based medicine, as it applies to the care of elderly people. For those tutors who wish to provide a short "nuts and bolts" course, it will no doubt be a handy guide, but it does not provide any sort of critical reflection on the limitations of evidence based medicine in its application to older patients.

Does this book serve its purpose as a succinct and didactic guidebook? The answer is a qualified yes, but I was disappointed that

none of the really important specific methodological issues in geriatrics was even mentioned. For example, how do clinicians deal with the relative paucity of pharmaceutical studies in very old people and those with organ failure? Do we just extrapolate from studies of younger patients or do we have some method of evaluating whether such extrapolations are valid? Does the precision of diagnostic tests decrease as people age, is this inevitable, and how do we compensate for it? Perhaps even more fundamentally, how much do all of us value the years of old age, and how does this affect analyses of cost-utility and numbers needed to treat?

The book will, however, teach individuals to systematically review the literature in geriatrics and justify what has been shown to work in this specialty. It will not satisfy readers who want a book that critically appraises the validity of applying evidence based medicine to geriatrics itself.

Leon Flicker *professor of geriatric medicine, Royal Perth Hospital, Australia*

ART

Matters of Life and Death

Season of arts events at Battersea Arts Centre, London, 16 June-15 July 2000

A consultant in a famous teaching hospital once said to me: "Only 50% of my patients ever die." But death is an inevitable part of life. As the Scottish historian and essayist Thomas Carlyle (1795-1881), observed: "Death means going over to the majority." Almost all doctors will care for patients whose illness progresses and who ultimately die.

Matters of Life and Death probed this last great taboo. The festival united an array of artists exploring death and all that surrounds it. There was something for everyone—performances for adults and children, exhibitions, the spoken word, discussions, music, family events, film, workshops, and sessions for schools.

Two per cent of children are bereaved of a parent before the age of 18, and many more lose grandparents, friends, or siblings. Yet we often avoid talking with children about death. *How High is Up?*, a performance by the group Theatre Centre, was aimed at 5-7 year olds. In this comic fairy tale, Little Star tries to stop

time in order to prevent the death of a friend who is old and ill. She consults a series of magicians, who perform tricks with horrible weather and offer to stop the rains of bitter experience and the winds of uncertainty. But the magicians can offer only things she does not want—an eerie echo of some medical consultations. Bravely and yet simply, the play draws on the connection between the magicians' questions—"How high is up?" and "How deep is down?"—and the cycle of life. The work is challenging, absorbing, and moving, with excellent performances from the small cast of four interspersed by African drumming.

In the exhibition *High Spirits* students at a local school worked with artists Sam Wells, Emma Spencer, and Peter Glanville to create coffins, urns, shrines, and caskets based on the themes explored in the season's events. There were fascinating tributes to relatives, friends, and many different pets.

There was an excellent and provocative performance by Corin Redgrave of Oscar Wilde's *De Profundis*, based on the letter that Wilde sent to his friend and lover Lord Alfred Douglas when he left Reading Gaol. Comedians explored sex and death, a cabaret presented "Famous and not-so-famous mortalities of people we've never actually met," and a workshop taught us about "Funerals and how to make them more personal." And there were late night ghost stories for those keen on death's more frightening aspects.

Hymns—a dance about death

Artists have meddled with death in every generation. *Matters of Life and Death* was an eclectic and captivating blend of work that challenged the way we think—and often do not think—about death and the cycle of life. Battersea Arts Centre is to be applauded for tackling death with such fun, information, sensitivity, and, sometimes, sadness.

Irene J Higginson *professor of palliative care and policy, King's College London*

Raising awareness or spreading fear?

Cancer charities, radio shows, medical journals—they are all in the business of getting messages across to the public. If you can't capture the reader's or listener's interest, there is no way he or she will take in the important messages that you want to deliver. One way to grab that interest is to scare the audience rigid, but can it be justified?

The Imperial Cancer Research Fund is currently running a major advertising campaign that shows three little girls sitting on a wall. Over each head is a different label—teacher, lawyer, cancer. Meanwhile, in *The Archers*—Radio 4's long running soap opera of "everyday farming folk"—women's worst fears of breast cancer are exploited as an unfeasibly young character undergoes a mastectomy.

The cancer charity's campaign arose from a survey showing that the public thought an individual's lifetime risk of getting cancer was one in 10 or less. The "correct" risk is two in five. The charity then commissioned an advertising agency, Abbott Mead Vickers, to educate the public. Unfortunately, the advert creates the impression that only two of the three children will grow up to have a career. Alternatively, even if the third does grow up, her life will be defined by her disease. Four lines of print at the bottom, stating that survival rates are improving, fail to mitigate the harsh message.

Stacey Adams, the charity's head of communications, explains: "We did wonder about the cancer caption. However, our oncologists told us that, at the time of diagnosis, cancer does become the most significant thing in the patient's life. This is true if they are teachers, lawyers, or work in the local supermarket." She admits that politics underlie the timing of the campaign: "Decisions are being made now in terms of funding, service delivery, and treatment. Cancer needs to be on the front burner now."

However, if the charity's campaign causes newspaper readers to wince and turn the page, *The Archers* cancer story line is harder for listeners to escape: it provides a steady drip feed of misery. Ruth Archer, a 32 year old farmer and mother of two, finds a breast lump. Before you can say "combine harvester" a solemn oncologist is telling her that the disease is multifocal and that she must have a mastectomy. The radio audience shares Ruth's stunned reaction, her tearful telephone calls to her family, her worries over body image, her fears of death, her anguish over her two lisping young children, the last bedtime stories before the operation, her

Overestimating the danger

revulsion at the sight of her temporary prosthesis, and much much more.

The reality—that such young women have a 100th the risk of breast cancer of older women, that multifocal breast cancer is found in only 5% of cases, and that mastectomy is seldom performed—is conveniently lost in the wallow of emotion. Ruth could have chosen reconstruction at the time of her mastectomy, but that would have meant losing the sexy storyline about what it feels like to be a woman who loses her breast.

Dr Margaret Spittle, consultant clinical oncologist at the Middlesex Hospital, was disappointed that the scriptwriters had already selected a "premenopausal victim" when they asked for her help with the medical details. Dr Spittle said: "I did explain that this could cause anxiety in younger women. The answer was that they were under no obligation to choose an average patient. Nevertheless, although they chose an atypical case, the care they have taken in getting the medical details right has been impressive."

Ruth's mastectomy was conceived at a story conference in the Pebble Mill studios about a year ago, when the writers decided to explore the effects of mastectomy on a farmer and mother. *The Archers* editor, Vanessa Whitburn, explains: "We were interested in the situation of a younger woman finding herself diagnosed with this disease. We could have given her a lumpectomy, or we could have chosen an older character, but in drama you don't necessarily go for the most obvious thing. We very much hope it won't frighten people. We want to show a positive side to this very difficult disease. The Ruth character is essentially a strong woman, and eventually I hope we will show how women can fight this disease. If you embark on a story like this and you don't show some of the dark nights of the soul, you are not being honest with the listeners."

Michael Baum, emeritus professor of surgery and visiting professor in medical humanities at University College, London, takes a different view: "I am utterly dismayed by the choice of the age group and the pathology, especially when the vast majority of breast cancers are now treated conservatively. The messages which are being given out create fear. The prognosis for women under the age of 34 is poor. How will they

deal with that?" He agreed that this kind of cancer, in a woman of this young age, was about as likely as a man of any age developing breast cancer.

Professor Baum is also angry about the "awful" campaign of the Imperial Cancer Research Fund. He says: "It is true that one in three people will get cancer if they live long enough. It does not mean that one person in three dies of the disease. Public anxiety has been inflamed by all the recent political manoeuvring and the setting of deadlines for patients to be seen within two weeks."

Both the charity's advert and *The Archers* frighten people by creating the impression that cancer is a disease of the young. But is this the only way of raising awareness of cancer? The Imperial Cancer Research Fund's Stacey Adams points out: "The media are staggeringly ageist. They don't want to talk about old people getting cancer, and in the case of breast cancer they want case histories involving young women. All you can do is try to educate the press and get them to mention somewhere in the article that most breast cancers occur in older women."

Ann Kent health writer and author of *"Life After Cancer"*

JUNE BESTSELLERS

- Oxford Handbook of Clinical Medicine**
RA Hope, JM Longmore, SK McManus, CA Wood-Allum
Oxford University Press, £14.95,
ISBN 0 19 262783 X
- British National Formulary No 39 (March 2000)**
BMA/Royal Pharmaceutical Society, £16.95,
ISBN 0 7279 1481 2
- Insiders' Guide to Medical Schools 2000-2001**
I Urmston, L Corps, K Mears
BMJ Books, £14.95, ISBN 0 7279 1537 1
- How to Read a Paper: The Basics of Evidence-Based Medicine**
T Greenhalgh
BMJ Books, £15.95, ISBN 0 7279 1139 2
- Eating Disorders, Body Image and the Media**
BMA Board of Science and Education, £7.95,
ISBN 0 7279 1533 9
- Stedman's Pocket Medical Dictionary**
Lippincott, Williams, and Wilkins, £5.95,
ISBN 0 683 14528 2
- A-Z of Medical Writing**
T Albert
BMJ Books, £14.95, ISBN 0 7279 1487 1
- Acupuncture: Efficacy, Safety and Practice**
BMA Board of Science and Education
Harwood Academic Publishers, £12.99,
ISBN 90 5823 164 X
- Withholding and Withdrawing Life-Prolonging Medical Treatment: Guidance for Decision Making**
BMA Medical Ethics Committee
BMJ Books, £9.95, ISBN 0 7279 14561
- ABC of Major Trauma 3rd ed**
P Driscoll, D Skinner, R Earlam
BMJ Books, £18.95, ISBN 0 7279 1378 6

BMJ Bookshop

Reporting NHS performance: how did the media perform?

As the NHS has learnt from winters past, it only takes a few high-profile cases of patients on trolleys for the media to dust off stories and headlines of "NHS in crisis." Facts and figures are rarely allowed to spoil these seasonal horror stories. But when the figures are presented, how do the media react?

Reports in most newspapers of the latest set of NHS performance indicators for England released last week made a reasonable attempt to convey some overall assessment of how the NHS is doing, but—like the professor of history when asked by a harassed radio reporter, "The crusades, good or bad?"—they were caught between the desire to oblige with a definitively succinct answer and the need to show at least some awareness of the real complexity of the issues.

Of the eight major national daily newspapers, all bar one (the *Mirror*) devoted considerable space to the high level performance indicators (generally population health meas-

ures by health authority) and clinical indicators (a handful of measures covering hospitals). Much of the space was taken up by reproducing tables of indicators for individual hospitals and health authorities.

Although the Department of Health avoided any attempt to provide an overall aggregate measure of NHS performance, the clear message from newspaper headlines was that the NHS is failing to meet one of its central goals, equity, both in terms of access to services and of population health. "National lottery of hospital survival," "league tables reveal patchwork NHS," and "the postcode difference between life and death" typified reports. No newspaper mentioned last year's indicators, in comparison with which most in this year's set show improvement. The emphasis instead was on variations, with the focus on those labelled "best" and those labelled "worst."

Just two newspapers carried leading articles about the figures. While the *Sun* praised the government for publishing the performance indicators, but argued that they should be more comprehensible, its stablemate, the *Times*, noted that one of the problems with the "phone book-sized bundle of figures" is that they are likely to be of more use to health professionals than to patients or the public. But if, as the *Times* leader urged, the NHS should expand publication to include the performance of clinical teams and individual hospital departments, there is clearly much presentational work to be done.

Unfortunately, most newspapers performed poorly in presentational terms. A crucial statistical aspect of many of the indicators is the fact that there is a degree of

uncertainty surrounding the figures. Although a couple of newspapers mentioned the words "confidence interval," only the *Daily Telegraph* reproduced the actual intervals, but then failed to note how to interpret any overlaps between intervals. Given the league table approach to the indicators taken by most newspapers, the fact that it is impossible statistically to distinguish between most health authorities on most health measures undermined much editorial comment.

However, virtually all newspapers picked up the fact that many indicators reflected not just the performance of the NHS but other factors too. In particular, the link between poverty and health was noted for confusing interpretations of the bald figures. The *Sun*, for example, focused most heavily on the link between health and wealth, whereas the *Daily Mail* mentioned it merely to deny that such a link was important—reflecting perhaps the different assumed readerships of those two newspapers. Such confounding factors, including inaccuracies in the underlying data and apparently unique local circumstances, were sometimes noted, somewhat defensively, by health service managers.

Apart from managers and clinicians drawn from the "best" and "worst" authorities and trusts, the main voices quoted were John Denham, minister of health, and Peter Hawker, chairman of the BMA consultants' committee. The voice of patients, as is so often the case, was largely absent.

Looking at the coverage overall, it is clear that taking a national approach to the performance indicators is extremely difficult. For newspaper reporters with little time to interpret information that has been created largely for professional readers, the job of presenting it to the general public is a tough one. With data like these, the most important level of public communication is probably local. At the local or even regional level it is easier to show changes over time and to focus on the performance of individual NHS organisations—looking at where they have done well and where they have scored badly. The national picture, if such a thing exists in this case, is much more complicated.

For the national media, that creates a major dilemma. Do they oversimplify the figures to make them accessible but risk distorting the data, or do they just re-present what is given to them and risk confusing people? Most newspapers tried both. Thus, several newspapers carried simple case studies of "good" and "bad" health authorities and trusts alongside endless tables and graphs where even finding one's local hospital would be a tough job for many readers. Perhaps the *Mirror's* decision, not to cover the story at all, was the wisest.

The eight newspapers studied were the *Daily Express*, *Daily Mail*, *Daily Telegraph*, *Guardian*, *Independent*, *Mirror*, *Sun*, and *Times* from Friday 14 July 2000.

John Appleby director, Health Systems Programme,
Andy Bell acting head of public affairs, King's Fund, London

WEBSITE OF THE WEEK

NHS performance indicators This week, the second ever set of health indicators for the NHS is published, and naturally there is a website that incorporates data from all 99 health authorities and some 275 trusts in England (www.doh.gov.uk/nhsperformanceindicators/index.htm). As a way into the data, start with the "media briefing pack" (www.doh.gov.uk/nhsperformanceindicators/hlpi2000/mediabrief.html), which launches immediately into a discussion of the variation in "performance" between health authorities. Valuing a healthcare intervention against action on the wider determinants of health can be difficult, and the department does not attempt this. Indeed, it argues that standards "should be applied equally to all patients irrespective of their socioeconomic status ... which may explain but not necessarily justify variation" (www.doh.gov.uk/nhsperformanceindicators/hlpi2000/graphs.html).

Having agreed that health must fall on its sword for the shortcomings of employment, poverty, the environment, housing, and transport policy, the statistics do start to address processes that are more directly within the ambit of health service managers. North Derbyshire, for example, heads the table of immunisation coverage, achieving a remarkable 105% coverage of its 2 year old children, while, at the foot of the table, Croydon can manage only 84%.

Plainly, the accuracy of such data is questionable, and the validity of the dataset will be the first thing that those at the bottom of the lists will want to look at. Unfortunately the discussion of data quality indicators is rendered almost illegible with arcane abbreviations (www.doh.gov.uk/nhsperformanceindicators/hlpi2000/dqi_h.html). But as you scroll over the charts of data, what is striking is how smooth and narrow the curves of variation between different authorities are—which means that, for many measures, most authorities that are below average are separated from their above average counterparts by only a few percentage points.

Douglas Carnall
BMJ
dcarnall@bmj.com

PERSONAL VIEW

The forgotten children

The term “forgotten children” could cover a wide variety of children in Britain. What I mean by the term is the children who have or have had a parent in jail.

Many people will remember the film *The Railway Children*, which was based on a book by Edith Nesbit (1858-1924). This told the story of a family struggling to survive in reduced circumstances after the father had been falsely imprisoned. The children were not told that their father was in prison. Their memory was of a devoted father whom they loved dearly. When the eldest child discovered that her father was in prison by reading a newspaper report she became distraught, and her evident distress upset the other two children.

The story should have alerted the caring professionals to the suffering of imprisoned parents.

But apart from my tentative work there does not seem to have been any systematic study of the subject since *The Railway Children* first appeared in 1906. We do not even know how many children are affected or what the effects are on the children and others.

At least 100 000 children a year in Britain have a parent in prison, and the effects are serious from the point of view of them and society. They include damaged lives, homelessness, crime, and ill health. Worst of all may be the cumulative or snowball effects on future generations.

Research is limited because of the restrictions on mentioning in the media the names of families affected. I can report the following case because it is in the public domain and illustrates the damage that can be done. Mr X and his family live in the north of Scotland. The family consists of Mr X and his 12 year old son and 7 year old daughter. Mrs X disappeared in 1998.

Mr X was sentenced to 18 months in prison in March 2000 for a minor assault on Mrs X, a month before she disappeared, after she had returned home drunk in the early hours of the morning.

The children go to school about 100 yards from their home. On the way they pass a newsagent's shop whose billboards have, for the past two or more years, proclaimed the prosecution and conviction of their father.

When I visited the town I interviewed several people. Mr Y, a business partner of

Mr X, said, “Everyone says they want the best for the kids but that doesn't seem to be happening.” A neighbour reported, “I was shocked when I heard he had got 18 months. I thought he would get community service for the sake of the kids.”

My research shows how hypocritical the mantra of “putting the children first” means in practice. Far from putting the children first, as the law demands, these children are disregarded and ignored by the state in contravention of all national and international laws affecting the rights of the child. The courts do not ask for, recognise, or consider the opinion of any child before they send the parent to jail.

This contravenes article 12 of the Convention of the

Rights of the Child, which states, “The child shall in particular be provided with the opportunity to be heard in any judicial and administrative proceedings affecting the child.”

If children are not affected by seeing their devoted father or mother being sent to jail then surely nothing so affects them.

This article is based on a lecture given at a meeting of the Family Education Trust and the Family and Youth Concern in London in June 2000.

D H S Reid consultant paediatrician, St Andrews

SOUNDINGS

Power to the paperwork

The class stood in line along the edge of the swimming pool: two dozen of us, dressed in time-expired flying suits and burdened with survival gear. An instructor grinned. “Fall in,” he said. We fell in.

Over a couple of hours of chilly, chlorine flavoured discomfort we practised a series of drills that might come in handy if one of the navy's ageing helicopters failed to make it home. Some of it I found quite taxing.

For most of the class it was routine stuff, a regular update that they—young, fit aircrew—took for granted. Less fit and a lot older, I had to pay more attention, and as the drills progressed I became aware that wherever I was in the pool I was never far from one or more crop headed, superfit survival instructors, the petty officers who ruled our morning.

How kind, I thought at first, but later on, as we formed eights and floundered in and out of inflatable orange igloos, I made more sense of it. They had spotted in their morning's flock an unknown quantity, a middle aged reservist of dubious fitness and swimming ability, and clearly did not wish to spend the afternoon on tedious and avoidable paperwork.

I have no precise idea of what forms are involved in writing off a surgeon lieutenant commander Royal Naval Reserve, but the navy has forms for every contingency so they must exist and, to judge from the care taken to ensure my survival, they are probably quite detailed.

I worked it out because 10 years before that I'd been there myself. In the naval hospital in Malta an old woman on holiday from Devon—someone's mother in law—was desperately unwell. Of course I wanted her to get better, but not having a clue about what to do if a civilian died in a service hospital added much to my motivation. Intravenous digoxin—given far faster than is now recommended—achieved a small miracle. She shook her jowls, opened her eyes, and said, “That's better”: a relief for both of us.

Too much paperwork in the NHS? Just wait and see. As I write this, someone, or some committee, in the Department of Health is working on the fifth or 50th draft of a long new form we may not like much, but which might have saved the lives of a lot of old ladies in some of Harold Shipman's patients.

Colin Douglas doctor and novelist, Edinburgh

If you would like to submit a personal view please send no more than 850 words to the Editor, BMJ, BMA House, Tavistock Square, London WC1H 9JR or email editor@bmj.com