Trial efficacy to community effectiveness chain: hypothetical example taken from antihypertensive treatment in elderly people

preferences and adherence, professional competence, and potential harm are not considered. The disease impact number and population impact number are subject to greater random error than the number needed to treat or relative risk reduction, as errors occur in estimation of both the proportion of people exposed to a particular intervention and disease prevalence. Combining these random errors produces fairly wide confidence intervals, reflecting the greater uncertainty of these more complex measures.

Measures of relative risk have the virtue that they tend to be relatively stable between populations and

over time.³ Furthermore, the diminution of efficacy that occurs in application of interventions in the real world can be examined: inaccurate diagnosis, incomplete population coverage, patient adherence to treatment, and professional competence all tend to reduce efficacy found in trials—sometimes called community effectiveness or, in the context of hypertension, the “rule of halves.”⁴ This approach makes explicit the links in the chain that have the biggest impact on treatment effectiveness, and consequently are appropriate targets for clinical or public health action (figure). The “community” relative risk reduction obtained after taking account of each link can be converted into a number needed to treat by application of the relevant level of risk or prognosis in the population studied.

Do disease impact numbers and population impact numbers have a future? The potential hazards of generalising numbers needed to treat, the conceptual simplicity of community effectiveness, the usefulness of alternative population measures (particularly those embodying a cost dimension such as cost per quality adjusted life year), and the greater random error in the estimation of disease impact numbers and population impact numbers make them questionable public health policy tools. Their best role may be in communicating a population perspective to clinicians familiar with numbers needed to treat.

Competing interests: None declared.

- 1 Ebrahim S. Numbers needed to treat and meta-analyses: pitfalls and cautions. In: Egger M, Altman D, Davey Smith G, eds. *Systematic reviews*, 2nd ed. London: BMJ Publications (in press.)
- 2 Davey Smith G, Egger M. Who benefits from medical interventions? *BMJ* 1994;308:72-4.
- 3 Smeeth L, Haines A, Ebrahim S. Numbers needed to treat derived from meta-analyses—sometimes informative, usually misleading. *BMJ* 1999;318:1548-51.
- 4 Ebrahim S. Detection, adherence and control of hypertension for the prevention of stroke: a systematic review. *Health Technol Assess* 1998;2(11).

MRC Health Services Research Collaboration, Department of Social Medicine, University of Bristol, Bristol BS8 2PR

Shah Ebrahim
professor in epidemiology of ageing

Correspondence to: L. Smeeth
liam.smeeth@lshtm.ac.uk

When I use a word ...

An/anatomy

As I have mentioned before (*BMJ* 1999;319:1758), at one time the indefinite articles “a” and “an” were joined to the words that they governed—for example, aman or anoke. When the words were later split again, some spurious words were formed in error—for example, instead of a naranj we have an orange and instead of a noumpere we have an umpire. This process is called metanalysis, one casualty of which was “anatomy.”

Anatomy is from the Greek ἀνά (ana, up) and τέμνω (temno, I cut). In addition to its current meaning, the study of the structures of the body or the structures themselves, at one time it also meant a skeleton. When the indefinite article was being restored to its separate existence, the word “atomy” was falsely coined from “anatomy” through aphaeresis, by the removal of the supposed indefinite article. Gay used it in *The Beggar’s Opera* (2, i). When Matt of the Mint is asked what has happened to his brother, Tom, he says that he had an accident—in other words, was hanged—and having fallen into the hands of the dissectors “is among the otamies [*sic*] at Surgeon’s Hall.” By extension atomy also came to mean someone very thin; witness, for example, its appearance in *Henry IV Part 2* (5, iv, 29): “... you starved bloodhound. ... Thou atomy, thou!” Even Dickens used the word figuratively in *Dombey and Son* (Chapter IX): “Withered atomies of teaspoons.”

I recently thought that I had come across a modern instance of the word, in Anthony Burgess’s translation of *Cyrano de Bergerac*, which was used to subtitle Jean-Paul Rappeneau’s 1990 film of

Edmond Rostand’s play. The couplet in question (which occurs in the famous balcony scene in Act 3) is about love:

Aussi l’ai-je tenté mais tentative nulle,
Ce nouveau-né, Madame, et un petit Hercule.
Burgess translated this as follows:

But the tough atomy I thought to seize
And crush, turned out an infant Hercules.

But there is another word “atomy,” describing a property of the atom, smallness, or things that are tiny. Queen Mab, Mercutio tells us, is “Drawn with a little team of atomies/Athwart men’s noses as they lie asleep” (*Romeo and Juliet*, 1, iv, 58). So did Burgess use atomy here in the sense of a tiny insignificant being (a metaphor that was coined long before the true power of the atom was known)? Well, if so, why did he choose to call it tough? It would have been more natural and accurate to have written:

But the tender infant that I thought to seize
And crush, turned out a pocket Hercules.

No, I think that Burgess, a consummate practitioner of logodaedaly, chose “atomy” for deliberate ambiguity, implying that the love borne for Roxane by Cyrano (her “almost brother” as she describes him in Act 2) had started out as a skeletal friendship but later became a grand Herculean passion. Neither anatomy nor an atomy.

Jeff Aronson *clinical pharmacologist, Oxford*