reviews

BOOKS • CD ROMS • WEBSITES • MEDIA • PERSONAL VIEWS • SOUNDINGS • MINERVA

Women and Health Services: An Agenda for Change

Ed Lesley Doyal

Open University Press,
£14.99, pp 258
ISBN 0 335 20136 9

Rating: ★★

This multi-author, 16 chapter book is divided into two parts: the first looks at the theory and the case for change, and the second gives examples of the principles in practice. This format works well, and many of the chapters give a useful insight into aspects of health services for women.

Three chapters in particular raised my spirits. As expected, Hilary Graham sets health against the backdrop of the widening gap between rich and poor in Britain, and her chapter is well written, understandable, and to the point. For those planning services, Sian Griffiths and Jean Bradlow show how the

consumer can be successfully involved but do not pretend to have all the answers, given how difficult consumer participation has turned out to be for all its ideological correctness. With the increasing realisation that coronary heart disease is the leading cause of death among UK women, Imogen Sharpes' review of "gender issues" in the prevention and treatment of coronary heart disease is particularly apt and will be of interest to clinicians, policy strategists, and politicians.

The main fault, however, of this book is the way that it concentrates on the bad rather than the good. As someone who constantly finds fault with the health services and wants them to perform better, I was almost instantly irritated by reading on the first page that there has been "relatively little impact on the responsiveness of the service to the particular needs of women."

I don't deny that there are still many problems that need to be addressed, but family planning services are free and widely available, there are national screening programmes for cervical and breast cancer screening with 70-80% coverage, cervical cancer deaths have decreased, and the government report *Changing Childbirth* is being implemented to bring about a midwife and patient led service. Although many of the chapters are of interest, the balance of this book feels wrong, and there is a tendency to exaggerate the gender issues.

The first half should have included a section reviewing more areas where improvements in health service provision had been directed specifically at women. The second half should have focused on some good ordinary health services for women in ordinary general practice, such as a routine antenatal clinic. This would balance the chapter on Hoxton Health Collective, an alternative primary care set-up—which focuses on the equality of pay, power, and responsibility but which fails to provide an evidence based evaluation and instead relies on anecdotal quotes from patients—"the care and friendship that all of you showed was without judgement or question." This is interesting to read but hardly a likely model to be replicated throughout the health service, since it was tried in the 1960s and '70s with limited success.

The overview and many of the chapters rely too much on references and work done in the 1970s and '80s. Things have moved on, and this book should have been more objective and acknowledged more of the improvements. A demoralised workforce will not deliver a good health service for women any more than a demoralised teaching force will deliver decent education.

Ann McPherson *general practitioner, Oxford*

Hypertension in Pregnancy

David Churchill, D Gareth Beevers

BMJ Books, £19.95, pp 167
ISBN 0 7279 0920 7

Rating: ★★★

There is nothing delightful about hypertension in pregnancy, yet this short book is a delight to read. The authors have managed to combine the wealth of information and the dearth of actual knowledge that characterises this particular subject into a synopsis that combines evidence with sound reflection and good sense and that is at least as didactic as anything I have ever read on the subject.

Attempting to define and classify hypertensive disorders of pregnancy is an

audacious undertaking, particularly as committees of several learned societies have done the same in the past 10 to 15 years. Who was it, though, who first suggested that a camel is a horse drawn by a committee? As several members of the committee accentuate particular bits of anatomy that seem distinctive or appeal to them, the result quickly moves from one species into another. So why not stop drawing, take a picture instead, and write the comments around it?

Wittingly or not, this is what the authors of *Hypertension in Pregnancy* seem to have done. Their opening stand on the issue certainly helped in producing a text that enhances clinical understanding of the many facets that hide under the common denominator of hypertension in pregnancy. It would be better still if clinical understanding could be based on a true insight into aetiology and pathophysiology. Regrettably, that is still out of reach for most hypertensive pregnancies, and the chapter on pathogenesis delineates the many directions followed in attempts to close the gap.

Whatever clinical understanding may be based on, in obstetrics its ultimate aim is to improve the outcome for mothers and babies. This certainly is where the book's emphasis lies. I was particularly delighted to see an appendix giving details of patient support groups, albeit confined to UK groups. It makes up for the occasional lapse when a pregnant woman reverts to being a "case."

Experienced clinicians will readily recognise the phenomena, choices, and dilemmas that confront them in the clinical management of hypertension in pregnancy. They are likely to learn from the thoughtfully balanced manner in which these are presented. Like me, they will be delighted at the prospect of referring junior staff to a readable accumulation of evidence based wisdom that is difficult to find elsewhere. It would be prudent, however, to keep track of whom the book is lent to, or it may have no shelf life at all.

Marc J N C Keirse *professor of obstetrics and gynaecology, Flinders University of South Australia, Adelaide, Australia*

Presumed dangerous

Visit the Royal College of Psychiatrists' website (www.rcpsych.ac.uk) and you find an anxious message: "Urgent call to members. Managing dangerous people with personality disorders." It goes on to explain that, as members may know, the Home Office and the Department of Health have put forward proposals for the detention of people who have no criminal convictions but who are judged to have an antisocial personality disorder. Members of the royal college who read the *Sun* will certainly know what this is about. The edition of Tuesday 20 July carried a crisp, six word headline: "600 psychos to be locked up." By way of explanation, it carried the subheading: "Swoop on maniacs before they strike."

You don't have to be a fan of tabloid journalism to recognise its strengths. The person who wrote those headlines had managed, in just two phrases, to capture both the content of the government's proposed action and its justification. Nor do you have to be especially cynical to imagine that this saloon bar message, or something like it, is what the government would be content—privately, of course—for us all to think. It may not be the kind of policy statement that a political party would consider

printing on a pre-election pledge card, but you have to admit that it fits the space.

So, how was the announcement covered elsewhere? For those who take their news at a more leisurely pace, the *Daily Telegraph* of the same day spelt out the government's plans: "Potentially dangerous psychopaths could be locked away for good without ever committing a crime under Government proposals published yesterday. Ministers said they intended to change the mental health laws to allow the indefinite detention of people who pose a risk to the public. They would either be held in prison or hospital, or in new purpose-built specialist units."

Compared with television, radio, and newspapers, the internet barely rates as a source of serious news. But if only to contemplate what the future may be like, it is worth an occasional trawl to see what's being posted and by whom. The best known of the web's news services is BBC Online (news.bbc.co.uk/). Continuous updating is the selling point of services like this, and news items are fashioned accordingly. Online's big advantage is speed: its first story appeared on Monday, half a day before the newspapers had even begun printing. At 3 20 pm "Psychopaths face indefinite sentences" outlined the government's proposals but offered no dissenting comment. These came in a separate story at 3 45: "Psychopaths: the reaction." This included brief and suspicious comments from the mental health association MIND, the National Association for the Care and Resettlement of Offenders (NACRO), the National

Schizophrenia Fellowship (NSF), and Liberty. The Zito Trust and SANE (Schizophrenia: A National Emergency) offered cautious but more sympathetic views. A third piece, at 4 37 pm, gave much of its space to two quite long and critical quotes from the chief executives of SANE and the NSF.

In the nature of an online service, the stories supplement rather than supplant one another. A click of the mouse takes you between them—and to relevant items published days or months previously. Among those on immediate offer (that is, without you having to search for them) were pieces on other ways of dealing with psychopaths, on personality disorder itself, and on the reform of mental health legislation in general. Moderately useful, but still desperately thin in comparison with the extent and variety of newspaper coverage (OK, forget the *Sun*). However, a service of this kind isn't geared to publishing articles like the one in the *Guardian* by Anselm Eldergill, commissioner of the Mental Health Act. He bravely argued that if the defence of our freedoms was worth the sacrifice of millions of lives during two world wars "it must withstand the death of a few during peacetime."

The real point of the web is that it gives access to views that remain unfiltered by the needs, biases, and perceptions of journalists. The Royal College of Psychiatrists is keeping its powder dry, but the NSF (www.nsf.org.uk/news/) has already posted some sharp comment ("That can only lead the general public to believe that all people with a severe mental illness are dangerous"), as has MIND ("Mind's offices have again been flooded with calls from people diagnosed with a personality disorder who fear that they may be locked up unfairly") (www.mind.org.uk/press/pds.htm).

What is lacking on this topic is a range of individual views. Trawling the newsgroups and forums set up to discuss mental health in general and personality disorder in particular is a disappointment. One message in alt.society.mental-health features a Press Association story on detention for psychopaths. At the time I checked, there was only one response, from "Liam", who wrote: "I personally don't reckon psychiatry to be much of a science, too subjective. As for public reaction, I think they'll be all for it because of media portrait [sic] of mental health issues." Not very rewarding. Surfing the net is like listening to local radio phone-ins.

Geoff Watts freelance medical journalist

WEBSITE OF THE WEEK

Genes and insurance Last week, the inaugural meeting of the UK Forum for Genetics and Insurance (UKFGI) addressed "the complex issues on the use of genetic testing on the assessment of people's insurability" (see p 273). Even for single gene disorders this is not a straightforward matter: 13% of family members with a family history of a single gene disorder were wrongly rated by life insurers in one study (www.bmj.com/cgi/content/full/317/7173/1632). But what drives it all is the belief that the black box formerly known as "multifactorial inheritance" is about to be opened: such diseases kill many more, and have bigger financial implications.

Every new organisation has its own website these days, and the UKFGI is no exception. You can check this out at www.ukfgi.org.uk, although the pastel shades used make the site tiring to read on screen. The UKFGI will give its member organisations the opportunity to influence the direction of research commissioning in the area of genetics testing and have early notice of results for "discussions on how they should be interpreted" (www.ukfgi.org.uk/benefits.htm).

One of the prime movers behind the UKFGI is the Institute and Faculty of Actuaries (www.actuaries.org.uk/). These applied mathematicians advise financial institutions and others on the statistical likelihood of human frailty, and they are naturally very curious indeed about the new genetics. One of the paradoxes of the new genetics is that new knowledge comes not only from the empirical work of sequencing yet another gene but from the database searches and comparisons that follow that discovery. Engineering the knowledge that is already extant in the world's gene databases is a specialty of its own, but the most comprehensive set of links to gene databases on the web is at www.wellcome.ac.uk/en/1/homlibinfacthiarc9hug.html.

And let's not be too culturally blinkered: the Islamic world has mutual systems for dividing losses and spreading liability (www.takaful-malaysia.com/profile/islam.htm) that look interesting in this context. Should we insure the gene pool rather than the gene?

Douglas Carnall
BMJ
dcarnall@bmj.com

PERSONAL VIEW

A peaceful death

Six years ago at the age of 68 my father in law was diagnosed as having prostate cancer. A bone scan confirmed disseminated bony metastases.

Hormonal treatment meant that he could enjoy my wedding five months later, and we hoped for several years of good quality existence for him. Four months later, his backache became more troublesome, the disease was failing to respond to medical hormonal treatment, and his surgeon recommended orchidectomy. An anxious telephone call from his wife the day after the operation, telling us that he had weakness of his arms, set alarm bells ringing. Computed tomography confirmed spinal cord compression. During, or shortly after his operation, he had developed cervical compression of the cord, possibly precipitated by the necessary manipulation of the neck during intubation for the general anaesthetic. He was confined to strict bed rest, unable to sit up owing to the tenuous stability of his cervical spine. A course of radiotherapy failed to improve his condition. A neurosurgeon offered a stabilising operation which he accepted. However, he then became quadriplegic.

Was the surgery worth while? Yes. It was a beneficial palliative procedure. Without it he would have spent the last few months with a severely unstable neck, afraid to move from the horizontal position for fear of a sudden and catastrophic end to his life. However, the weakness in all four limbs was still severe, and for practical purposes he was quadriplegic, unable even to scratch his nose. After a month's convalescence in hospital, he spent a further month in the local cottage hospital, before returning home.

Throughout this time his wife spent most of the day at his bedside, assisting in all his nursing care. The bedroom was turned into a miniature hospital ward with a commode, hoist, airbed, basins, etc. The district nurses visited twice daily, and twilight and night nurses called regularly.

Although he bore his illness with equanimity, it did not prevent him suffering the emotions of denial, anger, intense frustration, and for several weeks a severe withdrawn depression, which thankfully responded to antidepressants.

He then had to be admitted with bladder outlet obstruction to his third hospital, a local district general hospital, returning home after a few days with a cumbersome continuous bladder irrigation apparatus. After 12 hours at home he developed acute gastrointestinal obstruction, again needing urgent hospital admission.

It quickly became obvious to me and my wife that he was dying. Unfortunately, this hospital dealt mainly with cold surgery, and staff were unaccustomed to dealing with many dying patients. The nursing care was excellent, but we had difficulty getting effective palliative medical treatment for the relief of his symptoms. Overall, the medical staff, with exceptions, communicated poorly, spent little time at the bedside, and were extremely parsimonious in their prescription of symptom relieving medication, despite having been told that both my wife and I had over four years' experience in palliative medicine between us.

Eventually, we managed to get his intravenous drip stopped, and his drugs increased to a level where he remained comfortable until he died peacefully, with his wife and daughter at his bedside.

What lessons did we learn from the experience? Firstly, listen and communicate. Listen to the dying

patients and their families. At no stage during my father in law's final hospital stay did a doctor sit down and discuss his condition with us, to find out what he and we did or did not want at the end of his illness.

Secondly, treat symptoms actively. If a patient is in pain give him or her a pain killer. On one occasion it required a confrontational meeting with the ward sister and junior doctor to have a small dose of a pain killer prescribed for breakthrough pain. A wait of several hours for an analgesic dose to be administered for acute pain was not uncommon. On another occasion we had to wait several hours for the urological consultant to prescribe a necessary increase in syringe driver medication, which could have been ordered by a more junior doctor.

My father in law's final four days were relatively uncomplicated. I dread to think what a similar patient without medical relatives would have suffered.

Nursing care at all stages was excellent, and the attention from the local general practice was prompt and efficient. But this competent medical care did not persist into the final week of his illness in hospital.

Now, more than ever, I am convinced of the continuing need for good palliative care education for medical students and junior medical staff, particularly in the acute general hospitals where most patients still die. It is unethical, unjust, and unfair to abandon the dying patients and their families to a prolonged and distressing death.

J O'Neill, consultant in palliative medicine, Chester

Overall, the medical staff, with exceptions, communicated poorly

SOUNDINGS

Hello and goodbye

As another batch of junior house officers ticks off the last few days to full registration and yet another brood of recently retired medical students assembles nervously to fill their places, I worry all over again about what the former have endured and what the latter are about to face.

I worry both as a current user of quite large numbers of house officers and as the survivor or the very different regime of 30 years ago. I claim no expertise, only a growing bewilderment at what we ask of our most junior colleagues.

The problem is easier to describe than to solve. The conflicting requirements of humane working hours, continuity of care, and a satisfactory breadth of early experience may be fundamentally irreconcilable.

Of course, house staff are no longer required to sleepwalk through the kind of twilight ordeals of exhaustion and risk on which we once prided ourselves. Good. Instead they spend far less time on call for far greater numbers of patients, most of them bewildering strangers.

But I worry, too, that even in daylight modern housemanship seems much more a matter of reacting or failing to react to events, crises, and reported abnormalities emerging apparently at random from a passing stream of sick strangers. Knowing the patients, in the sense of gaining a constructive experience of admitting, treating, and discharging real people with presentations, faces, worries, and families, too, may now be more or less impossible.

Yes, in their first year they will see many cases, events, and crises, but if they can assemble all that into a coherent body of clinical experience they will have done so despite rather than because of the way their work is organised.

There is fragmentation at a higher level, too, as over the years rotational attachments have grown in number and shrunk in duration. Doubtful or vulnerable trainees slide past, more likely to be handed on—perhaps with great relief—than supported. As with their patients, so with them: no overview, no sense of the shape of the case, and always the easy, risky possibility of not looking for problems.

So we begin again, welcoming the class of '99, hoping somehow that things will be better for them, but knowing that it is all too likely that a year from now we will still go on rounds with junior staff of whom we may know little, trying to look after patients of whom they may know nothing at all.

Colin Douglas doctor and novelist, Edinburgh