OBITUARY NOTICE.

ADRIAN JOHN BROWN.

BIOCHEMISTRY has suffered a severe loss by the sudden death of ADRIAN J. BROWN, which followed closely upon that of his wife last July. Adrian Brown was born in 1852 at Burton and educated at the local Grammar School, whilst he received his chemical training at the Royal School of Mines under Frankland. After acting for a short time as private assistant to Dr Russell at Bartholomew's Hospital he was appointed chemist to the brewing firm of Messrs Thos. Salt & Co. of Burton-on-Trent, where he remained until 1899. In that year he was appointed to the newly-founded Chair of Malting and Brewing in Birmingham, and in 1904 became Professor of the Biology and Chemistry of Fermentation and Director of the School of Brewing, posts which he occupied until his death. His time at Birmingham was largely occupied with his professional duties and he trained a large number of students, many of whom entered the brewing industry. He was a most genial and sympathetic teacher taking great pains with his students, by whom he was greatly respected and beloved. In connection with his teaching he published *Laboratory Studies for Brewing Students* (1904), a practical text-book of much value. He was the first Examiner in Biological Chemistry to the Institute of Chemistry, the recognition of this subject in 1901 as an avenue of approach to the Institute marking an important stage in the development of Biochemistry in this country. He was an early member of the Biochemical Club, served on the committee, presided over the meeting held in Birmingham in 1912 and always took the greatest interest in the proceedings of the Club and of the Society into which it naturally developed. He was elected a Fellow of the Royal Society in 1911 and was President of the Institute of Brewing from 1917-1919.

He had a delightful home at Northfield, outside Birmingham, and was never happier than when discussing the treasures of his garden with a guest or demonstrating to him the abnormal production of marsh gas in the pond.

As an enthusiastic teacher and investigator in the laboratory he commanded the respect and admiration of all who came into intimate contact with him whilst his geniality of character and charming personality endeared him to a large circle of friends.

Adrian Brown was one of the circle of scientific men engaged in the brewing industry at Burton-on-Trent in the seventies of last century, of which such a charming and interesting account has been given by his brother, Horace T. Brown, in his *Reminiscences*. His own chief contributions to the scientific production of the "Bacterium Club" consisted in the study of two oxidising

organisms, *B. aceti* and *B. xylinum*, and a series of researches on the conditions of reproduction and fermentation of yeast.

One of the most important results of his investigation of *B. aceti* and *B. xylinum* (obtained from "mother of vinegar") was the clear demonstration that their oxidising action was strictly selective. Both of these organisms were shown to oxidise dextrose to gluconic acid, whereas they were without action on laevulose. Mannitol, on the other hand, was converted into laevulose, which was not further affected. *B. xylinum* was distinguished by producing a very bulky membranous growth, which appeared to be composed of cellulose, and which was made alike from dextrose and laevulose, and yielded a dextrorotatory reducing substance on hydrolysis. Subsequent investigations by O. Emmerling (1899) showed that the membrane in addition to cellulose contained a nitrogenous substance which yielded glucosamine on hydrolysis.

The investigation on the reproduction and fermentation of yeast also led to highly important results. In the first place he discovered the remarkable fact that when a medium is inoculated with yeast, reproduction ceases when a certain definite maximum number of cells is present and that if a number in excess of this be introduced *ab initio*, no increase whatever occurs, the added cells showing no signs of budding. This phenomenon was subsequently (1905) traced to the curious relations which subsist between yeast and oxygen. A certain concentration of oxygen in the cell appears to be necessary for the occurrence of cell division, and if the number of cells added is so great that this concentration is not reached no growth occurs. When a smaller number of cells is employed, these appear to take up the dissolved oxygen from the medium and if the growth is then allowed to proceed in the ordinary way (*i.e.* practically anaerobically in presence of the carbon dioxide produced by fermentation of the sugar in the medium) a certain definite number of cells is ultimately produced, whatever the seeding has been, "for the amount of available oxygen at the commencement of the experiments is constant, and it is conceivable that its power of stimulation is constant and governs the power of reproduction of the cells as a whole, irrespective of the number present." If the culture is continuously aerated throughout growth, the number of cells produced is much larger. He further demonstrated that Pasteur's conclusion that fermentation was life without air was not correct with respect to yeast, for in presence of abundant oxygen more and not less sugar was fermented than in its absence by equal numbers of yeast cells. A masterly criticism of Pasteur's experiments conclusively showed that these did not lead to a true expression of the fermentative powers of the yeast employed and that there was accordingly no experimental evidence to show that the fermentation of sugar by yeast was not independent of the presence or absence of oxygen in the surrounding medium. Three years later the discovery of zymase by Buchner brilliantly confirmed this conclusion and afforded a simple explanation of the facts. It was no doubt the observation, made in the course of these experiments, that the rate of fermentation of

sugar by a given number of yeast cells was, over a large range (5–20 %), independent of the concentration of the sugar, that led Brown to study the action of invertase, for which the ordinary law of mass action had been found to apply by O'Sullivan and Thompson in 1890. Investigation showed him that in reality the invertase behaved like the yeast cells, the initial rate of fermentation being constant over a considerable range of concentration, but that the products of the inversion inhibited the action of the enzyme and caused the pseudo-monomolecular course of the change. It was to explain this constancy of initial rate that he introduced the idea that combination occurred between the enzyme and substrate before the latter was decomposed, and lasted for a definite interval of time.

Perhaps the most interesting of all his scientific work was that occasioned by his discovery in 1907 that the seed of the barley is provided with a remarkable semi-permeable membrane. He noticed that the seeds of "blue" barley (*Hordeum vulgare* var. *caerulescens*) when steeped in dilute sulphuric acid became soft and swollen but retained their blue colour, although the blue pigment, which is situated in the aleurone cells, is readily turned red by acid. To quote his own words, this showed "that the covering has the property of resisting the passage of the acid, whilst it allows water to diffuse freely into the interior of the grain. So much is this the case that a dilute solution of sulphuric acid may be concentrated by steeping barley in it." Normal sulphuric acid was in fact thus concentrated from 49 to 76 g. of H_2SO_4 per litre. The resistance of the membrane to so concentrated an acid is very remarkable and a study of its behaviour to other substances, showed that the property was selective, substances like alcohol and acetic acid passing freely through the membrane, whilst salts in general, cane-sugar and tartaric acid could not penetrate it. The rate and extent of absorption of water from solutions of various substances could readily be measured and in short, in the words of Armstrong, an exquisite and invaluable method of studying the osmotic effect had been devised. The subject was pursued further in conjunction with Worley and Tinker more particularly in its physical aspects.

In addition to the work briefly outlined in the foregoing Brown made a number of investigations on various subjects including the heat of fermentation, the inheritance of colour in barley grains, *Bacillus subtilis*, and in conjunction with Ward on the antiseptic properties of hops.

It is characteristic of the man that although his scientific output was not large in amount, it dealt with problems of a fundamental nature and led in every instance to some discovery of real importance and value.

ARTHUR HARDEN.