Basic drug research in universities and industry

SIR JAMES BLACK

Rayne Institute, King's College Hospital Medical School, 123 Coldharbour Lane, London SE5 9NU

I wonder what James Crooks would have had to say on this question of basic research. I think that we would probably have shared the view, perhaps a grey-haired view, that Universities are supposed to promote basic or pure science and that industry is supposed to pursue applied or technical science. I think we might also have agreed that when it comes to defining these terms, there are no canons, it is every man for himself. So, what I am going to offer on the theme of basic research is an idiosyncratic view—a view coloured by my self-image as a pharmacological toolmaker.

I think I had better expand that view a little. I see pharmacology as having two broad divisions. I think of them as exploratory and analytical pharmacology.

Exploratory pharmacology uses drugs, or any other chemical probe, to explore physiological or biochemical systems. Exploratory pharmacology assumes that a probe has already been adequately classified, that is that it has the specific biochemical actions attributed to it. The objective is to advance physiological or biochemical knowledge by the further assumption that the effects of the probe are due to its classified properties. Exploratory pharmacology is, therefore, circumscribed by pharmacological classification.

Classification is the responsibility of analytical pharmacology. Analytical pharmacology starts from the current knowledge of physiology and biochemistry and tries to use this knowledge to explain how a chemical probe is producing its selective effects, ideally by specifying the exact molecular sites involved. Classification has to use operational methods, which are really just similes in which you make a mathematical model of how you think the probe might act. The model describes the behaviour of such an action, shows how it could be characterised by one or more parameters, or variable constants, and indicates what measurements would have to be made on a real system to be able to find values for those constants. The models cannot provide unique solutions and agreement between model and experimental behaviour does not prove you are right. A measure of uncertainty must clearly be

present in all the operational methods used in pharmacological analysis. Moreover, the methods themselves have to use these biological systems which allow the probe to show its selective actions. Consequently, the systems which the exploratory pharmacologist wants to study tend to be the same ones as were used initially to provide the classified probe which he needs. Thus a pharmacologist bent on exploring hormone receptors, say, with a classified probe is, I fear, often flirting with circular reasoning. I can imagine that if we squeezed out every dubious assumption we use between the phenomenon of a drug's selective actions and its analysis we might find that we were ultimately saying little more than what we started with. In that case, 'Does it matter?' and 'Who cares?'.

Obviously, no one can quarrel with industrial pragmatism as long as it delivers the goods. Patients will not worry about whether their relief is due to a noradrenaline β -adrenoceptor antagonist or to an empirical antihypertensive drug. However, you, the clinical pharmacologists, and analytical pharmacologists like me would be wholly frustrated by that ignorance. We want that knowledge, I believe, because, without it, we cannot intelligently modify and control the biochemical and pathological states which concern us.

In trying to develop new probes, I recognise that this ultimate practical desire makes me want to use assay systems which disturb tissue organisation and architecture as little as possible. I see dangers in excessive reductionism. So I try to identify physiological units for bioassay as a reasonable compromise between systems which are unanalysable due to their organisational complexity and those that are unintelligible due to disintegration. I know that the ultimate problem lies at the molecular level but I am constrained to tackle it coming from outside-to-in. Now I think these features—the holistic approach, the desire to tackle the problem from outside-to-in, seeking the knowledge that permits control—I think these are features of applied science and I would like to add two more. I think applied science only deals with real, existential, problems which

are, if you like, already public property. And I think that, to the applied scientist this problem is an episode which ends with his moment of truth when his solution is put to the test.

Looking back to my time at University College London, I saw then that the really outstanding academics, and there were plenty of them there, behaved quite differently from this. I got the impression of people who tried to go straight to the heart of a problem to expose its essence unencumbered by the trappings of reality. I do not think they worried that, in stripping away the hierarchical layers of a biological system to get down to its core, that they might make it very difficult to extrapolate their findings back upwards to the intact system. They seemed intent on understanding and satisfaction rather than on gaining knowledge and the power to control. I take these features—the radical approach to a problem, that is the desire to tackle it from inside-to-out, motivated by the need for understanding and intellectual satisfaction—I take these to be features of the basic, or pure, scientist. I want to add two more features. The first is that understanding has no end to it; basic research is continuous; to keep the ball in play, the academic scientist moves the goal posts from time to time; so that unlike his applied colleague, the pure scientist does not have a final examination. The second point is that unlike the applied scientist who tackles recognised, public, problems, the pure scientist's problem is private to himself—he invents it. That is why only true academic study in the pursuit of the useless can ensure the supply of unbiased knowledge and the unexpected discoveries which industry needs but cannot itself specify beforehand for commission.

Now I have chosen to heighten the contrast between basic and applied scientists, almost to the point of rhetoric, because I wanted to draw attention to a particular problem, the problem of identity, of knowing in this narrow context, who we are. I sense that these scientists, pure and applied, not only do different jobs but that they are also different kinds of people who would be miserable if cast into the wrong role. I am quite sure that they need different training though I am not sure when it should begin. I remember that the point was made very forcibly by Ray Ahlquist in a memoir about his discovery of the α - and β -subtypes of adrenaline receptors. Having argued for their existence, he hoped very much that they were not like pebbles on a beach: that if he had not picked them up somebody else would have done so eventually. He really hoped there was just one receptor which he was privileged to see in a particular way. Certainly, the sustained accumulation of experience during

their middle years seems crucial and I always feel uneasy about wasted experience when outstanding academics are appointed to senior research positions in the pharmaceutical industry. The point about my analysis is that basic and applied scientists play necessarily complementary roles. Therefore if both these roles are not adequately fulfilled, there will be the devil to pay, but not for a long time. If for any reason academics today were ceasing to produce our intellectual seed corn, it will take a generation to find out and in industry the slow pace of drug development means that it can take many years before a company realises that they are not going to get any crop.

Perhaps I am fretting needlessly. However, I am convinced that important changes are taking place in research management in the pharmaceutical industry. I have the distinct impression that biochemical, pharmacological and biological studies are generally becoming more and more quasi-academically oriented and that the number of young people engaged in Ph.D. studies in industrial laboratories seems to be increasing. The moment of truth gets postponed.

Meanwhile, harsh financial pressures on the universities have suddenly made industry look attractive for the first time since the war. In their hunt for support, some academics have become almost eager to take in the industry's washing. Research grant applications with a hint of usefulness seem more likely to be funded and grant applications for new, speculative, research are discouraged in some quarters. Are we watching the beginning of the reversal of roles?

If there are real changes in the patterns of research in universities and industry then perhaps we should be reflecting on the appropriateness of their management. Traditionally, academic and industrial research have been managed quite differently. Industrial research has been constrained by managing people and academic research has been constrained by managing the supply of money. The old arrangement, an authoritarian, hierarchical, system of line management, was probably appropriate to an industrial activity concerned about getting out the compounds and the screening tests. However, in recent years, there cannot be many pharmaceutical R & D operations that haven't agonised over their style of research management. Matrix management, dual ladder systems and organisation around projects rather than disciplines have all been tried. These arrangements have probably had some effect of giving a wider distribution of power, a more even distribution of rewards and better interdisciplinary communication. However, the enthusiasm for

these changes probably just reflects changes in society at large; I have certainly never seen evidence that they have contributed one whit to improvements in drug discovery. I have no doubt that in my 22 years in the pharmaceutical industry, I have seen the research management become weaker and less sure of itself and I have seen the journeyman scientists become less disciplined and single-minded. I think the growth of non-applied research in industry may have something to do with these changes. Industrial research management is a fascinating and complex subject which has been barely studied and not often discussed and I am sure that a wide-ranging, open, debate on this theme would be greeted with enthusiasm.

By contrast, academic research management has been well studied and discussed, at least as far as managing the distribution of funds is concerned. Unlike industry which normally funds projects, the funding of academics is individualised and competitive. Looking at this as an outsider, I have always thought that the competitive component distorts both the strategy and tactics of ambitious academics. As long as there was a generous dual support system, this probably didn't matter but the drying up of UGC support must mean that long-shot ideas are starved. The academic-industrial relationship now becomes critical. There are two aspects to this: (i) in so far as academics are turning more and more to technical science, they should be encouraged, I would think, to seek ways of getting industrial researchers' advice on managing their applied research; and (ii) on the other hand, only industrial scientists really know how totally dependent they are on the unexpected in science, the surprises that come when academics try to solve imaginary rather than real problems. Therefore, we can only hope that, in this case, the pharmaceutical industry will realise the enormous responsibility it has in trying to find ways of providing funds without strings to the Universities. I find it inconceivable that industry could ever provide its own do-it-itself pure research. Quite apart from the possibility that they do not have the right kind of people, they certainly lack that vital normative influence in universities—the teaching commitment. It is the teaching commitment which entails detachment, disinterestedness and freedom to communicate and publish, which are vital factors in the promotion of basic science.

In thinking about their relationships with academic research, there is one branch of pharmacology in particular which I think industry needs to examine; I mean those dose-duration studies which we refer to as toxicology. As a descriptive subject, toxicology is truly stimulating

to the imagination. The effects of drugs in dose-duration studies are often so surprising, they cry out for investigation and analysis. However, without investigation, without analysis, there is no protection or defence against dark thoughts and fearful impulses. So who is responsible for toxicology in the pharmaceutical industry? Experimenters or testers? Well you all know the answer! I do not know anywhere in the pharmaceutical industry where toxicology is managed as an experimental subject as a branch of pharmacology. Procedures are carried out according to received protocols and the phenomena attributed to a drug are described with great care. As a general rule the work stops at this stage and we have to gaze in awe at the results. A century or so ago, descriptive pharmacology was essentially at the same stage. Progress in pharmacology began to occur with the development of the theories and mathematical models of drug actions on which analytical pharmacology is entirely dependent. Corresponding general theories and models of the way drugs are imagined to produce time-dependent structural changes are essentially non-existent. We need to build up a picture of target molecules, the rate and control of their synthesis, when and how frequently these molecules are knocked out, how cells respond to accumulating molecular damage, how and whether these processes are reversible; we need mathematical models to describe these processes so that we can explore, in theory, how their behaviour would be influenced by variations in drugs and drug delivery parameters so that we can begin to think about the principles of experimental design. We need much more study about the principles of scaling and biological similarity and whether comparative toxicity has any good theoretical basis for extrapolation. Basic studies of this kind will inevitably lead on to more challenging questions about what we are trying to do when we conduct toxicity tests. In a statistical sense I believe we are today moving away from Type II to Type I errors—on the basis of toxicity tests, we used to accept drugs as safe when, in fact, they were unacceptably toxic—and I think, probably beginning to reject drugs as unacceptably toxic on the basis of animal studies when, in fact, they might have been reasonably safe. Only the development of theory and analysis will prevent this. This is an academic challenge if ever there was one. The number of academic centres dedicated to the development of toxicology as a general subject is inadequate to the task. The industry as a whole would have to inject massive funds to change the situation. Their willingness to do so would be a great testimonial to their understanding and appreciation of the importance of basic science.