Junior doctors' training to include patients' safety

From this year, junior doctors' training will include education on patient safety, with the creation of a national patient safety education programme aimed at second year foundation trainees.

The "Safe foundations: junior doctors and patient safety" programme has been put together by the Royal College of Physicians on behalf of the National Patient Safety Agency.

The programme will form part of a new curriculum for the foundation years of medical training, developed by the Academy of Royal Medical Colleges.

Data released last week in the National Patient Safety Agency's quarterly summary showed that between April 2005 and March 2006 526 599 patient safety incidents, resulting in 2159 deaths, were reported in the NHS.

Although widely reported in the media as signifying over half a million patients harmed each year by medical errors, 72% of the incidents did not hurt any patients.

Nevertheless, medical errors affected more than 160 000 patients last year, and the NHS paid out £560m (£830m; \$1064m) in clinical negligence claims.

Owen Dyer *London*

Israeli cancer patients resume hunger strike

Patients with colorectal cancer and their families have renewed a hunger strike in front of the Knesset building in Jerusalem to protest against the exclusion of Erbitux (cetuximab) from the health insurance benefits package. They maintain that when they ended their previous strike they were promised that the drug would be included.

Four months ago, patients with colorectal cancer mounted the strike to protest at the exclusion of Avastin (bevacizumab) and cetuximab from a package of treatments which included only "life saving" rather than "life prolonging" chemotherapy alongside

preventive measures (*BMJ* 2006; 332:1352, 10 Jun). Politicians caved in 16 days into the strike and increased the benefits package budget by 350m new Israeli shekels (£63m; €42mm; \$80m) to permit the committee to reconsider the inclusion of "life prolonging" chemotherapy. At the end of deliberations two weeks ago, bevacizumab was added to the package but the committee decided to subsidise treatment with cetuximab only in patients with head and neck cancer.

"No one promised that all the additions would go to oncology," says Professor Mordechai Shani, the chairman of the benefits package committee. "There is no justification for provision of Erbitux when calculating the cost-benefit ratio."

Merav Sarig *Jerusalem*

Refugees with no GP risk exclusion

The lack of GPs' clinics willing to deal with refugees in London is one of several factors threatening community relations and increasing the risk of social exclusion, warned Angela Burnett, speaking at a conference last week.

Dr Burnett, a GP from east London, was addressing the third annual international mental health conference—"People on the move"—in London.

One in 300 people in the United Kingdom are of refugee background, according to the United Nations High Commissioner for Refugees. In London it is as high as one in 20.

Asylum seekers are forbidden to work in the UK unless applications take longer than one year to process. Unemployment, poverty, and stigma have a profound effect on their mental health. But entitlement to health services is limited, Dr Burnett said.

Under amendments to NHS regulations, from April 2004, failed asylum seekers' entitlement to health care is restricted, Dr Burnett said. "Confusion reigns as GPs are told not to register failed asylum seekers." This becomes a potential breach of human rights and conflicts with professional accountability, she added (*BMJ* 2006;333:109-10, 15 Jul).

Sara Carrillo de Albornoz *London*

Society issues guidance on IVF

Adrian O'Dowd *London*

Obese women should not be able to have fertility treatment because of the health risks to them and their unborn babies, according to British fertility experts.

The British Fertility Society, which represents professionals working with assisted conception, has issued recommendations on the social criteria that should be used when deciding on who is eligible for in vitro fertilisation (IVF) on the NHS.

Woman who are obese or who are severely overweight, defined as having a body mass index of 36 or more, should not get in vitro treatment until they have lost weight, says the society.

This contradicts existing NHS guidance, which says merely that overweight women should be warned of the risks but not be denied treatment.

The British Fertility Society also recommends that: waiting times for treatment should be the same as for any other medical condition; no woman should commence NHS funded treatment after the age of 40; single women and same sex couples should be treated the same way as heterosexual couples; and people with children from a previous relationship should not be excluded from access to NHS treatment.

The recommendations were made after the findings of a survey the society carried out at 37 fertility clinics in England and Wales to see how primary care trusts are implementing guidance from health standards watchdog the National Institute for Health and Clinical Excellence (NICE).

The survey found unequal access to fertility treatment, poor planning to meet government targets, and no clear criteria for who should receive NHS funded fertility treatment.

Lead author of the survey, Richard Kennedy, said, "The results of this survey suggest that there is no sense of any long term planning for the provision of fertility services. The criteria we propose, if adopted by all PCTs [primary care trusts] in England and Wales, would standardise access to treatment."

A Department of Health spokesperson said, "Primary responsibility for implementing NICE guidelines, including the rate of implementation, rests with the NHS at local level, and we have made it clear that we expect these guidelines to be followed. Local policies should reflect local health needs and priorities, and we recognise that there are variations in IVF provision."

A spokesperson for the Human Fertilisation and Embryology Authority said, "This is not really a matter for us. We regulate safe practice and license centres carrying out [in vitro fertilisation]. However, this is about access to treatment."

"The way most doctors will decide if a woman should have [in vitro fertilisation] treatment is by looking at this on a case by case basis. They would look at the whole situation, but if they don't have much funding, they will use strict criteria in making a decision." □

The British Fertility Society recommendations are available at www.fertility.org.uk/index.html.

Nichola Morris with children Max and Isobel. She was initially told she could not have fertility treatment because of her weight