bmj.com news roundup

Full versions of these stories are available at: bmj.com/content/vol333/issue7569/#NEWS_ROUNDUP

No progress in reducing childhood obesity despite increased awareness

Childhood obesity is increasing and becoming a serious health problem, but the US government has cancelled a Centers for Disease Control programme called Verb, which had produced documented successes, says the US Institute of Medicine, a part of the National Academies of Sciences.

The CDC's programme was a five year social marketing campaign to promote physical activity in children aged 9-13 years. Evaluation showed that the programme had positive results, but funding was discontinued and will end this month. The programme's website (www.verbnow.com) encourages children to find activities in their own city or town.

According to the institute's latest report the rate of obesity for children in the US has increased from 16.0% in 2002 to 17.1% in 2004 and is projected to reach 20% in 2010.

"The remarkable and unexpected rise in obesity among our children and youth in a relative short timespan is one of the 21st century's most critical public health challenges," said Dr Jeffrey Koplan, chairman of the committee that produced the institute's report.

Janice Hopkins Tanne *New York*

The report, *Progress in Preventing Childhood Obesity: How Do We Measure Up?*, is available at www.nap.edu.

Challenge food industry to improve Scots' diet, says review

The government should consider controlling the food supply chain and creating demand for healthier foods in Scotland. These are the conclusions of a review of the Scottish diet to tackle problems such as poor eating habits and obesity.

The review analysed progress against dietary targets set by the

Risk of breast cancer stabilising in UK, study shows

The risk of developing breast cancer in the United Kingdom may be stabilising, even though most UK cancer registries are reporting an increased incidence after the introduction of mass screening, a study published online in the *International Journal of Cancer* shows (2006 Sep 8, doi: 10.1002/ijc.22160).

In the study researchers calculated and estimated breast cancer trends in 10 European countries from 1970 to 2005. They found that regional differences in incidence seen in the 1970s persisted into the later years of the study, with the lowest incidence in Spain and Italy and the highest in the Netherlands, Denmark, Finland, Sweden, and France.

The study also showed that in many countries survival from breast cancer improved and that the improvement was attributable to better care. Those countries included Sweden, the UK, France, Italy, and Spain.

In several countries, however, improved survival rates were offset by an increasing incidence of the disease. In Finland, for example, the survival rate after diagnosis was good, but incidence was increased, and mortality remained high.

Roger Dobson *Aberdeen*

Scottish Diet Action Plan in 1996. It found little progress had been made in improving diet in Scotland. Fruit and vegetable consumption were still well below recommended levels, and intake of saturated fat and sugar remained high. The targets were "overwhelmingly not being achieved" says the review group of independent experts, chaired by Tim Lang, a professor at City University, London.

The review gives no single, simple reason for this failure but blames the interplay of a number of complex factors. One of these is the power of the food industry,

which can drive demand for high fat, sugary foods.

The review recommends greater use of regulatory powers and incentives to control food supply, including possibilities such as "naming and shaming" certain companies, restricting food advertising, and considering limits on food and drink company sponsorship.

Bryan Christie *Edinburgh*

Review of the Scottish Diet Action Plan: Progress and Impacts 1996-2005 is available at www.healthscotland.com/documents/1308.aspx.

Over 70s should also get screening for bowel cancer

The new bowel cancer screening programme could be missing a quarter of detectable cases because it only targets a limited range of ages of older people, a leading medical editor has claimed.

Dr Ike Iheanacho, editor of the *Drugs and Therapeutics Bulletin*, which evaluates medical treatments, said people in England were being put at risk of bowel cancer because only those aged 60-69 years are being screened (2006;44). In Scotland, the age band will span from 50 to 74 years, when screening starts next August.

Bowel cancer screening, which started last month in England, using a faecal occult blood test every two years, will be rolled out fully over the next three years.

The cancer kills about 16 000 people a year. But only 8-10% of bowel cancers are currently caught early, when survival rates are as high as 90%.

Rebecca Coombes *London*

PLoS launches journal for neglected tropical diseases

PLoS Neglected Tropical Diseases, a new open access journal, was launched online last week by the Public Library of Science. The journal will cover the pathology, epidemiology, prevention, treatment, and control of neglected tropical diseases.

It is intended to "promote science, policy, and advocacy for diseases of the poor, and give a voice to the community of physicians and scientists working to control these diseases," said Peter Hotez, professor of tropical diseases at George Washington University, Washington, DC, and editor in chief of the new journal.

The Public Library of Science is a coalition of researchers, scientists, and physicians committed to making the world's