does not put an additional burden on our cytology service.

(3) After using both methods, we prefer the syringe pistol holder and consider that the texture of a breast lump can be accurately ascertained when using this instrument. This is also the view held by Swedish workers with considerable experience of fine-needle cytology.

(4) The technique of preparation of the smears was described in detail because we, like other cytologists, have found that many satisfactory samples are rendered useless by faulty preparation of slides. Our method is very simple in practice and can readily be taught to nursing staff.

(5) Like Mr Webb, we prefer Romanowsky stained preparations, but occasionally Papanicolaou stained smears have provided additional information useful in the evaluation of a "suspicious" smear where only a few abnormal cells were seen. We have found that with wider experience there has been a decrease in the number of "suspicious" reports.

(6) We do not yet have the confidence which comes from extensive experience and therefore employ more frozen-section biopsies than does Mr Webb, and will continue to do so in the foreseeable future, as a wrong diagnosis of cancer may have serious consequences.

(7) We regret the omission of Dr Lopes Cardoso's middle name. However, the date of publication of his atlas is correct—it refers to the edition published in the Netherlands.

HELEN D DUGUID
A CUSCHIERI

Department of Surgery,
Ninewells Hospital,
Dundee DD1 9SY

Abortion

SIR,—I read with great interest your leading article (28 July, p 230) on Mr Corrie's Abortion (Amendment) Bill, which received a second reading in the House on 13 July. The Doctors and Overpopulation Group has made its views known to all members of Parliament and I would like to take this opportunity of supporting the views expressed in your editorial by saying how disturbed the group is by this recent attack on the abortion laws in this country. It is another example of Parliament's inability to assess adequately expert opinion rather than to accept the emotional pleas of a small minority of people who seek to impose their standards on society at large even though those standards, no matter how laudable, are not generally accepted. The only way that we can ensure that the majority view is maintained, both the majority of our profession and of society at large, is for us individually to contact our members of Parliament and say how much we support the 1967 Act. There is no doubt that this Act has been of immense benefit not only to the woman who finds herself in a distressing position but also to doctors, who have been largely protected both individually and as a group from scurrilous attacks. It is undoubtedly true that there have been some abuses of the Act, but surely it is better that we should seek to improve the Department of Health and Social Security's control of this Act than to make a fundamental attack on the principles of the existing law. I would urge all doctors who believe that the 1967 Act is fundamentally correct to contact their members of Parliament, if possible seeing

them in their regular surgeries in the constituency.

It might be worth asking individual members of Parliament, particularly those who support the present amendments, whether they are prepared to take positive action and do all they can to prevent unwanted pregnancies by encouraging the provision of adequate family planning services, after care, and improved social services. It might also be worth while asking members of Parliament if they are aware that the latest United Nations prediction that the time the world population will take to double is a mere 43 years and how they reconcile that with the present energy crisis.

A K CLARKE
Secretary,
Doctors and
Overpopulation Group

Royal National Hospital for
Rheumatic Diseases,
Bath BA1 1RL

SIR,—Surely Sidney Smith would have attributed the present controversy over legislation on abortion to the fact that all the groups of participants are arguing from different premises.

One group disapproved of abortion on any grounds. This is eugenically unsound, but at least has the merit of being consistent. Another group argues that (a) women should have the right to decide whether or not to have a child; and (b) that unwanted children are likely to be neglected and rejected at best, battered or killed at worst. This again is logical and, on the face of it, reasonable—so far as it goes. Unfortunately the champions of this view do not proceed to the logical conclusion, which is that the proper time to decide whether a pregnancy is desired or not is before the risk is taken, not after. In these days of ready availability of a variety of methods of contraception there is really little or no excuse for unwanted pregnancies, and it does not say much for the capacity for logical thinking of the feminist lobby in claiming that they are showing responsibility in demanding abortion on demand. Incidentally, this was *not* envisaged in the Abortion Act, though in some areas this is what has resulted (with the totally unforeseen and undesirable consequence that professional staff who have conscientious objections to abortion are virtually prohibited from specialising in gynaecology).

A third group regards abortion as a regrettable necessity in the fairly small number of cases where there are definite medical or psychiatric grounds on the maternal side or where there is a definite or substantial risk that the child will be seriously abnormal. Unfortunately, it is in this last class of case that termination is most likely to have to be carried out late, and this is where we run into trouble with the fourth group, whose sentiments unhappily outrun their sense and knowledge: the present proposed reform of the legislation would have very little impact in reducing the number of "social" abortions—what it would do is ensure that either abnormal children will be born quite unnecessarily because it would be too late to carry out termination legally by the time it was known definitely that the fetus was affected or potentially normal babies will be aborted to avoid the risk of producing an abnormal one. It is not really tolerable on humane or economic grounds that we should sit back and accept retrogressive legislation on this issue, just at the time when it is becoming

feasible to prevent the tragedies of abnormal children from an increasing range of causes. On the other hand, it does not seem a wise or justifiable use of scarce NHS resources to accede to the "abortion on demand" lobby.

It seems to me that the logical answer to the problem would be to separate facilities very stringently. The hospital services should continue to provide termination on strict medical, psychiatric, and genetic grounds without payment direct by the patient and with the present time limits permitted. Abortion on social grounds could be available in separate clinics or day hospitals, but with much more stringent limitations on the duration of pregnancy, and with the client paying an economic fee (which would still probably work out cheaper than a backstreet abortion). This would have the additional advantages that nobody would be compelled to carry out procedures to which they have conscientious objections: it is not very likely that there would be an awkward shortage of staff without such scruples, and as the work would be restricted to the low-risk category it would be an office-hours job; and the hospitals would be relieved of a very tiresome burden so that they could concentrate on their proper work of treating the sick. If the clinics had to come under a department, social services would be appropriate.

PAULA H GOSLING

Mount Pleasant Hospital,
Hastings, Sussex TN35 5AA

SIR,—Having read Professor Peter Huntingford's letter (25 August, p 496), I am more convinced than ever that reduction to the simplest possible terms will always clarify an issue, and I am at one with him in deploring the terms "serious," "grave," and "substantial."

His last paragraph approximates to such clarity when he says "the right of women to choose freely whether or not they bear a child"—but I fear that the phrase is slanted and ignores an essential ingredient in the abortive act. Whereas the secondary effect of abortion is certainly that the woman will not bear a child, the primary effect is the killing of that child, admittedly small and defenceless.

Maybe there are many who will seek to justify the killing of their fellow members of the human race on the grounds that they are not wanted, or might be handicapped; if so, let them proclaim these views "in good set terms." But if the principle of getting rid of the unwanted by killing them is to expand its application further, who among us will be safe when someone else can decide our fate? Even the advocates of euthanasia usually insist that it be voluntary. Who yet has asked a fetus whether it wants to live or be killed?

BRIAN JOHNSON

Leicester

SIR,—Professor Peter Hungerford (25 August, p 496) says that he is fed up with semantic arguments about abortion which ignore reality. He then invokes two major fantasies of the last decade, those of sexual equality and the woman's right to choose. The second of these has become an article of faith to many pro-abortionists and its credentials should be examined. Whence does this right derive? A woman takes part in a more or less pleasurable activity with a man and then, without her volition, with no conscious effort

on her part at all, the miraculous occurs and a new life comes into being. How does she have the right to destroy this new life?

The argument is usually to the effect that it belongs to her and could not survive without her: "It's mine and I can do what I like with it." Of course, it is true that a fetus cannot survive without the support of its mother; no more could Professor Hungerford or I survive without the support of our fellow men who provide us with food, drink, and clothing, but that does not give them the right to kill us.

The claim to possession, the assumption that the fetus is owned by its mother involves, I believe, a semantic error. In a sense, the fetus is "hers" in that it is growing inside her, even though she did not create it. Likewise, her husband is hers because joined to her by marriage and her country is hers because she lives there, although she does not own either of them and certainly has no right to destroy them. The life growing inside the mother is not hers in the same way that a cardigan she has bought or knitted for herself is hers.

It is the consideration of semantics that protects us from the "realities" of such as Professor Hungerford.

C P RICE-OXLEY

Battle, Sussex TN33 0EA

SIR,—Dr J R Sampson's letter (25 August, p 496) is confused. Like me, he takes the view that the law ought to aim at "keeping public order and preserving freedom" and then rather oddly accuses me of "callousness" for supporting the side of the abortion controversy that is consistent with this position.

The anti-abortionist position that Dr Sampson espouses aims at the restriction or destruction of the 1967 Abortion Act. In so far as this succeeds, it will increase illegal abortion, dragging into a criminal underworld a substantial minority of the normally law-abiding sex. (In 1978, the daily prison population in England and Wales comprised 42 000, of whom only 1500 were female.) Police investigations would have to increase to try to suppress illegal abortion, and inevitably possibilities of police corruption would once more open up, thereby affecting public order. In 1967, to which Dr Sampson harks back, 314 "offences of procuring illegal abortion" were recorded as known to the police. In 1977 the total was 11. At the same time the freedom and privacy of women patients would be dramatically restricted, as would their ability to make intelligent and rational decisions about the very important question of whether to have a baby.

The real and long-term issue is that if the numbers of legal abortions are substantially restricted, as intended by Mr John Corrie in his Bill before parliament, it is the poorest, least educated, and most inadequate women who will be caught in the trap. The well-off, the well-educated, and the well-informed will simply revert to buying their abortions semi-legally and more expensively in the commercial sector of medicine as they did before 1967. Or they will fly to Holland or other West European countries for their safe abortions, possibilities that were not open to them then.

The poor, inadequate, and passive will be the ones to be deterred by the law and will reluctantly give birth to unwanted children.

From then on, society will have to carry the additional burden of a new group of unloved and deprived children born into unpromising circumstances. This will be the real legacy of the anti-abortion campaign if it succeeds, and no amount of glib talk about the possibilities of adoption will alter this.

MADELEINE SIMMS

London NW11 8AE

SIR,—I refer for termination anyone who requests it for—pace Mr V Tunkel, (28 July, p 253)—the law is generally regarded as being one of "abortion on demand." I have some misgivings as I do not believe that women in early pregnancy are always in a fit state to make a considered decision, and they cannot in the nature of things be given time.

I have, however, become increasingly worried about the morbidity arising from the procedure, and it is interesting that letters on the subject (25 August, pp 495 and 496) should be followed by one reporting rupture of the uterus during prostaglandin-induced abortion—yet another complication to add to those of cervical incompetence, pelvic sepsis, and permanent neurological damage. In so far as these tragedies usually follow late terminations Mr John Corrie's Bill is to be welcomed.

A few further points. I am not so cynical as to think that every impregnation is the result of a thoughtless act of male lust. Unlike Professor Peter Huntingford (25 August, p 496), I listen to men as well as women, and many of them are deeply involved emotionally in the pregnancy they have helped to produce. Certainly I think a man should have the right to be consulted if his wife is to undergo a procedure that might damage her health.

It is unfair contemptuously to dismiss as "whims" opinions that differ from ones own. These may result from genuine conscientious doubts or inability to cope from overwork and understaffing.

Abortion is quite the most expensive form of contraception, and perhaps in these days of financial stringency this should be taken into account.

"Bigotry" is defined in my dictionary as "blind zeal." This could be said of those who enthusiastically promote a course of action without regard to circumstances, safety, or cost.

ANNE SAVAGE

London NW11 6TU

SIR,—I would like to take issue with Dr Colin Brewer's statements concerning intrauterine contraceptive devices and abortion (11 August, p 389).

I agree that logically there is no distinction between IUCDs, and other abortifacients used early in pregnancy, and abortion methods used later in pregnancy. However, I disagree with his statement that to make illegal IUCDs and similar methods out of an "obsessive concern for microscopic forms of life" would be "absurd." Firstly, size has never been a criterion for the presence or absence of life, or of its importance. Surely Dr Brewer, MPs, and the public would be outraged by anything less than obsessively careful handling of, say, rabies or smallpox viruses in laboratories. Do not the products of conception, with the full potential of a human being unless actively interfered with by other men (neglecting normal fetal wastage), deserve any less concern?

Secondly, morality should not be determined by practicalities; rather morality should determine one's actions. The question of whether IUCDs and other such procedures should remain legal or be made illegal should not be determined by their efficacy, popularity, or economy.

I agree fully with Dr Brewer—abortion is a moral issue and it is a pity that the *BMJ* has not raised the moral issues at stake. Particularly so, as Lord Denning put it "... without morality there can be no law." I personally subscribe to the Hippocratic Oath.

MARK CHURCHILL

Guy's Hospital,
London SE1 9RT

*.*This correspondence is now closed.—ED, *BMJ*.

Exophthalmos and pretibial myxoedema not responding to plasmapheresis

SIR,—In view of the absence of response to plasmapheresis of exophthalmos and pretibial myxoedema in a case reported by Dr R A Lewis and others (11 August, p 390), it is only necessary that we should state in brief our own experience with the procedure in the treatment of Graves's disease.

We have to date treated seven cases of Graves's disease with exophthalmos; one of these—the one already reported in detail (10 February, p 374)—had pretibial myxoedema. Four out of these seven patients had rapidly developing exophthalmos of less than three months' duration, with marked periorbital oedema, chemosis, and conjunctival injection in addition to exophthalmos. Three out of these four were unable to close their lids and one had corneal oedema with abrasions; two had unilateral papilloedema in the eye with more marked exophthalmos. In three out of the seven patients there was no evidence of rapidly developing exophthalmos; two had established exophthalmos of over two years' duration and the third had had gradually developing exophthalmos for six months without any acute changes such as conjunctival injection, chemosis, and periorbital oedema.

All seven patients underwent plasmapheresis and immunosuppression in a similar fashion—three or four exchanges of two to three litres each, the plasma being replaced by fresh frozen plasma, plasma protein fraction, and saline. Immunosuppression with a combination of prednisolone and azathioprine was started after the last plasmapheresis session in all patients except the first, the one reported already. In this patient immunosuppression was carried out only during the second plasmapheresis when a clinical and immunological rebound had occurred. The four patients with acute changes responded with a reduction in periorbital oedema, conjunctival injection, chemosis, and exophthalmos within two days of the start of plasmapheresis. Changes which began clearly before immunosuppression continued during the phase of immunosuppression. In both cases with papilloedema the swelling of the optic disc diminished and the visual acuity (which was down to distinguishing light from dark in one patient) was improved. In the other patient with papilloedema a regression of exophthalmos of over 6 mm occurred. In the three patients with more slowly developing exophthalmos, no significant response occurred following either plasmapheresis or immunosuppression.

Our experience would suggest that in rapidly developing acute exophthalmos due to Graves's disease plasmapheresis is potentially a useful measure, for in three out of four of our acutely exophthalmic patients an emergency orbital decompression was avoided and in two of these a significant loss of visual acuity was reversed.