that this must lead to the closure proposals being implemented in full. I would urge all consultants to take the new proposals very seriously, even though the time for implementation may seem a long way off, and to act promptly on the lines suggested in our letter. To take no action must be interpreted by the board as acceptance of the proposals, and will inevitably lead to the unnecessary loss of authorisations for private patient accommodation from hospitals which can ill afford it.

D E BOLT

Chairman,
Joint JCC/CCHMS Subcommittee
on Independent Medical Practice

BMA House,
London WC1H 9JP

New GP charter

SIR,—The report of the New Charter Working Group is commendable. However, as you say in your leading article (24 February, p 509), "Since the NHS started, the question of how much a doctor was worth has never been answered to everyone's satisfaction." We are all living in hard times and under pressure, but there is no doubt that the living standards of general practitioners have been greatly reduced over the last few years. To set oneself up in general practice today is an extremely traumatic experience, and I am surprised that people are still dedicated enough to do this and not emigrate. Certainly in this area the cost of housing has become almost prohibitive, and I am sure that the next person to enter general practice in this area will be living in a council house unless he or she has substantial means.

Secondly, to try to buy oneself into the practice—that is, the building, unless working at a health centre—is almost impossible owing to the substantial sum needed and the rates of interest. What has happened to the cost rent scheme, phase II?

Thirdly, the cost of cars is becoming absolutely crippling. If one lives in the country, then one requires two cars. To replace two cars would cost at least £10 000. Where does one raise the money? There is the argument for leasing a car, but this is not advantageous to those paying the lower rate of tax.

The only way to survive with a reasonable standard of living is to go on borrowing money from one source or another or rely on one's parents or parents-in-law to subsidise oneself. Gone are the days when the general practitioner was a respected member of the community, basically because he is unable to afford a certain standard of living which the public used to expect.

There may be some left-wing doctors who would say that this was a good thing, but I am sure that the majority of general practitioners feel the same way as I do, that it is a disgrace that our standard of living continues to decrease. It is high time some really strong action was taken.

CHARLES BALE

Dorking, Surrey RH4 2EX

SIR,—I must register my protest at the new GP charter. I do not criticise it because it is so clearly aimed at benefiting doctors and not patients but because some aspects of it are detrimental to the unity of general practice. The items for fee payment per service are arbitrary and divisive. The extension of this

concept beyond one or two well-defined items will not do.

It is not necessary to have been in general practice for 20 years, as I have been, to know that good practice consists in good history-taking and adequate simple clinical examination, often under pressure. Asking an elderly arthritic lady to remove her garments, including her corset, and have her abdomen examined to see whether she really does have a procidentia can add five or ten minutes to an already busy surgery, but this is what good general practice is about—not how many electrocardiograms or desensitisations you do, although I frequently do both of these latter items already.

Quality control of thoroughness is not possible in general practice and cannot be priced. Aiming to increase our pay in arbitrary fashion by methods which will predictably be most contentious is not the answer.

M D COULTER

Sandy, Beds

Distribution of general medical practitioners

SIR,—In their letter Dr B Jarman and Miss Margaret Lally (17 March, p 757) succinctly defined certain features of general practice in Inner London with special reference to Kensington, Chelsea, and Westminster. Another aspect of the work load is provided by the presence of a substantial number of migrants, many of whom come from western and central Europe and North Africa. Some are full-time students, but most come to improve their English and find work in the hotel and catering industry. Their sojourn varies from a few months to two or three years at most, with frequent changes of address. They are mostly young adults of varying social and educational backgrounds, and some are used to a sophisticated standard of medicine at home. They have widely different attitudes to and expectations of our NHS, although I have found very few overt attempts of abuse. A temporary registration of three months, on average, involves from two to six items of service. Whatever the problem, they invariably present themselves with a physical symptom, and, although a consultation can be full of interest, language difficulties often make the procedure a lengthy one.

J B VERGANO

London SW5

MWF action on future of women doctors

SIR,—The Medical Women's Federation's careers symposium on 9 March was held to draw to the attention of the public, the profession, and Government the fact that action was necessary to avoid wasting the money (amounting to £40 000 each) spent on training the increasing numbers of women doctors and underusing their skills.

By 1983 1400 women doctors will graduate from UK medical schools each year, compared with the previous 400 a year. At present 60% of women doctors in non-training posts in England and Wales are in positions without autonomy of practice—posts such as clinical assistant and clinical medical officer. At the symposium varying views were expressed by speakers on how women doctors should organise their lives. The federation considers that this should be a matter for the individual

to choose. Now they cannot choose. To make choice possible, changes will be necessary.

Firstly, the "take-home" pay for doctors working full time must be adequate, reflecting the value of their training. Unless it is, women doctors cannot pay for the assistance they require with child care in order to work. Crèche provision and pre-school child care facilities must also improve.

Secondly, urgent action is required to make opportunities for part-time training and career posts available in all medical disciplines. Half-time work in many training jobs amounts to 40 hours a week—it is far from being a derisory commitment.

Thirdly, single women doctors should not, as at present, be hampered in their attempts to pursue their careers because of the expectation that they will get married. Husbands (themselves often medical) of women doctors will surely come to realise that it is in their interest for their medical wives to work. This is the husband's escape route from the burden of being the sole breadwinner and working longer hours than he wishes, and/or taking a job he may not enjoy because it is well paid. It will be necessary for husbands of women doctors to encourage them to use their training and for men to share in the responsibility for the care of their own children.

The need for career counselling of both women medical students and women doctors was emphasised at the conference. This is now available for women doctors from the MWF liaison officer, and will soon be set up by the federation for women medical students.

So much for the aims: how to achieve them?

(1) For a woman doctor with children to take up full-time work as, for example, a consultant a take-home pay of more than £8000 a year is necessary to cover the cost of the facilities which enable her to work, such as nanny, car, medical subscriptions, and telephone. Money over and above this is required if she pays for her own food and housing. At present the take-home pay is about £6000 a year. Consultants' pay is used as an example, but the principle applies to all forms of medical practice. Government and Opposition spokesmen, and the Doctors and Dentists' Review Body, will be informed of these and other relevant figures. (Justification for sums quoted is available from the MWF office.)

(2) The MWF will put to all local authorities and hospitals detailed suggestions for action concerning pre-school child care and crèche facilities.

(3) Strong representation will be made to the health departments for central funding of part-time senior registrar posts, as happened before 1974. Central funding would remove the disparity between provision of posts in different regions, clearly demonstrated at the conference. The profession's negotiators and the royal colleges will receive detailed suggestions on the steps to be taken to set up sufficient part-time training and career posts. The federation will insist that the Central Manpower Committee should be reconstituted with at least one woman doctor elected to represent her colleagues.

(4) The Equal Opportunities Commission will be requested to take up cases in law where the present system can be shown to discriminate unreasonably against women doctors.

(5) Members of Parliament will be widely canvassed for their support.

The careers' conference demonstrated that the problems were even worse than we had thought and that anger among women doctors at the present state of affairs was mounting. Unless the present system of low pay for doctors and few opportunities for part-time training and work is changed, the enormous investment in doubling medical student numbers will still result in an undermanned Health Service.

ANNE GRÜNEBERG
Honorary Secretary,
Medical Women's Federation

Tavistock House,
London WC1