team with ideological axes to grind and covert disciplinary rivalries. With a consultant who is prepared to devote time to share in and maintain important structural procedures and to offer teaching and supervision to the team members a multidisciplinary team can undoubtedly add to patient care. Make no mistake, this is no easy option.

BARBARA DICK

Wilton Unit,
Prestwich Hospital,
Manchester M25 7BL

SIR,—As a multidisciplinary team we wish to give our view of multidisciplinary teamwork and what it may be able to offer to families who seek our help in a child guidance centre. Unlike your contributors we think there are advantages in being both a multidisciplinary and a multiservice team able to offer resources not only of different skills in social work, educational psychology, and psychiatry but also of our employing authorities. These include the help offered by social services in preventing family breakdown, material help, and day care; the education department's resources especially tailored to meet the needs of a particular child; and health resources such as psychotherapy, medication, or admission to a special children's unit.

Many of the families and children we see present problems for which the medical model is inadequate and consequently responsibility has to be shared. For example, what medical or psychiatric treatment can, on its own, resolve the frustrations and bitterness inherent in a family where one child is resented and rejected as being a stepchild? Who is the patient? The angry, near-delinquent child? The despairing and near-to-suicide mother? The father denying his resentment? Or the sibling with what appear to be psychosomatic symptoms? Only by sharing responsibility can the team offer the optimum combination of skills and resources (often in short supply) to such a family.

Of course, a medical practitioner should not delegate functions requiring medical knowledge and skill to a person who does not possess them. In a multidisciplinary team he uses them and remains responsible for those functions which require them but, for example, his knowledge and skill may be less appropriate than that of an educational psychologist when an educational placement is being considered. It is possible for medical practitioners to make a nonsensical decision about the welfare of a child because of lack of expert knowledge in a non-medical field. True multidisciplinary team work can save all the members of the team from such mistakes because they are willing to trust each other's expertise. This trust arises only from working together much of the time in a team where all the members are acceptable to one another.

Your contributors' theme appears to be that the doctor has no authority over interdisciplinary team members, suggesting that his responsibility for medical functions supersedes all the responsibilities of the other members. In fact, the other members are not merely subject to professional disciplinary procedures but they would be acting illegally in the example your contributors give—a mental welfare officer acceding to the doctor's insistence on compulsory admission of a patient when, in his opinion, the patient is capable of understanding and agreeing to admission voluntarily.

There is much confusion about the nature of multidisciplinary teams, some of which turn out to be closely knit referral systems while others are paramedical teams. In our experience true multidisciplinary teamwork can come only with an acceptance of the quality of and the differences between team members, a willingness to trust each other's expertise, and a shared responsibility.

JEAN BEVEN
ALEXANDER BURNFIELD
SHEILA M COKER
IAN HADFIELD
JENNY MADDICK
PAUL ALLSOP

Child and Family Guidance Centre,
Winchester SO23 8AD

SIR,—The original article by Drs J Appleyard and J G Maden (17 November, p 1305), your leading article (p 1245), and the subsequent correspondence have produced a dissonance which bodes ill for that co-operative harmony that is essential in a therapeutic team.

As one who has benefited greatly in such a field—although the captaincy was never, I believe, in doubt—I do not wish to add fuel to the flames by airing a view; but I believe that an error (made more than once) ought to be exposed. Section 25 of the Mental Health Act has been quoted as though it were the alpha and omega of compulsory detention. In fact, it forms the first section of part IV of the Act, which proceeds to a further 59 sections—all concerned with compulsory admission to hospital (and guardianship). The point that needs to be made is that the advice, signature, and agreement of the mental welfare officer are quite unnecessary. The original application for admission under this section can be made by the nearest relative (defined in the Act); what is obligatory is the supporting signed statements of two medical practitioners, one of whom has been approved by a local health authority as "having special experience in the diagnosis and treatment of mental disorder."

In other words the decision for compulsory admission remains firmly in the medical court and those of us who remember trying to convince a lay JP that patient X—in a quiet phase—was in fact as mad as a hatter are duly grateful. In practice, of course, it is better for all concerned that the mental welfare officer make the original application for admission—I can only say that in 30-odd years I have never received other than total support from my colleagues in the social services.

WYNFORD REES

Chale,
Isle of Wight PO38 2HB

SIR,—Andrew Darby's statements (8 December, p 1510) concerning the matter of detention of patients in hospital on a section of the Mental Health Act sound impressive, but the reality of the situation is slightly different.

It is misleading to call the application a social worker makes an "executive order." It is true that in the words of the 1959 Act it is sufficient authority to detain a patient. But, if one is being exact, it is the managers of the hospital concerned to whom application is made who detain the patient. The application is what it is called and it can be made by an unqualified person—namely, the nearest relative. It is sufficient authority only if it is

"duly completed." In the words of the Act, the application is "founded" on the recommendations of two medical practitioners. As it stands at present it is their opinion that decides whether a patient "ought to be detained" (Section 25) or "should be so detained" (Section 26) against his will. (Before 1959, of course, it was a court that decided this.)

Section 54 of the Act, which contains the words quoted by Dr Alan Drayson (1 December, p 1442), that a mental welfare officer (MWO) should be "satisfied . . . an application ought to be made," is in essence a directive to the MWO to see that the application is made responsibly. (Relatives, for whom the MWO may act "in loco parentis," have been known to have all sorts of reasons why they want a patient admitted to a mental hospital.) It has to appear to the managers of the hospital where a patient is to be detained that the application is "duly made" as well as duly completed. Was it intended that half a sentence of one supplemental section of the Act should be set against the major sections (60, 65, 29, 136, and 30 in addition to 25 and 26), where it is clear that a social worker's signature to the application or order is not strictly necessary? Maybe it should be necessary, but it is not so at present.

With regard to effecting compulsory admission, the MWO who was an experienced nurse was usually in a position to confirm the fears relatives might have and take the necessary (sometimes very positive) action. Now a social worker may not be available, 24-hour cover not always being provided. A decision to admit may have to be taken in his absence. When he is available it may be apparent that Laing, Ssasz, and whoever else doctors, perhaps wrongly, tend to associate with the "generic" training have significantly influenced his or her thinking. Especially when the social worker refuses to sign the application, he may be no help at all in procuring health care for a seriously and sometimes dangerously ill patient. This is not to say, of course, that a generically trained social worker now does not at times play an expert and necessary part in this particular aspect of patient care.

M G REVILL

Department of Psychiatry,
North Middlesex Hospital,
London N18 1QX

Appointing house surgeons

SIR,—Mr R Hall and others (8 December, p 1507) are concerned about the system of appointment of house officers. I suspect that they are not nearly as worried as their potential housemen.

The situation they describe has arisen for the following reasons. Firstly, the increasing number of graduates is not being mirrored by a comparable increase in acceptable house posts (this is possibly why they found plenty of good candidates still available at a relatively late date for their house posts). This has resulted in third and fourth year medical students becoming involved in an undignified scramble for jobs, compounded by the apparent readiness of consultants to appoint housemen on a first-come-first-served basis. This latter practice was directly responsible for the collapse of the Yorkshire region computer-matching scheme.

Despite this, the solution lies in a properly