UK fares well in survey of primary care, but US doesn't

Janice Hopkins Tanne *New York*

The United Kingdom is a leader in electronic patient records and reminder systems, an international survey of about 7000 primary care doctors shows.

The UK also leads in providing care by nurses or doctors outside working hours (and outside the emergency room), in taking a team approach to care of patients with multiple or chronic illnesses, and in offering doctors financial incentives to improve their quality of care, the survey, which was carried out in seven countries, found.

"The US outspends the other countries. Total per capita costs in 2003 [in the US] came to \$5635 [£2950, €4400] compared to \$2231 in the UK. Yet US primary care physician practices are more limited than the leading countries in information capacity, provide less patient access outside of 'normal' work hours, and are among the least likely to use teams or to receive financial rewards for quality," the report says.

The results of the survey were presented last week in

Washington, DC. Referring to the 2004 GP contract, the health secretary for England, Patricia Hewitt, said the results showed that "the new contract has really worked." She said, "We can build on what we're doing."

She described a team approach to delivering care in the community. In orthopaedics, for example, teams providing physiotherapy in the community were freeing consultants to deal with patients needing surgery and reducing waiting times. She also spoke of improving out of hours care and making primary care, secondary care, and ambulance services more responsive.

Carolyn Clancy, director of the US Federal Agency for Healthcare Research and Quality, said that the strength of the United States was to test innovations. The US goal is more access to electronic records, she said. Already, the US Department of Veterans Affairs, which cares for people who have served in the armed forces, provides primary care doctors with 100% electronic access to medical records.

The survey, by the Commonwealth Fund, an independent foundation that aims to increase healthcare coverage and quality, interviewed about 1000 doctors in each of the UK, the US, Australia, Germany, and the Netherlands and about 500-600 doctors in Canada and New Zealand between February and July 2006.

The US and Canada lagged behind the other countries in access to care after hours and in the use of electronic medical records to alert doctors to drug interactions and the need for

check ups. Doctors in the US and Canada had difficulty generating lists of patients with chronic diseases such as diabetes or those who were taking certain drugs. GPs in other countries said this was easy.

Doctors in the UK were the most likely to say they had financial incentives to improve care, whereas US doctors were the least likely to report incentives for managing patients with chronic diseases.

On the Front Lines of Care is accessible at www.cmwf.org.

Controversy has led to small fall in sales of drug eluting stents

Geoff Watts *London*

Fears about the safety of drug eluting stents have been reawakened this week with the publication of an article on the apparently thrombogenic effect of these devices.

The article in the *New England Journal of Medicine* (2006;355:1949-52) outlines the history of fears about the devices, explains how the US Food and Drug Administration and the manufacturers have so far responded to professionals' concerns, and details the most

recent studies of the safety of stents. Written by Miriam Shuchman, an assistant professor at the School of Medicine and Biomedical Sciences at the University of Buffalo, it concludes that the damage to the "golden reputation" of drug eluting stents had already led to a small but measurable fall in the sales of these devices, whereas sales of their conventional predecessors, bare metal stents, have increased.

The immediate future of drug

eluting stents will be determined by a meeting of the FDA's circulatory system devices advisory panel, which is due to be held in early December. One option the panel will consider is extending the time that patients take antiplatelet treatment after being given a stent, the article says.

The stent issue first became public on a major scale in September at the Barcelona World Congress of Cardiology (*BMJ* 2006;333:569, 16 Sep).

The medical statistician Stuart Pocock of the London School of Hygiene and Tropical Medicine has acted as an adviser to the FDA on some of the findings of the stent research. Although he accepts that recent revelations have caused an

upset, he said that the future outlook for the devices will probably not be radically changed. He said, "The harm needs to be set against the superior efficacy of these stents in preventing recurrence [of vessel closure]."

The short term benefit of drug eluting stents over bare metal devices is not in dispute: they offer a significantly lower rate of restenosis. The problem emerges in the long term and in particular after the course of antiplatelet treatment that is routinely prescribed after their implantation is finished.

One remedy may be to extend the period of antiplatelet treatment or even to continue it indefinitely.

In brief

Sponsorship of Italian courses is halted: The Italian drug industry association

Farmindustria has suspended its sponsorship of continuing medical education for doctors in protest at proposed government cuts to spending on drugs. About two thirds of all such courses in Italy are not government funded.

Father jailed for genital mutilation: Khalid Adem, an Ethiopian immigrant to the United States, was jailed for 10 years for the genital mutilation of his 2 year old daughter in what is believed to be the first such case in the country. Prosecutors in Georgia said he used scissors to remove his daughter's clitoris.

Three year gap is advised for cervical cancer screening:

Australia should consider extending its recommended interval between cervical smears from two to three years, as in the United Kingdom, say researchers in the *Medical Journal of Australia* (2006;185:482-6). The study found that improvements in cervical cancer incidence and mortality in Australia were no better than in the UK.

Statin prescribing is higher in poor areas: GPs in England tend to prescribe statins more where there is social deprivation or a high incidence of heart disease, says a new survey in the *Journal of Public Health* (doi: 10.1093/pubmed/fdl068).

Number of female otolaryngologists in US rises: The percentage of practising otolaryngologists in the United States who are women has risen from 6% to 24% in the past seven years. But only two of the 90 otolaryngology departments in the US are headed by women (*Current Opinion in Otolaryngology & Head and Neck Surgery* 2006;14:159-63).

Doctors are the most trusted professionals in Britain: A survey by Ipsos MORI shows that 92% of people in Great Britain trust doctors to tell the truth. Politicians and journalists are among the least trusted. Doctors have topped the list nearly every year since the poll began in 1983.

Worldwide water crisis is a "silent emergency," UN agency says

Peter Moszynski *London*

Unclean water is an "immeasurably greater threat to human security than violent conflict" across the developing world, says the latest annual report from the United Nations Development Programme.

Women from the Nuba Mountains of Sudan (such as the woman above) spend up to eight hours a day fetching water

The report says, "Not having access to clean water" is a euphemism for profound deprivation. It means that people walk more than one kilometre to the nearest source of clean water for drinking, that they collect water from drains, ditches or streams that might be infected with pathogens and bacteria that can cause severe illness and death."

Each year 1.8 million children die from diarrhoea that could be prevented; 443 million school days are lost to water related illnesses; and almost 50% of all people in poor countries have at any given time a health problem caused by a lack of water and sanitation.

The report claims that the crisis in water and sanitation holds back economic growth, with sub-Saharan Africa losing 5% of gross domestic product annually—far more than the region receives in aid.

Although climate change is already affecting sub-Saharan

Africa, as evidenced by the recent droughts and floods in Ethiopia and the Horn of Africa, the report insists that the water crisis is largely "due to mismanagement rather than scarcity."

Inadequate water and sanitation cause more deaths than violent conflict. However, unlike wars and natural disasters this "global crisis" fails to galvanise concerted international action. "Like hunger, it is a silent emergency experienced by the poor and tolerated by those with the resources, the technology and the political power to end it."

Worldwide 1.1 billion people still lack access to clean water and 2.4 billion lack adequate sanitation. While each person in the United Kingdom or the United States sends 50 litres down the drain each day simply by flushing the toilet, many poor people survive on less than 5 litres of contaminated water a day, says the report.

Kevin Watkins, the report's lead author, said, "When it comes to water and sanitation the world suffers from a surplus of conference activity and a deficit of credible action."

Beyond Scarcity: Power, Poverty and the Global Water Crisis is available at www.undp.org.

Government needs better scientific advice, MPs say

Roger Dobson *Aberavenny*

The UK government needs better scientific advice and should improve the way it communicates levels of risk to the public, a parliamentary committee said this week.

The report from the House of Commons Select Committee on Science and Technology urges the government to set up a new government scientific service, give more power to science advisers, and improve long term policy planning. It also wants negative attitudes towards scientific qualifications to be tackled.

The committee, which last year launched its inquiry into the government's handling of scientific advice, risk, and evidence in

policy making, makes 69 recommendations, including the setting up of an advisory network that would include all relevant professional bodies.

It also wants a scale of risks adopted by all government departments when they are alerting the public to levels of danger so that concern can be kept in perspective.

"Science and technology play such an important part in so many policy questions today, they need to be better embedded in the policy making process," said the committee's chairman, Phil Willis. "We need to be able to feel confident that when the government talks of evidence based policy this is backed up by sound scientific research. At present this does not always appear to be the case."

The committee recommends that the role of government chief scientific adviser be split from that of head of the Office of Science and Innovation and wants to see the job based in the Cabinet Office, with the post holder

having a seat on the Treasury board.

It also calls for a government scientific service to guarantee a high level of scientific expertise. "Since the disbanding of the scientific civil service, there has been insufficient action to strengthen the position of scientists and engineers as a professional group within the civil service," the committee's report says.

The report, which describes the institutional structure of the scientific advisory system in the United States as attractive, also raises concerns about the status of science.

It cites anecdotal evidence, given by the government's chief scientific adviser, David King, that people in more general civil service jobs were hiding their scientific skills because they were seen as an impediment to promotion.

Scientific Advice, Risk and Evidence Based Policy Making is accessible at www.parliament.uk.

GMC denies changes will mean more doctors being struck off

Clare Dyer *legal correspondent, BMJ*

The General Medical Council denied this week that its plans to lower the standard of proof in disciplinary proceedings against doctors in the United Kingdom would see more practitioners struck off the medical register.

Graeme Catto, the GMC's president, said: "We don't anticipate that this will lead to an increase in the number of doctors being erased from the register."

Professor Catto was speaking at the launch of the GMC's proposals for far reaching reform of the system of medical regulation in the UK, made in response to recommendations from the chief medical officer for Eng-

land, Liam Donaldson, in his consultation paper *Good Doctors, Safer Patients*.

The changes to the GMC will see the composition of its council move from a 40% lay minority to half lay and half medical membership, spelling the end of "professionally led" regulation.

Under Professor Donaldson's proposals, in cases against doctors the facts at issue would no longer have to be proved to the criminal standard of proof—beyond reasonable doubt, or where the fact finder is "sure"—but only to the lower civil standard of "on the balance of probabilities" or "more likely than not."

The plan is to move to the

criminal standard "flexibly applied," so the more serious the allegation and the consequences for the doctor, the more cogent the evidence would need to be. In practice, says the GMC, where a doctor faces erasure and loss of livelihood, the result would be the same whether the civil or the criminal standard is used.

The GMC supports Professor Donaldson's proposals for revalidation of doctors by a dual system of relicensing for all doctors coupled with recertification for those on the GP and specialist registers. It calls for a steering group led by the health departments for England, Wales, Scotland, and Northern Ireland to implement a coordinated system.

It agrees with the proposal for devolution of some regulatory activity to local levels but is not persuaded that a network of local GMC affiliates is the

answer, and it calls for a pilot scheme before implementation.

It opposes Professor Donaldson's recommendation that its adjudication function should be hived off to an independent tribunal but says that if such a body is set up the GMC should be involved in the planning.

The GMC, along with the BMA, opposes the proposal to transfer the GMC's responsibility for undergraduate medical education to the Postgraduate Medical Education and Training Board.

It points out that it has statutory responsibility for coordinating all stages of medical education. It says: "We believe that this must entail the setting and maintenance of standards throughout the whole of a doctor's career." □

The GMC's Proposals on Healthcare Professional Regulation is at www.gmc-uk.org.

BMA rejects proposals on medical regulation

Zosia Kmiotowicz *London*

The BMA has rejected some of the key proposals put forward by England's chief medical officer to change the way doctors are regulated.

The BMA describes Liam Donaldson's report *Good Doctors, Safer Patients*, which was published in July (*BMJ* 2006;333:163), as a "missed opportunity" that has failed to gauge the mood of the profession and its commitment to change.

In particular the BMA opposes the report's proposal to lower the standard of proof needed to strike off a doctor from the criminal one of "beyond all reasonable doubt" to the civil standard of "balance of probability."

James Johnson, chairman of the BMA, said: "We welcome several of the chief medical officer's recommendations, particularly those that move towards supporting doctors with performance problems. Other recommendations we oppose outright.

"One of these is the proposal to drop the criminal standard of

proof [in judging a doctor] and instead adopt the civil standard of proof. It cannot be right, when a person's entire means of earning a living is at stake, to rely upon a balance of probabilities rather than proof beyond reasonable doubt."

After Mr Johnson made known the BMA's views on the burden of proof, however, Finlay Scott, chief executive of the General Medical Council, announced in a letter to the *Times* that the GMC had already made a decision last week "to switch to the civil standard of proof, applied flexibly" (*Times* 6 Nov, p 22).

Continuing to outline the BMA's response to the Donaldson report at a press conference last week, Mr Johnson said that the association did not think a case had been made for creating an independent tribunal separate from the GMC to carry out the adjudication process in serious fitness to practise cases.

Overall the BMA agrees with the sentiments of Professor Donaldson's report but not with its suggested course of action. "Throughout the report we found ourselves more often in sympathy with the identification of a problem, recognising the issues that needed to be addressed, rather than with the proposals suggested to deal with them," says the BMA's report.

The BMA's chairman, James Johnson, said it could not be right, when a person's living was at stake, to rely on a balance of probabilities rather than proof beyond reasonable doubt

It disagrees strongly with Professor Donaldson's proposal to move the responsibility for undergraduate medical education from the GMC to the Postgraduate Medical Education and Training Board, because "no good case has been made for changing this."

The BMA also objects to the proposal to have a doctor working as a GMC affiliate in each healthcare provider. Instead it would like to see a regional network of doctors and lay people providing an affiliate function but not as part of an employing organisation.

Also rejected by the BMA

was the proposal to replace the current system of electing medical members to the GMC with a scheme in which they would be independently appointed by the Public Appointments Commission.

However, the association welcomed the idea that the council should be accountable to parliament and said it would consider a system where potential candidates were first approved by the commission.

The BMA's response to *Good Doctors, Safer Patients* is at www.bma.org.uk/ap.nsf/Content/CMOresponse1106.

bmj.com news roundup

Full versions of these stories are available at: bmj.com/content/vol333/issue7576/#NEWS_ROUNDUP

Guidelines on treating risk factors make patients of healthy people

Medicine may be going too far in extending risk thresholds for cardiovascular disease—turning many healthy people into worried patients, warned doctors at a conference in Edinburgh last week.

The conference, organised by the Royal College of Physicians of Edinburgh, expressed concern at recent international and UK guidelines that widen the range of people to be targeted for treatment with blood pressure and cholesterol lowering drugs.

Paul Padfield, a consultant physician in Edinburgh and one of the conference's organisers, said this risks medicalising states previously considered normal while putting more pressure on NHS budgets.

The role for such drugs in treating appropriate patients is undisputed, but the meeting questioned whether doctors were going too far with preventive medicine and overestimating the need to respond to low levels of risk. The more that risk factors are lowered, the more marginal the benefit and the greater the number who need to be treated.

Bryan Christie *Edinburgh*

New agreement aims to streamline sponsored clinical trials in NHS

Clinical trials in the United Kingdom that are sponsored by the drug industry and involve NHS hospital patients should be able to start more quickly, under a new agreement introduced by the Department of Health this week.

The department claims that its agreement on clinical trials will allow patients faster access to new treatments and save the health service money by streamlining the system for instigating clinical trials.

The revised model clinical trial agreement offers UK health services and drug and biotechnology companies a clear frame-

Black Africans have highest prevalence of tuberculosis in UK

The number of cases of tuberculosis in England, Wales, and Northern Ireland rose by 10.8% from 2004 to 2005, the biggest increase in any one year since 1999. The number of cases rose from 7321 to 8113.

London alone had 3479 cases in 2005, 43% of the total. The regions with the biggest rises in new cases were the North West, East Midlands, and the East of England. The North East and Northern Ireland saw a fall in the number of cases, while in Wales the number was unchanged.

In 2005 72% of reported cases were among people who were born abroad. A fifth of these cases were among people who had arrived in the United Kingdom in the past two years.

John Watson, head of the respiratory disease department at the Health Protection Agency, said, "This suggests that the increase is not a result of a large number of individuals arriving recently with tuberculosis but rather a combination of tuberculosis disease developing in individuals who may have been infected for some time and new infections acquired in the UK or as a result of travel to other countries where tuberculosis is common."

Robert Short *London*

work to work with when setting up a clinical trial, meaning that trials should be begun faster. It overcomes delays that occurred previously because each site taking part in a clinical trial tended to negotiate an individual agreement with the company sponsoring the trial. This process was time consuming, delaying the start of trials, and costly, as it incurred additional legal fees for the individual agreements.

Andy Burnham, the health minister for delivery and quality, said: "The NHS will also save money by reducing bureaucracy, as this single agreement can be used by all trusts."

Susan Mayor *London*

The revised model clinical trial agreement can be found at www.ukcr.org.

Israeli Arabs undergo less health screening than Jews

Twelve years after Israel's national health insurance law was passed to ensure equal access to medical services, a new study has found that Israeli Arabs see medical specialists and undergo preventive screening much less often than Israeli Jews.

However, Arabs, who make up a fifth of Israel's population, do visit their primary care doctor more often than their Jewish counterparts, says the study, which was published online ahead of print publication on 25 September in *Health Services Research* (www.blackwell-synergy.com).

[doi: 10.1111/j.1475-6773.2006.00645.x](http://doi.org/10.1111/j.1475-6773.2006.00645.x)

The study's lead author, Orna Baron-Epel, of the University of Haifa's School of Public Health, said these differences, which could not be explained by socioeconomic or health status, were not due to discrimination against Arabs. Less frequent use of specialists and screening by Israeli Arabs "may be due to culture, norms, and behaviour or more subtle differences in access and quality in care," she said.

Average life expectancy among Israeli Arabs is about three years less than that of Jews. Arabs tend to have a lower socioeconomic status; Arab men smoke more than Jewish men; and Arabs' prevalence of genetic diseases is higher, because of a high rate of consanguinity.

Judy Siegel-Itzkovich *Jerusalem*

NHS is failing refused asylum seekers

NHS hospitals are failing to provide adequate maternity care for refused asylum seekers who are pregnant, the UK Refugee Council claimed at a conference last week in London.

Speakers from the council also said that hospitals were denying treatment to refused asylum seekers who are dying of cancer or who have AIDS, when such treatment was available to others in the same situation in other European countries.

The council told its "Safe from Harm" conference how changes made in 2004 to NHS policy to charge refused asylum seekers as overseas visitors (*BMJ* 2004;328:1217) is having an inhumane and devastating effect and that the policy was created without any evidence base.

Parveen Kumar, president of the BMA, said, "This is a group of people with no one and nowhere to turn to. While they are here they are ours to look after."

Claire Frauenfelder *BMJ*

New Developments in Sexual Health and HIV/AIDS Policy is at www.publications.parliament.uk. *First Do No Harm: Denying Healthcare to People whose Asylum Claims have Failed* is at www.refugeecouncil.org.uk.

Professionals who deal with young offenders lack health expertise

Many young offenders in England and Wales lack adequate access to health care, a new report says.

One in three youth offending teams, the multiagency groups designed to bring together education, health, and social care professionals, as well as the police and probation services, does not have a mental health worker, says the report from the Healthcare Commission and Her Majesty's Inspectorate of Probation.

And it says that a sixth of the teams do not have a healthcare worker, although primary care trusts have a statutory duty to provide one to their local team.

"The consequences of not providing support to these children are dire for the young person and the local community," said the Healthcare Commission's chief executive, Anna Walker.

Roger Dobson *Abergavenny*

Let's Talk About It: A Review of Healthcare in the Community for Young People who Offend is available at www.healthcarecommission.org.uk.

Care of mentally ill prisoners is "dysfunctional"

MPs and peers have said that a "fundamental shift" is needed in the way offenders with mental health problems are treated in the United Kingdom if levels of crime are to be tackled and the prison population reduced.

"Massive investment" is needed to bring mental health services in prison in line with those offered in the community—something that the government has promised but that is still far from being achieved, they say.

In an interim report focusing solely on mental health the all party parliamentary group on prison health has labelled prisons as "clearly dysfunctional" in

the way they deal with prisoners' mental health problems.

The group has called for a "major boost" to community based mental health services to help people at risk of offending stay in education or work and to maintain family and social relationships to help prevent them turning to crime. "Massive investment" is also needed in a stepped care model of services, so that prisoners have good quality primary care for minor problems such as anxiety while those with more severe problems can get specialised care.

Zosia Kmietowicz *London*

For copies of *The Mental Health Problem in UK HM Prisons* email kate@butlerkellyltd.co.uk.

Brazil celebrates 10 years of universal access to antiretrovirals

More than 4000 delegates from across Brazil met at a conference this week to celebrate the country's decision in 1996 to offer access to antiretroviral drugs to all its citizens living with HIV or AIDS who need treatment, and to discuss future challenges.

"Public policies must combine prevention and treatment simultaneously. They're not competitors, and there is no legitimacy in having prevention programmes if solid treatment strategies do not also exist," said Mariângela Simão, head of Brazil's sexually transmitted disease and AIDS programme.

A report issued by Brazil's health ministry and distributed at the conference said that about 600 000 Brazilians are HIV positive or have AIDS.

Brazil has what is described as a "concentrated" epidemic—one where prevalence in any risk prone subgroup of the population exceeds 5% but where it is less than 1% among pregnant women. The prevalence in Brazil among people aged between 15 and 49 is 0.6%.

Klaus Morales *Belo Horizonte, Brazil*

See www.aids.gov.br for more information.

Doctors demonstrate against "incoherent" reforms of NHS

Ona Mashta *London*

Scores of doctors from across England lobbied parliament last week to protest against the government's reforms of the NHS. They were voicing their opposition to increasing privatisation and cuts to services. The doctors called on the government to listen to healthcare workers and to involve them in proposed changes.

Jonathan Fielden, chairman of the BMA's Central Consultants and Specialists Committee, said, "We are extremely concerned with the direction of the government's NHS policy, with the growing use of the independent sector, which is detrimental to patient care."

"Many of the NHS reforms are also incoherent—on the one hand encouraging patient choice and on the other referring patients regardless to independent treatment centres."

But on the same day as the rally at parliament the prime minister defended the government's record on reforming the NHS. Mr Blair said: "Of course, there are changes taking place—rightly, because there are more cases being done on a day case basis, new technology is shortening waiting times, and specialist care is being developed. All of this is part of necessary change."

The doctors' protest was part of a much bigger rally led by the

Trades Union Congress of hundreds of other health service workers. Under the banner "NHS Together" 16 unions have joined forces to warn that job cuts and continuing reforms risk fragmenting the health service.

They claim that about 20 000 posts are being cut, but the government says that only 900 staff members will be made redundant and that the other cuts will result from natural wastage and voluntary redundancy.

Over recent years the government has increasingly relied on private involvement in the NHS through independent sector treatment centres, which carry out surgery, and through private finance initiative (PFI) schemes, which use private money to build new hospitals.

Representatives of most of the BMA's negotiating subcommittees as well as hospital doctors and GPs took part in the protest rally.

One participant, John Wood, a consultant trauma and orthopaedic surgeon, fears that the NHS is being dismantled. He said, "The government is out to destroy the NHS by privatising it. Staff up and down the country are losing their jobs, and hospital budgets are being slashed. I can't believe a Labour government is doing this to an institution it created." □

John Wood, a consultant trauma and orthopaedic surgeon (above), fears that the NHS is being dismantled

Gynaecology sans frontières

Ian Jacobs, director of the Institute for Women's Health at University College London, tells **Zosia Kmietowicz** that his centre aims to improve women's health not only in the United Kingdom but worldwide

Patients in Mulago Hospital, Kampala, often lie down in British beds, have x ray pictures taken on British machines, and have their operations on British operating tables. The reason? When London's Middlesex Hospital closed last year, most of the hospital's furniture and equipment was shipped out to Mulago Hospital at the request of the Ugandan hospital's director and through the efforts of Professor Ian Jacobs, a practising gynaecologist and oncologist, whose concept of medicine is a truly international one.

Enticed away from Barts Hospital in 2004 by the promise of having his own institute for women's health at University College London (UCL), Jacobs not only runs the new organisation but is also responsible for one of the largest clinical trials in the world (to discover a screening test for ovarian cancer) and takes time off from his London commitments to work with doctors and healthcare workers in Uganda.

He and his team have devised 12 projects there, including cervical cancer screening, prevention of postpartum bleeding, and neonatal resuscitation, which are set to continue for at least three years. They have also built a hostel for radiotherapy patients at Mulago Hospital and provided funding for a chair of palliative care at Makerere University, and in October they held a meeting in Kampala on women's health that involved 400 health professionals from all over the country.

So how did Jacobs arrive at his present position as founder and director of UCL's Institute for Women's Health and as an adviser to the Ugandan health service?

An interest in research came early in his career. Within a few years of graduating from the Royal London Hospital in 1983 he was attracted to the idea of researching cancer prevention.

"Although I found clinical medicine incredibly rewarding

and important, it does not make fundamental change, and there will always be a constant flow of patients who need you. The best way to make real change and try to stop the flow of patients seemed to me to be research in prevention and screening," he says.

His enthusiasm for research was fuelled after he saw the dismal outcomes for many women with ovarian cancer on whom he operated at the Royal London in the 1980s.

He admits that his timing could not have been better. Fortuitously, the possibility of using the tumour marker CA125 and ultrasonography as screening tools for the disease had recently been raised, and he set to work applying them and getting a training in laboratory science and molecular genetics of cancer alongside his surgical training.

But where was the funding to come from? This was the 1980s, before Bob Geldof made charitable causes fashionable, recalls Jacobs. Surrounded by the office blocks of the City of London, however, he struck on the idea of writing to the top 100 companies asking for financial support for the Gynaecology Cancer Research Fund, a charity he set up to fund his work and that

now runs the Eve Appeal, which is dedicated to funding research into gynaecological cancers. He expected to raise enough to fund himself as a research fellow and perhaps a nurse for three months. But within three weeks he had £30 000 (€45 000; \$57 000) and senior staff at the Royal London were asking what he planned to do with it.

Twenty years later Jacobs has lost nothing of his drive to "make life better for women with ovarian cancer." Since his original study of 1010 women was published in the *Lancet* (1988;i:268-71), his belief in a screening tool for ovarian cancer has been strengthened by the results of his research team, first

With one of his lifetime's ambitions seemingly well on the road to being realised, Jacobs says that a call from University College London in 2003 to tempt him away from Barts was unexpected.

He realised that his dream to "develop women's health more broadly" might flower at UCL, with its brand new partner hospital and state of the art research facilities. The extent of the opportunity was confirmed when the provost of UCL and the chief executive of UCL Hospital agreed to the establishment of the Institute for Women's Health as part of his move in April 2004.

"The challenge was to build an institute ... from lots of separate pockets of excellence in women's health which already existed. Since 2004 we have managed to establish a team of people working closely together, from basic scientists to clinicians, actively involved in a concerted strategy to develop the leading centre for women's health in the country," says Jacobs.

The institute, which became fully operational in January 2005, has a clear objective: to become Europe's leading centre for women's health and to make a difference to women's health locally and globally. Its 300 clinicians and academic staff work in a series of specialist groups covering research, clinical practice, education, and training.

Among the key areas of activity are perinatal brain injury, reproductive health, adolescent gynaecology, assisted conception, the prevention, screening, and treatment of cancer, cell biology, molecular genetics, and developing world initiatives.

The institute currently receives more than £25m in research grants from the Department of Health, Medical Research Council, Cancer Research UK, the Eve Appeal, and other sources.

Jacobs feels that although his specialist clinical training and skills as a surgical gynaecological oncologist have been essential for his career development, it is the opportunities he has had in research and leadership that have been the key to his success.

"What I think I am good at is having new ideas and the energy to push them through. I am a pretty good organiser, and sometimes I can inspire people," he says.

Zosia Kmietowicz *London*