RETRACTION

A Krüppel-Associated Box–Zinc Finger Protein, NT2, Represses Cell-Type-Specific Promoter Activity of the $\alpha 2(X)$ Collagen Gene

Kazuhiro Tanaka, Noriyuki Tsumaki, Christine A. Kozak, Yoshihiro Matsumoto, Fumihiko Nakatani, Yukihide Iwamoto, and Yoshihiko Yamada

Craniofacial Developmental Biology and Regeneration Branch, National Institute of Dental and Craniofacial Research, and Laboratory of Molecular Microbiology, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland 20892, and Department of Orthopaedic Surgery, Graduate School of Medical Sciences, Kyushu University, Fukuoka 812-8582, Japan

Volume 22, no. 12, p. 4256–4267, 2002. Figures 2D, 4, 5 [panel $\alpha 1(X)$], 6B, and 8B are not faithful representations of their original source data and are therefore being retracted. Corrected figures are shown below. Use of the incorrect figures had no effect on the other data or the basic results and conclusions of the paper.

Page 4259, legend to Fig. 2D: “The small arrow marks supershifted NT2-promoter complexes by anti-NT2 antibodies (lanes 4 and 6)” should be replaced by “Anti-NT2 antibody reduced NT2-promoter complex formation (lanes 4 and 6).”

Page 4265, legend to Fig. 8B: A new sentence, “The asterisks indicate protein bands with expected sizes,” should be included at the end of the legend.

FIG. 2D

FIG. 5

FIG. 4

Protein	-	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Competitor	-	-	WT	M1	M2	M3	-	WT	M4	M5	M6	M7	M8	M9	M10	M11	M12
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17

FIG. 6B

FIG. 8B