that in "normal" twin pairs³ (anaemic twin IgG 5.40 g/l; normal twin IgG 5.43 g/l). In contrast, in cases of the chronic type of fetofetal transfusion syndrome the donor twin had abnormally low levels of IgG whereas those of the recipient were within the normal range.³ There were invariably large intrapair discrepancies and we suggest that this may be due to a disturbance in the maternofetal transfer of the immunoglobulin across the donor portion of the placenta, which is frequently oedematous and histologically abnormal in such cases.⁴

ELIZABETH BRYAN

Maternity Hospital,
Fulford,
York

BRENDA SLAVIN

Department of Chemical Pathology,
Central Middlesex Hospital,
London NW10

¹ Naeve, R L, *American Journal of Pathology*, 1965, 46, 929.

² Bryan, E M. Unpublished data.

³ Bryan, E M, Slavin, B, and Nicholson, E, *Archives of Disease in Childhood*. In press.

⁴ Strong, S J, and Corney, G, *The Placenta in Twin Pregnancy*, p 71. New York, Pergamon, 1967.

Design of clinical trials

SIR,—In reply to Dr I S Muir's letter (15 May, p 1213) commenting on our paper on the effect of atenolol in hypertension (24 April, p 990) we agree with him that a placebo period, either randomly allocated or placed at the end of the study, would have been desirable. However, we strongly disagree with his statements (1) that the fall in blood pressure of about 25-20 mm Hg observed between the four-week placebo run-in period and the fourth week of active treatment may have been the effect of time and habituation to their clinical routine and (2) that his interpretation of results was supported by the fact that the treated blood pressures were independent of dosage.

These statements may indicate a lack of both practical experience of clinical trials in hypertension and a knowledge of atenolol. The "defence" and "orienting" reflexes described by Pickering¹ and the placebo response are largely complete at four weeks, though a further mild placebo effect can be seen for a longer period of time. Hansson *et al.*,² comparing atenolol with placebo, demonstrated a fall of about 4 mm Hg systolic and 4 mm Hg diastolic blood pressure in the first four weeks of placebo and no further fall over the next three months on placebo. Petrie *et al.*,³ comparing atenolol with bendrofluzide, showed no fall in blood pressure during a four-week placebo run-in period. So the placebo effect, under controlled blind conditions, must not be overestimated. With regard to all doses of atenolol achieving a similar fall in blood pressure, this "flat dose-response curve" of atenolol is now well known, having been described in several publications.²⁻⁵

So we agree that our trial design was not perfect but did take into account a placebo effect. The results are quite consistent with those obtained from other controlled blind studies.

A P DOUGLAS-JONES
J M CRUICKSHANK

Norwich

¹ Pickering, G, *High Blood Pressure*, 2nd edn, p 36. Edinburgh and London, Churchill Livingstone, 1968.

² Hansson, L, *et al*, *British Medical Journal*, 1975, 2, 367.

³ Petrie, J C, *et al*, *British Medical Journal*, 1975, 4, 133.

⁴ Dollery, C T, *et al*, *British Journal of Clinical Pharmacology*, 1975, 2, 185P.

⁵ Erikssen, J, and Jervell, J, *Acta Medica Scandinavica*, 1975, 198, 49.

Power, democracy, and the NHS

SIR,—Mr Rudolf Klein's remarks (29 May, p 1352) represent, no doubt, the "political" facts at present. Nevertheless, present trends will eventually have to be reversed.

Hospitals exist basically as places where doctors may treat patients. Doctors are the only essential staff; all others are there merely to take some of the burden off them. Nurses, physiotherapists, laboratory technicians, cooks, cleaners, etc, would not exist without the work created by doctors, however much they play at being professionals in their own right. A doctor could nurse the patients, cook the meals, clean the wards, etc, but he or she is able to deal with more patients if these jobs are delegated to subordinates. I cannot think of any job in any department of a hospital which I have not done myself at some time, and this applies to many other doctors.

A fair comparison is with an author. At first he types his own manuscripts, hawks them round publishers, and wrestles with the financial aspects of his work. Later, if successful, he can pay a typist, a literary agent, and an accountant. But the author is the one essential person whose views should carry overriding weight.

CYRIL G EASTWOOD

Cambridge

Restriction of right to prescribe

SIR,—It is with absolute horror that we note the Medical Practitioners (Restriction of Right to Prescribe) Bill is to have its second reading.¹ How can "a small list of relatively safe, innocuous substances" be drawn up? Any drug that comes under this heading is not likely to be very effective anyway. The general practitioner and hospital consultant cannot possibly be channelled into a situation where they could not make a decision what to prescribe for a particular patient. There is only one person who will suffer from this and that is the patient himself. There will also be many thousands of frustrated doctors looking elsewhere to practise.

Regarding "medical audit panels," what on earth are two non-professional members doing on the panel? We might just as well have two doctors on a panel reviewing the work of a bank manager or engineer. No—all this is just another example of socialism gone mad to the detriment of the patient again.

BERNARD CAPLAN
J H SCOTSON

Timperley,
Cheshire

¹ *Hansard*, House of Commons, 5 May 1976, col 1320.

Shortage of British graduates

SIR,—Where have all the British medical graduates gone and why? Not exactly a new

question, I know, but in our case there is a new twist.

This practice is losing three principals in six months because of retirement, but because we cannot replace them with suitable home graduates (in addition to one already recruited from India) we are in danger of having to close our central premises and leave 5000 patients to be looked after by whoever the family practitioner committee can find—possibly indeed by someone we have already turned down. All this in spite of the fact that we have planning permission to build new central surgeries. The only two suitable candidates we interviewed had a wide selection of practices to look over and were naturally able to pick and choose. (I don't object to this.) Several other doctors in the area are retiring at the age of 60, so our problem—that is, having to close down—may not be unique.

The BMA should mount an urgent inquiry to find out how many British medical graduates have gone abroad to settle and why they have done so. Then we may be able to find out how to keep them at home. My own guess is that they have watched the bully boys with industrial muscles getting what they want and they have watched the general sloth of the population as well, with ever-increasing frustration. These two factors have prevented the production of the wealth necessary to pay for the replacement of the breakdown and inadequate medical facilities which exist all over the country. Having heard or seen what is available abroad we cannot blame them for departing.

Within the next ten days or so we must decide finally whether to close the practice, which has served this area well for 50 years. So I finish as I began, where have all the British medical graduates gone and why?

GEORGE W FORREST

Coventry

Birmingham meeting on Health Services Bill

SIR,—The report of the Birmingham Town Hall meeting (29 May, p 1351), omits any mention of speeches from the platform by BMA Council member Dr Mary White and Birmingham Representative Dr Peter Jones.

My disquiet as Birmingham divisional secretary is that Scrutator, after stating that the hall was filled with 300 West Midlands doctors of all disciplines, failed completely to mention the speeches of the W Midlands Regional Council member and the Birmingham GP Representative to the ARM. This is not only a misrepresentation of the wide base of the meeting but an undesirable failure to appreciate the essential need for all branches of the profession to hold together and to appear in public to be co-operating in the defence against the present onslaught against the freedom of the profession.

G A READETT
Honorary Secretary,
Birmingham Division, BMA

Birmingham

* * Scrutator writes: "Owing to limitations of space my report on the stimulating Birmingham meeting was in no way intended to be comprehensive. I regret if I seemed to have ignored the high quality of the speeches by Dr White and Dr Jones, whose hard work for the BMA I would like to acknowledge here."—Ed, *BMJ*.