Blair says patients will have to travel further for specialist care

Zosia Kmietowicz *London*

Prime Minister Tony Blair warned this week that patients in England would have to get used to travelling beyond their local emergency department for the specialist care they need.

Speaking at the launch of the Primary Care Trust Network, a membership organisation for the 152 primary care trusts in England, he referred to two reports published this week that call for further changes to the health service—this time to emergency heart and stroke services.

George Alberti, the national clinical director for emergency care, and Roger Boyle, national clinical director for heart disease and stroke, argue in their reports that traditional emergency departments are not the only option in life and death situations. Mr Blair agreed that patients would have to get used to the idea of sometimes having to travel beyond their local emergency department for specialist care.

"The right care for someone who has had a stroke is to have a CT [computed tomography] scan within three hours and to get thrombolysis [if necessary]. But that level of expertise cannot be offered everywhere, which is why we need specialist emergency care which can be offered quickly," Mr Blair told the meeting.

Mr Blair acknowledged that the rate of change of policy in health was quicker than in any other government department. However, he insisted that the changes were essential.

"I think a decade ago people were not asking will the NHS work, but could it work? Was this a concept that had to be dismantled? Now they are not asking that," he said. "What we need to do bit by bit is to make sure that changes work for patients. I genuinely believe the best is yet to come."

In a statement Professor Alberti said that the public would have to accept that "the A&E [accident and emergency]

Prime Minister Tony Blair: "I ... believe the best is yet to come"

departments that they cherish" cannot all provide the level of care that some people need.

"Every service cannot be offered by every A&E department ... so it makes sense to create networks of care with regional specialist centres to give the best possible treatment to the sickest people," he said.

"For the majority of people, care is still going to be as local as it ever was." □

The full version of this article is available at bmj.com.

Mending Hearts and Brains and *Emergency Access* are available at www.dh.gov.uk.

Closing some local services could save lives, report says

Adrian O'Dowd *London*

Closing some local hospital services could help to save around 1000 lives each year, says a report that heralds another wave of reconfiguration in the NHS.

Despite numerous protests over proposed closures of some parts of district general hospitals, shutting down less effective services will help to boost survival rates, says a report from the think tank the Institute for Public Policy Research.

The policy is also one that is being put this week to the health secretary, Patricia Hewitt, by chief medical officer Professor

Liam Donaldson and the national clinical directors for emergency care and coronary heart disease, Professors George Alberti and Roger Boyle.

The report by the institute argues that patients with heart attacks or severe injuries are more likely to survive if they are taken to a specialist centre rather than the closest district general hospital.

It says that if care for heart attack was reconfigured to enable universal access to new treatments such as angioplasty, about 500 extra lives could be saved

every year and there could be around 1000 fewer repeat heart attacks and 250 fewer strokes.

Currently, most of the 61 000 emergency heart attack patients treated each year by the NHS are taken to their local hospital, but last year only 1600 received cutting edge treatment in a specialist hospital unit.

People who have had severe injury are also said to be more likely to survive if they are treated in specialist centres rather than local hospitals, adds the report, citing international evidence from countries with regionalised trauma systems.

The latest lifesaving treatments are complex and can be provided only at a small number of specialist hospitals with the right equipment and expert staff.

Richard Brooks, the associate

director of the Institute for Public Policy Research, said: "Many people are understandably worried about local services moving away from their local district general hospitals.

"But if heart attack and serious injury victims were taken past their local hospitals to a specialist centre, they would be significantly more likely to survive. Other traditionally hospital based services—like tests, routine surgery, and minor treatments—are better provided in local community hospitals and clinics." □

The full version of this article is available at bmj.com.

The Future Hospital: the Progressive Case for Change will be published later this month.

In brief

Pfizer halts trial of heart drug after deaths: The drug giant Pfizer has stopped the trial of its drug torcetrapid, which is designed to increase HDL cholesterol concentrations, after scientists monitoring the trial noted that 82 people taking the drug along with the company's statin, atorvastatin (Lipitor), had died, whereas 51 people taking Lipitor alone had died. Pfizer had been expected to apply for a licence for torcetrapid next year.

England will go smoke free on 1 July: Smoking will be banned in all enclosed public places and workplaces in England, including offices, factories, shops, pubs, restaurants, membership clubs, and public transport, from 1 July 2007. Indoor smoking rooms at workplaces will no longer be allowed. More information is available at www.smokefreeengland.co.uk.

Italian minister supports patient's right to die: Emma Bonino, Italy's minister for international commerce and European Union policies, said this week that she has started a hunger strike in support of terminally ill Piergiorgio Welby's request for euthanasia (*BMJ* 2006;333:719).

Dutch doctors want reproduction rules liberalised: Leading Dutch gynaecologists are calling for the Netherlands' upper age limit on women becoming pregnant through egg donation to be raised from 45 to 50. They argue that there are no hard medical reasons for maintaining the limit set in 1997 and that length of pregnancy and average birth weight at this age are similar to those of younger women (*Nederlands Tijdschrift voor Geneeskunde* 2006;150:2591-5).

Bicentenary award spotlights slavery in Sudan: The charity Anti-Slavery International is marking the bicentenary of Britain's abolition of the slave trade with an award to the "modern day abolitionist" James Aguer for his work in Sudan, where thousands were enslaved during the civil war. It hopes the award "will allow the problem to be raised up the public agenda."

Doctors are failing to identify patients most at risk of killing

Andrew Cole *London*

Clinicians are too often failing to identify the mentally ill patients most at risk of killing either themselves or someone else, a national inquiry into suicide and homicide has concluded.

The report looked at suicides in England and Wales between 2000 and 2004 and homicides

Dennis Finnegan, killed in September 2004 by John Barrett, a mentally ill patient who was allowed to leave hospital without being assessed

between 1999 and 2003. It found that mental health patients were responsible for 9% of homicides and made up 27% of all suicides.

Half of the mental health patients who committed suicide and nearly a third of such patients who killed someone else had been in touch with mental health services within the previous week; yet 86% of those who killed themselves and 88% of those who committed a homicide had been assessed as low or no risk.

There was a danger that staff were becoming desensitised to the real risks of some of their patients' behaviour, said the inquiry's director, Professor Louis Appleby, who is also the national director for mental health.

The report proposes a more rigorous approach to risk assessment. "It is quite easy at times to look at how someone is on a particular day and feel there isn't much risk," said Professor Appleby. "But if you take a step

back and look at the history of that person's illness you realise their risk is never going to be low."

The report found that the number of inpatient suicides fell by a quarter between 1997 and 2004. Deaths by hanging on wards halved from 53 to 26 a year, and suicides after refusal to take treatment also fell.

But 27% of suicides among mental health patients occurred after a patient had absconded from the ward, and one in five inpatient suicides happened when the patient was supposed to be under observation by nursing staff.

"We have got used to the fact that people often leave our wards without permission," said Professor Appleby. "The families and carers never get used to it. It is a shocking finding."

Staff needed to be more aware of the triggers for this sort of behaviour. □

The full version of this article is available at bmj.com.

Avoidable Deaths—Five Year Report of the National Confidential Inquiry into Suicide and Homicide by People With Mental Illness is at www.medicine.manchester.ac.uk/suicideprevention/nci/.

Patients can't stop their data being put on to NHS "spine"

Owen Dyer *London*

The government's chief medical officer for England, Liam Donaldson, has written to GPs urging them to pass on to the Department of Health letters from patients who do not want their medical records uploaded to a national computerised database.

The government's plan to centralise the medical records of 50 million patients in England in a national database known as the national care record, or simply as the "spine," is meeting increasing opposition.

A poll conducted by ICM Research two weeks ago found that 53% of NHS patients who responded opposed the plan. A Medix poll of GPs found that 52% would refuse to upload data

without a patient's consent.

The Department of Health now says that patients do not have the right to prevent their data being entered into the system, although they are allowed to restrict others' access to it.

Last weekend patients who had written to the department asking to opt out of the system received blanket refusals from Professor Donaldson in a letter that said: "I am afraid that I am unable to agree your request. The reasons that you gave as the basis for claiming substantial and unwarranted distress are not, as I hope I have made clear in the Annex [to the letter], based on an accurate understanding of the summary care record."

Most of the patients wrote in using a coupon provided in the 1 December issue of the *Guardian* newspaper, which listed 10 reasons why uploading their data might bring "substantial unwarranted distress."

Professor Donaldson's letter added that if patients felt they

had "further unique and personal reasons for claiming substantial and unwarranted distress" they should write to the department's customer service centre.

But Paul Cundy, who chairs the information technology committee set up by the BMA and the Royal College of General Practitioners, said that patients have been put in a "Catch 22 situation."

Dr Cundy said, "He [Professor Donaldson] is effectively asking people to reveal to officials why they don't want their information revealed to officials." He said that patients should not have to prove distress, as the Data Protection Act gave them an inalienable right to refuse to provide their data.

Another letter from Professor Donaldson, received by many GPs last Friday, urged them to forward to the health secretary any coupons they received from patients requesting exemption. □

The full version of this article is available at bmj.com.

Science will tighten standards after retracting stem cell papers

Janice Hopkins Tanne *New York*

The editor of *Science*, Donald Kennedy, said that his journal would tighten its review procedures and would work with *Nature* and other leading journals to try to identify fraudulent papers.

He was speaking last week at a press conference with John Brauman, professor of chemistry at Stanford University, who headed an independent committee formed after *Science* retracted two papers by the South Korean researcher Hwang Woo Suk. The committee was set up to look into the way the journal handled the papers.

Professor Hwang's papers reported the creation of stem cells from cloned human embryos and the production of stem cells matched to the donors (*Science* 2004;303:1669-74; 2005; 308:1777-83). A whistleblower and South Korean journalists revealed that the papers were fraudulent.

Dr Kennedy's editorial giving his response to the committee's findings was published last week (*Science* 2006;314:1353). The editorial, the committee's report, and related information are gathered together on the journal's website (www.sciencemag.org/sciext/hwang2005).

The report calls for more stringent reviewing of papers and says that the journal should use a "risk assessment" that asks

"questions about the probability that the work might be intentionally deceptive, or just wrong, and the consequences for the reputation of *Science* and science, and for other issues (public policy, intellectual property, academic credit)."

It continues: "Papers that are likely to have high visibility, for example in climate, energy, human health, etc, should get special scrutiny."

Perhaps only 10 papers submitted to *Science* each year need extra careful investigation, said Dr Kennedy. He said that *Science* may ask authors to describe their roles in the study and may also ask for original data, images, or other material.

Dr Kennedy and Dr Brauman said that even though better reviewing procedures were needed, Professor Hwang's fraudulent papers might not have been discovered. Dr Brauman said that the papers were very carefully reviewed and that *Science's* editors expressed "unease" about them. In its investigation the committee found a careful paper trail showing comments by editors, requests for more information, telephone calls, and requests for revisions to clarify the first paper. In the case of the second paper the authors and editors were more familiar with the proce-

Professor Hwang Woo Suk fell from his position as national hero after *Science* retracted his research papers, declaring them fraudulent

dures, so it went more smoothly.

Dr Kennedy said, "Part of that unease was due to the fact that there were IRB [institutional review board] reports and reports with respect to egg donation ... that we couldn't readily deal with because they were in a language [Korean] that we had to have translated.

"We had some of them translated twice before we could be absolutely sure that they fulfilled the criteria. In fact it turns out that some of these [reports] were probably bogus.

"If you receive a paper from a country in which neither language nor all of the cultural assumptions and understandings exist [in the same way as in the United States], that will present additional difficulties. On the other hand we don't want to engage in profiling. It would be really unfair if we started looking

extra hard at papers from some emerging scientific powers in countries like South Korea."

Professor Hwang's papers involved several institutions, Dr Kennedy said. "We had every reason to believe it was a well functioning collaboration in which important roles ... were being played by different players.

"[The] fraud was so convincing that peer reviewers didn't catch it ... Many US scientists who had heard the work described at small meetings in great detail by Hwang and his collaborators, and US scientists who had visited that laboratory in South Korea, were surprised and even astonished when the work turned out to be fraudulent ... I'm not going to tell anybody that we could develop—even following the committee's good advice—mechanisms that will detect fraud 100% of the time." □

High Court clears Meadow of criticism over baby's death

Clare Dyer *legal correspondent, BMJ*

The retired paediatrician Roy Meadow was last week cleared by a High Court judge of criticism over his evidence in a care case six years ago. He had said in the 2000 case that a 4 month old boy probably died because he was intentionally smothered by his mother.

The boy's parents, referred to

as Mr and Mrs H, recently won the right to have the medical issues in the 2000 case reviewed when care proceedings were brought against them by Birmingham City Council over the care of their third child, a girl referred to as S, who was born in July 2004.

Mr and Mrs H were forced to give up their second child for adoption and risk having their third child removed because of the finding in 2000 that Mrs H on four occasions obstructed the airways of her first child, P, who sustained brain damage and died after the fourth incident in January 1999.

In applying to have the evidence looked at again the parents criticised the evidence of Professor Meadow, one of two experts

in baby P's case, and argued that their son had died from natural causes. They also claimed that Mrs H's ability to give straightforward evidence in the original case was compromised because a drug she was taking for dystonia affected her memory.

Two new experts—a senior consultant paediatrician from outside the United Kingdom and a consultant clinical physiologist—were asked to look at the evidence afresh in the light of current medical knowledge and after Professor Meadow's statistical evidence was discredited in the case of Sally Clark, whose conviction for murdering her two sons was overturned in 2003.

In a 70 page judgment Mr Justice McFarlane said: "I am driven

to the firm conclusion that no criticism of Professor Meadow's role in this case can be sustained. Indeed, the passage of time and the exhaustive additional investigations have proved that, on the medical issues that were before the court in 2000, he was correct."

Mrs Justice Bracewell's finding in 2000 that Mrs H intentionally tried to smother P on four separate occasions must stand, said the judge.

The High Court will now go on to decide whether Mrs H and her husband should be allowed to bring up their third child or be forced to give her up for adoption. □

The full version of this article is available at bmj.com.

bmj.com news roundup

Full versions of these stories are available at: bmj.com/content/vol333/issue7580/#NEWS_ROUNDUP

GMC should not have thrown out case against neurologist

The General Medical Council acted unfairly and wrongly when it decided not to go ahead with disciplinary proceedings against a British neurologist who had previously been found guilty of serious professional misconduct in Singapore, a High Court judge was told this week.

David Pannick QC, for the Singapore Medical Council, told Mr Justice Davis that the GMC should have notified the Singapore Medical Council of a report it had obtained from an independent expert exonerating Simon Shorvon, professor of clinical neurology at University College London, and asked for comments on it before deciding to throw out the case.

The GMC took up the case after Professor Shorvon was found guilty of ethical failures and breaches of confidentiality over research he led in Singapore. But after receiving the report from Adrian Williams, professor of clinical neurology at Birmingham University, and taking the advice of a QC, the chairman of the GMC's investigation committee decided the case should not go ahead.

As the *BMJ* went to press, judgment was expected to be reserved.

Clare Dyer *legal correspondent, BMJ*

Southall denies accusing a mother of murder

The paediatrician David Southall, who is facing charges of serious professional misconduct at the General Medical Council, last week denied that he had accused a mother of murdering her 10 year old son.

Professor Southall is accused of abusing his position and adding to the distress of a bereaved patient during a 1998 interview with the child's mother, referred to as Mrs M. Her son, named only as M1, was found hanged in his bedroom in 1996. A police investi-

High spending intensive care doctors do not always achieve better outcomes

Wide variation in spending on intensive care patients resulting from doctors' different treatment styles does not affect patients' length of stay in the unit or mortality, a new study from one US hospital says.

The report said that doctors' adoption of a more uniform approach would not harm patients and could save resources (*American Journal of Respiratory and Critical Care Medicine* 2006;174:1206-10).

The report, by Allan Garland and colleagues at the Case Western Reserve University School of Medicine at MetroHealth Medical Center, Cleveland, Ohio, also said that intensive care doctors who spent more on care of their patients also spent more on imaging, laboratory services, blood banking, and drugs.

The study, which looked at nine intensive care doctors' treatment of more than 1000 patients over 29 months, found that "higher resource use was not associated with lower length of stay or mortality."

The study found a difference between the highest and lowest spending doctors of \$1000 (£505; €750) per patient admitted.

Claire Frauenfelder *BMJ*

gation led to no charges, and an inquest returned an open verdict.

Testifying by video link from Australia, Mrs M told the hearing last month that Professor Southall had been "very aggressive and sarcastic."

Professor Southall told the GMC's fitness to practise panel that he had been concerned by the "violent" death of someone so young.

Professor Southall is facing a range of charges relating to six different children. He is accused of keeping secret medical records and failing to respect the privacy and dignity of parents.

The current case has now been adjourned after it over-ran the allotted time. It will restart next November.

Owen Dyer *London*

Donaldson report is attacked by Scottish health department

The health department in Scotland has strongly rejected many of the proposals put forward in July by England's chief medical officer to reform the way UK doctors are regulated. The key complaint of the Scottish Executive Health Department is that many of the recommendations are not evidence based and are "unlikely to result in improvements in patient safety."

In a response to Liam Donaldson's report *Good Doctors, Safer Patients* (*BMJ* 2006;333:163), Harry Burns, Scotland's chief medical officer, and Paul

Martin, the chief nursing officer, argue that much greater attention should be paid to harmonising the regulatory framework across all professions.

"The fact that the majority of 'mistakes' made in clinical practice are multifactorial in nature and often team based is not acknowledged anywhere in the Donaldson report," they say.

"Many of the recommendations have no clear evidence base but nonetheless have far reaching implications which would result in significant future work and resource commitment," Dr Burns and Mr Martin say.

Bryan Christie *Edinburgh*

European directive has doubled cost of trials in UK

New European regulations have delayed non-commercial trials in the United Kingdom relating to cancer and doubled the cost of running them, a new study says.

The European Union's clinical trials directive has stopped most clinical trials units in the UK from running trials in international centres, and three out of eight units have been unable to open or take part in a trial because it would be too difficult or expensive for them, says the study, which was published online ahead of print in the *European Journal of Cancer* (www.sciencedirect.com, doi: 10.1016/j.ejca.2006.09.016).

"Rather than harmonising and simplifying the regulatory environment, the Clinical Trials Directive has stopped most units from running trials in international centres," the authors wrote.

"Clinical Trials Directive-fatigue is leading to the very real danger that further malignant regulations will come out of Brussels. There is a need to ensure that the public funders across the European Union work together to vaccinate fragile academic research from future regulatory threats."

The aim of the directive, which came into force in the UK in 2004, was to harmonise the regulation of clinical trials, but critics say that it has increased paperwork and bureaucracy.

Roger Dobson *Abergavenny*

WHO team visits Israel to learn about adult circumcision

The World Health Organization has sent a team of AIDS experts to Israel to gather information on circumcision of adult men that developing countries can use. These countries are interested in expanding the practice to try to reduce the rate of transmission of HIV.

Tim Farley, of WHO's department of reproductive health and research, and Timothy Hargreaves, a WHO consultant from the University of Edinburgh, viewed the ritual circumcision in a Jerusalem hospital of a 21 year old Jewish immigrant from Russia who had not been circumcised as a baby.

In the past two decades 22 000 teenage boys and men have been circumcised in Israel. The circumcisions are usually done on Jewish immigrants from countries where circumcision was not possible or on converts to Judaism.

The WHO officials said they were interested in learning about adult circumcision, because it would be 15 to 20 years before people who are born now in sub-Saharan Africa, where AIDS is most common, become sexually active.

But the Israeli experts urged that infant boys be circumcised in large numbers as well, because the risk of complications is lower in infants and anaesthesia is unnecessary. Judy Siegel-Itzkovich *Jerusalem*

Anti-abortion doctor now heads US family planning service

Eric Keroack began work last week as deputy assistant secretary for population affairs at the US Department of Health and Human Services, despite calls for his recall because of his stance on contraception and abortion.

He was appointed by President Bush but faced an unusual degree of criticism from the press and from family planning

agencies in the United States.

Dr Keroack now oversees a \$283m (£143m; €213m) budget that each year provides family planning services to more than five million Americans on a low income.

He is a Massachusetts obstetrician and gynaecologist whose clinics, called "A Woman's Concern" (www.awomansconcern.org), oppose abortion and contraception, even for married couples.

A spokesperson for the Department of Health and Human Services said that Dr Keroack is not opposed to birth control and will do his job in accordance with the law.

Janice Hopkins Tanne *New York*

NHS must expect more redundancies, health secretary says

More job losses in the NHS are inevitable before matters start to improve, the health secretary for England, Patricia Hewitt, told MPs last week.

The harsh reality of the task set by the Department of Health for the NHS to reach a financial balance by the end of the current financial year would mean a "significant number of job losses and redundancies," said Ms Hewitt.

MPs on the parliamentary select committee on health were quizzing Ms Hewitt as part of their inquiry into public spending on health and social services.

She said, "In the coming months there will be a significant number of job losses and redundancies—in some cases amongst management staff in primary care trusts and strategic health authorities.

"[This will be] very difficult for those individuals but [is] absolutely essential so that we put the maximum amount of money into frontline staff and patient care."

Ms Hewitt said that there had been 903 compulsory redundancies in the first six months of this financial year. "There will be significantly more than that," she added.

Adrian O'Dowd *London*

Diabetes affects nearly 250 million adults in the world

Susan Mayor *Cape Town*

Nearly 6% of adults in the world, or 246 million people, have diabetes, figures published this week by the International Diabetes Federation indicate.

The federation, a coalition of diabetes associations from more than 150 countries, estimates that the prevalence of diabetes (mainly type 2) is rising relentlessly and now affects 5.9% of people aged 20-79 years. Almost 80% of people with the disease live in developing countries.

The data were published in the latest edition of the *Diabetes Atlas*, which used a detailed literature search to estimate the prevalence of diabetes by creating smoothed curves of prevalence at different age groups that were then applied to each country's population distribution.

Reporting the figures at the 19th World Diabetes Congress in Cape Town, South Africa, Pierre Lefebvre, emeritus professor of medicine at the University of Liège, Belgium, and the outgoing president of the federation, said, "Just 20 years ago, the best information available suggested that 30 million people had diabetes. A bleaker picture has now emerged. Diabetes is fast becoming the epidemic of the 21st century."

He said that previous figures had underestimated the scale of the problem and that even the most pessimistic predictions fell short of the latest figures.

The highest prevalence of diabetes was found in the eastern Mediterranean and Middle

East region, where 9.2% of adults are affected. Next was North America (8.4%). The age group with the highest prevalence of diabetes was people aged 40-59 years (46%).

The atlas predicts that the worldwide prevalence of diabetes will increase to 7.1% of adults, totalling 380 million people, by 2025. The biggest increases will occur in regions with largely developing economies. By 2025 South and Central America are expected to have a prevalence matching that of the projected figure for North America, at around 9.7%.

The eastern Mediterranean and Middle East region will continue to have the highest overall prevalence, with 10.4% having diabetes by 2025.

Martin Silink, professor of paediatric endocrinology at the University of Sydney and the federation's new president, warned: "The diabetes time bomb has been ticking for 50 years."

Jean-Claude Mbanya, professor of endocrinology at the University of Yaoundé, Cameroon, and vice president of the federation, pointed out that diabetes accounts for 3.8 million deaths a year, a mortality similar in magnitude to that from HIV and AIDS. □

The full version of this article is available at bmj.com.

The *Diabetes Atlas* is available at www.idf.org.

New GP contract: modernisation or miscalculation?

Is the 30% pay rise for GPs justified by the fact that it brings their pay into line with that of other professionals? Or is it a serious miscalculation that will mean other parts of the NHS being squeezed? **Zosia Kmietowicz** reports

Rewarding GPs for the services and quality of care they provide rather than mainly for the number of patients they treat has led to an average increase in earnings of 30% from 2003-4 to 2004-5. This is one of the findings of an analysis of the tax returns of nearly 18 000 GPs in the United Kingdom.

The figures, published last week by the NHS's Information Centre, show that GPs earned on average a net income (after deduction of expenses but before deduction of tax) of £106 000 (£160 000; \$210 000) in 2004-5, the first year of the new GP contract. In 2003-4, when less than 4% of what GPs earned derived from quality of care payments, their average net income was £81 566. Under the new contract, between a third and half of each GP's income comes from money earned from the quality and outcomes framework (QOF) scheme, the system designed to incentivise GPs and improve quality.

GPs working in practices operating under one of the variants of the new contract, the personal medical services (PMS) contract, saw their income rise by 27%, whereas the income of those working under the general medical services (GMS) contract rose by 33%. However, the net income of doctors working under the PMS contract (£116 583) in 2004-5 was slightly higher than that of GMS doctors (£102 437).

PMS contracts are more flexible than GMS contracts. General practices that operate under a PMS contract negotiate their contract locally with their primary care trust and can create their own achievement goals to suit the population they serve, rather than follow the QOF scheme. A practice serving a large homeless community, for example, might choose to operate under a PMS contract.

GPs working in dispensing practices also earned slightly more than those in non-dispensing ones, netting an average of £128 000 after expenses had been paid, a rise of 31% from 2003-4. Non-dispensing GPs earned an average of £102 000 after expenses, 30% more than in 2003-4.

(depending on specialty) and of attendance in emergency departments of £110bn.

The figures in the Information Centre's report on GPs' net income before tax for 2004-5 are the first official statistics on earnings of family doctors since the new GP contract was introduced, which brought in incentives to improve patient care and radical changes to the delivery of primary care services.

Besides the essential services that all practices are expected to provide, GPs can earn extra income by running contraception clinics, immunisation and vaccination services, and maternity services and offering screening for cervical cancer. Additional payments are made through the QOF scheme when GPs provide the high standard of care set for treating patients with certain

The BMA responded to the Information Centre's report by saying that general practice was a cost effective use of health resources, with GPs providing 90% of all NHS care, or 300 million consultations a year.

Dr Meldrum said, "Prior to the introduction of the new contract, there were serious recruitment problems, and GPs' pay had fallen behind. This was officially recognised during negotiations and is reflected in pay increases under the new contract.

"On top of this GP practices worked extremely hard to deliver the quality and outcomes framework targets in the new contract and have reaped the benefit, as have their patients. However, in 2006-7, despite inflation, GPs [have] received no cost of living increases whatsoever."

Michael Summers, former chairman and now a trustee of the Patients Association, agreed that GPs deserved the new pay deal.

He said, "We have to make comparisons with the sort of income that other professionals have, such as accountants and solicitors, who are all earning in the region of £100 000."

Mr Summers added, however, that he was disappointed that the government had underestimated the cost of the new GP contracts and expressed his concern about the effect that this would have on the care of patients. Another worry was the greater proportion of GPs' income going to earnings rather than to expenses (55% before the new contracts and 60% afterwards), indicating that GPs are investing 5% less in their practices as expenses, he said.

Barbara Hakin, chairwoman of the NHS Employers' negotiating team, acknowledged that the new GP contract had brought some benefits for patients, such as better information on common conditions and more services in the community.

But she said, "We are disappointed that investment in the practice based contract seems to have resulted in such significant increases in individual GP income. However, we have begun to address this through negotiations on improvements to the contract with the BMA's GP Committee. We have already agreed that for 2006-7 there would be no inflationary uplift."

Zosia Kmietowicz London

Hamish Meldrum, chairman of the BMA's General Practitioners Committee, said GPs had well and truly earned their pay rise.

He said, "I believe UK general practice offers unbeatable value for money and that GPs deserve every penny of their pay. Each day 836 000 patients seek help from their local surgery. Compare that with the 6000 patients who use a walk-in centre or the 18 000 people who ring NHS Direct."

A report by the Healthcare Commission, *State of Healthcare 2006* (available at www.healthcarecommission.org.uk), said that the total cost to the NHS in 2005 of patients seeing their GP was £20bn. This compares with a total cost of attendances in outpatient departments of between £104bn and £279bn

chronic conditions, such as hypertension, epilepsy, asthma, heart disease, and diabetes. For example, they can get extra payments if a certain number of patients with heart disease in their practice receive an annual flu vaccination.

Practices can earn a maximum of 1050 QOF points a year. Because each point was worth £77.50 in 2004-5, a practice that met all the standards could have earned an extra £81 400. In 2004-5 practices earned on average 91% of the points available, netting them an extra £74 000. The rest of a practice's income is made up largely from the "global sum," a figure paid to each practice that is based on the number of patients, their age, and their sex, and also from other sources such as seniority payments.