College of General Practitioners, with the Chief Medical Officer of the Ministry of Health and the Directors General of Medical Services of the Armed Forces. Next came the procession of the President and Officers of the B.M.A., with the Association's mace, which was placed on the high altar, then the Cathedral choir and clergy, followed by the civic procession. Finally to the fanfare of trumpets the Duchess of Gloucester entered, preceded by the Lord Lieutenant of the County, Lord Ashburton, and accompanied by the Lord Bishop and the Dean of Winchester.

After the Dean of Westminster had delivered his address, and after an anthem and prayer, there were four lections from the New Testament, read from different parts of the Cathedral so that the congregation could participate more easily in the service. The matron of the Royal Hampshire County Hospital read from near the high altar; the chairman of the Winchester Division, Mr. G. C. D. Roberts, from the centre of the Quire; the chairman of the Representative Body, Dr. Ronald Gibson, gave the third lection from the west end of the Cathedral; and the last

lection was by the President of the B.M.A., Dr. E. A. Gerrard, at the Nave altar. The service ended with the blessing by the Bishop of Winchester, and the processions re-formed and left by the west door.

Specially composed for the service was the music by Mr. Alwyn Surplice of an anthem whose words were arranged by the Dean of Winchester, the Very Reverend O. H. Gibbs-Smith. A processional hymn was composed by the Sacrist, the Reverend H. C. A. Gaunt.

After the service B.M.A. members and their guests were entertained to tea at the Deanery and the Pilgrims' Hall. The Mayor and Mayoress of Winchester, Councillor S. G. Steel, J.P., and Mrs. Steel, gave a luncheon in Abbey House. All who attended the Festival greatly appreciated the excellent organization which made the day so enjoyable. The B.M.A. is indeed indebted to the Winchester Division under its chairman Mr. Roberts, ably assisted by the hon. secretary of the St. Luke's Service, Dr. P. F. B. Riley, and all those others who worked so hard to make the day a success.

General Practice To-morrow*

JOHN FRY,† M.D., F.R.C.S.

Brit. med. J., 1964, 2, 1064-1067

Will There be a "To-morrow" for General Practice?

Before planning for the future we have to agree that the general practitioner has a useful part to play in medical care of to-morrow. This has been seriously questioned by some quite eminent authorities. It has been suggested that, because of our changing world with its tremendous advances in the basic and applied medical sciences and with the inevitable increasing needs for specialization and superspecialization, the general practitioner is an outdated and outmoded anachronism, out of touch with modern social and cultural concepts, and unable to apply modern techniques to his work.

This type of thinking has led to an international crisis concerning the place of the general practitioner in any system of medical care. It has also led to a considerable loss of self-confidence and lowering of status in the eyes of the public and the rest of the profession, as is evident from the 500 letters in the correspondence columns of the *British Medical Journal* in the first six months of 1964; it has even led to strikes of doctors in Belgium and Saskatchewan.

The problem is no local or even national one, nor one peculiarly related to the British National Health Service, but an international and world-wide problem, as is proved by the recent report of a World Health Organization Expert Committee on General Practice (W.H.O., 1964).

A simple and practical answer to the question of whether the personal and family G.P. is really necessary is to pay a visit to Stockholm and various large cities of the U.S.A., where the G.P. or family doctor has ceased to exist. All is chaos in terms of personal and family care. All doctors are "specialists" in Stockholm. The patient finds it impossible to call out his regular doctor for an emergency. A 24-hour emergency call service has to be provided by the local health authorities to meet these demands. The front line of medical

care has been shifted to the front door of the hospital; patients having free access to the hospital specialists swamp the out-patient departments—surgical and E.N.T. clinics reach the 100-patient mark each session and consist of many G.P.-type disorders that certainly do not require hospital care.

Without the protective shield of general practice the expensive hospitals are misused and wasted. Without general practice the individual and the family suffer.

To quote from the W.H.O. Report (1964): "The Committee [an international one from many parts of the world] is strongly of the opinion that general practitioners fulfil an essential function, and will continue for the foreseeable future to fulfil an essential function, in the medical services of all communities, since the kind of continuing and comprehensive care that they provide meets the basic needs of the individual, the family, and the community."

However, the W.H.O. Committee continue and note that: "This is not to say that all is well in general practice to-day or that it should be left to continue as it now is . . . general practice suffers from defects that must be remedied in order to bring medical care up to the standards now required by medical progress and often demanded by the public."

What do we Expect of the General Practitioner?

Let me try to define and delineate some of the tasks that have been set the G.P., so that we may consider his requirements for the future.

Distillation of the most recent reports concerning general practice (W.H.O., 1964; Gillie, 1963; Porritt, 1962; Cohen, 1954) reveals a most frightening list of functions and duties that we are setting ourselves in this branch of medical care.

We ask the G.P. to provide front-line medical care; to act as a personal, family, and community doctor; to provide comprehensive and continuing care over a lifetime; to assess,

* Read at the Annual Meeting of the British Medical Association, Manchester, 23 July 1964.

† General Practitioner, Beckenham, Kent.

diagnose, and manage medical, social, mental, and obstetric conditions; to educate his patients in health and hygiene; to work in hospitals; to carry out effective public health and preventive duties; to carry out research; to keep abreast of medical progress and continue lifelong professional studies; to teach medical students; to sit on committees; and, when able, to live a normal family life.

Is this asking too much of flesh and blood, to combine all, or most, of these duties and at the same time maintain a high quality of medical care?

I believe that it should be quite possible to do all this, and perhaps even more, in a well-organized practice, but at present most of our practices are highly disorganized and we have to take a careful and critical look at the present situation to see how it might be improved in the future.

Facing up to Facts

Some basic re-thinking about general practice is urgently required and the lessons must be comprehended and applied by us all.

Special Features of General Practice

Some Elementary Facts.—The general practitioner works and lives in a relatively static community of some 2,500. He cares for the ills of this community over many generations, providing continuing and comprehensive care. He really does get to know his patients, seeing each one on average four times a year and some 90% at least once in five years. There are some 100 G.P.s covering the area of a single district hospital (250,000 population), and it is areas of such a size that are to constitute the basic health regions of the future.

Disease in general practice has a different picture from that in hospital. Table I shows the expected annual morbidity experience in one average practice. How does this compare with what may be seen in hospital? Table II (adapted from Hodgkin, 1963) shows comparable experiences per 1,000 incidents.

TABLE I.—Annual Morbidity Experience (In Persons) of an Average British Practice of 2,500 Persons

Minor Illness	No.	Major Illness	No.	Chronic Illness	No.
Upper respiratory tract infections ..	500	Pneumonia and acute bronchitis ..	50	Chronic bronchitis ..	50
Emotional disorders ..	250	Anaemia ..	40	Asthma ..	25
Common digestive disorders ..	200	Coronary heart disease ..	15	Peptic ulcer ..	25
Skin disorders ..	200	New cancers ..	6	Hypertension ..	25
Acute otitis media ..	50	Cancer of lung ..	1	Cerebrovascular disease ..	15
Wax in ears ..	50	Cancer of stomach ..	< 1 (0.74)	Rheumatoid arthritis ..	12
Acute back ..	50	Cancer of breast ..	< 1 (0.75)	Epilepsy ..	10
Acute urinary infections ..	50	Cancer of rectum and prostate ..	< 1 (0.52)	Diabetes ..	8
Migraine ..	25	Cancer of cervix ..	< 1 (0.22)	Pulmonary tuberculosis ..	5
Hay-fever ..	15	Acute appendicitis ..	5	Pericious anaemia ..	5
		Glaucoma ..	3	Parkinsonism ..	3
				Disseminated sclerosis ..	2

The G.P. sees a quite different *spectrum of disease*—in conditions such as hypertension and peptic ulcer the hospital specialists see only some 10% of the cases that are seen and managed by the G.P. Studies in my practice have shown that the G.P. is able to cope alone with some 90% of the work facing him, provided that he has full diagnostic facilities (Fry, 1959).

It is of some interest to note the very wide range of variations of the use made by doctors on the *diagnostic departments* and to stress that the requests made by G.P.s are almost always reasonable and are for the simplest tests (Fry *et al.*, 1964).

The *volume of work* facing the doctor is known. On average he carries out between 10,000 and 15,000 consultations each year. From this we can calculate the *time* he spends at work. Let us

assume he is an average type and sees each person four times a year, and let us be generous and allow him 10 minutes per surgery consultation and 20 minutes per visit, and let us accept that the surgery visit ratios are 3:1 for urban practice and 1:1 for rural practice. The *urban G.P.* will therefore spend some 8½ hours each day and 42 hours in a five-day working week. The *rural G.P.* will have a 10-hour day and a 50-hour week. On the other hand, if these G.P.s find that they have to provide

TABLE II.—Comparable Morbidity Experiences in General Practice and Hospital (After Hodgkin, 1963) (Per 1,000 Incidents)

Hospital (I.P.)	Disease	General Practice
300	New growths	4
12	Disseminated sclerosis	1
30	Cerebrovascular disorders	2
5	Malignant hypertension	½
15	Benign hypertension	6
15	Coronary heart disease	2
40	Rheumatic heart disease	1
—	Upper respiratory infections	250
45	Pneumonia and acute bronchitis	20
90	Peptic ulcer	30
15	Regional ileitis and ulcerative colitis	—
75	Acute appendicitis	1
65	Hernia	2
25	Acute intestinal obstruction	½
55	Gall-bladder	½
25	Neuroses	140
2	Psychoses	1

six items of service a year for each patient on their list then the situation becomes terrifying. The *urban G.P.* will be working a 10½-hour day and a 62-hour week and his unfortunate *rural G.P.* colleague will be working a 15-hour day or a 75-hour week.

These sums are quite inadequate as a measure of the workload of a G.P., and we must have more information on this matter. The only reliable study reported so far has been that of Crombie and Cross (1957). Dr. Crombie found that in his 3,500 Birmingham practice he was spending an average of only 33 hours a week in contact with his patients.

The doctor works in isolation and at present is unable to tackle anything more than the clinical problems which his patients care to bring to him. He has not yet been educated, or provided with the means and techniques, to prevent and manage the eminently preventable physical diseases such as cancer, anaemia, diabetes, chronic bronchitis, hypertension, and glaucoma, let alone the more complex and diffuse social and mental troubles.

Table III shows the “iceberg” phenomenon of undiagnosed and existing disease in a practice of 2,500 waiting to be picked out and managed.

TABLE III.—Some Undiagnosed Illnesses in a Practice Population of 2,500 (After Last, 1963, and Logan, 1963)

Disease	No.
Pulmonary tuberculosis	2 (for assessment)
Cancer of lung	1 every 2 years
Cancer of cervix	2–3 positive smears annually
Diabetes	6–8
Bacteriuria	100
Chronic bronchitis	200
Hypertension	100
Depression	110 (of these 6 will attempt suicide)
Anaemia	200

To show the *social problems* facing a G.P., Table IV lists some of the annual social happenings in an average practice.

TABLE IV.—Annual Social Happenings in an Average Practice

Type	No.
Elderly isolates living alone	40
Persons receiving National Assistance	100
Children living with only 1 parent	40
Illegitimate births	3
Divorce	1
Problem families	5–10
Adult committed to prison	1
Juvenile delinquents	4
Chronic alcoholics	4 (plus some 8 unknown)

Premises

Although the premises from which we practise do not necessarily directly control the quality of our work, it cannot be denied that working from good and adequate modern premises will bring improvement.

What are our premises like at present? In a recent study carried out by the College of General Practitioners (1964) on nearly 200 randomly selected practices from all over the country it was found that no less than 60% of G.P.s' premises were built in the last century or earlier and only 15% have been built within the past 20 years. In a smaller study of 33 "good general practices," Fry *et al.* (1962) considered that 60% of the premises were quite unsuitable for any form of medical work. In the College study it was also found that 57% of doctors still live on their premises, that nearly 40% have no clerical or secretarial assistance at all, that only 10% run an appointment system, that only 9% have a nurse, and that only one-half run a separate antenatal clinic and one-third a child-welfare clinic.

Here, then, are the problems of organization facing general practice. A very major programme of capital support and advice is necessary.

Morale

It is almost impossible to provide an accurate measure of morale in general practice, but some pointers can be obtained from the College study.

When asked whether, if they had a son or daughter, they would encourage him or her to enter general practice, medicine, or neither, 55% replied that they would encourage them to enter general practice, 22% to take up medical work apart from general practice, and only 23% were strongly against medicine as a career.

Among the "likes" of general practice were personal contact (54%), independence (20%), variety of work (19%), and even pay (5%).

Among the "dislikes" were being on call continuously (30%), attitudes of some patients (23%), triviality of the work (22%), inadequate leisure (17%), pay (12%), and overwork (11%).

What Must be Done?

Above all else we must be sensible, calm, and practical. It is worse than useless to throw up our arms in despair and blame "them"—the Ministry, the B.M.A., or whoever excites our wrath. It is not "their" fault. The present problems facing general practice are world-wide and have to be faced internationally as well as nationally. We can all learn from each other's achievements and failures.

It is quite unrealistic to scream for more doctors and smaller lists. We just cannot have these within the foreseeable future—not within 10 years and perhaps even not within 20 years, even if we double the take-in of medical students now. Nor is it very much use to expect a different system of remuneration, one more beneficial to the doctor, to solve major problems of shortage of manpower, of the nature of the work organization, of premises, and of application of new advances and techniques of medical care.

What can and must be done? In terms of priorities I would place the following.

1. A Beeching-type Analysis of General Practice Must be Urgently Undertaken.

This medical "Dr. Beeching" must be given sufficient powers to recommend, if he so thinks, closing uneconomic "lines" and the expansion and development of medically and sociologically

profitable "lines." Such analysis should, once started, become a part of the essential administrative organization of general practice. Continuing critical and analytical operational research is necessary for the evolution of general practice. There are already potential units in Manchester, Oxford, Edinburgh, and London where such studies could be undertaken. These studies must be carried out by professional researchers and not be left to us amateur G.P.-researchers.

New ideas will emerge and opportunities must be available to try out new experiments in organization of medical care. The proposed new towns of South-east England offer just these opportunities.

2. Education

Our medical education must be recast to meet current problems and not those of our ancestors.

It is now clear that general practice is a specialty and requires special postgraduate training. Fortunately, experiments sponsored by the Nuffield Provincial Hospitals Trust are being carried out in Wessex and Bristol. However, education must start even earlier in the undergraduate and graduate phases, and the proposals set out in "A School of Medicine and Human Biology" (Malleon, 1963) should be examined carefully.

The methods employed by the R.A.M.C. in training their officers for general practice at ordinary levels and for the more senior "chiefs of general practice" also merit examination and praise.

3. Health Team

We must make the best possible use of all medical resources that are available now and work as a team. This is a truism, but it needs frequent repetition and closer examination.

Let us start from the fact that there are 23,000 G.P.s in Britain. At present these doctors work in 10,490 "G.P. units"—that is, in 10,490 practices. Some are larger than others, as is shown in Table V. At present, then, there are these 10,490

TABLE V.—Numbers of G.P. Units of Various Sizes

Size of Practice	No. (approx.)	No. of G.P. Units
1 doctor (single-handed)	5,000	5,000
2 doctors	7,000	3,500
3 doctors	4,000	1,300
4 doctors	2,000	500
5 doctors	650	130
6+ doctors	450	60
		10,490

G.P. units. We know very little of their viability, their efficiency, and their potential. We need to construct a model which would help us to plan for future development. But before we can do this we must look at the other members of the health team. A great deal has been heard of working together with health visitors, home nurses, and district midwives, but how many of these ladies are there to go round?

At present there are some 5,500 health visitors (full-time equivalents)—that is, one to every four G.P.s; there are 5,500 district midwives, one to every four G.P.s; there are 7,700 home nurses, one to every 2½ G.P.s; and there are 28,000 home helps, 1½ for every G.P.

In addition, it has been established from a survey carried out by the College of General Practitioners that there are some 3–6 ex-S.R.N. nurses in each practice with whom the G.P. would be prepared to work—this hidden source of nursing potential is as yet untapped for general practice.

We have insufficient information about how and to what extent such a co-operative health team could reduce the workload of a G.P. and allow him more time. In no practice have the health visitors and home nurses been used to their full

capabilities. It is very likely that some one-third of our work could be effectively and safely done by nurses. This is what happens in Sweden in areas outside the large towns, and the system works—one G.P. working with three to six Swedish nursing-social workers copes with 6,000–10,000 persons. We must go to Sweden to learn more about how this is done. For a *model* we may take, then, a population of 10,000 persons: the health team's complement is shown in Table VI.

TABLE VI.—*Model of a G.P. Unit*
Population 10,000

Doctors	4
Clerical staff	4 (2 part-time)
Cleaners	3
Health visitor	1
District midwife	1
Home nurse	1–2
Home helps	6
S.R.N. potential in the area	5–10 (part-time)

The antiquity of our premises is obvious, and nothing short of a drastic rebuilding on a national scale will correct the deficiencies. Before considering costs and types of premises we must come to some agreement on the size of our G.P. units. We must steer between a too-small and uneconomic and ineffective unit and one that is too large and impersonal. Ultimately the size and type must depend on local and personal factors. In an urban area a group of four to six doctors would seem suitable, caring for a population of 10,000–20,000 persons and deploying their team in an effective manner.

If one accepts that we require some 5,000 to 7,000 G.P. units to cover our population, and assuming that we might be able to build each one for some £10,000, then £50m. at least would be necessary to provide new premises for G.P.s. Let us remember that the hospital plan is to cost £750m.

4. The Hospital "Firm"

Major problems are contact, communication, and relations between G.P.s and hospitals. The roles of the hospital as a diagnostic and therapeutic centre are well recognized, less so are its functions in teaching and in acting as a leader and focal point for the greater medical profession in its area. In spite of what has been done by way of clinical assistantships, post-graduate courses, and various liaison committees, all is still not well.

I would like to put forward a scheme whose format goes right back to my medical-school days.

In order to achieve closer co-operation some regular and permanent and formal links between hospital and G.P.s are needed. "Hospital firms" should be formed and all local G.P.s should be made honorary members of the staff. One physician and one surgeon should combine to form a "firm" and a number of local G.P.s should be invited to become affiliated to it. This affiliation would be for a limited period and then a change around of firms would occur. These firms would arrange staffing of some of the hospital's appointments; they would arrange teaching and work out effectively methods for caring for patients both at home and in hospitals by close co-operation within the firm.

Under the hospital plan the basic units will be district hospitals caring for a population of 250,000. Each hospital will have five physicians and five surgeons, and there will be 100 G.P.s in such a region.

Although in theory there might be up to 25 G.P.s to each firm of physician and surgeon, it is probable that only about one-half of these would wish to participate in the scheme. What should be aimed at is that at least one member of each G.P. unit be associated with a hospital firm.

5. Career Structure

In general practice career structure needs revision to provide better and more realistic incentives and rewards for quality and

merit. The R.A.M.C. has set an example, and it is now possible for the Army G.P. to work his way up from "captain" to "brigadier" in general practice.

Conclusions

To achieve success we must be bold and resolute. We must be prepared to spend sufficient capital to revitalize and modernize a cottage industry; prepared to think and plan ahead in terms of new and exciting dimensions; prepared to approach our problems scientifically with carefully worked out ideas based on planned and continuing research; and prepared to try out and experiment with these new ideas.

More than anything else what we require is an urgent sense of leadership and example to ensure that British general practice is to retain and maintain its high past traditions.

Summary

The problems facing general practice to-day are world-wide and not directly related to the National Health Service or any other system of medical care. They are part of the progress and evolution of medicine.

Some form of "general practice" is very necessary in all types of medical care, and without it the individual patients will suffer.

To plan for general practice of to-morrow it is necessary to know much more about general practice of to-day. Factual information must be available so that we may decide what we expect of the G.P. and what tools and equipment we are prepared to give him to achieve high standards of care.

The G.P. works in a static community of about 2,500 persons, and because of this he is faced with a completely different pattern and spectra of diseases from those seen in hospitals.

Available data make it possible to estimate how much time the G.P. spends at work in his practice. The average G.P. in an urban area will spend between 42 and 62 hours and the rural G.P. 50 and 75 hours a week, depending on their customs and habits. We know that the G.P.'s premises and organization are unsatisfactory and out of date, and that he is not prepared, not trained, and not equipped to tackle social problems and our aims to carry out pre-symptomatic diagnosis in vulnerable persons.

The most urgent needs are thought to be the establishment of units to carry out continuing fact-finding on which to base future planning; to educate future doctors to know and to understand more of the problems and needs and roles of general practice; to encourage the formation of viable health teams working together from modern premises; to facilitate closer relations with hospitals, possibly on a "firm" basis; and to work out an agreed career structure.

REFERENCES

- Cohen, H. (1954). *Report of Committee on General Practice in N.H.S.* H.M.S.O., London.
 College of General Practitioners (1964). *Report on General Practice To-day*. To be published.
 Crombie, D. L., and Cross, K. W. (1957). *Brit. j. prev. soc. Med.*, 11, 41.
 Fry, J. (1959). *Brit. med. j.*, 2, 1322.
 Dillane, J. B., Glendinning, A. C., and Keall, J. (1964). *Med. Wld (Lond.)*, 101, 23.
 — and Lester, A. (1962). *Brit. med. j.*, 2, 1311.
 Gillie, A. (1963). *Field of Work of Family Doctor*. H.M.S.O., London.
 Hodgkin, K. (1963). *Towards Earlier Diagnosis*. Livingstone, London.
 Last, J. M. (1963). *Lancet*, 2, 28.
 Logan, R. F. L. (1963). *Practitioner*, 190, 256.
 Malleon, N. (1963). "A School of Medicine and Human Biology." (Available from Dr. N. Malleon, 2 Woburn Square, London W.C.1.)
 Porritt, A. (1962). *Report of Medical Services Review Committee*. Social Assay, London.
 World Health Organization (1964). *Techn. Rep. Ser.*, No. 267.