BRITISH MEDICAL JOURNAL

LONDON SATURDAY MAY 23 1953

MEDICINE AND SOCIAL POLICY*

BY

F. A. E. CREW, M.D., F.R.C.P.Ed., F.R.S.

Professor of Public Health and Social Medicine, University of Edinburgh

The name of Sir Charles Hastings is imperishably inscribed in the records that tell of the development of the medical profession and of the ascending social status of the doctor. To him the members of the British Medical Association are deeply indebted. It is but fitting, therefore, that from time to time they should remember him and praise him. To be permitted to act as the channel along which their gratitude may flow is indeed a high honour, and of this I am duly sensible. For this undertaking I possess one qualification that is somewhat rarer than it used to be. It so happens that Sir Charles Hastings was an Englishman who took his medical degree at Edinburgh; so am and so did I, although ninety-four years after the man whose mantle I am momentarily privileged to wear.

Sir Charles Hastings is best remembered for the outcome of his interests in matters political. He was successfully active in the establishment of an improved relationship within the medical profession and between the profession and the society which this served. It is perhaps not inappropriate, therefore, that in this memorial lecture I should attempt to focus your thoughts upon the interconnexion between medicine and politics—two fields of human interest and activity that, in a country such as this, have come to share a common purpose: the achievement of human and social betterment.

This being so, my delight in having in the Rt. Hon. Walter Elliot a chairman with so exceptional a record of high achievement, both in medical science and in statecraft, can readily be appreciated. His presence, for which I am indeed grateful, helps me greatly to make this occasion one when, in the words of Sir John Simon, "statecraft and medical knowledge should sincerely take counsel together for the health of the people."

In the narrow limits of this lecture I propose to speak of medicine as a social science and to restrict myself to a consideration of its uses as an instrument of social policy in this country. That which I have to say, therefore, refers only to the last hundred years or so of this country's history. Medicine could not begin its development as a social science and could not be used by society for the attainment of certain social objectives until many things had come to pass. The population of this country had to grow large and come to live in great aggregates in cities and towns; the dark satanic mills of industry had to be stoked with the health and vigour of the people, to their great detriment; diseases which flourish when great aggregations of people must lead unhealthy lives in most

insanitary conditions and against which no defence is available had to threaten all, so that exposure to a common danger would evoke a demand for common action; a great discontent with things as they were had to develop and the demand that they should be changed had to become clamant; there had to evolve a widespread acceptance of the view that much of the prevalent disease was the product of the conditions which great masses of the people endured, that it was preventable and should be prevented, that it was a barrier standing athwart the road of social progress that must be flung down. Moreover, and especially, there had to come into being an acceptance of the view that to prevent disease and to promote health were sound business propositions.

The role of government had to change from what it was when the policy of *laissez faire* prevailed. It had to intervene actively and creatively in the affairs of the community in response to the pressure of public opinion, and one of its major preoccupations had to become the care of the people's health. A machinery that would enable Parliament to safeguard the public health had to be designed and elaborated.

The interests of medicine had to become greatly enlarged; it had to add to its great store of clinical knowledge new knowledge that could be applied to the preservation of the health of the people as a whole. The concepts and methodology of a new disease-preventive, health-promotive medicine had to be elaborated.

Inquiry into Preventable Illness

My story therefore begins with the appointment by Parliament of a Commission of inquiry into the working of the Poor Laws following the passing of the Reform Bill in 1832. This Commission, in its search for evidence from which firm conclusions might be drawn, engaged the services in 1834 of three medical men to inquire into the prevalence and causation of preventable sickness in the cities and towns of Great Britain. This event is surely to be regarded as being of quite extraordinary significance, for it created a completely new situation. It initiated a system in which recommendations rooted in medical knowledge began to shape social policy and to guide legislative action. The information thus gleaned formed the basis of the Commission's *Report on the Sanitary Condition of the Labouring Population of Great Britain* which was issued in 1842. Recommendations contained within this report determined the direction which developments relating to the use by society of medicine as an instrument of social policy were to take during the next half-century. They made it

*Sir Charles Hastings Lecture given at B.M.A. House, London, on May 6.

perfectly clear that so far as the application of medical knowledge to the affairs of the community as a whole was concerned, whilst diagnosis and prognosis largely remained the responsibilities of medicine, there were many diseases of great social importance of which the therapy, to a very large extent, was to become the accepted responsibility of central and local authority, taking the form of adequate social and political action. The pharmacy of this new disease-preventive, health-promotive medicine was to be the council chamber of local authority and the House of Commons, and its major therapeutic instrument the sanitary engineer.

To these recommendations, quite inevitably, political implications were attached, for they involved very heavy expenditure and even necessitated the institution of a new department of government. In 1843 a Royal Commission was appointed to consider these implications, and, in response to the recommendations contained in its report, a Government Bill for the improvement of the public health was introduced in the House of Commons in 1845, and 1848 saw the passage of the Public Health Act, which provided for a central General Board of Health with local boards to abate nuisances and to deal locally with matters relating to the people's health. Here again an event of great significance occurred. To this Board, after considerable opposition had been overcome, a medical member was appointed, thus ensuring that at the highest level medical advice should be available for the shaping of policy.

In 1854 this Board was reconstituted, and to it an advisory council, which included a number of medical men, was attached. In 1858 this General Board of Health came to its end, but its salaried medical officer and its medical duties were transferred to the Privy Council. Then in 1871 the medical interests of the Privy Council were transferred to a new central board, the Local Government Board, which had a complete medical department. Finally, in 1919, there came into being the Ministry of Health, essentially as we now know it.

Influence of Medicine upon Legislation

This procession from the General Board of Health to the Ministry of Health depicts the very great and steadily progressive expansion of the attention given by Government to problems relating to the preservation and augmentation of the people's health, and it also reveals the steady growth of the influence of enlarging medicine upon legislation.

The extent of this increasing care of the people's health by Government and the consequent expansion of legislation based upon recommendations rooted in medical knowledge can perhaps best be appreciated by reference to the list of Acts of Parliament that relate directly to measures designed to protect the population against the hazards of disease. In 1837, when Queen Victoria ascended the throne, the Statute Book contained but one—the well-intentioned but futile Act for providing quarantine. But between 1848 and 1948 some fifty Acts of major importance, of ever-widening scope, and relating directly to matters affecting the public health, were added. Of these the most recent, the most impressive, and those which most clearly illustrate the growing recognition of the interdependency of health and welfare and the expanding collaboration of politics and medicine in the general field of human ecology, are the National Health Service Act of 1946, the Children's Act of 1946, and the National Assistance Act of 1948.

These Acts indicate overtly that the Government accepts full responsibility for the provision of a wide variety of means whereby the people's health can be safeguarded and augmented. The Minister must now equip himself with the means of knowing what the public needs in political

terms and with the means of satisfying these needs in administrative ways. No longer does governmental action wait on agitation.

During the last half of the nineteenth century medical knowledge and skill were harnessed to the task of sweeping the physical environment clean of the various living and non-living agencies which were shown to be causally related to disease. The expanding medical services of central and local authority dealt not directly with the human population itself but with the conditions and circumstances of the external physical environment in which the community lived. These medical services did for the individual and for the small community those things which they themselves could not do, protecting the individual and the community against dangers that with the passing of the great epidemics came no longer to be generally recognized.

Health-promotive Services

Then, in the first half of the present century, as concepts of disease causation widened, there evolved a completely new kind of medical activity based upon the recognition that the population was divisible into categories, biological and social, and that each of these presented different medical problems which demanded different methods of disease prevention and health promotion. To serve their various needs there came into being special medical services designed to care for such categories as the mother and child, the school-child, the industrial worker, the pensionable, and the variously handicapped; and new branches of medicine—for example, paediatrics and industrial medicine—made their appearance and developed. The importance of this development lies in the fact that the concepts underlying it and the methodology that was elaborated in connexion with it pertained to what was tantamount to an entirely new kind of medicine, group medicine as contrasted with the medicine of the individual, disease-preventive and health-promotive medicine, and applied to the affairs not of individuals but of communities and the categories within them.

Possibly the greatest value of this later development was to be found in the education of the people in the ways of healthy living, in the changing group patterns of behaviour, in securing the co-operation of great numbers of citizens in endeavours directed toward health promotion, and in bringing to their awareness the existence and scope of the medical services of central and local authority and the philosophy of health-promotive medicine.

The education of the general public concerning the nature and causes of health, and concerning also its personal and social value, is undoubtedly a prerequisite to all successful endeavour by governmental agencies and by the medical profession towards the augmentation of the public health. Only when people ardently desire health can the benefits that medicine has to offer be enjoyed to the best advantage; only then can Government translate this desire into project and scheme. During the nineteenth century on the continent of Europe it was made abundantly clear that a Government, no matter how benevolent in intent, could not impose a regimen of health upon a disinterested people. Thus it was that this development of what may be called the category health services and their indirect education of the general public made the further development of the health-promotive services generally both necessary and inevitable as the appetite of the people for health continued to grow.

Changing Pattern of Morbidity and Mortality

The effects of this employment of medicine as an instrument of social policy are best revealed in movements of such rates as the crude death rate, the infant mortality rate, the survival rate, and in the shift in the life expectancy. They are revealed also in the changing pattern of morbidity and mortality and the changing age structure of the population. It is not suggested that the intervention of medicine in social affairs alone was responsible for these changes; for other and very powerful agencies were at work. There had been occurring during the course of the century under

review a gradual but definite uprising of the general standard of living, in the level of education, of nutrition, of housing, of the conditions of work, and of social security. It is difficult, if not impossible, to disentangle the separate effects of any one of these factors. Nevertheless, it is essentially reasonable to postulate that in the production of the changes that occurred medical intervention played a by no means unimportant part. In saying this I am but repeating what Sir Charles Newman in this Sir Charles Hastings Lecture of the year 1928 stated so much more elegantly: "Health," he said, "is Everyman's duty. It must be every man's Quest ere it can become a national Conquest. . . . The vastly improved health of the people in our generation has no doubt been partly due to the fuller application of medicine and sanitation, but still more to the forces of *education, sociology, and biology.*"

In 1948 the crude death rate was but half of what it had been a hundred years before and the infant mortality rate only a quarter. To the life expectancy of the individual, which in 1848 was about 40 years, 25 and more years had been added. Of the total mortality at all ages at the beginning of the century almost half was recorded as being due to the infectious diseases; at the end of the century these diseases were responsible for only about one-sixth of all deaths. In 1948, of the diseases formerly exceedingly prevalent, some, such as cholera and typhus, were no longer to be found in the list of the causal agencies of death in this country. Typhoid and smallpox had become rarities and diphtheria had lost its importance. Scarlet fever and rheumatic fever were no longer to be feared and the venereal diseases were rapidly passing under control. The pneumonias, though still common, had become far less lethal than formerly, for the case fatality rate had fallen almost to nothingness even amongst the old. The mortality among children under 10 years of age had so greatly diminished that it was only one-sixth of what it had been in 1900. These are indeed triumphs in the achievement of which medicine can rightly claim to have played no little part.

In this successful rebellion against untimely death the weapons that medicine used were of two kinds—those that belong to the armamentarium of the new preventive or health-promotive medicine and those that are the instruments of the older and far more evolved clinical or curative medicine. The former kind took the form of measures for the control of the causal agency of the disease and for the increase of the resistance of the individual to the attack of the disease-evoking agent—for example, sanitation, the encouragement of hygienic personal and public habits in the community, vaccination, and immunization. The weapons of curative medicine consisted for the most part of specific measures taken to modify the action of the causal agency or to mitigate its effects—for example, the introduction of the serum treatment for pneumonia in the 1920s was directly responsible for a steep fall in the death rate from this disease. A similarly dramatic fall later followed the introduction of the sulphonamide drugs, and yet another was directly due to the introduction of penicillin. The introduction of insulin brought continued life to thousands of diabetics. Improvements in surgical, anaesthetic, blood transfusion, and radiotherapy techniques all made their contributions.

Principal Causes of Mortality

But as great as the powers of preventive and curative medicine had become, disease had not been conquered. Great victories had been won, but the war was by no means ended. Diseases that formerly claimed but a lowly place in the list of the causes of disability and death came to occupy a position of dreadful prominence. First among the great killers to-day stand diseases of the cardiovascular system, responsible for rather more than one-third of the total deaths at all ages. Close on their heels come cancer, violence, and tuberculosis. High among the causes of morbidity are peptic ulcer and nervous disorders and, among the elderly, diabetes.

There are relatively far more old people in the population now than there were a century ago. The diseases of the cardiovascular system and malignancy occur far more commonly in the old than in the young; it is to be expected, therefore, that as the age-structure of a population changes as ours has changed their incidence will rise. But this does not explain the sharply rising incidence of cancer of certain sites, of the lungs for example. The great increase in the habit of cigarette-smoking and the increasing vitiation of the atmosphere are under suspicion as contributory factors, but as yet the evidence is not completely firm. An increase in the number of deaths from violence was to be expected as the population grew older and became increasingly urbanized, as mechanization became introduced to augment the power of labour, and as the speed of multiplying transport continually mounted. To-day, in the 5-14 age group, violence, taking the form of an accident, is the major cause of death in the male.

Tuberculosis continues to hold its high place among the enemies of achievement because its causation is multifactorial. Though there is a micro-organism which is the prime causal agent, genetic and socio-economic factors are also involved. The therapy that is demanded, therefore, must consist in a combination of medical and social intervention, and as things are at the moment the power of medical therapy, though great, is to a considerable extent made impotent because of the inability on the part of society immediately to provide those environmental conditions which would segregate the infective sufferer and protect the rest of the community from the hazards of infection.

Into the causation of gastric ulcer possibly genetic and certainly social factors enter. The mental strains of modern life, the widespread unhappiness among such as are not sustained by simple and firmly held religious faiths or their equivalent, the complexity of human interrelationships and the uncongenial and even unhealthy nature of many occupations, the carelessness of many concerning personal habits, have all been blamed for the rising prevalence of this complaint.

Mental illness has a higher incidence in the older age groups than in the younger. Thus its incidence in the over-70 age group is more than twice that in the population as a whole. The figures showing the number of admissions into mental hospitals can be misleading, since not uncommonly they include readmissions. Moreover, it is probable that a far higher proportion of the mentally ill in the population are admitted to hospital than formerly. Not so long ago lunatics were segregated in asylums; now the mentally ill are cared for in mental hospitals. Nowadays psychiatry offers several kinds of therapy, and in many forms of mental illness there is a hope of cure. It is not possible to make an accurate comparison between the incidence of mental illness now and a hundred years ago, but it is by no means unlikely that an actual increase has occurred. Be this as it may, the load constituted by the chronically and hopelessly mentally ill is exceedingly heavy and is an impediment to social advancement.

In very general terms it can therefore be concluded that the conquest of infectious diseases, of the diseases that formerly decimated the young, and of the diseases of privation is fairly complete, and that, as a consequence of this, certain diseases formerly relatively infrequent in their incidence have come to assume a considerable prominence. The diseases of plenty have come to be more common and the chronic diseases of the mature and senescent—genetic, metabolic, degenerative, and malignant—have now become so prevalent as to command the attention not only of the medical profession but of society as a whole. Furthermore, and again in very general terms, it can be concluded that the diseases which have passed or are passing rapidly under control are those in which the causal agencies have their existence in the external *physical* world of the community, whilst the diseases that have now come to figure so prominently among the causes of chronic disability and death are those in the causation of which a variety of factors operate—a few

genetic and some which relate to personal habits, but in the main those which exist in the external *social* world of the community.

Social Adjustment

The diseases that have passed under control are, for the most part, the diseases of biological man. Man shares his external physical world with a multitude of other living things with which, if he is to flourish, he must establish an equilibrium. In this physical environment there are the micro-organisms that cause disease; these must either be eliminated or, alternatively, between them and the human subject there must become established by natural or artificial means a harmonious relationship. As a consequence of advancing knowledge in such fields as sanitary science, parasitology, and entomology, and especially bacteriology, such elimination has become possible and harmony between biological man and many of the pathogenic micro-organisms in his external physical world can be established.

Man elaborated that aggregate form of living which we know as a human society in order, presumably, to facilitate his dominion over a hostile environment and to make easier the satisfaction of certain fundamental human needs. He is a gregarious animal, and it may be assumed that he found by experience that living in aggregates made the production of food and shelter more certain, gave greater protection, satisfied his yearnings for companionship, and secured the continuance of his kind. The early forms of human society certainly seem to have conferred much advantage upon their individual members. Their kinship relationships and their rituals did much to shift the load of emotional difficulty from the individual on to the broader back of the group as a whole. It would seem that man's elaboration of this social organization from the primitive to the modern has produced an external social world that at many points is violently in disharmony with human needs, and also that the speed of this societal evolution has exceeded man's ability to adjust.

To great numbers of purposeless, bewildered, and perplexed individuals in our society who feel that they have a right to be healthy, since adjustment is beyond their unaided ability, the conditions that exist are intolerable, and in their attempts to escape from the uncongenial there would seem for them to be an easy and respectable route, that of vague, ill-defined, and symbolic illness. Such illness, in no sense a display of malingering, is a common excuse for masochistic sloth, for those who delight in mortification for its own sake, and for the inefficient. Much sickness of this kind is to be regarded as dramatized discontent born of disharmony, as a malaise of maladjustment, and the profession of medicine, therefore, being forced by circumstances to restrict its activities to dealing with the symptoms rather than with the cause, is largely employed in perpetuating the conditions that are primarily responsible for such sickness. Indeed, with the world as it now is nothing could be more calamitous than to rob the people of this kind of sickness, for as things are there appears to be no escape from perplexity and uncongeniality for thousands amongst us other than through the narrow neck of the bottle of medicine. To a large extent one of the major social functions of medicine has thus unfortunately become the provision of comfort for the inefficient and of support for those who, because of their own inadequacies, cannot cope with circumstance.

The nature and causes of health are as yet but imperfectly comprehended. Certainly health is more than biological efficiency, much more than the smooth working of a multitude of interdependent component parts of a machine; it is partly a thing of the spirit of man, a by-product of the exercise of human aspiration and of the satisfaction of attempting or of achieving the worth-while in life. It is a state of harmony, within oneself and between oneself and the external world.

Attitude towards Health

The different income groups within the population and different regions within the country are to be distinguished

by significant differences in respect of the incidence of a variety of illnesses. Many of these are undoubtedly true reflections of differences in the conditions and circumstances of their environments and occupations. Though the benefits of medical care have latterly been made available to all, not all of those to whom they are available are in a position to profit therefrom. The different social categories are not so much to be distinguished nowadays by differences of income as they were in former times, as by differences in their modes of spending the money that is earned. It can be spent in ways that are conducive to the maintenance and augmentation of health or otherwise, and much depends upon the attitude towards health and to the desirability of securing it that prevails in the different groups. And even though the desire for healthiness were equal throughout society the chances of securing it are by no means equally distributed. Thousands of the population are still imprisoned in the hideous squalor of the legacy that was left to us by the nineteenth century. Others are bound by the shackles of tradition, ignorance, and superstition. Such imprisonment, such bondage, are not compatible with the maintenance of health, and under such circumstances there is very little that purely medical therapy can do.

Society for its continuance requires that a vast variety of tasks shall be undertaken. Some kinds take the form of strenuous physical labour, others are sedentary; some are in the open air, others in the vitiated atmosphere of office and factory; some are creative and emotionally and intellectually satisfying, others are dull routine drudgery. Very many of these occupational categories have their own peculiar health hazards, some being positively dangerous. In general terms the amount of minor illness occurring among those undertaking a particular kind of work is an index not only of the danger to health but also of the uncongeniality of the work that is demanded. It is small among those who are doing work that is satisfying to them and which is regarded as important by others; it is considerable among those who are called upon to perform work from which they derive no contentment. Here again purely medical therapy is largely impotent and only social therapy can hope to eradicate the causes of such sickness.

The great disparity between the numbers now marrying each year and the number of houses that are available to them is undoubtedly an indirect cause of much discomfort and distress that often leads to actual illness, both mental and physical. In the establishment of that micro-environment which is the home, if this is to be health-promoting in respect of its general conditions and atmosphere, the family grouping can claim an exceptional importance. Evidence that has been accumulated shows beyond all doubt that the interrelationships between the individuals constituting the family play a most important part in determining the state of the mental health of the component individuals. Yet the kind of society that we have developed so far has imperilled the very continued existence of the family group and has made the achievement of a harmonious interrelationship among its members difficult of achievement.

An Urgent Need

Though these developments undoubtedly have their repercussions in the medical field, medicine itself has no therapy which can be applied to the resolution of the problems they create. It would seem, indeed, that the great and urgent need of the day is that the encouragement thus far given by society to the medical scientist shall be given with the same readiness and in the same magnitude to other social scientists also from whose studies it can be expected that there may emerge knowledge that could be transformed into the power to repair the present disease-evoking qualities of society and its institutions.

This is of importance also because of the complexity and social importance of the problem of the progressive increase of the proportion of the aged within the population that has resulted very largely indeed from the success of medicine in giving to society the power of controlling the disease-

evoking agencies resident in the external physical world. The proportion of the aged has risen because the birth rate has fallen and because the survival rate, especially amongst the younger age groups, has risen. Though the net reproduction rate of the population has fallen, of those that are born fewer now die in infancy, childhood, and early maturity, and so live on to die in late maturity and old age. Since the reproduction rate has fallen to half of what it was a century ago and since the survival rate has risen so dramatically, it follows that there are now relatively far fewer young in the population than there used to be and relatively more old, and so the mean age of the population has steadily risen, and indeed is still rising. At present the life expectancy among those aged 65 and over is not substantially greater than it was a hundred years ago. But should the ardent quest for the power to control the cardiovascular and malignant diseases be successful, then the life expectancy of the individual would at once leap to become far greater than it now is.

Since in great numbers of instances death at present amongst the old is not the gentle end of a long and progressive waning but is a last phase in the progress of some particular disease, it follows that in increasing measure the patients of the physician will be those in the older age groups of the population and that the commonest of the most serious diseases with which he must attempt to deal will be the malignant and the cardiovascular diseases, chronic in their course and disabling in their effects.

That branch of medicine which is now becoming known as geriatrics will assume an importance both in medical education and in practice equal to that of paediatrics in the early decades of the present century. But sickness in old age differs from sickness in youth or maturity in that, since in a large number of instances the old either live alone or inconveniently with relatives or others, the attention, domestic and nursing, that the patient requires is not readily available. The social aspects of such disease are no less important than are the purely medical, and therefore social as well as medical therapy is demanded.

A Growing Economic Burden

As things are in our society the economic burden constituted by those of pensionable age and over within the population is already heavy and must grow heavier still if the present trends continue. It is society's will, in accordance with the prevailing social ethic, that life shall be preserved and prolonged; the ethic of medicine binds the physician to the same obligation. In the medical sciences the quest for the knowledge that will give power to control the degenerative and malignant diseases eagerly proceeds; yet in the social structure as we know it there is no place for the old, and much illness among them would seem to derive from a sense of sudden extrusion from the community. Disease of this kind is the reaction of the total personality to the uncongenial circumstances to which the individual is suddenly exposed. Feeling unwanted, many amongst the old do not exercise their skills and to their own hurt futilely rebel against the conditions that imprison them.

Since it is not improbable that the life expectancy of the individual will become further, and perhaps greatly, extended, it behoves society to ensure that the problems thus created do not lead to crisis and catastrophe. The life span being thus extended and healthiness being assured to the senescent, the relation between the chronological and the physiological age of the individual will need to be reviewed. Manifestly the school-leaving age and the age on retirement in a population in which the life expectancy is 75 years might well be much higher than in one with a life expectancy of 45 years. But there will be much need for knowledge on which the education of the middle-aged in the art of growing old can be based, for guidance clinics for the senescent, for the development of a system whereby the process of withdrawal from society and from work as the power of adjustment and adaptation wanes is as gradual as the process of entrance

into society by the infant. Medicine as a social science must be heavily involved in these matters, but its role must remain a subordinate one to that of the statesman, whose policies are shaped by advancing knowledge in all those scientific disciplines which deal, directly or indirectly, with those features of a human society which affect the public health.

Problems of Colonization

Medical intervention of the same kind has created even more acute and serious problems in other and relatively undeveloped countries. During the course of the period of the phase of colonization in which we as a people indulged, we introduced into many parts of the world the medicine that is part of our own culture, proclaimedly using it with benevolent intent to improve the lot of the indigenous peoples whose cultures differed greatly from our own. We inserted nineteenth- and twentieth-century Western European scientific medicine into the cultures of peoples who, according to our own standards, were still living in the equivalent of our own Middle Ages. By doing so we have largely helped to destroy those cultures and have created problems of far greater complexity than those which we attempted to solve.

In India, for example, the population has been increasing at the rate of four and a half millions every year, and that this is largely the result of the introduction during the period of British rule of our standards of sanitation and medical care is beyond doubt. India is at present quite incapable of feeding from her own resources her immense and rapidly growing population, and so, quite inevitably, much poverty and even more misery are the lot of millions. The major task facing the Indian statesman is that of finding solutions to the social and economic problems thus largely created by medical intervention.

In Africa the introduction of modern European medicine for the benevolent purposes of saving life and of eradicating disease from the indigenous populations has been largely and directly responsible for the magnification of a cluster of problems that relate to the interrelationship of the different ethnic groups. In South Africa the policy which the medical services have there pursued seemingly has been in discord with the policies of the presently predominant political party.

In many parts of the Empire it has been shown that the effects of medical intervention far outpace those of the other services which are directed towards social amelioration, and that in so doing create problems that threaten to bring all such betterment to an end. The eradication of many and prevalent diseases responsible for much death, disability, and inefficiency—malaria, venereal diseases, yellow fever, and the like—has become a relatively simple matter, but their elimination can result in a complete disruption of the prevailing economic system so that famine can threaten to become the regulator of population growth unless wise statecraft intervenes.

Perhaps the lesson that is to be learnt is that medicine is but one of many activities that are directed to human and social amelioration; that medicine can bring under control the environmental factors causing the major diseases of a native people far more speedily than the other services can create the conditions that are necessary if those thus saved and made healthy are to flourish, and that possibly in all projects for social amelioration of this kind what is needed is a time-table of intervention so that the medical services are timeously introduced as part of a complete and comprehensive project which does not neglect the educational, economic, and other aspects of the problem.

Repercussions

Thus, both in this country and overseas, medical action has given rise to repercussions that take the form of grave and serious social problems, problems unlike those which medicine has so far solved, in that to them certain ethical values are attached. With the growing disparity between

the supporting and the supported categories within a population, and with the increasing disparity between the number of mouths to be fed and the available food resources of the world, the problem that the *bouche inutile* creates gains in importance. In this country within the National Health Service it is already being found that the existing facilities cannot cope with newly discovered and enlarging needs. The authorities concerned are being forced to give serious consideration to the construction of a calculus of priorities. Great, therefore, becomes the need for the provision of the means whereby greater and more detailed knowledge concerning the variety and the needs of the public for those services can be secured. The changing age-structure and the changing pattern of morbidity are prominent among the factors that are creating the demand for the expansion of medical and hospital services at a time when the financial resources of the nation are strained.

It is to be remembered that in their beginning the medical services were encouraged because it was thought that such medical intervention would prove itself to be a sound business proposition. It would certainly seem that the reasons for the encouragement of medical research and of the practice of preventive and of curative medicine have changed, though not completely, since then. It would be difficult to maintain that the medical care of the old, permanently disabled by chronic illness, or of the idiot and imbecile beyond all human aid is economically desirable. Such matters are not to be considered in economic terms, for moral principles are involved. They do not create difficulties within the medical profession, for this is governed by an explicitly stated code; but they do constitute problems of profound difficulty and complexity for society as a whole. There is to be discerned a growing interest in such matters as the sterilization of the unfit and euthanasia, which can be regarded as an indication that the gravity of the problem is becoming recognized and that the search for a possible solution has begun. I refer to this matter only to attract your attention to the possibility that in the future the social ethic may come to be in conflict with the ethic that at the moment prevails within the profession of medicine.

Changing Needs

The medical ethic in its origin and development was associated with the development of the profession of medicine as a body concerned with the diseases of individuals. It regulates the relationship of physician and patient, often as intimate a relationship as that of the confessional. Like the Church, the medical profession would seem to claim that it is concerned with matters outside the province of the State, that its obligations are to the individuals that seek its aid, and that it is not in any way concerned with the social consequences of its benevolence. Concerning many matters of interest and importance to society—contraception, sterilization, euthanasia, divorce, for example—there are medical aspects. But concerning them there would seem to be no purely medical opinion, but merely the conflicting views of medical men and women whose attitude towards such matters as these is moulded by their sincerely held religious faiths, so that the opinions expressed derive their strength therefrom.

Yet it is with such matters as these that those medical men and women who serve in the field of population medicine, of medicine as applied to the affairs of the population as a whole, are becoming increasingly involved. They are required to present to the departments of government or to committees of local authority a purely medical opinion concerning them and to relate this to the action that is being considered. Such expert opinion commands the serious attention of those whose responsibility it is to consider and weigh all relevant knowledge and opinion and translate this into scheme and project.

It is not improbable that public opinion in this country concerning the value of the individual life, beginning at the moment of conception, will change. Indeed, there is plentiful evidence that both among the general public and within

the medical profession it is already changing fast. The social ethic, like the law that sustains it, is mutable. It may come to be regarded as ethical by the great majority of the general public to terminate the life that from birth is imprisoned in a body without a brain or to bring to a peaceful ending a life that flickers fitfully in a body that is tortured by agony beyond endurance. Should this happen, will the ethic of medicine remain inviolate or will it become modified as the social ethic changes?

If not, then it is not improbable that in the future the ethic of the medicine of the individual and that of the medicine that is applied to the affairs of society as a whole may come to differ, to make even greater the divergence in respect of their philosophies that even now distinguishes them. The ethic of the former belongs to an age that is swiftly passing and is becoming inappropriate to the circumstances of a world in which the major quest is for social amelioration rather than for personal continuance.

The major obligation of medicine in increasing measure will be towards society, and medicine will continue to be one of the most potent instruments that society will use for the achievement of its aims. It will be for medicine, along with the other social sciences, continually to examine and to define the changing and enlarging needs of socialized man, in respect of health conservation and augmentation, and for politics to design and to provide the means whereby society can be so shaped that these needs are satisfied.

But all such endeavour must remain barren unless the citizen, knowing its value, desires health and, seeking it, eagerly and intelligently makes use, in the conduct of his private and public life, of the knowledge and of the facilities thus made available.

TREATMENT OF POLYCYTHAEMIA RUBRA VERA*

BY

RONALD BODLEY SCOTT, D.M., F.R.C.P.

*Physician to H.M. the Queen; Assistant Physician,
St. Bartholomew's Hospital; Physician to Woolwich
Memorial and Surbiton General Hospitals*

The cause of polycythaemia rubra vera remains unknown; indeed, the very nature of the disease is still debatable, although perhaps a majority would favour its inclusion with leukaemia in the group of unexplained, and apparently purposeless, mesenchymal proliferations. Our ignorance limits treatment to the empirical and the symptomatic. In general the therapeutic aim has been to maintain a normal blood count. It is therefore pertinent to inquire whether its achievement relieves the patient's symptoms or prolongs his survival, and in what manner the disease terminates.

Associated Diseases in Polycythaemia Vera

There are symptoms, such as a sense of fullness in the head, vertigo, flushing, dizziness, and pruritus, which can be attributed without question to the changes in the blood and which disappear when the erythrocyte count falls to normal. They need to be separated from those of vascular degeneration, arterial hypertension, gout, peptic ulcer, renal calculus, and other common companions of polycythaemia vera. Videbaek (1950) has shown that the disease, as treated in the past, shortens the expectation of life; in his patients the mean survival from the time of diagnosis was six years for men and nine for women (Fig. 1). Whether maintenance of a normal erythrocyte count prolongs

*A paper read to the Section of Medicine at the Joint Annual Meeting of the British Medical Association and the Irish Medical Association, Dublin, 1952.