THE WAR-DISABLED

THEIR EMOTIONAL, SOCIAL, AND OCCUPATIONAL SITUATION

BY

E. WITTKOWER, M.D., L.R.C.P.Ed.

Major, R.A.M.C.

One of the chief tasks incumbent on a nation at war is to look after those of its citizens who have been severely disabled in the service of their country. For the uninformed this is merely a surgical and financial matter, but the informed have long known that the working capacity and social readaptation of the disabled man do not exclusively depend on his physical condition. To a large extent they depend on his state of mind. An able-bodied man who goes out to fight and comes back badly maimed encounters a variety of problems arising from his disability; according to his temperament and character he either is able to solve them or fails. If he fails he creates a good deal of unhappiness for himself and those around him, and eventually he may become a liability to the community. While great strides have been made in many aspects of the after-care of the disabled, it is felt that the psychological aspect has so far received insufficient attention.

What follows is a summary of detailed reports on each of the disabilities studied—loss of limb, blindness, loss of vision in one eye. Considerations of space necessitate omission of much of the confirmatory and explanatory evidence. 200 amputees, 103 war-blinded, and 102 monocular individuals were examined psychiatrically, each of them for at least two hours. Characteristics common to all three types of disabled men, and differences in their emotional, social, and occupational situation specific for each of the disabilities, are discussed.

I. EMOTIONAL SITUATION

A. Common Characteristics

Common Psychological Features.—Severely disabled men, irrespective of the specific nature of their disability, are apt to regard it as a defect which lowers their status in the eyes of their fellow citizens. In extreme cases, sometimes with but more usually without foundation, the men are afraid that they may become an encumbrance to their families or to the community at large. Fear that they may not stand an equal chance with able-bodied men is very common. They are appreciative of acts of kindness if not overdone. Those who are badly disfigured are especially concerned by the doubt whether they are lovable by women any longer, and acknowledge gratefully any evidence that this is still the case. Fear that they receive sympathy or pity, which they loathe, rather than true affection, which they want, is hard to dispel. Their feelings of inferiority account for their frantic desire to conceal their disability and, if it makes them dependent on other people, to assert their independence. Like any other minority uncertain of its social status, they clamour for their rights and are very sensitive to any real or imagined encroachments upon them. Since time immemorial evil-doers have repeatedly been depicted as disabled, freaks, or cripples. These writers obviously sensed that disablement mobilizes aggressiveness arising from envy and frustration. Owing to their ill-temper, disabled persons are often difficult to get on with.

Types of Emotional Reaction

1. *Resignation; Indifference.*—Arguing that it is no good crying over spilt milk, a severely disabled man may arrange his life according to the changed circumstances; or, if his intelligence is too low to grasp the full extent of his handicaps, he may be indifferent to what has happened. But more commonly a disablement causes an emotional disturbance which persists after the almost universal initial upset.

2. *Depression.*—Mourning is the normal emotional reaction to any bereavement; and just as the mourner either gives way to his feelings or conceals them in front of others, so the disabled man, inevitably mourning his losses, either is frankly depressed or hides his grief behind a wall of psychological defences. In some men grief over loss persists. In a constant depressive mood, or in moody spells, they surrender to feelings of helplessness, despondency, a sense of unworthiness, and self-

accusatory and self-condemnatory ideas. They shun crowds, social gatherings, and places of entertainment, but are equally afraid of the long hours of self-imposed loneliness. They want to have the constant companionship of an understanding friend who will "do" for them what they are unable to do for themselves, but who otherwise takes no notice of their disability and treats them as "normal" in all possible ways. In public they feel that everybody looks at them and passes remarks about them. A harmless remark may make them cry.

3. *Anxiety.*—Most disabled men realize that, in view of the present scarcity of man-power, their immediate future is not in danger. But the disabled ex-Service man hankers for permanent security and wants to be employed on his merits and not out of sympathy. He is afraid that after the war he will be unable to compete in a labour market flooded by returned able-bodied soldiers and highly skilled workers released from the war industries. In addition to justified concern there are commonly elements of unreasonable fears, specific in object, abnormal in quality, and related to their depressive states. Such disabled men minimize their working capacity and magnify the obstacles ahead. They paint a gloomy picture of the future and visualize themselves, whatever their real prospects, as starving, begging, or grinding a barrel-organ at the street corner. A disabling injury shatters a man's belief in his inviolability. Most disabled men are therefore more than usually afraid of further injury to themselves; in some this fear assumes quite grotesque proportions.

4. *Resentment.*—A prominent feature in a group of disabled men is resentment, either with or without depression. These men project resentment at their own fate on their current difficulties, suspecting ill will where none exists. Some men of this type ruin their occupational security and marital happiness by their uncontrollable temper, while others, like plaintive, peevish, and sulky children, refuse to make any real effort to earn their living. Others find a scapegoat for their resentment by directing it against the Government, various Ministries, the Army, or the community at large.

5. *Defiance.*—As in the air-raid slogans—"We can take it" and "Business as usual"—some disabled men adopt a defiant attitude towards their disability. Men of this type are usually good soldiers. On the battlefield, though severely wounded, they carry on until they collapse; and in hospital they wish to get up before they are fit. If a change of occupation is required they settle down to their training with great seriousness and determination; sometimes defiantly they choose occupations for which, in view of their disability, they are ill suited. The necessity of providing for their dependants is constantly on their minds. Their conduct calls for admiration, on which some of them thrive; others resent it and only want to be regarded as "normal." Some realize that they are constantly fighting against feelings of depression; others deny it, stating that their only concern is to get on with the job. If their façade cracks under the pressure of adversity they are apt to break down.

6. *Cheerfulness.*—Some disabled men appear to be in high spirits. These men are well liked by the staff in hospital, where, laughing and joking over their disability, they keep up morale in the wards. If any chance of recovery is left, and even if there is none, they are firmly convinced that in the end all will be well. They profess to be in no doubt that jobs by the score are waiting for them once they have been discharged. Strange though it may seem, this kind of attitude is particularly common in the early phases of the severely disabled, who by this process of make-believe deceive themselves concerning the incapacitating effect of their disability. Useful as it is at the beginning, this mechanism of self-deception, if continued, not infrequently prompts them in the choice of unsuitable occupations and seriously impedes their successful training. A certain number of men no doubt realize that they are acting, and while they are trying to "laugh it off" inwardly feel differently. Genuine satisfaction over loss was expressed by a small number of men, who had in this way expiated a deep sense of guilt.

B. Specific Differences

Quantitative Differences

A glance at Table I shows that the severity of the emotional reaction to disablement depends only to a limited extent on the

severity of the actual handicaps. Compared with other disabilities a depressive mood prevails most often in the blinded. But for the excellent care of the blinded at St. Dunstan's this would more frequently be the case. For the same reason, despite the severity of their disability the blinded are less resentful at their disablement than other classes of the disabled.

TABLE I

	Depression	Resentment	Anxiety	Defiance	Cheerfulness	Resignation; Indifference	Grossly Abnormal
	%	%	%	%	%	%	%
Loss of one eye	23	20	34	8	1	14	—
Leg amputation	11	18	6	24	27	12	2
Arm amputation	24	27	6	20	16	7	—
Blindness	30	11	—	24	12	8	15

Generally, arm amputees are more severely affected emotionally than leg amputees. The high incidence of morbid anxiety, of depressive and resentful reactions, in those who have lost one eye is remarkable. Loss of an eye is not a disability which calls for much defiance to overcome it. Once again the effectiveness of the handling of the blinded at St. Dunstan's is underlined by the high frequency of defiant and cheerful reactions in them. As might be expected, in the disabilities considered, leg amputees and monocular personnel constitute the highest percentage of those who resigned themselves to their loss, while grossly abnormal emotional reactions occurred most often in the totally blinded.

Qualitative Differences: (a) Loss of Vision in One Eye

Soldiers who lose one eye are usually retained in the Army. This gives them temporary security, which is, however, insufficient to prevent a certain number of them from worrying unduly about their own future and that of their dependants. Another common source of anxiety is dread of injury to the remaining good eye. Fear of blindness in the one-eyed accounts for most of their complaints, such as headaches, eye-strain, blurring of sight, photophobia, and night-blindness. There is no physiological basis for these complaints, which are often very much dramatized. Their danger-consciousness rather than their actual handicap impairs the military and civilian working efficiency of many one-eyed men. Typical of this group is a monocular regimental policeman who did not dare to go out in the daytime because of the bright sunshine or at night because he might bump into something, and who hesitated to arrest an offender because the man might struggle and injure the good eye.

Loss of an eye is usually easily detectable. People are apt to comment on the one-eyed man's defect, and if his socket is still discharging he may be repugnant to other people. In view of the intact vision in the remaining eye, monocular persons, in contrast to the blind, are painfully aware of the social effect of their disability. This causes mental suffering in a fair number of them; some are frankly depressed, others are resentful about it. Both mental attitudes may result in social withdrawal.

Under Service conditions loss of an eye entails lowering of medical category and not infrequently of military status. For combatant soldiers especially this is an additional strain, which either aggravates their depressive mood or reinforces their resentment at their disablement.

(b) Blindness

Compared with other war-disabled, the totally blinded are worse off because of the severity of their handicaps and better off because of the care they receive at St. Dunstan's. Blinded men, with few exceptions, have to change their occupations, and they are incapable of taking full part in sport. Visual pleasures can only be conveyed to them through the medium of an escort. They learn to move about in familiar surroundings, but need to be escorted in strange districts and across roads on which there is much traffic. Their reliance on sighted people—for instance, in reading their incoming letters—deprives them of a good deal of their privacy.

Their restrictions and their unavoidable dependence on sighted people are naturally strongly felt by many of them. Some of

them are unable to shake off their initial despondency and are subject to depressive moods, which, it is true, decrease in intensity and frequency as time goes on. Many blind men need company or must be busy to keep their spirits up; if left alone or idle their mind goes back to what is now denied to them.

To ward off depressive introspection or retrospection blind men make use of two psychological defence measures. They either admit their handicaps but make a determined effort to master them, or they deny their existence, make light of them, or profess to be little concerned about them. In the former case these men plunge into their new training to the exclusion of everything else; in the latter they display a false jocularity often coupled with a self-deceiving optimism regarding recovery of their vision. Men with empty sockets may cheerfully accept their misfortune, firmly convinced that their sight will come back.

Thanks to St. Dunstan's, fear about the future, resentment, and bitterness are less common in the blinded than in other groups of the severely disabled. But the general belief that blind persons are meek is basically erroneous. As they are unable to see what delays their attendants, their very disability makes for impatience. Frustrated in their major aims and in many small ways, they are apt to be ill-tempered; slips on the part of sighted people, whom they envy, especially rouse their temper. But their defencelessness, their dependence on sighted people, and their need for affection compel them to check their aggressiveness, which shows itself very clearly in their sarcastic wit, their dreams, and their fantasies.

Misinterpretation of imperfectly understood happenings, allied to feelings of inferiority, makes the blinded suspicious, and doubt as to whether they are still lovable, jealous. Their jealousy and suspicion may assume grossly pathological proportions, and may then, in combination with dreaminess and solitariness, become symptoms of a clinical picture which to all intents and purposes conforms to Kraepelin's paraphrenia. Two men in the series of blind men examined developed a typical schizophrenia subsequent to their blindness. A hysterical overlay is also common in the blinded.

(c) Amputation

The situation of the amputee differs from that of the two other groups of disabled in two ways: (1) he can be provided with an artificial substitute which is of functional value; (2) he re-enters the labour market at an early date without the backing of an organization such as St. Dunstan's.

1. The functional efficiency of artificial legs is superior to that of artificial arms. About a half of the arm amputees studied could not or would not make use of their artificial arms. Minor limitations and complaints, such as aching of the sound leg after a day's strenuous work and difficulty in lifting weights and in kneeling, are fairly common in leg amputees. Generally speaking, the loss of a limb has a 'slowing-down' effect.

2. In many cases the amputee is able to return to his previous job or, at least, to his previous trade. If not, to find a suitable job may constitute a major problem: many firms are apt to employ amputees in inferior jobs. Amputees, more than others, are conscious of their precarious work-position, and the possibility of stump relapses requiring hospital treatment is an ever-present worry.

During the early stages, before the provision of an artificial limb, the immediate effects of their disability are the men's main concern. During this period grief over loss or defensive ultra-cheerfulness usually prevails. A man on crutches is an object of pity, and the loss of an arm is, and remains, very conspicuous. Cheerfulness may be merely protective against depressive thought and feeling, and is then based on combatant pride and exultation over survival; or it may be quite genuine in a few isolated instances of unwilling soldiers who were glad to be "out of it" ("Blighty reaction"). Right from the beginning a certain number of men, conscious of their responsibilities and obligations, were firmly determined to make a fresh start and to master their disability.

With provision of artificial limbs the struggle for existence begins. By this time early grief over loss and false cheerfulness have receded. Instead, as a result of the impact with social and occupational difficulties, defiant and resentful attitudes grow

in frequency (Table II). Until then the wounded soldier had been nursed and fêted; now he begins to realize that society still makes demands upon him. Some men are spurred on by these demands, whereas others only feel bitter about them. Bitterness originally arising from their disablement is fed by their actual handicaps—e.g., stump relapses or deficient

TABLE II

Artificial Limb	Depression %	Resentment %	Anxiety %	Defiance %	Cheerfulness %	Resignation; Indifference %	Grossly Abnormal %
Prior to provision	19	11	7	14	29	17	3
After provision	12	28	4	27	21	7	1

functional value of the artificial limb—or by unsuitable or uncongenial employment. Men of the defiant type overcome and may even thrive on the obstacles placed in their way. Their impressive success is related to their previous personality, and can by no means be expected from every amputee.

II. SOCIAL SITUATION

Success and failure of the disabled man's social readaptation on return to civilian life depend on his attitude to the community and on the attitude of the community to him. An important factor is undoubtedly his attachment to or detachment from the Army. If the "Blighty" effect is pronounced his readaptation is easy, but if his identification with and integration within the Army had been complete, detachment becomes difficult. He then decries the separation from his comrades, whom he envies because they are able to carry on the fight, and, though he may not recognize it, he feels guilty over being "out of it." Averse to mixing with civilians, whom he tends to despise, he tries to surround himself with serving men, thus painfully reminding himself of what he has lost for good. Some men take refuge in the company of others who share their fate; extreme cases of depression turn away from the community altogether, whereas men of the resentful type become troublesome through their impatience, irritability, and disgruntled mood. Men who have lost their one and only prop by their discharge from the Army start on a roving aimless existence.

The community, on the other hand, receives the returned disabled soldier with a mixture of curiosity, praise, pity, and horror. People want to know how it happened, and express disappointment if it was "only" due to a Service accident at home. They acknowledge the hardships and dangers to which he had been exposed while they lived in relative comfort and comparative safety. At the same time he demonstrates to them what is inevitable in warfare, what is even highly desirable if done to the enemy but what they do not want to happen to or to see in those who are near and dear to them. To make up for this they therefore celebrate the return of the disabled soldier and shower gifts upon him. They put the flags out in his village, arrange reunion parties, while perfect strangers stand him free drinks in the local and passers-by slip shilling-pieces into his pockets. Inadvertently, admiration for the returned hero has passed into charity for the war cripple. Both pity and excessive praise are ill received by disabled soldiers, who sense what they call insincerity. They neither feel like nor wish to be treated as returned heroes. They ask for recognition of their services but not for noisy praise. For the same reason most disabled men do not want and even reject special privileges, but gratefully accept unobtrusive consideration and allowances for the specific requirements of their disability.

The social situation of the three disabilities under consideration varies in some respects. Blindness has primarily an awe-inspiring effect which makes many people reluctant to visit the recently blinded, to approach him, or even to talk to him. If the barrier is broken their talk is often unnatural because they are afraid of saying the wrong thing. Many blind persons complain that their presence has a dampening effect on other people's hilarity. Fear of blindness is much more common than that of any other mutilation. Hence pity and charity are much more frequently and more liberally forthcoming towards the blinded than towards other disabled. By overdoing it people may do more harm than good. Blinded persons resent both

sloppy pitying and patronizing interference by sighted people, well-meaning in their intentions but ill informed about the real handicaps of the blind. Amputees need less assistance than the blind and therefore resent it all the more. Well fitted with an artificial limb, they like to think that their defect is not noticeable, and are disappointed if this is not always the case. Loss of an eye does not call for much sympathy. Monocular persons meet with a certain amount of social prejudice and, as the derogatory usage of the word denotes, the one-eyed may be subjected to some harmless badinage.

What is true for the large community is equally true for the small family circle. To see her son maimed is grievous for every mother, and elicits in her a response of loving care. For her he is her hurt child, and she treats him as such. Conversely, the disabled man on return home is in need of and appreciates acts of kindness and consideration, but after a while he gets tired of being mollycoddled and recovers his sense of independence. Many a loving mother or wife, however, keeps on fussing over him; they open doors for him which he could open, rush up and down the stairs which present little difficulty to him, and show great concern if he ventures to go out alone.

Women in general approach disabled men in three different ways. Cases of mild or moderate disablement may become a centre of attraction for a certain type of woman. A state of helplessness appeals to the maternal feelings of others, and they stick loyally to him however severely he is disabled. If he is very badly maimed some women will turn away from him: self-interest and the horrifying effect of the disability prevail.

III. OCCUPATIONAL SITUATION

Success of resettlement of disabled men depends on their actual handicaps, the functional efficiency of artificial substitutes (in amputees), the previous personality of the men, their emotional reaction to disablement, the efforts of the authorities concerned with their placement, the attitude of their employers, and the suitability of their employment.

So far as the men are concerned, factors which make for good working efficiency are: (1) absence of residual complaints; (2) a previous conscientious personality; (3) a defiant attitude towards disability; (4) anxiety about the future; (5) disinclination to relax (in the blinded). Men of the defiant type, all out to attain equality with able-bodied workers, will do well even against heavy odds, while men anxious about their present or future security may content themselves with inferior jobs so long as they make a decent living. Many blind men dread their leisure hours, when they become dispirited and tend to brood. They are therefore eager to work extra hours, but do not stand up well to industrial slackness.

Factors which imperil successful resettlement or impair the disabled men's working efficiency are: (1) the presence of residual complaints—e.g., stump relapses in amputees; (2) domestic trouble brought on by disablement; (3) dependent trends, sometimes allied with hysterical features; (4) depression; (5) resentment; (6) over-defiance; (7) self-deceiving over-cheerfulness; (8) intelligence too high or too low for the job obtained.

Men who had previously been work-shy can obviously not be expected to be first-rate workers simply because they are disabled. They usually make the most of their disability and complain that excessive demands are made on them. Grief over loss, if persisting, paralyses a man's initiative and, like resentment, prevents him from making a whole-hearted effort at work. Both resentful and depressed individuals withdraw socially and are, for this reason alone, ill suited to join a working community. Suppression of the disabling effect in self-deceiving over-cheerful individuals, and desire to attain the unattainable in over-defiant individuals, may be operative in the choice of unsuitable occupations. Both attitudes may lead not only to disappointment but in some instances to a complete breakdown.

Adverse outside factors beyond the control of the disabled men are: (1) erroneous vocational guidance; (2) employment in unsuitable jobs, especially inferior jobs; and (3) unsatisfactory management at their place of employment. With a few exceptions, all the amputees were in employment at the time of examination. A high proportion of men who in peacetime had been skilled workers changed over to clerical occupations after their disablement. Their tendency to give up their skilled

jobs was generally not warranted by the type of their disability. Roughly half of the leg amputees were in occupations which required prolonged standing, such as fitters, welders, and assemblers; or walking and car-driving—e.g., factory inspectors, salesmen, roundsmen; or even heavy lifting—e.g., stokers and railway porters. About a third of the arm amputees were in occupations which required great manual skill, such as fitters and welders. About two-thirds of the amputees were satisfied with their employment. Those who were dissatisfied complained that their occupations were too strenuous, were only temporary and must come to an end after the war, were too monotonous, or did not give them enough scope or a chance of promotion.

The majority of the blinded who were examined were happy at their work; a small minority stated that their jobs were boring in view of their intellectual capacities and aspirations. The war-blinded studied were employed on progress chasing, splicing, viewing, fuel-tank pressure testing, building up air intakes, identifying, assembling, machine-operating, and deburring; one was a tobacconist, and another—a work-shy hysterical individual—a sweeper. The progress chaser and the sweeper were semi-sighted. Monocular men could not be followed up into civilian life.

Summary

405 war-disabled persons were psychiatrically examined (200 amputees, 103 blinded, and 102 who had lost vision in one eye).

Their emotional, social, and occupational difficulties are discussed.

The physical handicaps of monocular persons are negligible. Physical handicaps apart, the difficulties are predominantly emotional in the one-eyed, social in the blinded, and occupational in the limless.

Rehabilitation of the war-disabled can only be successful if due regard is given to their emotional, social, occupational, and financial situations.

My thanks are due to the Army authorities for permission to publish this article.

OXALURIA IN BRITISH TROOPS IN INDIA

BY

J. M. BLACK, M.B., F.R.C.S.Ed.

Lieut.-Col., R.A.M.C.; Officer in Charge of a Surgical Division, B.G.H.; Honorary Surgeon, Dunfermline and West Fife Hospital

The most interesting feature emerging from a survey of urological cases admitted to the surgical division of a British general hospital was the frequency of oxaluria as a cause of symptoms. The cases investigated were those of men from a British division in training in India and admitted to hospital during the 12 months Jan. to Dec., 1943.

Relative Frequency of Urological Conditions

Of 1,000 operations carried out during Jan. to Dec., 1943, 68 were for urological conditions and only 28 for acute abdominal conditions. Table I shows the total number of urological cases investigated and treated during that period.

TABLE I.—Summary of Urological Cases (77)

Condition	No. of Cases
Oxaluria	43
Ureteric calculus	16
Renal calculus	7
Hydronephrosis	5
Sulphapyridine kidney	4
Tumour of kidney	1
Bladder diverticulum	1

Of the 77 cases investigated no fewer than 43 (55%) were found to be suffering from oxaluria. Oxaluria was not diagnosed until a full investigation—viz., cytological and bacteriological examination of the urine, cystoscopy, and intravenous or retrograde pyelography—had been carried out.

Clinically oxaluria manifested itself in one of the three different ways shown in Table II.

TABLE II.—Oxaluria: Symptoms (43 Cases)

Symptoms	No. of Cases
Oxaluria with renal colic	20
Oxaluria with haematuria	15
Oxaluria with epididymitis and cystitis	8

A short case history of each type best illustrates the clinical symptoms and signs.

Oxaluria with Renal Colic

Pte. H., aged 23, was playing cards after dinner when he was seized with violent pain in the right iliac fossa. He felt sick but did not vomit, and there were no accompanying urinary symptoms. Twenty minutes after the onset of symptoms he was admitted to hospital with a diagnosis of "perforation." He had had no previous symptoms.

On examination he was restless and pale, and was vomiting. Tenderness, rigidity, and hyperaesthesia were present in the right iliac region. No abnormality per rectum. After admission he passed 4 oz. of concentrated urine, the laboratory report on which read: "A few R.B.C. and many calcium oxalate crystals." Cystoscopy, carried out on the following day, revealed a trigonitis with pouting oedematous ureteric orifices. Cultures from the cystoscopic specimen of urine were sterile.

Retrograde and intravenous pyelograms showed a normal renal tract. The man was discharged to his unit, symptom-free, after nine days in hospital, and reported to the surgical out-patient department for three weeks.

Of the 20 cases of oxaluria with renal colic only five had urinary symptoms—frequency or strangury. Two had suffered from recent previous attacks and two had lately had amoebic dysentery. (A relationship between oxaluria and amoebic dysentery has been emphasized by Manson-Bahr.)

The average duration of symptoms before admission was 19 hours and the average stay in hospital 17 days. During this time eight of the patients were cystoscoped and retrograde pyelography was done, and in the remaining 12 intravenous pyelography was carried out; all were negative for calculus. The influence of diet and the importance of fluid intake were stressed to each man on his discharge from hospital, and there were no recurrences requiring readmission.

Oxaluria with Haematuria

Pte. G., aged 33, was on a route march on April 5, 1943, and at 10.30 a.m. halted to pass urine. He noticed his urine was "slow in coming" and was like blood. He carried on till afternoon, and again passed urine "like blood"; he reported to the R.M.O. and was sent to hospital.

There was no previous history of symptoms of calculus. On close questioning, he had been drinking a "lot of strong tea" before starting on the route march. For the past two months he had passed urine only twice in the 24 hours.

Physical examination revealed nothing abnormal. Urine passed after admission to the ward was deeply stained with bright-red blood. Cystoscopy at 5 p.m. the same day showed intense congestion of the trigone and blood-stained urine spurting from both orifices. White crystalline material (oxalate crystals) was embedded in the bladder mucosa in large amount and was floating in the fluid medium. The bladder was washed out with normal saline. A catheter specimen, taken before cystoscopy, showed: "Albumin: a heavy cloud. Deposit: numerous R.B.C.; no pus cells; no organisms. Many Ca oxalate crystals. Cultures sterile."

He was put on forced fluid intake, and in 24 hours (April 6) a laboratory examination of urine showed: "No albumin; deposit nil." Cystoscopy on April 13 showed a healthy bladder mucosa; no evidence of crystals or blood-clot; both ureteric orifices secreting normal urine. Examination of urine revealed: "Albumin nil; no R.B.C.; a few Ca oxalate crystals; occasional epithelial cells only; culture sterile." Radiographs taken after intravenous uroselectan showed "a normal renal tract."

On April 26 the patient was discharged to duty; no recurrence has been reported.

The investigation of the 15 cases of oxaluria with haematuria is summarized in Table III.

TABLE III.—Haematuria with Oxaluria: Symptoms

Symptoms	No. of Cases	Average Duration of Symptoms before Admission (Hours)	No. of Previous Attacks	Average Stay in Hospital (Days)
Painless haematuria	4	21	Nil	24
Haematuria with dysuria	4	54	3	26
Haematuria with renal or ureteric pain	7	58	6	19
Average		44		23

The urine in all 15 cases contained red cells and calcium oxalate crystals, and culture from the urine was sterile. Cystoscopy showed a trigonitis in all cases, and in six of them