This solution might not be acceptable to the law, but I feel sure the medical profession would welcome such a compromise.

I have but touched the fringe of the subject. One could ask whether, with the enormous cost to the country which this new service entails, the patient has benefited in the essentials of treatment; whether the vast administrative wheel, which often grinds so slowly, might be made smaller and yet more effective; whether the endless committees, which force the public-spirited to spend almost as much time in the train as in the hospital, are so necessary; and whether great power and influence vested in the hands of a few satisfies our democratic ideals. Those are but a few of the problems.

It has fallen to our generation to work out and put into practice this new regime in medicine. Changes, whether we like them or not, are taking place around us all the time and we have to make the best of them; but, with the highest ideals ever before us, let us see that it is the best. Let there be honesty and frankness among us and let us frown on intrigue—for there is much of that in medicine at the present day—and cast it out. Let gentle suasion never steer us away from a true sense of values, and, above all, let us never forget that our first aim should be to heal and cure the sick.

YOUTH LOOKS AT GENERAL PRACTICE*

BY

C. P. D. GRANT, M.B., Ch.B.

Glasgow

It might be of interest to the profession to know what a recently qualified doctor, and therefore one without specialist training and with only a short experience as a practitioner, thinks of some aspects of general practice to-day. The views I express are my own and not necessarily those of the younger generation as a whole. Furthermore, if any of my comments appear unduly critical of those older and wiser than myself, they are in no way intended as an impertinence, and I hope will not be so regarded.

The student of to-day working for his "finals," and faced with a compulsory year in hospital followed by two years' National Service, probably does not give much thought to general practice, though he may well be thinking of it rather vaguely as a future career. In fact I would suggest that many final-year students and "neo-graduates" rather tend to have a leaning towards some specialty. This is not unnatural, since the training is almost entirely in the hands of specialists, and this despite the fact that many of the students are destined to become general practitioners. The year of compulsory internship may accentuate any specialist leaning, as by now the young doctor is even more closely bound by the hospital tie. However, it is not easy to become a consultant these days, and, if a man is contemplating taking a wife, it is difficult to marry on a resident's or S.H.O.'s salary. Furthermore, the thought of the high failure rate in the F.R.C.S., M.R.C.P., and other specialist examinations may deter him from pursuing his choice. So, rather unwillingly perhaps, he plunges into the unknown and looks for a job in practice, leaving behind him, probably for good, the world

of starched aprons and white coats. His idea of what is involved is, more than likely, rather vague, since he has had no specific training for general practice. I myself had had the advantage of being reared in a medical household, but despite this my knowledge of the job to be tackled was far from clear. I cannot say I was very enthusiastic. I had been told by friends with some slight experience that all was not well. The hospital swallowed all the clinical interest. The hours were long and tedious, and the day was spent coping with queues of "not-so-very-sick" but demanding people out to see what they could get for nothing. And so, by now not quite so confident, I crossed the threshold with a background of three residencies and National Service completed.

Initial Difficulties

What were my initial difficulties and worries?

First, I think, would my knowledge be sufficient? I had no idea what measles looked like, or mumps. When I was a resident there had always been someone else to take the ultimate responsibility of the patient. Now it was to be my turn. How would I fare? What on earth would I prescribe? I realized with horror I could not really write a prescription. I imagined that I would meet with much more of the hospital type of illness than I actually did. However, with this kind of illness I found that my knowledge was sufficient; but when it came to bronchitis, influenza, childish febrile conditions, rheumatism, tonsillitis, old age and its problems, and so on, I discovered I was not so clever. Their mysteries were all contained in a closed book which had to be opened and studied closely page by page, and yet this was to be the bulk of my everyday work.

Prescribing turned out to be easier than I had anticipated. The local chemist proved a great help, and there was always the *National Formulary*. However, the temptation to prescribe proprietaries with their easily remembered names was the severest trial. Furthermore, the persistent pestering of the drug firms via the post and the traveller would break down the ideals of all but the very righteous. Nowadays there seems to be no need to write an old-fashioned prescription at all: there usually turns out to be a proprietary equivalent, which is supposed to be as cheap and equally efficacious. At least, so say the manufacturers' travellers.

Restrictions Imposed by the N.H.S.

My early reaction to the volume of trivial complaints brought to me was, This is not medicine at all: a fourth-year medical student could cope. There seemed to be so many people to be seen that even when one had separated the wheat from the chaff there was not time to deal properly with the wheat.

The cessation of clinical control of patients removed to hospital under the National Health Service seemed to me a great loss. On the other hand, it was often not a bad thing to be relieved of the responsibility and worry, allowing one to concentrate on the ordinary run of everyday work. The fact that it was found necessary to refer to hospital anyone requiring even a simple diagnostic investigation proved a great irritation to the late house officer who had so recently himself had the power to order many of these investigations. And the delay in waiting for out-patient appointments was most frustrating. Often weeks would elapse before the answer to a clinical problem arrived by post on one's desk.

In many cases it appeared to me superfluous for the hospital officer to enter into the picture at all. He merely seemed to act as a middleman anyway. Why should I personally not have more direct access to such investigations as "x-ray chest," "straight x-ray abdomen," blood counts, and minor biochemical and pathological investigations? More important still, it appeared to me that the patient must think that, because he has been sent to hospital for all but the very trivial, the G.P. is only good for this. I

*An address given to the Southern Medical Society of Glasgow on November 25, 1954.

am sure this has done much to lower the general practitioner's standing in the public eye. This is borne out by the fact that even when the general practitioner may himself wish to carry out certain investigations or try out this or that treatment, patients are often better pleased if sent direct to see "the Professor." They demand specialist opinion and x-rays as a right for which they have paid.

The fact that the numbers the G.P. must care for in order to earn a living wage to-day inevitably result in crowded surgeries does not help either. The G.P. with a large list, who has to cope with a multitude of trivial complaints, will have to resist very strongly the temptation to refer to hospital; the easiest way to satisfy a hungry public is to pass the clinical buck. The system seems designed to undermine incentive and initiative. It is too easy to cultivate a *laissez-faire* attitude of "we are paid anyway." Loss of interest in the practice of clinical medicine as such may soon follow, and the way is wide open for the habit of practising slovenly medicine. The G.P. can very easily degenerate into a rather apathetic kind of sorting clerk, doing very slipshod work. What a system!

In this connexion it might be interesting to quote a passage from a letter I received recently from a friend now in practice in Canada. "After working for eighteen months with a socialized medical scheme run by . . . Corporation," he writes, "I quit . . . due to the fact that I felt I was on a large treadmill which went round faster the harder you climbed. I knew that if I did not get out I would lapse into the easy-going way some of the older men had developed over the years—namely, they are company patients. They do not expect exotic medicine. I had enough drive and belief in medicine to feel I could not go on this way. I tried hard to do good work, but woke up one morning to the terrible sensation of defeat, knowing I was slipping. So I got out into private practice, where I am much happier." The tragedy is that he might well have been talking about National Health Service practice in Britain to-day. Here, however, we have no such escape into private practice.

A Comparison

I should like to say a word about Canadian practice, which I had the good fortune to see for myself a year or two ago. A New World general practitioner would be aghast if he were asked to work under our system. To him it is fundamental to the practice of good medicine that he personally looks after his patients in hospital and supervises the various investigations which may be necessary. He often works from a rented office in what is called a Medical Arts Building—rather similar to the health centre envisaged in this country. His consulting-rooms are almost invariably more elaborate than ours. He normally employs a nurse, and often also a laboratory technician who is frequently trained to do x-ray work and electrocardiography as well. But the Canadian is remunerated on a basis of fee for services rendered, which makes all this possible. Unfortunately, from the patient's point of view an illness is a very expensive calamity, even though the type of service is of a very high order. More important than this is the fact that, if he is to give the patient of his best, he must keep up to date with medical advances. In this country, with the attitude tending towards hospital referral for all but the trivial, there is no such pressing need. This, I feel, inevitably lowers the standard of general medical practice, and incidentally the prestige of the practitioner.

Learning the Job

But I have wandered from my story, which was beginning to show how general practice was not all it might be. After a few months I paused to reflect. I had had to work harder than I had ever done before, mentally and physically (all my patients seem to live in a top flat). I had had to learn to control a temper, which I had not realized existed, when malingers wanted certificates and ignorant people called

me out needlessly in the small hours. Although in partnership practice, and despite the fact that I was seeing people all day, I felt rather lonely. I longed to be back in the hospital atmosphere.

However, by this time I was beginning to learn a little about my new job—such things as how to get a home help and how to diagnose measles before the spots came. Then very gradually, just when I was getting rather despondent, it began to dawn on me that there was more to general practice than met the eye. The drama of the operating theatre and the brilliant diagnosis of difficult cases was not my province at all. Here was to be found a different type of satisfaction where, as Osler said, "your heart will be exercised equally with your head." The sea of faces which initially presented in the waiting-room was, at the outset, very like that met with in any hospital out-patient department, but gradually the faces began to take on a familiar pattern and to develop personalities. I began to see that my job was mainly people—people as personalities, as human beings, who had families and worries; girls who got married and had babies. More time went by, and by now I had quite a family of babies, the oldest of whom was nearly two and a half.

Again I paused to reflect. My hospital outlook was beginning to recede. I had almost forgotten such things as the 17-ketosteroids. Instead I had learned a great deal about people, how to handle them, how to reassure them, and how to talk to them in simple language. It appalled me to see how much social conditions had to do with illness—such things as overcrowding and living with in-laws. I had learned that most working-class patients expect a bottle and are not content with advice only; that an illness must be labelled, confidently (whether the label is right or wrong does not always seem to matter); that the stethoscope still has a magic power psychologically despite its many failings in the light of modern x-ray technique and the remark of a specialist overheard recently that there are two methods of examining the chest—percussion and x-ray.

By now I realized I was beginning to learn a little about how to be a general practitioner. I began to appreciate the full meaning of Osler's words when he said, "The practice of medicine is an art, not a trade; a calling, not a business." In fact, by this time, somewhat to my own surprise, I began to like general practice.

The Personal Touch

We are living in a scientific age. Medicine has not escaped, but sometimes I feel we get carried away by mechanical devices and forget that primarily our job is people. Fortunately I realized that I was interested in people, which was just as well, because without that interest I should be lost. Something else struck me rather forcibly: in hospital I had been a cog in a machine; now I was very largely my own master. Furthermore, so far as my patients were concerned, and despite their readiness and willingness to be sent to hospital, I was still *their doctor*. All this I found very satisfying. But for all this new-found satisfaction I still missed hospital. It did not seem natural to one who had spent nearly six years therein that its doors should now be closed. It seemed to me nonsensical that, once the choice of general practice or a specialty had been made, the decision should be binding and irreversible. Unfortunately to-day there is a widening gap between hospital staff and general practitioners. This, I feel, is a great pity, but not unnatural since they now really do two very different kinds of job. It apparently takes years and years to train a specialist these days. Furthermore, there is a feeling current that hospital work is very arduous. Be that as it may, much of hospital work is routine and does not need very advanced or specialized knowledge. It does not seem unreasonable to suggest that G.P.s should be attached to hospitals as clinical assistants doing much of the work at present done by registrars. This would add greatly to the interest of the G.P.s concerned, and incidentally might go a long way towards solving the present registrar problem.

I should like here to say a word or two about present-day hospital staff. Many of them, bubbling over with scientific facts, tend to lack the human touch. Too often they think of their patients as cases rather than as people. The patient of to-day frequently complains that he is told nothing in hospital. Perhaps it is just as well for the nursing staff or the G.P. to be left to explain some things, but it would appear to have gone too far when the patient recently discharged from hospital has to ask his G.P. what was removed at operation and why. Incidentally it adds to the confusion of the practitioner, not to mention the patient, when the hospital letter is not forthcoming for a further week.

In my opinion the trainee consultant, as well as mastering his specialty, must also learn how to handle people. I feel that he can best learn this in general practice; only there can he appreciate the individual as a whole. Goodness knows, the medical training is long enough to-day. But for all this, I cannot help thinking that it would be a good idea to make a period in practice as essential a qualification to the aspiring consultant as the year in hospital is to the prospective general practitioner.

Midwifery and Obstetrics

Midwifery used to be so much the concern of the family doctor. Nowadays, for social and other reasons, more mothers are opting to be confined in hospital and the average practitioner is doing less and less midwifery. In one way this is not a bad thing, for equipment is at hand for dealing with any emergency that may arise. However, there is at present in Glasgow a regulation in force which I would like to quote without further comment: "Unless a woman attends an antenatal or local authority clinic she cannot have an assurance that she will get a hospital bed." I do not see why G.P.s should not look after their own antenatal patients if they should so desire, even those women who intend to have a hospital confinement. It would greatly add to the practitioner's interest and provide an admirable opportunity for establishing a good doctor-patient relationship. The mother, too, would generally rather attend her own doctor than an impersonal clinic, but is afraid to do so because she may not get into hospital. In any event, the general practitioner is the one who has to deal with an antenatal emergency when it arises, not the clinic.

Our Patients

And now what about our patients themselves? I have found the vast majority very considerate and appreciative of what is done for them; but then I am fortunate to be dealing with a decent working-class type of patient, most of them ex-panel patients, those for whom the service should have been primarily designed. Ex-private patients tend to be somewhat demanding. The fact that they can read a clinical thermometer more readily and have a telephone in their house may sometimes be a nuisance. They are more prone to call one out needlessly on a wet night than those who have to find three pennies and go and brave the storm to find a public call-box. Broadly speaking, the younger generation take very little responsibility on their own shoulders and often tend to call the doctor at the least provocation. They have no idea of the cost of drugs and hospital investigations and could not care less. Their elders, on the other hand, frequently apologize for sending and often wait longer than they should before doing so.

There is no doubt that the established young general practitioner in partnership practice to-day has a much easier time of it than had his predecessors. His nights are less frequently disturbed, mainly because there is now less domiciliary midwifery, and his off-duty time is much more regular with the inception of the rota system. Finally he has a secure, pensionable job. So far as his patients are concerned, there is greater continuity of care and incidentally of clinical records, since patients are now on a list and do not often change their doctor. There is no longer

a financial barrier between patient and doctor, who can prescribe freely without fear that the patient may not be able to afford his treatment. But at the same time removal of this barrier lets in the malingerers and neurotics—the pests, the 10% hard core of every doctor's list who are never far away from the surgery door.

I would like to stress that there is a very real danger that the young practitioner, excluded from the hospital and committed to his desk by the system, may become apathetic, especially since it no longer seems to be worth while building up a good class of practice: one only ends up with more trouble and less money. The politicians seem to be doing their best to discourage private practice, which to many doctors and patients is a far more satisfactory method of rendering service, despite the fact that it is often more wearing and not necessarily any more lucrative. I feel that private practice provides an opportunity for rewarding incentive and initiative, and is good for one inasmuch as it keeps one on one's toes and guards against the development of slovenly habits. The next step may well be that of a State-salaried service. This would indeed be a tragedy.

Teaching General Practice

But to revert to the student. What should he be taught about general practice? I think that the training of the general practitioner is largely a postgraduate affair; but the student must be taught more about practice than at present, if only to encourage greater numbers to enter this field and with more enthusiasm. A series of lectures by general practitioners interspersed throughout the final two student years might maintain a proper balance, because too often the specialist teacher tends to exaggerate the importance of his own subject.

What, then, are the prerequisites for entering general practice? First, knowledge; the student should concentrate on seeing as much as he possibly can in the out-patient department, because never again will he meet such a wealth of clinical material. If time permits, and he does not want to get married, he should hold three house appointments, possibly in medicine, surgery, and obstetrics and gynaecology. If he can find time to do a bit of dermatology and casualty work, so much the better. Secondly—and this is very important—he must have a liking for people, particularly children.

If the young general practitioner refers everything in sight to hospital, then naturally the aura of omniscience which surrounds the hospital officer in the public eye will be magnified. The status of the general practitioner is still what he himself makes it. Despite its many present-day failings, general practice remains a branch of medicine in which is to be found a great deal of satisfaction. I believe that, taken seriously and practised conscientiously, it is the most difficult specialty of all.

Plans for reorganizing medical teaching departments on more modern lines are set out in part 5, *Medical Sciences*, of Volume III of the Unesco series *Inventories of Apparatus and Materials for Teaching Science*. Prepared jointly with W.H.O., the book is chiefly intended for use in new medical schools. It contains lists of equipment needed for the instruction of medical students in anatomy, bacteriology, biochemistry, histology, morbid anatomy (pathology), pharmacology, physiology, and preventive and social medicine (hygiene and public health), and gives rough indications of prices. Each list is preceded by a short discussion of teaching methods with special reference to the organization of practical work. The English edition may be obtained through the national distributors of Unesco publications or the Sales and Distribution Division of Unesco, Paris. The price is 15s. 6d.