CASE OF HYPERTROPHY OF THE TONGUE.

BY

T. P. TEALE, Esq., F.R.C.S.E.,

SURGEON TO THE LEEDS INFIRMARY.

COMMUNICATED BY

JOSEPH HODGSON, Esq., F.R.S.

Received June 14th.—Read June 14th, 1853.

IN 1848, Emma Lockwood, æt. 1 year, after an attack of chicken-pox, suffered from a thrushy state of the tongue, which became swollen, and protruded slightly beyond the teeth for two or three weeks. After an interval of two months, the tongue again became swollen, and continued to enlarge slowly until the child was two years old. At this time she was admitted into the Leeds Infirmary under my care. The tongue then projected beyond the teeth, forming a tumour the size of a walnut, and deeply ulcerated at its under surface from the pressure of the teeth. The lower teeth were extracted; numerous punctures were made into the substance of the projecting swelling, and leeches were occasionally applied, but without any material benefit. The tongue continued to enlarge until the child reached the age of three years, when the protrusion was as large as a pullet's egg, strangulated by the jaws, and perfectly irreducible. Treatment by pressure was now adopted. The protruded part was bound, rather firmly, by circular folds of a narrow bandage of calico. After this treatment had been adopted for about a month, the part was so far reduced in size as to admit of being fairly pushed within the mouth, in

which situation it was retained by a bandage passing over the mouth and tied at the back of the head. This bandage was worn night and day for several months, being only removed when food was taken. She afterwards became impatient of the treatment, and the bandage was occasionally neglected for a few weeks, when the tongue invariably began to protrude and enlarge. The tendency to enlargement has of late gradually diminished, and a very moderate degree of pressure is now sufficient to prevent protrusion. She is six years old, and is in good general health. The tongue is a little harder and larger than natural.