- 5 Levy-Lahad E, Wasco W, Poorkaj P, *et al*. Candidate gene for the chromosome 1 familial Alzheimer's disease locus. *Science* 1995;**269**:973-7.
- 6 Goate A, Chartier-Harlin MC, Mullan M, *et al*. Segregation of a missense mutation in the amyloid precursor protein gene with familial Alzheimer's disease. *Nature* 1991;**349**:704-6.
- 7 Roggeva EA, Fafel KC, Song YQ, *et al*. Screening for PS1 mutations in a referral-based series of AD cases. 21 novel mutations. *Neurology* 2001;**57**:621-5.
- 8 Gatz M, Pedersen NL, Berg S, *et al*. Heritability for Alzheimer's disease: the study of dementia in Swedish twins. *J Gerontol A Biol Sci Med Sci* 1997;**52**:M117-25.
- 9 Gatz M, Reynolds CA, Fratiglioni L, *et al*. Role of genes and environments for explaining Alzheimer disease. *Arch Gen Psychiatry* 2006;**63**:168-74.
- 10 Nee LE, Lippa CF. Alzheimer's disease in 22 twin pairs-13 year follow-up: hormonal, infectious and traumatic factors. *Dement Geriatr Cogn Disord* 1999;**10**:148-51.
- 11 Gatz M, Mortimer JA, Fratiglioni L, *et al*. Potentially modifiable risk factors for dementia in identical twins. *Alzheimer Dement* 2006;**2**:110-17.
- 12 Duda JE. Pathology and neurotransmitter abnormalities of dementia with Lewy bodies. *Dement Geriatr Cogn Disord* 2004;**17**:3-14.
- 13 Hamilton RL. Lewy bodies in Alzheimer's disease: a neuropathological review of 145 cases using alpha-synuclein immunohistochemistry. *Brain Pathol* 2000;**10**:378-84.
- 14 Sharman MG, Watt DC, Janota I, *et al*. Case report: Alzheimer's disease in a mother and identical twin sons. *Psychol Med* 1979;**9**:771-4.
- 15 Cook RH, Schneck SA, Clark DB. Twins with Alzheimer's disease. *Arch Neurol* 1981;**38**:300-1.
- 16 Kilpatrick C, Burns R, Blumbers PC. Identical twins with Alzheimer's disease. *J Neurol Neurosurg Psychiatry* 1983;**46**:421-5.
- 17 Nee LE, Eldridge R, Sunderland T, *et al*. Dementia of the Alzheimer type: clinical and family study of 22 twin pairs. *Neurology* 1987;**37**:359-63.
- 18 McKhann G, Drachman D, Folstein M, *et al*. Clinical diagnosis of Alzheimer's disease: report of the NINCDS-ADRDA Work Group under the auspices of Department of Health and Human Services Task Force on Alzheimer's Disease. *Neurology* 1984;**34**:939-44.
- 19 Bird TD, Levy-Lahad E, Poorkaj P, *et al*. Wide range in age of onset for chromosome 1 related familial Alzheimer's disease. *Ann Neurol* 1996;**40**:932-6.
- 20 Braak H, Braak E. Neuropathological staging of Alzheimer-related changes. *Acta Neuropathol* 1991;**82**:239-59.
- 21 Mirra SS, Heyman A, McKeel D, *et al*. The Consortium to Establish a Registry for Alzheimer's Disease (CERAD). Part II. Standardization of the neuropathologic assessment of Alzheimer's disease. *Neurology* 1991;**41**:479-86.
- 22 Leverenz JB, Fishel MA, Peskind ER, *et al*. Lewy body pathology in familial Alzheimer's disease: evidence for disease and mutation-specific pathologic phenotype. *Arch Neurol* 2006;**63**:1-7.
- 23 McKeith IG, Dickson DW, Lowe J, *et al*. Diagnosis and management of dementia with Lewy bodies: third report of the DLB Consortium. *Neurology* 2005;**65**:1863-72.
- 24 Kamimura K, Tanahashi H, Yamanaka H, *et al*. Familial Alzheimer's disease genes in JNPanese. *J Neurol Sci* 1998;**160**:76-81.
- 25 Hixson JE, Vernier DT. Restriction isotyping of human apolipoprotein E by gene amplification and cleavage with HhaI. *J Lipid Res* 1990;**31**:545-8.
- 26 Emi M, Wu LL, Robertson MA, *et al*. Genotyping and sequence analysis of apolipoprotein E isoforms. *Genomics* 1988;**3**:373-9.
- 27 Consensus recommendations for the postmortem diagnosis of Alzheimer's disease. The National Institute on Aging, and Reagan Institute Working Group on Diagnostic Criteria for the Neuropathological Assessment of Alzheimer's Disease. *Neurobiol Aging* 1997;**18**(Suppl 4):S1-2.
- 28 Tsuang DW, Riekse RG, Purganan KM, *et al*. Lewy body pathology in late-onset familial Alzheimer's disease: a clinicopathological case series. *J Alzheimer Dis* 2006;**9**:235-42.
- 29 Cruts M, van Duijn CM, Backhovens H, *et al*. Estimation of the genetic contribution of presenilin-1 and -2 mutations in a population-based study of presenile Alzheimer disease. *Hum Mol Genet* 1998;**7**:43-51.
- 30 Finckh U, Muller-Thomsen T, Mann U, *et al*. High prevalence of pathogenic mutations in patients with early onset dementia detected by sequence analyses of four different genes. *Am J Hum Genet* 2000;**66**:110-17.

NEUROLOGICAL PICTURE

doi: 10.1136/jnnp.2007.115857

"Puppy sign" indicating bilateral dissection of internal carotid artery

A 66-year-old patient presented with marked headache. Neurological examination was unremarkable. Fat saturated T1 weighted magnetic resonance showed bilateral dissection of the extracranial internal carotid artery. Dissections are among the most frequent causes of young onset stroke.¹ They may, however, be difficult to diagnose only on the basis of history and clinical signs, and even standard brain imaging may not suffice.² Fat saturated T1 weighted magnetic resonance is the method of choice to detect mural haematoma and residual lumen.¹ Bilateral internal carotid artery dissection may resemble the face of a puppy in axial orientated sections, and awareness of this "puppy sign" may ease the quick visual diagnosis (fig 1).

Berend Feddersen
Jennifer Linn
Thomas Klopstock

Department of Neurology, University of Munich,
Klinikum Grosshadern, Muenchen, Germany

Correspondence to: Berend Feddersen,
Department of Neurology, University of Munich,
Klinikum Grosshadern, Marchioninistr. 15, D-
81377 Muenchen, Germany;
Berend.Feddersen@med.uni-muenchen.de

Competing interests: None.

Figure 1 Axial fat saturated T1 weighted magnetic resonance of bilateral internal carotid artery (ICA) dissection (A) resembling the face of a dog (B). (a) Ears = masseter muscles; (b) eyes = ICA, sclera = subintimal haematoma, pupil = residual lumen; (c) snout tip = upper cervical spinal cord; (d) snout = cervical spinal canal; (e) flew = longissimus capitis muscle; and (f) throat = subcutaneous fat tissue.

REFERENCES

- 1 Schievink WI. Spontaneous dissection of the carotid and vertebral arteries. *N Engl J Med* 2001;**344**:899-906.
- 2 Lie C, Schwenk S, Szabo K, *et al*. Bilateral internal carotid artery dissection mimicking inflammatory demyelinating disease. *J Neuroimaging* 2003;**13**:359-361.