Health department admits to NHS funding crisis

John Warden, *parliamentary correspondent, BMJ*

Britain's new Labour government has inherited a looming financial crisis in the NHS, with the Department of Health predicting that some parts of the service are on the brink of collapse.

Internal briefings prepared for the new health secretary, Frank Dobson, point to a shortfall in current funding so serious that it will have to be addressed by the Cabinet in the context of the summer Budget being prepared by the chancellor of the exchequer, Gordon Brown.

This could cause the first crack in the new government's resolve to adhere to its predecessor's spending plans for the health service. It is almost

unprecedented for the health department to admit a funding crisis and implicitly confirm the analyses of the BMA and other informed sources.

The £1.6bn (\$2.6bn) additional funding for England in the current year allocated by the outgoing Conservative administration will not avert a financial crisis, even though it was twice the amount needed to keep abreast of inflation. It absorbed last year's deficits by trusts, but deficits are mounting at an even faster rate this year and may reach breaking point this winter.

The department is now convinced that projected increases in NHS funding for the next two

years are totally inadequate to maintain the service. The government will either have to divert resources from other departmental programmes in the public expenditure round this summer or find extra funding specifically for the health service.

One suggestion in the health department is to put 5p on a packet of 20 cigarettes in the coming budget—as proposed by the Liberal Democrats—to raise more than £500m for the NHS. Another possibility is to divert £100m of surplus general practice fundholding budgets into services instead of improving premises.

The BMA is convinced that

the NHS is "seriously under-resourced," and it will re-emphasise its worries at its first meeting with the new health secretary on 14 May.

Sandy Macara, the chairman of the BMA's council, wrote in his first letter to Frank Dobson that the association wants the service to continue to be publicly funded and the funding level not to be based on a presumption of efficiency savings. Dr Macara said the BMA did not believe that dismantling the internal market would release sufficient funds. It remains convinced that the NHS needs at least an extra £1bn a year for the next five years. (See p 1438.) □

UK food standards agency aims to rebuild trust in food

John Warden, *parliamentary correspondent, BMJ*

Plans to set up a food standards agency in Britain—to be known as the Food and Health Commission—were endorsed last week by the prime minister, Tony Blair, on the basis of a report commissioned from Professor Philip James, director of the Rowett Research Institute in Aberdeen.

Mr Blair said that he is determined to rebuild public confidence in the safety of food, after major scares over beef and outbreaks of *Escherichia coli*. He has set up a ministerial group on food safety to take the proposals forward to legislation by 1999.

A key feature of the James report is the transfer of prime responsibility for food policy from the Ministry of Agriculture, Fisheries and Food to the Department of Health to remove the apparent conflict between public health and business interests. The agriculture

minister, Jack Cunningham, however, is reluctant to relinquish responsibility. The new ministerial group, meanwhile, is to be chaired by the chancellor of the Duchy of Lancaster, David Clark.

The proposed agency would be a statutory body governed by a commission and with executive powers analogous to those of the existing Health and Safety Commission. Its remit would cover the entire food chain "from plough to plate"—including the microbiological, chemical, and nutritional aspects as well as novel foods and genetic modification.

Public health and consumer protection would be the agency's first priority, and the agency would have powers to rectify problems and enforce the food laws. Medical aspects of food policy would be incorpo-

Tony Blair receives the food agency report from Professor James

rated, with the chief medical officer closely involved. A parliamentary select committee on food is proposed.

Although the new commission's policy role would, strictly speaking, be advisory, the commission's power would lie in ministers having to dissent publicly from its proposals and justify their decisions.

Professor James estimates it would take three years to re-establish public confidence in

the national mechanisms for handling food problems. To have a major impact on foodborne infections and other aspects of food safety would take longer.

This week the Consumers' Association launched their own detailed blueprint for a new food agency. Director Sheila McKechnie said transparency and openness were vital and there should be effective enforcement of food standards and safety. □

In brief

UK steps up work on Gulf war syndrome: The Ministry of Defence is to extend the existing medical assessment programme to clear the backlog of Gulf war veterans awaiting medical assessment. The research programme is also to be expanded to cover vaccines and tablets given to troops.

Private finance initiative to be streamlined: The British government has launched a review of the private finance initiative, pledging to make it work more effectively. Ministers promised early legislation to allow the first big deals by NHS trusts to go ahead. The rule of having to test all capital projects for private finance potential will be dropped.

Hib vaccine protects against pneumonia in Gambian children: A conjugate vaccine against *Haemophilus influenzae* type b prevents pneumonia as well as meningitis in young children, according to research published by the World Health Organisation. In developing countries the common manifestation of Hib infection is pneumonia, which is rare in industrialised countries.

Primary care in London worse than rest of England: A report by the King's Fund to the London Commission, *The Health Economy of London*, says standards of primary care in London are below the rest of England. A separate King's Fund report, *The London Health Care System*, calls for better integration of health care in the capital.

Filipino girls are more malnourished than boys: A survey by Unicef has shown that parents in the Philippines feed girls less than boys because they assume that boys need more food as they do more strenuous work. As a result Filipino girls have more iron deficiency anaemia and goitre than boys.

US jury rules that smoking was personal choice: A Florida jury has ruled that R J Reynolds Tobacco was not responsible for the death from lung cancer of Jean Connor, who smoked two to three packets of cigarettes a day for more than 20 years.

Ending "two tierism" is top priority for new health secretary

John Warden,
parliamentary correspondent, BMJ

An end to "two tierism" in the NHS, whereby the patients of GP fundholders receive preferential treatment, was identified last week as the top priority of the new health secretary, Frank Dobson, when he addressed senior staff at the NHS headquarters in Leeds.

He said that his aim is to ensure that fundholders do not enjoy unfair financial advantages and that non-fundholders' patients do not suffer disadvantages. Although he did not go into detail, his plan is for hospitals to institute common waiting lists so that patients of fundholders cannot jump the queue.

"The NHS cannot truly be called national unless every man, woman, and child in the country has equal access to high quality treatment and unless the speed with which they receive that treatment is governed solely by their clinical condition rather than the size of their GP's budget," he declared.

Mr Dobson said that the government is committed to ending the internal market in health care, though after barely a week in office he could not yet offer "a precise steer on the way ahead." He is against a programme of wholesale reform, which would be confusing for the public and grossly unfair to doctors, nurses,

Tessa Jowell becomes public health minister

and other NHS staff.

Dr Sandy Macara, chairman of the BMA council, welcomed the new government's commitment to abolish the internal market. "We need to restore a position which is cooperative rather than competitive and which will provide care in relation to clinical need," he said. The association also welcomes the abolition of the two tier system, but Dr Judy Gilley said at the BMA's council meeting last week that merely replacing fundholding with commissioning would be "a revolution" that doctors did not want. Many doctors believed that they had benefited from fundholding—for example, with the introduction of more in house services. "We must draw up a checklist of the gains to be protected," she said.

A programme of action is being prepared by NHS chief executive Alan Langlands. It includes a review of how resources are distributed across both secondary and primary care to ensure that they reflect local population needs and

operate fairly.

To reduce management costs and release money for patient care, the executive will cut down on the flow of invoices, streamline systems, and move to longer term contracts. Primary care will have the lead role in the planning of local health services.

Earlier Mr Dobson announced an end to hospital closures in London, pending a review to be headed by health minister Alan Milburn. This reflects Mr Dobson's interest as an inner London MP and especially his concern about the planned closure of St Bartholomew's Hospital. He has also put on hold the merger of Guy's and St Thomas's hospitals. Some of his advisers, however, think that implementation of the London plan has gone too far to be reversed. The review will cover mental health provision and community care and is expected to take at least six months.

Another initiative last week was introduced by Ms Tessa Jowell, public health minister. She said that over the coming weeks the government will be looking at ways of introducing an effective ban on tobacco advertising. It is still to be decided whether this will be done by primary legislation or by lifting the British veto on a European Commission directive banning tobacco advertising. European health ministers meet on 5 June. The government will examine how far a ban can extend to sports sponsorship without damaging recipient sports.

The BMA said that it was concerned about reports that the government might delay implementing a ban on tobacco advertising. The association is also pressing for tobacco sponsorship of sport to be abolished. □

The new health team's portfolios

Alan Milburn, minister of state

Organisation, strategy, and planning in the NHS, as well as general medical services, human resources, and pay

Tessa Jowell, minister of state for public health

Health education and promotion, Health of the Nation strategy, public health in the NHS, health outcome, clinical audit, ethical issues, genetics, and Council of Europe

Baroness Jay, minister of state (House of Lords)

Emergency services, maternity, cancer, patient's charter, waiting times, complaints, nursing, clinical negligence, pharmaceuticals

Paul Boateng, parliamentary undersecretary

Services for elderly people, general social services, mental illness, children's services, family issues, voluntary sector

Obstetrician accused of changing notes

Clare Dyer, *legal correspondent, BMJ*

A deputy High Court judge last week accused an obstetrician and a midwifery sister of changing their notes and giving misleading evidence after the birth of a boy who was left profoundly disabled with cerebral palsy.

Delivering judgment at the High Court in London, the judge, John Crowley QC, dismissed evidence by consultant obstetrician Edgar Tatford, now retired from the NHS, that he had advised Francesca Brock-Hollinshead to go immediately to the labour ward at Farnborough Hospital in Orpington, Kent, on 19 March 1991, when she came to his antenatal clinic with stomach pains.

The judge accepted instead Ms Brock-Hollinshead's testimony that the consultant had told her to report to the hospital the following morning. The ruling means that Bromley Health Authority, which employed Mr Tatford, is liable for the brain damage to Oscar Brock-Hollinshead during his "traumatic" home birth that afternoon.

The baby, who was in a breech presentation, was born on the floor at his parents' unheated lodgings and was already delivered apart from his head when the ambulance summoned by his father arrived. There was a delay of 10-15 minutes in delivering his head, during which his brain was starved of oxygen.

Damages still have to be assessed, but the boy, who will need lifelong care, is expected to receive more than £1m (\$1.6m). The judge said that he was "driven to the conclusion" that Edgar Tatford, consultant obstetrician for the Bromley group of hospitals, had added notes to his original after the birth to give the impression that he had advised the mother to go straight to hospital. He went on: "I appreciate that this is a strong finding to make against someone of his status, but having heard the witnesses and considered the relevant documents, that is my finding."

Mr Crowley said that Sister Ruth Coull, who retired in 1992, had made two entries about the mother at the Masons Hill clinic—the second saying she had refused to go to hospital. The judge said the second entry was "false" and her answers to written questions put by the plaintiff's lawyers were "untrue, and untrue to Sister Coull's knowledge." □

Israel condemned for torture of Palestinian detainees

Josh Hamilton, *New York*

The Committee Against Torture, a United Nations human rights body in Geneva, has condemned Israel's systematic use of interrogation methods that it said amount to torture.

Ambassador Corlette Avital, consul general of Israel in New York, rejected the committee's findings while simultaneously defending the use of force against prisoners on the grounds that the government's "first responsibility" was to protect the citizens.

For years, organisations such as Amnesty International have protested against Israeli interrogation methods. These practices, long denounced as torture by the Palestinians, came conclusively to light in 1986, when Israel's Landau Commission declared that Shin Bet had for years subjected Palestinian prisoners to "criminal assault, blackmail, and threats" while lying about the practice to Israeli military courts.

The UN committee rejected Israel's claim that "moderate physical pressure" is essential to obtain information vital to

averting terrorist attacks and therefore in no way constitutes torture. Stating its awareness of Israel's security dilemma, the committee nevertheless ruled that routine methods used to interrogate Palestinian suspects clearly fall within the remit of the Convention Against Torture and Other Cruel, Inhuman or Degrading Treatment or Punishment—to which Israel is a signatory. The convention defines torture as "physical or mental pressure for the purpose of extracting information."

This censure differs from other instances of UN condemnation of Israel in that it comes as a legal, rather than political, finding from a 10 member elected expert panel, whose members serve as individuals rather than as national representatives.

Daniel Augstburger, an International Red Cross spokesman in New York, cautioned: "We still strongly believe these are individual cases—not too common." He added: "But they are totally unacceptable. Of course we do quite a lot of work in the Palestinian Authority jails as well." □

Preimplantation diagnosis is likely to increase in the Netherlands

Tony Sheldon, *Utrecht*

The first healthy child has been born in the Netherlands after preimplantation diagnosis to ensure that a serious hereditary abnormality was not passed on. Within days of the birth a scientific report recommended that the strict medical indications for carrying out the procedure in the Netherlands should be relaxed, which could lead to many more treatments.

Preimplantation diagnosis entails testing one or two cells taken from a recent embryo of eight cells produced by *in vitro* fertilisation. Only embryos without the abnormality are then implanted in the mother's uterus. In total 15 couples have undergone the technique in the Netherlands, and a second birth

is expected shortly. Worldwide, more than 70 children have been born using the technique since the early 1990s, mostly in the United States and at the Hammersmith Hospital in London.

The Dutch government licensed the treatment in 1995 under strict conditions after an ethical debate in which the treatment was opposed by the Christian Democratic Appeal party.

Preimplantation diagnosis may be considered only if there is a high chance of a serious genetic abnormality likely to cause an early death. Cases considered have included cystic fibrosis and muscular dystrophy.

The report concludes that preimplantation diagnosis is safe and reliable and deserves a place

Only screened embryos are implanted

in the diagnostic techniques when severe congenital abnormalities could be expected. It says that there is no difference in the ethical considerations between preimplantation diagnosis and current prenatal tests such as amniocentesis and chorionic villus sampling and that therefore

they should have the same indications for treatment.

The advantage of preimplantation diagnosis is that it excludes the possibility of an abortion. The disadvantage is that it requires *in vitro* fertilisation, which currently has only a 20% success rate. □

HIV may be eliminated from reservoirs of infection in the body

The last few weeks have seen the publication of some exciting research on drug treatment for HIV, as Luisa Dillner reports

HIV-1 could be totally eradicated from CD4 T cells and lymphoid tissue by a combination of antiretroviral drugs, claimed two research groups in *Nature* and one in *Science* last week.

David Ho and his team at the Aaron Diamond Aids Research Center in New York used a mathematical model to predict that drug treatment that is completely inhibitory could eliminate within 2.3-3.1 years the virus from the plasma and reservoirs of infection such as tissue macrophages and latently infected lymphocytes (*Nature* 1997;387:183-7).

The characteristics of HIV-1 decay were studied in eight patients who were given nevirapine, a protease inhibitor, and zidovudine and lamivudine, two reverse transcriptase inhibitors. Both drugs block enzymes encoded by the virus. Reverse transcriptase inhibitors block the enzyme that converts the viral RNA into DNA in the host cell, and protease inhibitors prevent the cleavage of proteins in the newly formed viral particles.

Dr Ho and his team found that within two weeks of treatment the concentration of HIV-1 in plasma dropped by 99%—largely as a result of the rapid elimination of free virus and productively infected cells, both of which have short half lives. By eight weeks the virus was undetectable in plasma.

The authors suggest that there is a second, slower phase, in which the virus is eliminated from longer lived cells such as macrophages and follicular dendritic cells. Incorporating these phases into a mathematical model, they postulate that if antiretroviral agents completely inhibit viral replication then the stores of virus in blood and tissues could burn out within three years.

Even so, Dr Ho warned: "The viral DNA within mononuclear cells that could not be experimentally activated to produce infective virus will still be present for many years and perhaps for life, leaving open a remote chance that infectious progeny

could be produced." Although important progress has been made, he said: "It would be wrong to believe we are close to a cure for AIDS."

Dr Ho's findings, however, are broadly in line with a second paper in *Nature* (1997;387:188-91), by Tae-Wook Chun at the Johns Hopkins University School of Medicine in Baltimore and colleagues at the National Institutes of Health in Bethesda. Dr Chun's team looked at how long infected host cells can harbour the virus. Some infected cells remain in a resting state—the virus is incorporated into the host DNA—and do not divide to release new viral particles. In this resting state the cells are undetectable to the immune system and not susceptible to antiretroviral drugs.

Dr Chun's team looked at HIV DNA levels in resting cells (CD4 T lymphocytes) from the lymph nodes and blood of 14 patients. They found a low frequency of latently infected cells (less than 0.5% of the resting CD4 cells contained viral DNA) but also warned that it only takes a few cells to restart an infection. "These HIV genes are a silent or latent form of infection that can become active when the immune system responds to ordinary infections by other microbes," said Robert Siciliano, associate professor of medicine at Johns Hopkins University School of Medicine and a coauthor of the paper.

The team's research suggests that less than 0.001% of the CD4 T cells in their study contained viral DNA in its proviral form—when double stranded viral DNA is incorporated into the host cell DNA. "These are the cells we're really worried about—these long term reservoirs of the AIDS virus in the body," said Professor Siciliano. "The good news is there are many, many fewer of them than we thought. The smaller the reservoir of infected cells, the sooner they will all disappear."

A paper from the University of Minnesota Medical School published last week also adds to

SCOTT CAMAZINE/CDC/SPL

HIV-1 could be eradicated from T cells

the evidence of potential HIV-1 eradication from the lymph nodes (*Science* 1997;276:960-4). The researchers took biopsy specimens from the tonsils of 10 patients during triple combination therapy and found that within six months of treatment 99.9% of the virus had been cleared from the lymphoid tissue.

Ashley Haase, professor of microbiology and an author of the paper, said that controlling the virus could enable the immune system to keep active infection at bay. "To our complete surprise we couldn't find any cells actively producing the virus within two months," he said.

"We think lymphoid tissue is the main reservoir of infection but we don't know if there are secondary sites in the brain or bone marrow. We are not talking about cures and eradication—in principle all you need is one cell to restart the infection."

Dr Hiroshi Nakajima, director general of the World Health Organisation, said that the latest research results, although impressive, did not mean that AIDS would soon be a chronic, non-fatal disease. He told a meeting held in Geneva looking

at the implications of antiretroviral treatments that the longest clinical trials with the new triple therapies have lasted only two years. Possible problems with resistance to the new therapies, already seen with monotherapies and bitherapies, have not been clarified, and more time may be necessary to indicate sustainability of clinical outcomes.

In addition, he said that triple therapy is expensive (\$1000-1500, £620-940 per month), beyond the financial means of many countries, and requires a rigorous regimen and high patient compliance in order to avoid the emergence of drug resistance. Not only are financial resources necessary, but also the ability to monitor tolerances, side effects, toxicity, and development of resistance, he said.

Dr Nakajima also emphasised that although the new triple therapy has been shown to reduce viral load to undetectable levels in blood and lymphatic tissue and increase survival, this should in no way be regarded as a method of prevention of transmission of HIV. No data exist to suggest that compliance with a new triple regimen ensures non-infectivity. □

Direct HIV testing of donated blood is inevitable

Adam Legge, *Newcastle*

The introduction of a polymerase chain reaction (PCR) test for HIV in donated blood products is inevitable, according to scientists at the National Blood Authority. They say, however, that such a move would result in a "quantum leap" in cost for doubtful benefit.

Testing directly for HIV, rather than the current antibody testing, would reduce the window of opportunity for missing infected blood from around three weeks to a matter of days. Three patients in northwest England recently contracted HIV infection from blood transfusions from a donor positive for HIV (26 April, p 1222). Retrospective testing of the donated blood confirmed it to be negative for HIV antibodies but positive for HIV with PCR testing. The donor probably became infected only days before donating blood.

Dr John Barbara, microbio-

logy consultant at the National Blood Authority, said that PCR testing for hepatitis C virus in pooled plasma products will be introduced next year as part of European legislation and that testing for HIV will almost certainly follow.

Various working groups are currently looking at using PCR to test for HIV. "The implications are enormous—it's a quantum leap not just in terms of cost but of organisation," said Dr Barbara. "It could be a huge amount of money for something that is going to produce a minimal reduction in risk."

He estimates that there is a residual risk with the current system of 1 in 2.5 million. The recent cases are the first time the virus has been passed on through donated blood since 1986, since when there have been an estimated 30 million blood donations. "Looking at

cost effectiveness, we have a very safe system," said Dr Barbara.

Professor Ian Franklin, national medical and scientific director at the Scottish National Blood Transfusion Service, said the introduction of PCR testing for HIV in the United States would cost an estimated \$96m (£60m) and prevent 24 cases of infection, although he points out that the incidence of HIV is greater there. "That works out at \$2m for each quality of life year gained, compared to \$3600 for antibody testing. I do not think that PCR detection of HIV is something we should rush into."

Both Dr Barbara and Dr Franklin believe that it is time for a radical rethink about how blood transfusion services are organised in Britain. One option might be autologous blood transfusion, whereby patients would be asked to donate their own blood before elective surgery. Professor Franklin said: "It has always been seen as too expensive, but it may now become cost effective." He added: "We must also look at ways of avoiding large transfusions, perhaps by using erythropoietin." □

Consultants snub BUPA's partnership plan

Linda Beecham, *BMJ*

Consultants have criticised the partnership arrangements proposed by BUPA, the independent health company and health insurer.

The BMA's private practice committee has advised doctors not to sign up with the partnership. And after conducting a poll of its members, the Hospital Consultants and Specialists Association called the proposals "unprofessional and an insult."

BUPA has offered doctors an annual 5% bonus on their private earnings if they agree to charge patients within a fee scale and treat them only in BUPA recommended hospitals (26 April, p 1285). It hopes that it can halt the rises in health insurance premiums charged to patients by increasing the number of patients treated in a limited number of hospitals and by ensuring stable treatment costs.

The chairman of the BMA's private practice committee, Dr Derek Machin, said: "In view of the threat to reduce the opportunities of treating BUPA-insured patients I think that consultants and specialists in each locality may find it reassuring to hold meetings to agree a common approach."

Dr Robin Loveday, the president of the Hospital Consultants and Specialists Association, said that his members were concerned that patients would not be treated at the hospital of their choice or where their chosen consultant might work and that the scheme would interfere with GPs' rights to refer patients to the most appropriate consultants. He said that consultants also objected to the offer of a 5% bonus in return for freezing their fees, which had not been increased for the past four years despite a 12% increase in costs.

BUPA's medical director, Dr Andrew Vallance-Owen, said, "The vast majority of consultants have everything to gain and nothing to lose by joining us in this partnership scheme." He said that more than 1000 consultants had contacted BUPA and only eight had rejected the scheme. □

Cockroaches blamed for high asthma rates

Zosia Kmietowicz, *London*

Cockroaches have been blamed for the rise of asthma among poor children living in cities in the United States, who are three times more likely to suffer from the condition than their suburban counterparts.

To try to explain the disproportionately high rates of asthma among inner city children researchers for the national cooperative inner city asthma study investigated the role of allergens among 476 children with asthma from eight inner city areas in the United States. They found that the children, whose average age was 6 years, were more likely to be allergic to cockroaches (37%) than to house dust mites (35%) or cats (23%). An examination of dust taken from the children's bedrooms showed that 50% had high concentrations of cockroach allergens compared with

Cockroaches are an important source of allergy

10% with high amounts of house dust mites and 13% with cat allergens.

After controlling for behaviour and family history of asthma, the investigators found that children who were both allergic to cockroaches and exposed to high concentrations of the allergen needed to be admitted to hospital three times more often than the others. They also had twice as many unscheduled visits to the doctor plus more days of wheezing, days off school, and nights with lost sleep, and their carers

had to take time off to look after them more often. No such association was found with either house dust mite or cat allergy.

Reporting their findings in the *New England Journal of Medicine* (1997;336:1356-63), the researchers conclude that cockroaches are an important source of urban allergy which causes excess asthma symptoms among inner city children. Strategies to reduce the numbers of cockroaches may help thwart asthma symptoms in these children, they suggest. □

Size of moles linked to melanoma risk

Norra Macready, *California*

The size, type, and number of moles on a person's skin may reflect his or her risk of melanoma, according to researchers. They say that this relation could help doctors to identify high risk individuals and design better programmes for detecting melanoma, which is highly curable in its early stages.

The investigators interviewed 738 consecutive patients with newly diagnosed melanoma identified at two melanoma centres in the United States between 1 January 1991 and 31 December 1992, as well as 1030 controls (*JAMA* 1997;277:1439-44). All of the subjects were interviewed; had a complete skin examination, with photography of the most atypical naevi; and, if the patient was willing, had a biopsy

specimen taken from the most atypical naevus. To be considered dysplastic, the naevi had to be larger than 2 mm and have at least two of the following features: variable pigmentation; irregular, asymmetric outline; or indistinct borders.

Examiners, blind to each patient's status and original diagnosis, evaluated the photographs of the naevi. These doctors agreed on the nature of the naevi on average 87% of the time.

The authors found a strong association between melanoma risk and the number of clinically dysplastic, large non-dysplastic, and small naevi on a person's body. The presence of clinically dysplastic naevi in particular suggested an especially high melanoma risk, with a single such lesion raising the risk twofold. In people with 10 or more dysplastic naevi, the risk rose to 12-fold. Even the subjects who did not currently have dysplastic naevi but who had them on previous biopsy specimens, had a significantly increased melanoma risk.

Age seemed to be another

NATIONAL MEDICAL SLIDE BANK

Evaluating moles can help to identify those at risk of melanoma

risk factor. The association between the number of naevi and the melanoma risk was particularly strong in people aged over 50. According to the investigators, naevi usually decrease with age but tend to persist in adults who have dysplastic naevi. Still, even dysplastic naevi disappear or differentiate over time, so peo-

ple who still have them after the age of 50 may be those who have an especially high risk of melanoma.

Darrell Rigel, associate professor of dermatology at New York University School of Medicine, said: "The ability to focus educational and other efforts on this high risk subset will pay dividends

Focus: Westminster

Labour finds power is heaven on earth

John Warden,
parliamentary correspondent, BMJ

"Small earthquake, not many dead" best sums up the British general election of 1997. Although it swept the Conservatives from power and installed a Labour government with an unassailable majority, the political landscape remains remarkably stable.

The outcome has been accepted with equanimity all round. The electorate is quietly pleased. The civil service is revitalised. And the Conservatives have taken their defeat, the worst for 165 years, with stoicism. As Virginia Bottomley, a former health secretary, put it, they are like survivors from the Titanic.

The Labour party, out of office for 18 years, is still dazed by the scale of its achievement.

The new government's majority alone, at 179, is larger than the total of 165 Conservative MPs elected. It is in an impregnable position, which one ecstatic minister likened to being in heaven without having to die first.

Nevertheless, they will come down to earth soon enough. And it may be that the cause of the crash landing will be the parlous state of the NHS. The incoming secretary of state, Frank Dobson, whose first surprise was to find himself in the job at all, rapidly experienced two more. The first was that Labour's election pledge to take 100 000 patients off hospital waiting lists is a non-starter. The number of patients on waiting lists is rising faster than the number of extra patients he plans to have treated. Don't expect much rhetoric about shorter waiting lists for a while.

The second hole to appear in Labour's manifesto is the black one of NHS funding. This time, it seems, the wolves really are at the door. Officials have

warned Mr Dobson of a potential service collapse next winter (p 1433). Their worry is that the new government is committed to work within the departmental spending ceilings set by the Conservatives. These project new funding for the NHS to drop by one third in each of the next two years. The chancellor, Gordon Brown, who has ordered a fundamental review of public spending, has two chances to rescue the NHS: either in the midsummer Budget or in the public spending round which follows.

Mr Dobson, meanwhile, presses on with manifesto commitments. He has signalled an early attack on "two tierism" and means to clip the wings of GP fundholders. A series of pilot projects will explore GP commissioning and how to dismantle the internal market, in advance of legislation. By far the boldest move comes with the appointment of a minister for public health, Tessa Jowell. Allied to this is more clout for the chief medical officer, Sir Kenneth Calman, in

determining health policy (*BMJ* 1996;312:998). A shake up inside the department of health will acknowledge his new independence.

These moves chime in with the manifesto's recognition that poverty, poor housing, unemployment, and pollution have an impact on health. Ms Jowell's public health remit therefore extends over the whole of Whitehall. She carries the prime minister's personal authority that what she says goes ("of course it impacts on health if you sell off school playing fields and there's too little physical education").

Action has been initiated to ban tobacco advertising. A central role will be found for the health education authority, marginalised under the Tories. Labour is thereby shifting the emphasis on the health of the nation away from reliance on individual responsibility, as advocated by the Conservatives, to collective government action. Under new Labour, the department of health is the last outpost of socialism. □