Cardiologist admits research misconduct

Clare Dyer, legal correspondent, BMJ

A £2m libel action brought against Channel 4 by a former consultant cardiologist at one of London's leading teaching hospitals collapsed last week after he admitted that errors in scientific papers coauthored by him appeared to be "more than an honest slip of the pen."

Dr Peter Nixon, a consultant at Charing Cross Hospital until his retirement six years ago, withdrew his action and agreed to pay £765 520 in costs to Channel 4, which he claimed had branded him a charlatan, unfit to practise medicine.

In a comprehensive climb-down, he also agreed to the disclosure of all documents in the case to the General Medical Council—unless he voluntarily retires from practice in the meantime—and not to take legal action if the allegations are repeated by Channel Four, the producer and journalist Duncan Campbell, or his production company.

Dr Nixon, who claimed that hyperventilation could cause a

range of illnesses, including many heart attacks, Gulf War syndrome, post traumatic stress disorder and premenstrual tension, sued Channel Four, Mr Campbell, and his company Investigation and Production (TV) Limited over the programme "Preying on Hope," broadcast in February 1994. The programme secretly filmed and recorded a consultation with an AIDS patient, Ian Hughes, who died in 1996.

Dr Nixon told Mr Hughes that his fatigue was caused by hyperventilation, not AIDS, and prescribed an antihistamine and diazepam. The programme alleged that he had "rigged" the results of a breathing test by telling Mr Hughes to get "hugely angry, frustrated, trapped" while on the capnogram.

Dr Nixon, aged 71, who practised from private consulting rooms in Weymouth Street, outlined his theories in a series of articles in medical journals. His views were promoted in the *Sunday Times* by the then medical

correspondent, Neville Hodgkinson, who wrote a front page article in 1988 claiming that Dr Nixon had diagnosed chronic hyperventilation in all of 20 chronic fatigue syndrome patients referred to him. Patients diagnosed as having chronic hyperventilation were treated by a course of diazepam to induce sleep, followed by physiotherapy and breathing training.

Admitted errors

Dr Nixon pulled out of the libel action after he was cross-examined by Channel 4's QC, Desmond Browne, over a series of papers published in the *Journal of the Royal Society of Medicine*. He admitted that the articles contained a number of errors and said he had not written or in some cases even read all the papers which bore his name. The papers had not been peer reviewed to his knowledge, Dr Nixon said. He conceded under cross-examination that he had "no honest grounds" for claims that a "hypnotic challenge" test for diagnosing chronic hyperventilation was a reliable test. He also agreed that he reached a false conclusion in claiming that the "think test" he devised, in which patients were told to think about anger or other negative emotions, was more effective than the standard forced hyperventilation provocation test. He did not know how the errors had come about.

In a paper reporting on two groups, patients and controls, who were given the test, Dr Nixon appeared to apply different percentage criteria to controls and patients, Mr Browne suggested. Dr Nixon agreed: "At the moment I cannot think of another explanation."

Asked whether the errors were not "so extensive that they could not simply be an honest slip of the pen," he answered: "It appears to be more than an

honest slip of the pen."

Mr Browne suggested it was dishonest because applying different criteria to the patients and controls would make the difference between the two groups appear the greater. "Is there any other explanation for that other than scientific fraud?" he asked. Dr Nixon replied: "Carelessness." He acknowledged that it "looked rather suspicious" that three patients of 27 reported on in a *Journal of the Royal Society of Medicine* paper had been removed when he later reported the same study in the *American Journal of Clinical Hypnosis*. He conceded that this invalidated the results published in the latter journal, which had not been told about the earlier paper. Dr Nixon wrote a series of letters in the *BMJ*, the *Lancet*, and other journals, claiming to have found "effort syndrome" in all or virtually all of the patients who consulted him with diagnoses of chronic fatigue syndrome. But he failed to mention that there was a 55% false positive rate in asymptomatic controls.

No informed consent

He also admitted that at Charing Cross and in private practice, he had carried out exercise tests and other diagnostic tests which could be dangerous and in some circumstances be fatal, without explaining the risks and getting patients' informed consent, and had not sought the approval of Charing Cross's ethics committee. Part way through his cross-examination, Dr Nixon's lawyers told the Judge, Mr Justice Morland, that he was not fit to continue giving evidence and produced a neurologist's report and later two psychiatrists' reports.

The settlement leaves the Medical Defence Union, which backed Dr Nixon, facing a bill estimated at nearly £2m, including its own costs. □

The United States president, Bill Clinton, has made a formal apology to black Americans whose syphilis was left untreated as part of a medical experiment. The Tuskegee syphilis study began in 1932 and was not stopped until 1972 after an exposé by the Associated Press news agency. The episode made many black Americans suspicious of the healthcare system (8 March 1997, p 696).

In brief

Seven candidates for WHO leadership:

Seven candidates are in the race to succeed Dr Hiroshi Nakajima as director general of the World Health Organisation. The frontrunners are Gro Harlem-Brundtland, the former prime minister of Norway, and Dr Nafis Sadik of Pakistan, head of the United Nations Population Fund. Other candidates are Dr Arif Bataineh, former Jordanian health minister; Sir George Alleyne of Barbados, director of the WHO's regional office for the Americas; Dr Fernando Antezana Aranibar of Bolivia, a WHO deputy director general; Dr Uton Muchtar Rafei of Indonesia, regional director for south east Asia, and Dr Ebrahim Samba of Gambia, regional director for Africa.

New head of King's Fund:

Rabbi Julia Neuberger will succeed Robert Maxwell as chief executive of the King's Fund when he retires later this year. Julia Neuberger is chairman of Camden and Islington Community Services NHS Trust and a fellow of the King's Fund Management College.

No more fundholders in Britain:

The health secretary, Frank Dobson, announced in the House of Commons that he will defer all further entrants to the eighth wave of fundholding, which was due to take place in July.

Local pay for nurses to be scrapped:

The British health secretary, Frank Dobson, said that he will ask the review bodies to recommend a national pay award. He told nurses that local pay is unpopular and divisive and has failed. However, the government has warned that it will be tough on public sector pay.

Performance procedures will not be retrospective:

The General Medical Council cannot take into account any evidence of a doctor's poor performance before the new performance procedures are introduced. Under these procedures the council will assess whether a doctor's pattern of performance is seriously deficient and will recommend changes, supervision, or further training.

Britain declares war on smoking

John Warden,
parliamentary correspondent, BMJ

A concerted programme of action to reduce smoking in Britain, with a ban on tobacco advertising, was among proposals by the new Labour government in the Queen's speech at the opening of parliament last week.

But the process is less straightforward than was thought. No timing for the advertising ban was given other than that it will become effective by the end of the parliamentary session in 18 months' time. Meanwhile, a white paper this summer and a draft bill are seen only as preliminary moves in the government's war on smoking. It is to convene an early seminar of international experts to explore a wide range of possible measures to reduce tobacco consumption.

Mention of a draft bill implies use of a special procedure, with evidence being invited from outside interests before the bill is finalised.

The government announced this week that sports sponsorship by tobacco companies will be phased out to reduce the impact of its removal on sporting events, from snooker to grand prix racing. Health secretary Frank Dobson said the sports would be given time and help to reduce their dependency on tobacco and replace it with sponsorship from more benign sources. He said that sports must

SPORTING PICTURES (UK) LTD

Tobacco sponsorship of sport will be phased out

recognise that by helping to promote smoking they were harming the health of many of their spectators.

Mr Dobson rejected claims by the tobacco industry that advertising was not designed to promote sales. The industry killed 120 000 of its own customers every year, so it had to advertise to recruit 120 000 new smokers to its ranks each year. The Public health minister, Tessa Jowell, said it was the combined impact of a range of measures rather than any single one that would reduce the rate of smoking, illness, and death.

Other health aspects in the Queen's speech were also imprecise on timing. It referred only to "new arrangements for decentralisation and cooperation" and for ending the internal market. There will be a white paper before possible legislation. Improving the NHS as a service providing care "on the basis of need to the whole popu-

lation" confirms the stated aim to tackle the two tier effect of GP fundholding. Replacing it with locality commissioning, introducing long term planning, and reducing bureaucracy will shrink the internal market. Local pilot schemes will prepare the way.

Although the government's aim is to treat 100 000 more patients with money saved, there is no further mention of reducing waiting lists by that number. The prime objective is now to cut waiting times for cancer treatment.

A bill has been introduced to clarify the legal right of NHS trusts to enter into contracts under the private finance initiative. This removes a technicality which has halted hospital building schemes under the initiative. It gives the health secretary power to certify a contract under the initiative if it meets the criteria set out in the legislation. Two large schemes are now set to go ahead in Norwich and Dartford. □

Learning to break bad news

Linda Beecham, *BMJ*

Doctors need better training in communication skills, particularly when they have to break bad news to patients, according to a report from the Royal College of Physicians. Training should start at medical school and be woven through the whole curriculum rather than taught as a separate subject.

In its report *Improving Communication Between Doctors and Patients* the college says that special attention needs to be

given to communicating with patients who are old, very young, mentally ill, or from different cultural backgrounds.

When it comes to breaking bad news the report says that the way in which patients are told about life threatening illnesses may have adverse effects on their psychological health. It recommends looking at the techniques of other groups such as bereavement counselors and Macmillan nurses. The report includes a list of "dos and don'ts" when communicating bad news. Doctors should not give more information than the patient needs or is asking for, and they should not talk from the end of the bed with

one foot in the door. On the other hand, doctors should watch for non-verbal messages and realise that most patients become aware of their situation gradually rather than in a one off confrontation.

Many patients' complaints are due to poor communication between doctors and patients, and this leads to frustration, dissatisfaction, and anxiety. The report says that many complaints could be resolved by early, frank, and open discussion and that a doctor who says that he or she is sorry that a patient has suffered is not admitting liability and should not fear possible litigation by simply expressing sympathy. □

Australian doctor builds "coma machine"

Christopher Zinn, *Sydney*

The Darwin GP who has legally helped three patients to die is building a "coma machine," which would allow terminally ill people to administer enough drugs to keep them comatose until they die.

Dr Philip Nitschke said that the proposed device, which he described as "slightly macabre," would give a legal alternative to those who were now unable to access euthanasia after the senate last month quashed legislation on mercy killing.

Northern Territory police are currently investigating the death

of former nurse Esther Wild last month. She was 56, had stomach cancer, and was a patient of Dr Nitschke; she died after spending four days in a drug induced coma.

South Australia's director of public prosecutions, Mr Paul Rolfe, claimed that the doctor had made a "technical confession" of murder after he unveiled details of the prototype coma machine at an Adelaide press conference. But he added that a jury was unlikely to convict him.

Dr Nitschke has given a detailed account of Ms Wild's

death and said that he had done nothing wrong because he was treating her chronic pain. It was while treating her that he came up with the idea of a device to prevent patients ever waking up from a coma. "It is legal—we will push it along those lines. If it is not legal let's find out in the courts," he said.

The device works by linking the patient's level of brain activity to a constant drug infusion of morphine for pain relief and midazolam for sedation. Any sign of the patient waking and the machine boosts the dosage automatically. A patient would be able to dial in his or her desired level of consciousness from shallow consciousness to being totally comatose.

He claimed that the device would do only what many doc-

tors already did. "It will provide patients with the guarantee that they will not wake up and that if they ever look like waking up, it will be sensed and more drugs at a faster rate will flow into them," he said.

Adelaide bioethicist Dr John Fleming said that the prototype was really a "homicide machine" as it was designed to cause a patient's death. The president of the Palliative Medicine Society, Professor Peter Ravenscroft, said that the machine was about putting patients into pharmacological oblivion and not resolving their problems. "Palliative care is not about consciousness, it's about helping people to live in the period before they die. It involves good pain relief, symptom control, and the resolution of difficulties," he said. □

Woman dies two months after food withdrawal

Zosia Kmietowicz, *London*

The death of an 85 year old woman two months after her doctor ordered withdrawal of her feeding supplements has reopened the debate about assisted deaths. The Voluntary Euthanasia Society asks why doctors are allowed to stop treatment to hasten death but patients are unable to request a lethal injection.

May Ormerod died in August 1995 weighing less than 25 kg after Dr Ken Taylor instructed nurses at Oxford House in Preston to stop feeding her the liquid food Fresubin. Mrs Ormerod had had a series of strokes since 1987, which had left her weak, semiconscious, and with little movement. After a stroke in September 1994 Mrs Ormerod's daughters had begged Dr Taylor to stop feeding her Fresubin to prevent her suffering any longer. Dr Taylor judged that at the time Mrs Ormerod was too weak to stop feeding, but by June he believed that her condition had deteriorated and because her life expectancy was poor instructed nurses to cease her feeds.

A nurse reported her concerns about Mrs Ormerod at the time of her death. Although Dr

Taylor was arrested on suspicion of murder, the case was dropped by the director of public prosecutions after a seven month investigation.

The Lancashire county coroner, Howard McCann, ruled that Mrs Ormerod's death was due to natural causes after the withdrawal of food supplements. A postmortem examination showed malnutrition contributed to her death from bronchial pneumonia.

Professor Stuart Horner, chairman of the BMA's ethics committee, said that treatment should be withdrawn only with the authority of a court ruling. "If the patient is competent then he or she can make the decision or if there has been an advanced directive then a court does not have to get involved," he commented. "In the case of feeding a high nutrient food in the normal way [as in this case]—not through a gastric tube or vein—then patients should be exposed to the temptation [of food] every 4 hours, although they do have the right to refuse it."

Meredith MacArdle for the Voluntary Euthanasia Society said: "[This case is] passive euthanasia, which does not guarantee patients the death they want. It can take several weeks to die, which is not quick." The society wants to see clarification of the law. "Why can't patients request a lethal injection or be supplied with an overdose to bring about death quickly?" said Ms MacArdle. □

Hospitals vary widely in their use of invasive devices

Invasive devices increase risk of infection

Stephanie Swafford,
Clegg scholar, BMJ

A patient is seven times more likely to acquire an infection in hospital if an invasive device is used, according to a report from the Public Health Laboratory Service.

Invasive devices such as urinary catheters or intravenous lines are used increasingly often, and the report found wide variation between hospitals in the use of such devices and in the incidence of infection.

Data for the report Hospital Acquired Infection were collected from 19 hospitals in England and Wales which were

clinically audited for infection control activity. Results of the three year study showed over 2000 hospital acquired infections in over 80 000 admissions, giving a rate of nearly three infections for every 100 admissions. Rates of infection for intensive care units, where invasive devices are used more frequently, were nearly 20 for every 100 admissions.

There is great disparity among hospitals in the use of invasive procedures. For example, the percentage of women undergoing gynaecological procedures who have a catheter inserted varies from 20% to 72%, depending on the hospital.

"Clearly such devices should be used with restraint," said Professor Alan Glynn, study leader and former director of the Public Health Laboratory Service's central public health laboratory. □

US senate likely to ban controversial abortion procedure

Norra Macready, *California*

The acrimonious debate over abortion in the United States has reignited in recent weeks over the issues of so called late term and partial birth abortions.

Three senators proposed two measures designed to limit a woman's access to abortions performed after the fetus has become viable, with some exceptions if the mother's health is in danger. Last Thursday the senate rejected both of those bills by wide margins.

These bills, backed by President Bill Clinton, were intended as a compromise in an effort to derail a Republican backed bill that would allow no exemptions and explicitly ban "intact dilatation and extraction" (which is

usually performed late in the second trimester and entails breech extraction of the fetus apart from the head followed by partial evacuation of the intracranial contents to effect a vaginal delivery of a dead but otherwise intact fetus). The House of Representatives has already approved the measure, which now awaits the senate vote.

Late term abortion usually refers to abortions performed after the 24th week of pregnancy. The American College of Obstetricians and Gynecologists states that only 0.08% of the abortions performed in the United States occurred after this point in 1992, the latest year for which figures are available.

Last week the American

Medical Association approved a report stating that there were no circumstances in which intact dilatation and extraction was necessary. However, Professor David Grimes, vice chairman of obstetrics and gynaecology at the University of California, San Francisco, maintains that late abortions are necessary in rare instances. For example, he described a case in which a woman developed severe, potentially lethal pre-eclampsia that was not detected until her 24th week, making her unable to continue her pregnancy to term. He performed an intact dilatation and extraction within a few minutes, with little blood loss to the patient.

The senate is expected to approve the bill outlawing intact dilatation and extraction this week. However, President Clinton has promised to veto the law unless it contains exceptions for women whose lives or health are threatened. □

GPs prepare shopping list for new government

Linda Beecham, *BMJ*

Representatives of Britain's GPs believe that they now have an opportunity to help set an agenda for the future of general practice with the new Labour government.

The health secretary, Frank Dobson, told representatives of the BMA and the Joint Consultants Committee last week that the government had no fixed policies and was "in listening mode," that it wanted minimal change and "to go with the grain of professional opinion," and that it would not lay down the law. Mr Dobson recognised that GPs were sick of revolution.

These remarks have encouraged the General Medical Services Committee to prepare a portfolio of the topics it wants its leaders to raise at an early meeting with the minister responsible for general medical services, Alan Milburn. Top of the list is the need to reverse the fall in GP recruitment and retention. The committee wants to discuss how to encourage more graduates into general practice; extending the preregistration house officer experience in general practice; extending work-force flexibilities such as those in the London Implementation Zone to other health authorities; and commissioning research into recruitment.

GPs welcome the intention to abolish the internal market and two tierism but are worried that the restructuring of GP commissioning might diminish their purchasing power. The chairman of the GMSC, Ian Bogle, will press for GPs to choose their degree of participation in commissioning patient services and for those doctors who want to hold a devolved budget to be allowed to do so, provided that the budget is equitably determined. The GMSC wants the improvements brought about through commissioning and fundholding maintained and extended to all patients.

The government will also be asked to slow down the pace of the implementation of the NHS (Primary Care) Act. □

WHO calls for tighter controls on Internet

Judy Siegel-Itzkovich, *Jerusalem*

The World Health Organisation has called on its member nations to close a loophole on the control of prescription drugs that has been opened up by the Internet.

At its recent 50th world health assembly in Geneva the WHO passed a resolution expressing concern about the advertising, promotion, and uncontrolled sale of medical products by electronic communication and urging a global battle against this growing phenomenon.

The Internet bypasses national drug monitoring bodies, which test imported medical goods and reject those that are unapproved, unevaluated, fraudulent, unsafe, or ineffective. The WHO declared that ordering medical products over the computer network may endanger public health as well as pose a risk to individual patients. It called on member states to boost cooperation among pharmaceutical companies, the police, and the business community. Obtaining medicines through the Internet is easy. A growing number of

The Internet bypasses drug monitoring bodies

commercial sites are selling over the counter or prescription drugs, including anti-aging hormones, antibiotics, and insulin. A customer provides a credit card number and a package is sent to his or her home or to a nearby post office without any counselling on the drug's appropriateness or use.

International regulations require drugs to be declared at the post office to which they are sent, but some companies dispatch packages unmarked, and in most countries only a few of them are checked by customs authorities.

The WHO's drug safety director, Martign ten Ham, said that his office had recently caught four companies selling prescription drugs on the Internet without providing detailed information; among them were anti-acne drugs that could cause birth defects, toxic chemotherapy drugs, and "morning after" pills. Dr ten Ham said that the quality assurance of drugs sold over the Internet was not guaranteed and that some of the medicines could be ineffective counterfeit versions that patients are tricked into believing are genuine. □

High amounts of chemicals found in breast milk

Jacqui Wise, *BMJ*

Breast fed infants are receiving up to 17 times the tolerable amount of dioxins and polychlorinated biphenyls (PCBs), according to a report submitted to the Department of Health.

High intakes of dioxins and PCBs have caused a wide spectrum of toxic effects in laboratory animals, including cancer and effects on the reproductive and immune system. The World Health Organisation set a tolerable daily intake in 1990 by determining the maximum dose which does not cause adverse effects in laboratory animals, and then extrapolating the figure for humans and applying a large safety margin.

However, the chief medical officer, Sir Kenneth Calman, said that as the tolerable level is based on lifetime exposure to these pollutants, there was no threat to human health and mothers should still be encouraged to breast feed.

The Committee on Toxicity of Chemicals in Food, Consumer Products, and the Environment also found that infants and young children who take certain bottled fish liver oils may also exceed the tolerable amount of PCBs and dioxins. The Department of Health said

that fish liver supplements were unnecessary for children under 4 years old who are receiving a varied diet, but mothers could switch to fish oil capsules which did not pose any risk.

PCBs are a group of more than 200 related compounds which have been used since the early 1930s, mainly in the manufacture of electrical equipment. Both PCBs and dioxins are resistant to degradation and are widely present in the environment and foods in small amounts. They are highly fat soluble and accumulate in adipose tissue. They can also pass through the placenta and are excreted in breast milk.

The report, carried out as part of a wider World Health Organisation survey, found that the daily estimated dietary intakes of dioxins and PCBs by breast fed infants in 1993-4 was 170 pg per kg body weight at 2 months and 39 pg per kg body weight at 10 months. Both figures are higher than the tolerable daily intake recommended by the WHO—10 pg per kg body weight a day.

Dietary intakes of chemicals for adults have fallen substantially between 1982 and 1992 and are well below the tolerable amounts. Dioxin concentrations in human

RON SUTHERLAND/SP

Mothers should still be encouraged to breast feed

breast milk have also fallen, but whether concentrations of PCBs are rising or falling is not known as they were not measured in 1982.

The survey included samples of human milk from 63 mothers at three different sites. However, because the data were pooled for analysis it is not known whether some women had extremely high concentrations of the chemicals in their milk while others had none. The Department of Health announced that it is to set up a breast milk archive to collect and analyse individual samples of human milk over the next five years.

The third North Sea confer-

ence in 1990 agreed to phase out and destroy remaining identifiable PCBs by the end of 1999. Julie Shepherd from the Consumers Association said: "We wouldn't have a dilemma surrounding PCBs in breast milk if the issue of PCBs in the environment had been adequately dealt with in the first place. We need decisive action from the Department of Environment and for it to keep its promises."

The Royal College of Midwives, the Community Practitioners and Health Visitors Association, and the Consumers Association all urged mothers to continue breast feeding because the benefits far outweigh any theoretical risks. □

India protects jobs of people with HIV infection

Ganapati Mudur, *New Delhi*

An Indian court has moved to protect the employment rights of people who are HIV positive at a time when doctors are worried that the infection has spread beyond high risk groups into the wider community.

In a landmark judgment the Bombay High Court has ruled that employees cannot use HIV seropositive status alone to deny or terminate employment. The court has allowed employers, however, to ask staff who are HIV positive to undergo medical tests to determine whether they are fit to perform all work related tasks.

In a case where an unskilled

worker had challenged his dismissal after he was found to be HIV positive, the court ruled that denying the opportunity of employment to the worker was arbitrary, unjust, and unlawful. The court ordered the employer—a public sector corporation—to compensate the employee with an amount equivalent to the wages lost and give him back his former job.

The court rejected arguments that employers need not recruit HIV infected people because their health was almost certain to deteriorate and they were unlikely to serve the

employers from appointment to retirement. The court said the state and public sector corporations could not take the "ruthless and inhuman stand" that they would not employ a person unless they were satisfied that the person would serve during the entire span of service. The state could not be allowed to condemn people with HIV infection to certain economic death even before they die from the illness, the court said.

Noting that people infected with HIV are vulnerable to opportunistic infections, the court granted that employers can legitimately insist on medical tests to ensure that they do not pose health hazards to others in the workplace. It said that competent medical experts would have to take these decisions for each individual case.

Surveillance experts say that the judgment comes at a time when HIV infection has moved beyond commercial sex workers and professional blood donors and spread into the community, affecting the workforce. "HIV infection is now being propelled within the community among skilled workers, students, and housewives," said Subash Hira, professor of infectious diseases at the University of Texas in Houston and director of the AIDS Research and Control Centre in Bombay.

India has one million HIV seropositive cases, and doctors expect this number to rise to at least 10 million by the year 2000. Doctors treating AIDS in India have reported that most patients are aged 18 to 45 years, potentially the most productive years. □

Romania plans tough antismoking laws

Tudor P Toma, *Romania*

The Romanian government is planning far reaching legislation against smoking, including a ban on smoking in public places and even while driving. In Romania some 46% of men and 15% of women smoke, and smoking is still seen as harmless and fashionable.

Under the plans put forward for public debate anyone found smoking in a public place could be fined 25% of their monthly income. A public place is defined as town centres, state institutions, restaurants, cultural and sports institutions, and all workplaces. Smoking in institutions would be allowed only in special designated places, which must display anti-smoking posters and for which an access charge would be payable.

One of the most controversial proposals is the banning of smoking while driving. Police would be able to stop a driver seen smoking and give a maximum fine equivalent to £100 (\$160). The average monthly income in Romania is £75, and a packet of cigarettes costs £1.

The plans also propose measures against teenage smoking. Smoking in schools by both students and teachers would be forbidden. If a student was caught smoking he or she could be expelled, and teachers who smoke would have their earnings reduced by 25%.

Television advertising of tobacco is still unregulated in Romania. Most films shown on television are paid for by tobacco companies who advertise at the beginning and end of the film. Under the new proposals any form of direct or indirect tobacco advertising would be banned.

Romania, with its population of 23 million, represents a big market for the tobacco companies, and they are expected to

In Romania 45% of men smoke

lobby hard against the adoption of these proposals. In addition the tobacco industry is an important source of income to the national budget, and it may be that Romania cannot afford to carry out such restrictive policies.

Professor Paul Stoicescu, the director of the Romanian National Institute of Pulmonary Diseases, who put forward the

proposals to parliament, remains optimistic. "In the end this law will save money by reducing disease and medical expenses. We have at least two colleagues in the parliament who are chest physicians, and I am sure they will explain the importance of the law to their fellow MPs. We expect the project to be passed as a law by the end of this year." □

Focus: Brussels

New Labour, New Europe

Teresa Coghlan,
BMA European Liaison Officer

Four events have come together in a short time which might have the biggest impact on European health policy since the European Union first became explicitly responsible for health in the Maastricht treaty. These events are the election of a Labour government in Britain, the intergovernmental conference that is currently negotiating changes to the treaty, the fallout from the crisis over bovine spongiform encephalopathy (BSE), and the development of a second overall plan for action on public health under the existing provisions of the Maastricht treaty.

An early step of Britain's new government has been to signal a radical change in Britain's attitude to Europe. The prime minister has stated that he will sign up to the European

social chapter, while Robin Cook, the foreign secretary, has reinforced this message in contacts with his European counterparts. Within days of taking office he has already had discussions with Paris and Bonn on banning landmines. In Brussels and elsewhere there is optimism about working with an administration that is eager to negotiate constructively. Britain will probably now take its rightful place in providing a lead in many European discussions rather than lagging behind.

Britain's government has also appointed, for the first time, a minister for public health. With the country's long history of health promotion the new minister should be in a strong position to play a leading role in the discussions that are just starting about a new overall plan for public health and on extending the union's responsibilities for health. The opportunity is there to develop effective health policies in both Britain and Europe; it remains to be seen whether this will happen.

Independently of the recent

election in Britain, health has been rising fast up the European Union's political agenda—again for reasons to do with Britain. The crisis over BSE has prompted a resurgence of interest in health issues among all member states. One direct outcome has been the restructuring of responsibilities for food safety (22 February, p 540), but the crisis has also had wider, indirect effects.

When the intergovernmental conference on renegotiating the Maastricht treaty first opened in March last year rumours were circulating that health might be dropped as a union responsibility in any new treaty. The fact that the conference's opening coincided with the British government's announcement of a possible link between BSE and Creutzfeldt-Jakob disease—and that the mad cow story has unfolded as the conference has deliberated—has meant that any thought of dropping health has been abandoned. Indeed, member states and others are now falling over each other with proposals for amending and strengthening the union's

responsibility for health.

Finally on the health front, health ministers will meet on 5 June to discuss the initial ideas for developing the second framework of action on public health. This is the second five year plan under the health provisions of the Maastricht treaty (the first runs out in 2000). Although it is being drawn up within the provisions of the existing treaty, the fact that heads of state will meet just 10 days later in the hope of signing a new treaty—one that may extend union responsibilities for health—should offer an opportunity to those who want to push health further up Europe's political agenda. Most Europeans who die prematurely do so from cancer related illnesses, yet Europe still provides massive subsidies for tobacco growers, and there is no ban on tobacco advertising across Europe.

The events of recent days and the coming months provide a unique environment for the union to make a real impact on health. This is also an opportunity for Britain to take a leading role. □