Tobacco industry memo reveals passive smoking strategy

Simon Chapman, *Sydney*

A leaked industry memo promises to blow apart the facade that the tobacco industry carries out neutral research into passive smoking. The memo plainly sets out the details of the Philip Morris company's world-wide strategy to "coordinate and pay so many scientists on an international basis to keep the environmental tobacco smoke controversy alive."

The memo, which is dated February 1988 but has only recently come to light, describes a joint meeting in London of representatives from several of the world's major tobacco companies. Written by Dr Sharon Boyse of British American Tobacco, the memo reveals Philip Morris as very particular about the sort of scientist it headhunts. Not for it the scientists at the cutting edge of research into passive smoking; instead, "the consultants should, ideally, be scientists who have no previous association with tobacco companies and who have no previous record on the primary issues." A list of British suggestions is given in the memo.

Although it is hardly surprising to learn that "obvious anti-smokers or those with unsuitable backgrounds are filtered out," the conditions under which the relationships proceed destroy any pretence at scientific neutrality. Potential candidates are first contacted by tobacco industry lawyers and asked oblique questions about their interest in "problems of indoor air quality." If the scientists take the bait, the real agenda on passive smoking is then introduced. The memo then explains that "Philip Morris then expect the group of scientists to cooperate within the confines of decisions taken by Philip Morris scientists to determine the general direction of research, which apparently would then be filtered by lawyers to eliminate areas of sensitivity."

The memo also suggests that once a scientist crosses over to the tobacco industry, the cheques can just keep coming. With regard to a British professor, the memo explains that the British Tobacco Advisory Council "should continue to support him because it could be problematic to withdraw support from a scientist who has been sympathetic to the industry." We learn that Philip Morris was "putting vast amounts of funding into these projects" and that it was seeking support from the other companies.

The memo lists most regions around the world as potential recruiting grounds for scientists. In Australia Philip Morris is one of the companies that supports the Tobacco Institute. In 1994 the institute commissioned Dr Julian Lee, currently New South Wales's president of the Australian Medical Association, to convene a group of eight researchers and statisticians to review the evidence on passive smoking. Their report was to be submitted to an inquiry into passive smoking being undertaken by the National Health and Medical Research Council. It concluded that the evidence against passive smoking was weak.

Funding not disclosed

An Australian Medical Association rule states: "If a doctor has accepted funding from a tobacco company, then it is mandatory that both the amount and the precise source of the funding are detailed in the preamble to any presentation of material developed as a result of the funding." Despite this, the exact slice of the "vast amounts of funding" available was not stated in the report and has not been disclosed since. When asked on the radio, "How much did they pay?" Dr Lee replied vaguely: "Oh it cost a fair bit of money ... but I can't tell you

Tobacco companies are experiencing a drop in sales

—I don't really know what the total cost was."

The Philip Morris specification that recruited scientists should "have no previous record on the primary issues" bears a remarkable correspondence to the publishing backgrounds of the group that Dr Lee convened. With the exception of one—who later distanced herself from the report—a Medline search revealed that none had anything remotely approaching a serious track record in epidemiology, passive smoking, or any form of tobacco research. Indeed, several had published nothing in any of these fields.

Last year, the Tobacco Institute took the National Health and Medical Research Council to the federal court. Using administrative law, it challenged the process used by the council's working party on passive smoking in considering submissions put to it by the institute and those it had commissioned. Justice Finn found in favour of the Tobacco Institute, and the massive report produced over two years remains in mothballs. Despite expert testimony from Sir Gustav Nossal, former head of the Walter and Eliza Hall Institute, Justice Finn ruled that the working party had

erred in law by deciding to consider only epidemiological research that had been peer reviewed. The council was required to show it had considered equally all material submitted to it, regardless of the quality. As Sir Gustav Nossal had argued was normal practice in science, the working party had instead concentrated on research published in peer reviewed journals.

The court victory has bought the tobacco industry some precious borrowed time in its determination to stave off workplace smoking bans. In 1996 Australians smoked around 28.1 billion cigarettes. Despite population growth, this was 6.5 billion less than in 1989. Concern about passive smoking is contributing to the massive drop in sales that gets worse each year. The report by Dr Lee played a small part in "keeping the controversy alive." Whatever it cost, it was doubtless money well spent. (See p 1572.) □

The full text of the memo is at www.gate.net/~jcannon/documents/880217b1.txt.

Simon Chapman was a member of the National Health and Medical Research Council's working party on passive smoking.

In brief

British nurses vote against admitting families into emergency room: The Royal College of Nurses voted at its annual conference to oppose allowing relatives to witness resuscitation attempts. A working party from the college and the British Association of Accident and Emergency Medicine had recommended that it was good practice to allow relatives to watch.

Thailand promotes use of folk medicine: Thailand's health minister has launched a drive to promote the use of folk medicine in a bid to cut costs. The ministry is sponsoring a convention of national folk medicine practitioners in Bangkok from 30 May to 8 June to formulate guidelines for practising and developing native cures over the next three years.

Thalidomide effective in treating AIDS related mouth ulcers: A double blind randomised controlled trial found that thalidomide given for four weeks healed ulcers in patients infected with HIV-1 (*New England Journal of Medicine* 1997;336:1487-93). Ulcers were healed completely in more than half of the patients, and 90% had at least partial healing.

Outpatient mastectomies banned in California: Insurers must now provide 48 hours of inpatient coverage for women undergoing mastectomy and 24 hours of coverage for those undergoing lymph node dissection. The bill essentially prohibits insurers from requiring outpatient, or "drive through" mastectomies.

More cardiac procedures do not mean better care: Although doctors in the United States performed more invasive cardiac procedures than doctors in Canada, the death rates after one year are the same (*New England Journal of Medicine* 1997;336:1500-5).

Fraud crack down in the United States: Donna Shalala, health and human services secretary, announced a new and expanded phase of Operation Restore Trust to prevent fraud and abuse in Medicare and Medicaid.

Glass ceiling confirmed in biomedical research

Fiona Godlee, *BMJ*

Anyone who has ever said that women have to be twice as good as men to succeed is wrong. In biomedical science they have to be up to four times as good, according to a study from Sweden published last week.

Based on data from Sweden's Medical Research Council—released only after the researchers took legal action under Sweden's freedom of information act—the report shows that successful female applicants for postdoctoral fellowships had published on average two and a half to four times more high impact research than their male counterparts (*Nature* 1997;387:341-3).

Sweden's Medical Research Council received 114 applicants for postdoctoral fellowships in 1995. Four fellowships were awarded to women and 16 to men. To see if this was because the women had produced less high quality research than the men, Christine Wenneras and Agnes Wold, both from Gothenburg University, examined the scores given to each applicant by the council's reviewers.

They also looked at the quality of the applicants' published research based on the number of publications and the impact factor of the journals in which the research was published. The impact factor derives from the number of times an average paper published in a particular journal is cited during one year. A "total impact measure" was then calculated for each applicant by adding together the impact factors of the journals in which each applicant had published.

The council's reviewers award fellowships on the basis of applicants' curricula vitae, bibliographies, and research proposals, using three criteria—scientific competence, proposed methods, and relevance of the research proposal. Women fell furthest behind their male counterparts on scientific competence.

But the applicants' competence scores did not correlate with the authors' assessment of productivity (see graph). The most productive female

researchers—those with 100 or more total impact points—were judged to be only as competent as the least productive male applicants—those with fewer than 20 impact points. To be awarded the same competence score as a male colleague, a woman had to score 64 more impact points—equivalent to about three extra papers in *Nature* or *Science* or 20 extra papers in high quality specialist journals such as *Atherosclerosis* or *Gut*.

The authors went on to see if this discrepancy could be explained by other factors, such as women tending to do research in areas given low priority by the research council or coming from less well known universities. But a multiple regression analysis revealed only one factor, in addition to total impact score and male sex, that significantly influenced the competence scores—nepotism in the form of affiliation with a member of the review panel. Reviewers who have personal ties with applicants are not allowed to take part in scoring, but the affiliation is recorded.

The authors suggest that the other reviewers may compensate by raising their scores when judging applicants affiliated with one of their peers. A woman with no affiliations had to score

an extra 131 impact points (four times the male average) to receive the same competence scores as a male applicant affiliated with one of the reviewers.

"Scientists are no less immune than other human beings to the effects of prejudice and comradeship," said the authors. They call for more women on reviewing panels and more openness in the reviewing process. "The credibility of the academic system will be undermined in the eyes of the public if it does not allow a scientific evaluation of its own scientific evaluation system."

Women occupy only a quarter of biomedical postdoctoral positions and 7% of professorships in Sweden, despite being awarded 44% of biomedical PhDs. With Sweden recently named by the United Nations as the world leader in equal opportunities for men and women, the situation elsewhere in the world is likely to be worse.

Ann Louise Kinnmouth, professor of general practice at the University of Cambridge, welcomed the study. "There are both rational and irrational forces at work that make peer review difficult," she said.

"No one, male or female, wants to make biased judgments. These researchers have given us a methodology for objective assessment of scientific merit. I'm sure the UK Medical Research Council will be keen to run similar analyses and to consider introducing objective criteria into their assessments." □

The most productive female researchers were judged to be only as competent as the least productive male applicants

Medical Research Council is to abolish project grants

Jacqui Wise, *BMJ*

The Medical Research Council (MRC) has announced the first major shake up of research funding for 30 years. Stand alone project grants will be abolished from 1998, and in their place will be five new funding schemes (see box).

Critics fear that the move will concentrate funding in fewer, more elite establishments and signal an end to researchers working individually.

George Radda, chief executive of the MRC, said that the changes were designed to enable the council to work closely with universities to develop research strategies and to encourage greater collaboration and multi-disciplinary working. "We need to get the best people working in the best environment with adequate support and infrastructure for them to work," he said.

The MRC is allocating around £150m (\$240m) to these five schemes. There will be a transition period during the rest of 1997 and 1998, and the first grants will be awarded next March. All five funding schemes will still rely on scientists having ideas for research and will not be directed by the MRC.

Under the changes, short term, project based funding will only be awarded in the context of centres or cooperative groups. Centre grants must be led by a scientific director, and the university must work in partnership with the MRC to develop a coherent research strategy. Cooperative group grants are designed to bring about a critical mass of researchers in one place with the aim that they would eventually be able to bid for a centre grant.

John Savill, professor in medicine at Queen's Medical Centre, Nottingham, said: "Many in the research community would welcome the principle that the MRC should lead the biomedical strategy and are enthusiastic about the concept that universities should forge partnerships with the MRC."

However, he added: "Inevitably there are fears that the new system may work against up and coming groups in smaller institutions. Others

worry that we will lose a breed of lone innovative entrepreneurs formerly supported by isolated MRC project grants."

Dr Colin Smith, chairman of the BMA's Medical Academic Staff Committee, was also worried about the move away from project grants. "I don't see how people are ever going to get into the system as project grants were a way of getting in."

He added: "Research will become concentrated in selected centres which would be catastrophic for some medical schools who will be forced to become teaching only establishments. Small centres have produced major steps forward in the past."

John Bell, Nuffield professor of clinical medicine at the John Radcliffe Hospital in Oxford and an MRC council member, disputed the idea that the changes would mean it would be harder for researchers getting started. "The changes solve many of the difficulties that people perceive exist with the current project grant system—for example, a young lecturer competing for funds against an established researcher."

He denied that smaller institutions would lose out. "It is going to force institutions to decide what they want to do and develop strengths in certain fields rather than developing in an ad hoc way."

Another key change is the introduction of innovation grants, which will provide short term funding for high risk speculative or innovative research. George Radda said. "We want to encourage risk and innovation. If one in 10 high risk innovation grants will work out we will be doing well."

He added that the whole package of grants offered "something for everybody who is any good."

The MRC will continue to provide programme grants, which will be made more flexible. Strategic project grants and grants for clinical trials will continue to be awarded. □

Details of the changes can be found at www.mrc.ac.uk.

JAMES KING-HOLMES/SP

The changes in MRC funding are to encourage collaboration

New MRC funding schemes

Centre grants

- The university must make a commitment and agree a research strategy with the MRC in a major area of research
- The centre will usually be a single site led by a director of "international standing"
- The funding will be long term and reviewed every five years
- There will be three or four awards a year until 20 such centres are operating

Cooperative group grants

- The aim is to encourage researchers to work collaboratively and share ideas, facilities, and other support
- Researchers could be from different departments or even different institutions
- There must be a minimum of three researchers, of whom two must be MRC funded (no maximum number of researchers)
- Individual grants will predominantly be short term—usually three to four years—but these do not necessarily have to be coterminous
- Cooperative status will be reviewed every five to six years; the aim is to have 80 cooperatives with around 300 members (about 15 cooperative grants will be awarded a year)

Development grants

- The aim is to help universities build up a critical mass of research staff and expertise so that they can bid for a cooperative grant in the future
- Grants will have a fixed tenure of a maximum of three years and would not be renewable

Career establishment grants

- The grants will be awarded to help researchers develop as independent investigators and build up a support team
- Grants would be for five years and not renewable
- Applications will be considered once a year

Innovation grants

- The aim is to encourage curiosity driven, innovative research
- Awards will be for one year and will be limited to £40 000
- Successful applicants will not be eligible again for three years
- Twenty grants a year will be awarded

Passive smoking doubles risk of heart disease

Deborah Josefson, *Connecticut*

Regular exposure to second hand smoke nearly doubles the risk of coronary artery disease, according to a major study which is bound to have profound public health implications.

The study, led by Ichiro Kawachi of the Harvard School of Public Health, followed 32 046 healthy, non-smoking women enrolled in the nurses health study for a period of 10 years (*Circulation* 1997;95:2374-9). The nurses health study is a longitudinal health data survey involving over 121 000 nurses that started in 1976.

When the passive smoking part of the study started in 1982, the women, aged 36-61, filled out detailed questionnaires in which they indicated their exposure to second hand smoke at home and in the workplace, including the number of years in which they had lived with a smoker. The women were asked to rate their exposure as minimal, occasional, moderate, or regular. The researchers controlled for confounding disease and lifestyle factors such as diet, exercise, obesity, hypertension, hypercholesterolaemia, and diabetes.

During the 10 year study 152 cases of cardiac disease and seven heart attacks occurred in the

subjects, 25 of which were fatal. Healthy, non-smoking women who reported regular exposure to passive smoke at home or in the workplace had a 91% greater relative risk of heart attack than those who reported minimal passive smoke exposure. Those who reported occasional exposure had a 58% greater relative risk.

Passive smoke is believed to cause heart damage in much the same way as primary smoking, by causing vascular endothelial damage, lowering high density lipoprotein cholesterol, and increasing blood viscosity.

The study is the first to show such a strong association between second hand smoke and heart disease and is expected to bolster liability claims against tobacco companies by employees exposed to workplace smoke. Previous studies have shown that passive smokers have a 20% greater incidence of heart disease and an increase in asthma, respiratory infections, and childhood middle ear infections.

Michael Eriksen, of the Office on Smoking and Health at the Centers for Disease Control and Prevention, said that the study is one of the strongest to date on the dangers of passive smoke. The Environmental Protection Agency estimates that about 3000 annual deaths from

The new evidence on passive smoking may bolster liability claims

lung cancer are due to the effects of passive smoke. As heart disease is more prevalent than lung cancer, Dr Kawachi estimates that "10 to 20 times that number of deaths [from heart disease] could occur from passive smoking." That translates to between 30 000 and 60 000 deaths from heart disease due to second hand smoke a year.

A beneficiary of this study will be the 60 000 non-smoking flight attendants involved in a landmark class action suit against tobacco companies claiming damages incurred from exposure to passive smoke during flights. Stanley Rosensblatt, a lawyer for the plaintiffs, said that he will use the study as evidence. According to John Banzhaf, a law professor at George Washington University, the paper has

profound legal implications because it fulfills the legal threshold requirement of a preponderance of evidence which is required to win a civil suit.

The study does have several weaknesses, however, and tobacco companies are sure to focus on them. For example, the study involved only women, and the categorisation of smoking exposure was self rated and performed only once, at the beginning of the survey. It could also be argued that the nurse population studied had a significant amount of workplace stress. There were no objective criteria to decide what constituted minimal, occasional, moderate, or regular exposure. Dr Kawachi acknowledged these weaknesses but said that he saw no reason why the study would not apply to men. □

American Medical Association backs amended abortion bill

Norra Macready, *California*

Last week the American Medical Association made an 11th hour statement supporting a bill to ban a controversial procedure—intact dilatation and extraction, popularly known as partial birth abortion.

This was the first time the organisation had gone against its policy of opposing any congressional attempt to dictate medical practice. The association made its statement after the bill's Republican author, Senator Rick Santorum, from Pennsylvania, made a few changes to pro-

vide doctors with more legal protection. Congress has passed the legislation, but President Bill Clinton has announced that he will veto it because it makes allowances only for the mother's life, not her health.

Intact dilatation and extraction is usually performed at the end of the second trimester or later. It entails making a breech delivery of all but the fetus's head, collapsing the skull by suctioning out the brain, and then completing the delivery. Dr Nancy Dickey, chair of the American

Medical Association, said in a statement that the association's expert panel "could not find any identified situation in which it was the only appropriate procedure to induce abortion." She added that intact dilatation and extraction "is a procedure that has no history in peer reviewed medical literature or in accepted medical practice development."

"This is not a good procedure medically. In 21 years of practice I've never seen the necessity for performing it," said Dr John Nelson, an obstetrician who is on the American Medical Association's board of trustees. He explained that the association decided to back the bill after Senator Santorum reworded it so that no other abortion procedure would be affected, to make exceptions

when the mother's life was at stake, and to spare doctors who had intended to perform a live delivery but then determined, in their best medical judgment, that this procedure was essential. The American College of Obstetricians and Gynecologists and the American Medical Women's Association continue to oppose the measure.

Anti-abortion campaigners carried out aggressive lobbying to push through the bill. In the weeks before the vote conservatives spent more than \$1m (£625 000) on advertising in eight states to persuade senators to vote in favour of the bill. However, whether congress will be able to muster enough votes to override President Clinton's veto is still open to question. □

Plan to control gifts given to Romanian doctors

Tudor Toma, *Iasi, Romania*

A proposed new law would force Romanian doctors to declare and pay taxes on all gifts received from patients. The move comes as a number of doctors are under investigation for bribery.

In Romania patients traditionally offer presents to doctors. These can be anything from sweets to money, and the value varies according to the procedure carried out and to the

importance of the doctor. Surgeons in particular may receive generous gifts. Some doctors even ask for a gift before they treat a patient.

Dr Dragos Nicolescu, the president of the national medical union, Camera Federativa a Medicilor, has submitted draft legislation to the department of health in response to the growing number of allegations of bribery concerning doctors. In January the police started a national anti-corruption campaign and as a result 25 doctors are either under arrest or being investigated for bribery. Most recently a well known and respected surgeon, Mr Constantin Teodorescu, was caught by the police taking about £20 (\$32) for performing a cholecystectomy. He is now in jail.

Dr Nicolescu said: "The police

treat doctors as ordinary thieves, and this is totally unacceptable. However, we have no legislation to regulate what doctors can receive, so doctors are vulnerable to bribery accusations."

However, most doctors are outraged by the new initiative. I think they should look to make our wages decent before even mentioning the gifts," said Dr George Balan, a consultant in internal medicine at the University Hospital of Iasi.

The current salary of a junior doctor working a 48 hour week is around £40 a month. A specialist consultant coming up to retirement earns around £90 a month. The national average salary is less than £75 a month, but a state bank clerk with no high school education can receive up to £200 a month. □

GMC issues guidelines on circumcision

Linda Beecham, *BMJ*

The General Medical Council has approved clinical guidelines for the circumcision of male children for religious or medical reasons, after complaints about the standards of care provided.

Many doctors and members of the public feel that male circumcision for religious or cultural reasons is unethical because it entails a surgical technique, without the consent of the patient, which has little or no therapeutic value. But the GMC's standards committee chairman, Professor Sir Cyril Chantler, told the GMC last week that, unlike female circumcision, male circumcision was legal and the question about whether it was ethical was not a medical question. This had to be decided by society and not by doctors. If doctors could not carry out the procedure parents would turn to people who lacked the skills to perform the procedure competently.

The GMC advises those doctors who decide to circumcise a male child that they should have the necessary skills and experience to eradicate the pain and discomfort of the patient; that they should keep up to date with the procedure, including when it is not necessary for medical reasons; that they should explain any benefits or risks to those with parental responsibility; that the family's religious advisers might be present to advise on how the procedure should be performed to meet the religious requirements; that they should listen carefully to the parents' or guardians' views; and that whenever possible they should obtain the permission of both parents. In all cases doctors should obtain valid consent, in writing, before performing the procedure.

The council advises doctors that they are not obliged to perform a circumcision and they should explain if they are opposed to the procedure for other than therapeutic reasons. □

Panel defends India's traditional doctors

Ganapati Mudur, *New Delhi*

Recent attempts to prevent doctors of traditional medicine in India from prescribing modern drugs will mean denying appropriate and timely treatment to millions of patients across the country, a panel of experts has said. The panel urged the Indian government to allow traditional doctors to continue to prescribe certain essential drugs to patients.

The panel, which included traditional doctors—as well as doctors of modern medicine, representatives of the traditional drugs industry, and academics—conceded that "cross system practice" prevalent in India has given rise to instances of drug misuse. However the panel's report said that an absolute ban on cross system practice will cripple public health services in the country.

India's one million registered medical practitioners include at least 450 000 doctors who hold government recognised qualifications in ancient systems of medicine—ayurveda, unani, and siddha. The degrees are granted after five years of education in colleges set up exclusively for training in traditional medicine. Traditional doctors participate in public health programmes, including infant immunisation schemes, and help to diagnose and treat illnesses such as

malaria and tuberculosis.

Recently the traditional medical community has been criticised for prescribing modern drugs without adequate knowledge of pharmacology and for entering modern medicine "by the back door." Last year the Indian Supreme Court ruled that a doctor qualified in one system of medicine who practises another system of medicine could be charged with quackery and medical negligence.

The judgment prompted drug authorities in two Indian states—

Maharashtra and Gujarat—to order retail chemists not to honour prescriptions that involve cross system practice. Traditional doctors have appealed against those orders.

Narendra Bhatt, a panel member and secretary general of the Indian Association for the Study of Traditional Asian Medicine, said: "Vast sections of the population have no access to modern allopathic doctors."

The panel has recommended that drug regulatory authorities should draw up a list of lifesaving and essential drugs that doctors from any system of medicine could prescribe. Medical councils should also create a syllabus that integrates aspects of different systems of medicine leading to a basic medical degree. □

Many people in India have access to traditional doctors only

Health authority stops buying homoeopathy

Jacqui Wise, *BMJ*

A London health authority has decided to stop paying for homoeopathic treatment because there is not enough evidence to support its use.

Lambeth, Southwark, and Lewisham Health Authority has been referring more than 500 patients a year to the Royal Homoeopathic Hospital in London. The authority says that the money it spent last year on complementary treatments would have allowed 100 patients to have hip replacements.

Public health doctors at the health authority carried out a

review of the published scientific literature on homoeopathy as part of a general move towards purchasing only evidence based medicine. Dr Caroline Mawer, senior registrar in public health medicine, said that, although a meta-analysis published in the *BMJ* (1991;302:316-21) generally supported homoeopathy, the authors said that many of the studies were methodologically poor. She said that when she and her colleagues examined the original research as well as more recent research produced by the Royal Homoeopathic Hospital they found no convincing evidence of clinical benefit for homoeopathy. Dr Mawer said that the decision to stop paying was taken on evidence based, not financial, grounds.

The health authority said that it would continue to purchase acupuncture for patients

with chronic pain problems and osteopathy and chiropractic for patients who have had back pain for less than six weeks as it says that there is good evidence that this treatment is effective. The 150 patients who are currently receiving homoeopathic treatment would be allowed to finish their course, and the authority will still consider individual cases when the patient's GP or consultant feels that complementary treatments would be beneficial. It also said that the issue would be kept under review.

Many patients attended a community health council meeting last week and said that they had benefited from homoeopathy and were unhappy about the authority's decision. However, Dr Mawer said: "We are concerned that any benefits gained were not due to the specific effects of the treatment."

Paul Werb, a spokesman for the Royal Homoeopathic Hospital, said: "There is good evidence that homoeopathy does provide a benefit to patients. There have been 38 randomised controlled trials since the *BMJ* study, and two thirds of these have come out in favour of homoeopathy." He added that a forthcoming European Union report on homoeopathy that included 184 trials concludes that homoeopathy is better than placebo. "We should not have to justify ourselves more than conventional medicine. Only 50% of conventional medicine is evidence based," he said. □

The *BMJ* Publishing Group is holding a conference "Rationing in the NHS: time to get real" on 10-11 July at Kensington Town Hall, London. For details call 0171 383 6605 (jane.lewis@bma.org.uk).

Labour acts to cut NHS costs

John Warden,
parliamentary correspondent, BMJ

The new British government made its first moves last week to change the NHS, although the BMA and others in the field regard the changes as more cosmetic than creative. They include deferring the next round of GP fundholders to save £120m (\$192m) and an £80m cut in management costs, to release an extra £10m to treat breast cancer.

These changes will honour Labour's commitment in its manifesto to reduce management costs by £100m this year. But they are no longer coupled to a pledge to trim hospital waiting lists by 100 000 in the face of new figures showing that lists rose by that amount in the previous year, to a total of 1 164 400.

Also implicit in the new strategy is the attenuation rather than the abolition of GP fundholding. New fundholders are still envisaged beyond 1999, but with extra budget restraints. Entry to fundholding is being moved to a two yearly cycle, with the eighth wave—due in July—being deferred for a year, affecting about 1000 family doctors. Applications already approved will stand.

The health secretary, Frank Dobson, said that his aim is to reduce management costs quick-

ly. Taxpayers' money, he said, must be used to treat patients, not to sustain dense forests of paperwork that had resulted from the internal market system. NHS managers have to agree target reductions by the end of June.

The chairman of the BMA Council, Dr Sandy Macara, said that the planned savings fall far short of what is needed. Health service managers described the plan as a knee jerk reaction and warned that redundancies were inevitable.

Details of Labour's programme include:

- **Fundholding**—Entry is moved to a biennial basis, though a new option of entering general practice commissioning groups will become annual. Equity between fundholding and non-fundholding GPs will produce a "level playing field." In-year cuts in fundholding budgets can be made to ensure fairness in elective treatment when hospitals are under pressure from emergency activity. Overspending by fundholders is to be met from uncommitted savings or budget cuts in subsequent years. Windfall savings to be returned.

- **Management**—Savings in management costs will be redeployed into patient care—specifi-

cally, to reduce waiting times for patients with cancer. Bureaucracy will be reduced, with a shift from individual to multiple invoices, selective rather than total checking of invoices, and lump sum payments for "cost per case" contracts with adjustments later. Further savings will focus on function change, such as mergers of NHS trusts. Staff cuts will be by natural wastage rather than redundancy.

- **Cancer treatment**—The initiative on breast cancer is the first step towards reducing waiting times for patients with cancer. An extra £10m this year will be shared between regions, based on

action plans already in place to improve the speed of diagnosis and access to treatment for breast cancer. More than half of patients with cancer now wait at least two weeks for admission to hospital.

- **Waiting lists**—The number of patients waiting to be admitted to hospital in the first quarter of 1997 rose by 59 400 (5.4%) over the previous quarter. Those waiting over one year increased by 9200, to 31 300, and under one year by 50 200, to 1 133 100. Health minister Baroness Jay said that this was a legacy that the government had inherited and which would affect patients for a long time to come. □

Britain is to impose an immediate ban on the use of landmines and destroy its stock of the weapons by 2005, the government announced last week. Foreign secretary Robin Cook said that Britain would strive for an international ban on landmines.