Agents of new variant CJD and BSE are identical

Jacqui Wise, *BMJ*

Two independent studies have confirmed that the new variant form of Creutzfeldt-Jakob disease (nvCJD) is caused by the same prion strain as bovine spongiform encephalopathy (BSE) in cattle. This makes it highly likely that people who developed nvCJD contracted it by eating meat from cattle with BSE.

In one of the studies Moira Bruce and colleagues from the Institute of Animal Health in Edinburgh injected mice with infectious brain samples from cows, patients with nvCJD, patients with sporadic CJD, and farmers who died of CJD after working with animals with BSE (*Nature* 1997;389:498-501). They

found that the histological presentation, symptoms, and course of nvCJD is identical to that of BSE in mice and distinct from other forms of CJD. They also confirmed that CJD occurring in farmers in recent years is the sporadic form and is not related to BSE.

In the other study Professor John Collinge and colleagues from the Prion Disease Group at the Imperial School of Medicine, London, used a biochemical assay to show that the BSE and nvCJD agents are the same and are distinct from other forms of CJD in humans (*Nature* 1997; 389:448-50). They used ordinary and transgenic mice—the latter

genetically modified so that they were highly sensitive to typical CJD. The infectious agents produced in the mice brains infected with BSE agent and those infected with nvCJD agent isolated from human brain tissue were indistinguishable, indicating that they are the same strain.

Professor Collinge said: "We believe that the combined weight of the epidemiological evidence, experimental transmission to primates published last year by the Paris group, our molecular strain typing work, and now these latest studies, leads to the same inescapable conclusion: new variant CJD is the human counterpart of BSE." Professor

Collinge believes that the most likely explanation is exposure to bovine offal before it was banned.

Jeffrey Almond from Reading University and John Pattison from University College, London, comment that the two new studies provide "compelling" evidence that nvCJD is human BSE. There have been 21 confirmed instances of nvCJD in the United Kingdom, but the rate of new cases is not increasing, and so they say that there is hope that the overall number of cases will be relatively small. They say, however, that "much depends on the average incubation time of nvCJD: the longer the time the higher the final figure will be." □

New study reports that diet is critical to cancer prevention

Caroline White, *London*

A predominantly plant based diet and maintenance of a healthy body weight could prevent four million cases of cancer worldwide, concludes a report by the World Cancer Research Fund. A separate British report, *Nutritional Aspects of the Development of Cancer*, to be published shortly by the Committee on the Medical Aspects of Food and Nutrition Policy, includes similar recommendations.

In 1996 the global incidence of cancer stood at 10.3 million cases; on the basis of current trends, this is expected to reach 14.7 million cases by 2020, says the fund's report, *Food, Nutrition and the Prevention of Cancer: a Global Perspective*. This poses a particular problem for poor countries, said Professor John Potter from the Fred Hutchinson Cancer Research Center in Seattle and chairman of the panel

that produced the report. "The developing world is beginning to assume the pattern of cancers seen in the developed world, but the difference is that these cancers are being dumped on top of existing infectious diseases. Within 15 to 20 years these countries' entire health budgets could be spent on cancer cases." Estimates for the cost of treating cancer in a developing country show that it is up to six times higher than that in a developed nation.

In line with this, the fund's report includes a raft of suggestions for initiatives to be adopted in fiscal, legislative, education, transport, public health, and agricultural policies around the world, from encouraging local food distribution systems to ensuring nutrition is given a higher priority in medical education.

Both reports emphasise the importance of increasing intake

of fibre and of fruits and vegetables to five or more servings a day. They also both recommend a reduction in daily red and processed meat consumption, to less than 80-90 g, equivalent to two rashers of bacon and a ham sandwich. Data from the Ministry of Agriculture, Fisheries and Food indicate that in the United Kingdom between 1970 and 1988 the consumption of red meat fell by 20% while the incidence of colon cancer rose by 10-15%. However, consumption of green vegetables fell by 28% and fresh fruit by 9%.

Dr Ian Johnson from the department of nutrition, diet, and health at the Institute of Food Research said that both reports are "thoroughly researched and well considered." However, he fears that the main health message might be lost in the debate over red meat, which has delayed the publication of the report by the Committee on the Medical Aspects of Food and Nutrition Policy. "The epidemiological evidence for the protective effects of fruits and vegetables is very strong and consistent, and the

Meat intake should be cut

evidence for the protective effects of diet on cancer is much stronger than that of the adverse effects," he said. □

In brief

Labour's health changes:

At the Labour party conference in Brighton, the health secretary, Frank Dobson, announced 42 pilot schemes covering six million people to test local commissioning of health provision as an alternative to the competitive internal market in the NHS. In addition, there is to be £50m (\$80m) extra funding for the clinical teaching of medical staff.

Call for royal commission on euthanasia:

The Liberal Democrats, at their party conference in Eastbourne, backed a review to look at the implications of changing the law to "permit doctors to accede openly to repeated requests from suffering and terminally ill patients to die instead of having to help them secretly as at present."

Testicular tissue cells taken from child before cancer treatment:

The Human Fertilisation and Embryology Authority in Britain approved the removal of testicular cells in a child who underwent a bone marrow transplant and received treatment that will make him sterile. The decision is the first of its kind and would pave the way for the removal and storage of testicular and ovarian tissue from prepubescent children.

Divorce has far reaching effects on children:

A British longitudinal study that followed the lives of more than 11 400 children born in 1958 found that children who grew up with both parents were on average better qualified and found better jobs. The poorer experience of children whose parents had divorced was mainly due, however, to financial hardship and other factors before the divorce. The study, for the Joseph Rowntree Foundation, also found that women with divorced parents were almost twice as likely to become teenage mothers as women whose parents had stayed together.

BMJ correspondent wins award:

The BMJ's legal correspondent, Clare Dyer, has been named as legal journalist of the year by the Bar Council.

Gynaecologist admonished for removing ovaries without consent

Clare Dyer, legal correspondent, BMJ

A leading consultant gynaecologist, John Studd, was last week found guilty of serious professional misconduct by the General Medical Council for removing a 35 year old patient's ovaries without her consent. But he was only admonished—the lowest penalty possible apart from taking no action.

Mr Studd, a consultant at Chelsea and Westminster Hospital in London and a pioneer of hormone replacement therapy, had told the professional conduct committee that he thought he had the "implied consent" of Jacqueline Bartley to take out her ovaries and insert hormone replacement therapy implants during a hysterectomy. He said that he regretted admitting negligence in a High Court case brought by Mrs Bartley in which she received an out of court settlement of £32 500 (\$52 000). He had been standing at the time for the vice presidency of the Royal College of Obstetricians and Gynaecologists (he did not win) and feared "a flood of adverse publicity."

Professor Sir Herbert Duthie, the chairman of the committee, told Mr Studd that the committee was bound to take a serious

view of his conduct. "You failed to obtain consent to all the parts of the procedures you adopted." It had considered whether a more severe penalty was necessary. But it took into account that the operation happened five years ago, his admission of his errors, the changes he had made in his practice, and substantial testimonials from patients.

Mrs Bartley, who underwent the operation in 1992 at the private Lister Hospital in Chelsea, said that she was pleased with the result; she believed that Mr Studd was a good surgeon

and had not wanted him to be struck off. In her evidence to the tribunal she also accused him of not informing her after the operation of what he had done. She said that she realised he had removed her ovaries only after seeing a charge for hormone replacement therapy implants on her hospital bill. The committee rejected this charge after hearing evidence that the effects of the anaesthetic and a painkiller could have wiped out her memory of the conversation.

Sir Herbert said that trust was central to successful relationships between doctors and patients. Mr Studd said that he thought he had Mrs Bartley's implied consent because she had told him that she wanted her gynaecological problems all solved "in one go." He believed her ovaries were affected by endometriosis. □

Mr John Studd was admonished by the General Medical Council

Unsupervised junior surgeons carry out operations

Kamran Abbasi, BMJ

In 1995-6 a fifth of operations during weekday evenings and 7% during the daytime on weekdays were performed by apparently unsupervised senior house officers, according to the national confidential inquiry into peri-operative deaths.

In the report, *Who Operates When?*, the pattern of surgical activity during 1995-6 in 355 British hospitals is described, with data from 51 000 cases. Only 6.1% of all weekday operations were done out of hours, and 93.4% of these were emergencies. But the report indicates concern that some operations were carried out, not because of

the urgency of the patients' conditions, but from want of time in scheduled operating lists. The patients were anaesthetised and operated on by trainee anaesthetists and surgeons, working without supervision.

Dr Stuart Ingram, a consultant anaesthetist and one of the authors of the report, said: "Less than 1% of the total workload takes place between 6 pm and 8 am. There is some run over from the early evening, and some operations are done because there is no available theatre the following morning. Less than 0.5% of the total workload is carried out between midnight and

8 am, and these are operations that can either be deferred or need consultant involvement."

He added that the specialist registrars involved with the report felt strongly that juniors planning surgery during the night should seek consultant advice before operating, as decisions were often made by trainees who were too junior.

The report recommends that "all hospitals admitting emergency surgical patients must be of sufficient size to provide 24 hour operating rooms and other critical care services." Moreover, all hospitals should have emergency surgery lists, and an arbitrator in theatre—perhaps the consultant on call—to prioritise theatre cases.

The Royal College of Surgeons said that it supported the recommendations and had come to similar conclusions earlier this year (19 July, p 145). □

Doctors volunteer to be guinea pigs for AIDS vaccine

Deborah Josefson, *San Francisco*

Some doctors, healthcare workers, and AIDS activists have said that they plan to test a live HIV vaccine on themselves in an effort to move forward the development of an AIDS vaccine.

Fifty members of the Chicago based International Association of Physicians in AIDS Care (IAPAC) have volunteered for live virus vaccine trials. The group plans to use an attenuated strain of HIV engineered by Dr Ronald Desrosiers from Harvard University's school of medicine. This form of the virus is missing four genes thought to be essential for HIV replication and has shown efficacy in vaccine trials in primates.

While IAPAC is seeking the government's approval for the trials, the volunteers said that they would proceed with the study even without approval. Dr Gordon Nary, director of IAPAC and one of the volunteers, said: "There are millions of lives going by while we sit around debating the research. There are going to be risks and there will be deaths, but the consequences of not doing it are about 8000 deaths a day."

Federal officials are reluctant to approve human trials with a live HIV vaccine, because of

safety concerns. Although live vaccines are used for several viruses—such as oral polio and hepatitis A—HIV differs from these viruses in a key aspect. As a retrovirus, HIV integrates into the host's DNA. Therefore, even a replication defective form of HIV may have unforeseen, longterm genetic consequences.

Dr Anthony Fauci, director of the National Institute of Allergy and Infectious Diseases, is concerned that scientists do not yet know enough about HIV to ensure the safety of the vaccine. Commenting on IAPAC's plan, he said: "I admire their altruism, but it's not going to speed anything up because the bottleneck is not a lack of volunteers. The bottleneck is a lack of scientific knowledge."

Joe Zuniga, deputy director of IAPAC, said that his group does not expect to test the vaccine immediately: "We are not calling for a trial tomorrow or even the next day. We want there to be enough safety protocols in place for this not to harm anybody."

The United Nations AIDS programme applauded the activism of IAPAC members but expressed serious concerns about the safety of the volunteers: "The volunteers, by taking the vaccine,

Air pollution has caused breathing difficulties and been blamed for a number of deaths throughout South East Asia. The smog, originally caused by the uncontrolled burning of brushwood and forests in Indonesia and Malaysia, was exacerbated by El Niño, which periodically disrupts the world's weather patterns. Recent rain has helped to clear the smog, but it is likely to continue until the November monsoons.

may have to live for the rest of their lives with HIV in their bodies, even if it's an attenuated version of the virus. As carriers, they could also transmit the virus to

others if the usual safe sex practices are not followed successfully. Moreover, it is unknown whether the defective virus can revert to more virulent forms." □

FDA insists on more women in drug trials

Deborah Josefson, *San Francisco*

The Food and Drug Administration in the United States has proposed new regulations to force drug companies to include women in all phases of clinical trials.

Although women constitute roughly half of the population, traditionally both drug companies and the government have excluded many women from participating in trials of new drugs because of fears that they may induce teratogenic damage to a developing fetus. Additionally, drug companies have been

worried that a woman's hormonal cycles could interfere with the metabolism and efficacy of some treatments.

Women's advocates have long argued that these policies are both paternalistic and dangerous, as they prevent women with life threatening illnesses from receiving potentially helpful, although experimental, treatments. Moreover, with access to contraception, women can now prevent pregnancy and the possibility of exposing a fetus to harm.

In 1993 the Food and Drug Administration issued guidelines encouraging the participation of women in all phases of drug testing. None the less, in a recent survey of 4000 clinical trials conducted in the past three years, the administration found that a quarter excluded women of childbearing age solely because

they could get pregnant. According to the administration's deputy commissioner, Mary Pendergast, this is unacceptable. She said that even if a drug is suspected of causing birth defects, drug companies have to give women the right to enter trials. "The proposal sends a strong message to industry that we really do want them to open the doors of trials to women," she said.

The administration's current proposal originated from recommendations of the National Task Force on AIDS Drug Development and the Presidential Advisory Council on HIV/AIDS, which found that women of reproductive potential should not be denied access to clinical trials of potentially lifesaving or life prolonging drugs even if they are possibly teratogenic.

The new proposal will forbid the routine exclusion of either men or women from clinical trials solely because of possible toxic effects on the reproductive organs or to a fetus. Additionally, the new rules will allow the Food and Drug Administration to place a trial on "clinical hold" if the research sponsor is found to be excluding women inappropriately. However, there will be no quotas or specific recruitment goals for women in these trials.

The administration notes that the rules will not apply to trials in which only healthy volunteers are being studied or for research into sex specific illnesses such as prostate or ovarian cancer. Moreover, if the study is directed at men only, it can exclude women as long as a parallel or future trial is carried out in women. □

When life saving treatment should be withdrawn in children

Jacqui Wise, *BMJ*

The Royal College of Paediatrics and Child Health has tackled the difficult issue of withholding or withdrawing life saving treatment in children and defined five situations when such action might be appropriate (box).

Professor David Baum, president of the college, said: "Sometimes it is necessary to come to the conclusion that for an individual child ... the more humane path is one of palliation, rather than a continuation of life saving treatment."

The college's document says that advances in technology have resulted in some treatments that can sustain life without foreseeable benefit and may result in great suffering for children and families. One example given is of a baby born 17 weeks early

weighing little more than 500 g in whom weeks of intensive care could save her life but at the high risk of her developing severe mental and physical handicap. Another example is of a 10 year old girl with leukaemia that is not responding to ever more painful and distressing treatment who with her parents decides that "enough is enough."

The college's document was produced after lengthy consultation with doctors, religious groups of many denominations, and parent and patient groups. It emphasises the importance of communication with parents and with the child when appropriate. All decisions should be made in the child's best interest, and the child's needs for palliative or terminal care should be considered.

Neil McIntosh, professor of child life and health at the university of Edinburgh and chairman of the committee that produced the report, said: "Doctors must always allow children and parents the right to disagree, and these difficult decisions should never be hurried. Other opinions should be sought—not

just from doctors but from religious or other advisers whom parents or children choose." □

Withholding or Withdrawing Life Saving Treatment in Children: A Framework for Practice is available from the Royal College of Paediatrics and Child Health, London NW1 4LB, price £10.

When it might be appropriate to stop treatment in children

- Brain death—when artificial ventilation and intensive care are futile
- Permanent vegetative state—when a child's brain is so damaged by injury or lack of oxygen that he or she cannot relate to the outside world
- No chance—when a child has such severe disease that treatment may delay death but without alleviating suffering
- No purpose—when survival is possible only with such severe mental or physical impairment that the child will never be capable of choice and his or her suffering would be unreasonable for him or her to bear
- Unbearable situation—the child and family believe that further treatment for a progressive and irreversible illness is more than they can bear, irrespective of medical advice

Government reviews law on "posthumous conceptions"

Clare Dyer, *legal correspondent, BMJ*

Last week, eight months after Diane Blood won the go ahead to use her dead husband's sperm to try to conceive his baby, the government reached the first stage in its review of the law on "posthumous conceptions" (conceptions created after the death of one of the parents).

The 78 page consultation document, produced by Sheila McLean, professor of law and ethics in medicine at Glasgow University, shows that the task will be harder than those who called for a change had probably envisaged.

Mrs Blood persuaded doctors to remove sperm from her husband, Stephen, as he lay in a coma after contracting bacterial meningitis. The couple—she was 28 and he was 30—had been trying for a baby for two months. But her plans hit the rails when the Human Fertilisation and Embryology Authority pointed out that the act regulating infertility treatment bans the use of gametes in Britain without the donor's written consent. The authority refused to use its

discretion to allow her to export the sperm to Belgium, where its use would not have been unlawful.

Mrs Blood launched judicial review proceedings in the High Court, gathering huge public support. She lost in the High Court but was given the go ahead after the Court of Appeal ruled that the right of free access to services, including medical treatment, in another country in the European Union could not be restricted, except on public policy grounds (15 February, p 461). She is still waiting for the Centre for Reproductive Medicine at the Brussels Free University to decide whether to accept her for treatment.

Professor McLean points out that under common law no medical procedure can be carried out on an incompetent person—like the comatose Mr Blood—unless it can be justified as necessary or in the patient's best interests. No court has yet decided that it is in someone's best interests to perpetuate his gene pool, so a question mark

remains over the legality of taking the sperm in the first place.

Private members' bills to waive the requirement for written consent in certain circumstances were introduced in both the Lords and the Commons but were later withdrawn. Though directed at Mrs Blood's case, "these bills would undoubtedly have had wider implications had they become law," said

Professor McLean. How would it be decided, for instance, whether the donor had actually consented and who would take the decision? Time would probably be too short to consult a court. Possibly the most significant question, she said, is what tests would determine who should be allowed to create a posthumous pregnancy and who should not. □

The BMA has urged central government, local government, the health service, and employers to reduce road traffic and encourage more cycling and walking to help improve people's health. The report, *Road Traffic and Health*, warns that car use has reached unsustainable levels and that between 1974 and 1994 cycling dropped from 25% to just 1% of traffic and walking dropped by 20%.

Health care in China is highly inequitable

Richard Tomlinson, *Beijing*

Two decades of radical economic reform in China has had profound repercussions on access to health care, creating deep divisions between the urban and rural population, according to a new study by the World Bank.

The shift to a market economy, the collapse of rural "risk pooling" health schemes, and the predominance of fee for service treatment have led to financial access to health care becoming inequitable, says the report, *Financing Health Care*. China's health sector faces deep problems today, it warns.

The data are stark, especially concerning the rural population of China—around 800 million of the 1.2 billion total population. In 1975, about 85% of the rural population were covered by some form of community financed health care; now it is 10% (see figure). In 1981, 29% of the total population had no health insurance; by 1993 it was 79% (64% of the rural population and 15% of the urban population). Health spending per capita in urban areas is four times the average in rural areas. The poorest 20% of the rural population account for only about 5% of all health spending.

The lack of medical cover in rural areas results from the dismantling of the communes in

the early 1980s and the collapse of the cooperative medical systems. "As a result, some 700 million rural Chinese must pay out of pocket for virtually all health services," says the report. But these are often the people who have least money to pay. On the other hand, the 50% of urban workers who do have health insurance are much better provided for. Urban insurance schemes—government insurance for the party workers and military and university students, and state enterprise insurance for factory workers—cover just under 15% of China's population but absorb two thirds of public spending on health. Indeed, such are the benefits of health cover that labour mobility is sharply reduced because such benefits must be abandoned when moving jobs.

The World Bank's study urges the Chinese government to target the poorest villages with subsidised essential health services and to develop community financing schemes and insurance experiments. It also calls for a major study on price reform and a move away from fee for service health care, which encourages serious waste of resources.

Prices of most health services and some products are fixed

China's uninsured population has increased dramatically

below cost by the government. But healthcare providers now compensate for this by over prescribing high cost items, especially drugs and high technology diagnostic tests. Drugs accounted in 1993 for 52% of China's total health spending, compared with 15-40% in most

developing countries. Unnecessary treatment is common. "Outpatients are often treated with intravenous drip solutions of glucose, vitamins, antibiotics, and other drugs—treatment that in too many cases does not constitute justified medical practice," said the study. □

Dutch and Swiss support heroin on prescription

Tony Sheldon, *Utrecht*

Dutch MPs have agreed to launch a pilot study for providing heroin on prescription as part of a strictly controlled medical experiment. The move came as a referendum in Switzerland gave overwhelming backing for the government's three year old scheme to provide heroin to addicts.

Researchers have shown that crime levels among Swiss drug misusers taking part in the scheme have fallen by 60% since

the scheme started. The Swiss government signalled that it might expand the programme, which at present covers only long term drug misusers who have repeatedly tried to give up.

The Dutch health minister, Professor Els Borst Eilers, overcame parliamentary opposition by promising MPs scrutiny of the preliminary study. The three month pilot project will be launched next March, and the participants will be 50 longterm drug misusers in one city. At the same time there will be two control groups, each of 50 misusers who will be prescribed methadone. Both injecting and smoking heroin will be studied in an attempt to compare the effect of prescribing heroin, and that of a combination of heroin

and methadone, with current methadone programmes. A larger scale experiment with 750 drug misusers in seven cities will then automatically proceed if MPs are convinced that there are no unexpected "negative side effects," such as problems of public order.

The experiment has provoked opposition because its main aim is not to stop drug misusers taking heroin but to stabilise their psychological and physical health and to end social isolation. Aspects such as involvement in crime, leisure activities, work, and nutrition will be considered.

Recruits will be sought from an estimated 8000 drug misusers for whom the current methadone maintenance programmes have proved ineffective. Typically, can-

didates will be aged around 40, have been dependent for 15 to 20 years, and despite methadone programmes will remain involved in crime to get heroin.

Wim van den Brink, professor of psychiatry and addiction at Amsterdam University, sees it as a "pharmacological intervention to stop a destructive pattern of behaviour." He believes that it could provide "one small piece of the puzzle" in a range of dependence treatment. □

The *Independent on Sunday* has launched a campaign calling for the personal use of cannabis to be decriminalised. The paper published a list of 100 supporters for the campaign which included well known names from medicine, law, business, education, and the arts.

Liberal Democrats want coalition to run NHS

John Warden, *parliamentary correspondent, BMJ*

The Liberal Democrats, at their party conference in Eastbourne, chastised Britain's Labour government for its handling of the health service and proposed an all party coalition to shape the future of the NHS.

The health spokesman, Simon Hughes, proposed the creation of a permanent standing conference from the health service, made up of political leaders, health professionals, and patients' groups. He said that the health service was not the property of any one party. The proposed standing conference, he said, could rescue the service from the political mistakes of the past.

One precondition for joining it would be that when more resources were needed each party would commit itself to policies to pay for them. The

Liberal Democrats accepted the obligation to propose appropriate and fair ways to raise the money, and Mr Hughes said that by next year's conference the party would report on the resources needed both for current funding and for catching up with the accumulated deficits.

Meanwhile, he challenged the government to find an immediate cash injection of £350m (\$560m) to avert a crisis this winter. The three biggest questions for the future of the NHS were staffing, rationing, and funding—but the greatest of these was funding. Mr Hughes also proposed a capital funding bank for the NHS and the creation of Ofhealth, a powerful new inspectorate of health and social care to inspect hospitals and general practices.

PRESS ASSOCIATION

Simon Hughes called for an NHS inspectorate

Dr Evan Harris, one of the three Liberal Democrat doctor MPs now in the Commons, told the conference that the NHS was facing the greatest threat to its survival due to chronic underfunding. He blamed

Labour for adopting the previous Conservative government's spending limits and said that the Liberal Democrats would not stand by and watch the slow death of the NHS on the altar of the "iron chancellor." □

Gagging clauses outlawed

John Warden, *parliamentary correspondent, BMJ*

A more relaxed attitude to whistleblowing in the NHS was signalled last week by the health minister, Alan Milburn, in what he called a "fairer deal for NHS staff" that will also include better standards of food and accommodation for junior doctors on call.

Mr Milburn told a conference of health service managers at Keele University that he is outlawing all gagging clauses in employment contracts so that staff could speak their minds without fear of victimisation. Saying that gagging clauses and intimidation of staff would no longer be tolerated in the interests of free speech, Mr Milburn said the government believes in greater openness and accountability in the public services.

Mr Milburn said: "Any member of NHS staff should feel able to raise their concerns about health care matters, certainly in a responsible manner and in a way that protects patient confidentiality, but without fear of victimisation. I want that message to be

clear throughout the NHS."

While the NHS executive has previously ruled that gagging clauses have no place in the NHS, the former Conservative administration did not encourage a culture of whistleblowing by staff. The Labour government now says that staff concerns will have a high priority. Treat staff well, and they will treat patients better, Mr Milburn said.

Better conditions for junior doctors on call were part of the new deal on hours, but Mr Milburn said that this was a priority. High standards of accommodation and catering should form part of each trust's strategy to deliver high quality care. He recognised the financial restraints, but good living and working conditions were a key to improving the morale of doctors in training. He promised to return to the topic in the coming months.

The initiatives on whistleblowing and junior doctors' conditions were among a five point action plan for a new NHS human resources strategy which Mr Milburn launched for consultation. The other points are to reduce accidents at work and protect staff from violence; deal with racism head on; and develop flexible, family friendly staffing policies. □

Government waives proposed fees for final year medical students

Jessica Westall, *BMJ*

Final year medical students in England will not have to pay tuition fees, after a partial concession by the British government. Medical students will, however, have to pay the planned £1000 (\$1600) a year fee for the first four years of their course, in line with most other students, from 1998.

The health secretary, Frank Dobson, also announced that the NHS will meet the costs of tuition for nursing and midwifery students, who will continue to receive a non-means tested bursary. The NHS will also give bursaries to hard up students in their final years at medical school.

The announcement comes at the same time as a £165m package for higher education designed to deflect criticism of the Labour government's proposals before its party conference. The package includes £40m to be used to encourage disadvantaged students to go to university.

The concessions made for

final year medical students follow months of lobbying by the BMA. In an open letter to David Blunkett, the education secretary, Dr Sandy Macara, chairman of the BMA council, said that final year students leave owing an average of £6758—nearly twice the debt of the average student. He pointed out that clinical medical students had less time to supplement their income through part time work and had higher than average costs for travel, textbooks, and equipment.

Derek McLaughlan, chairman of the BMA's medical students committee, said that the government had gone some way to addressing the special problems facing student doctors, but it was not enough to ensure a good breadth of social class in students entering medical school. "The good news is that all students, including mature graduates, will get their fees paid from year five. The down side is the financial struggle to get to the final years." □