embryonic development, so with diseases. "I cannot conceive any doctrine professing to bring the phenomena of the former within a general law, which is not like the theory of Darwin, consistent with their fundamental identity, their endless variability, their subjugation to varying external influences and conditions, and with the possibility of the transmission of the vital conditions and properties, with all their variations, from individual to individual, and in the lapse of ages, from race to race."⁵⁸

The eloquent addresses on Pathology to the general meetings of this Association, and to the Section of Pathology during the past ten years, have left me few topics I could make my own, and nothing to say that has not been better said by better men; but it appeared to me that a statement of the position of pathology in relation to biology and to the origin and nature of the specific disease might be of interest, as tending to show that we must continue to look to physiology, through the wide field of biology, as a competent guide for us, and as capable of explaining the abstruse problems still awaiting solution.

If the judicious questioning of received opinions is to be regarded as a sign of scientific vitality and advancement—the very source and root of healthy progress and growth—the Section of Pathology of this great Association of workers during the past ten years may be accepted as evidence of the undoubted vitality of the science of pathology, of advancement in its methods, and of a sound basis for its healthy progress and growth in the future. "All such advances must change the circumstances of our mental life, so that minds that cannot or will not adjust themselves to the changed condition of thought and action become less useful, or at any rate modify the manner of being useful."⁵⁹ Seeing, also, that there are no absolute certainties in science—that the conclusions of science are never more than in a high degree probable—that they are no more than the best explanations of phenomena which are attainable in the existing state of knowledge, great advantages accrue from the meetings of such an Association as this throughout its various Sections, where errors are allowed full room for expression, in the belief that truth in the end will prevail, and that in the liberty of opinion, which is the life of knowledge, we ensure the death of what is false. Moreover, in the prosecution of such inquiries as I have here but feebly outlined, every allowance must be made for the opposing influence inspired by that human frailty through which "truth provokes those whom it does not convert." It must also be remembered how difficult it is to get rid of old theories once embraced; and that, whether in pathology or in any other department of science, few are willing to break up trains of thought to which they have been inured.⁶⁰ "Emancipation from the thralldom of dogmatic opinion is a slow and difficult process, and the adoption of large and independent views more consistent with observation, reason, and philosophy has only been possible under the influence of the general progress of scientific knowledge, and the acquisition of sounder methods of applying its principles to the explanation of natural phenomena."⁶¹

To all this the British Medical Association has largely contributed by its organisations in Branches and Sections, by its annual meetings, and by its JOURNAL, where objections reasonably urged always obtain a hearing, where they may be reasonably met, and where new truths, after encountering sufficient opposition to test their value, finally make their way to general acceptance. Out of such a scientific crucible the golden ore of knowledge cannot fail to come out well refined. Moreover, when the opinions of men best able to judge are divided, the questions at issue remain doubtful, and reasonable men who are unable to give special attention to the points at issue withhold their judgment, while those who are able to arrive at conclusions do so with diffidence and modesty, the most fitting frame of mind, holding in remembrance, with Sir Isaac Newton, that "we are diffident in the presence of Nature."

⁵⁸ Dr. Allen Thomson's Presidential Address at the Forty-Seventh Annual Meeting of the British Association at Plymouth.

⁵⁹ Sir James Paget, JOURNAL, vol. II, 1881, p. 196.

⁶⁰ Buckle, *History of Civilisation*, vol. III, p. 415.

⁶¹ Dr. Allen Thomson's Presidential Address at the Forty-seventh Annual Meeting of the British Association at Plymouth.

THE PROFESSION IN PARIS.—During the past few years, says the *Progrès Médical*, the ranks of the medical profession in Paris have increased terribly. People in 1866, says another French contemporary, the *Paris*, were fortunate, for then only 6,506 physicians, surgeons, and druggists undertook to send them to another and a better world; now 10,360 doctors and chemists look after the Parisians, or sell them physic.

AN ADDRESS

DELIVERED AT THE OPENING OF

THE SECTION OF OPHTHALMOLOGY.

At the Annual Meeting of the British Medical Association, held in Glasgow, August, 1888.

By THOMAS REID, M.D.,
President of the Section.

GENTLEMEN,—My first duty is to bid you welcome, as members of the Ophthalmological Section of the British Medical Association, to the city of Glasgow; and in doing so I know that I express the sentiments of the profession in the West of Scotland when I say that it has been their most earnest desire and no efforts have been spared on their part to make this meeting of the Association a success from a social as well as from a scientific point of view. And in this University, where the late Dr. McKenzie lectured for many years with great acceptance, the Senate with whom the appointments rest, in conjunction with the Directors of the Glasgow Eye Infirmary, who for the last sixty years, that is, since 1828, have regarded ophthalmology as an important, if not essential, part of the medical curriculum, will, I am sure, accord a most sympathetic welcome to those gentlemen who have honoured us by their presence here to-day; for they, as well as those of us who are more particularly interested in this specialty, feel assured that the executive of the Association, by their action in instituting a special branch on ophthalmology, have given a powerful impulse towards a fuller recognition than it has hitherto obtained in the curricula of the medical schools of this country. Our only regret on the present occasion is that the incidence of the Heidelberg Congress the same week has deprived us of the pleasure of seeing here many gentlemen who, but for that circumstance, would have certainly taken an active part in the business of this Section; and we regret it the more that at this the first meeting of the Association in Glasgow, by a fortunate combination of circumstances, our city has this year more attractions for the visitor than it possibly can have at any possible future meeting of the Association. But if we cannot congratulate ourselves on having with us on this occasion the founders of modern ophthalmology, we are gratified to see many earnest and enthusiastic workers who are contributing largely towards the perfecting of those details so essential in every progressive science, and which have perhaps a more direct application in ophthalmology than in other branches of medicine. And now that experimental and clinical observations have demonstrated the intimate anatomical and functional relations of the eye to nervous and other systems, a competent knowledge of the relations of ocular disease to that of the system generally is indispensable to the physician as well as the specialist; and it is to the meetings of this Association, specially instituted for the promotion of medical science, that we have to look for an adequate discussion of many of those questions which are still *sub judice*.

Gentlemen, I will not detain you longer, but shall conclude by thanking the executive of the Association for the honour and the privilege of presiding on the present occasion.

AN ADDRESS

DELIVERED AT THE OPENING OF

THE SECTION OF LARYNGOLOGY AND RHINOLOGY.

At the Annual Meeting of the British Medical Association, held in Glasgow, August, 1888.

By FELIX SEMON, M.D.,
President of the Section.

GENTLEMEN,—Whilst it is one of the most pleasant duties of the President of every Section of this Association to bid a hearty welcome to those who have assembled to share in the work of his Section, the duty thus devolving to-day upon me is of an exceptionally gratifying character. For it is my privilege to welcome you now, upon the first occasion on which, at any medical meeting in the United Kingdom, the rank of a full Section has been granted to laryngology and rhinology, this branch of medical science being thus at last placed on a par with the older recognised specialties.

Considering that fully thirty years have elapsed since the introduction of the laryngoscope and rhinoscope into medical practice, and considering further, that manifold difficulties have had to be overcome before this position has been attained, we may, I think, fairly congratulate ourselves upon the progress made, and this day may perhaps, without exaggeration, be looked upon as marking a distinct epoch in the history of British laryngology.

No more fitting subject, it appears to me, could be chosen on a day of such character for the inauguration of our common work than a retrospect of the past, a consideration of the present, and an outlook into the future of our specialty. But the subject is a large one, and the time allotted to me is so short, that I must be content merely to remind you of some of the more important features of the development of our specialty in this country, and to offer rather material for reflection than to do that full justice to my task which it deserves.

It is a curious fact that, though the physiological principle of laryngology and rhinology was originated in this country, its medical application appears to have been received by the profession from the first with a somewhat languid interest. When, a few years after Manuel Garcia's discovery, Professor Czermak, shortly after having perfected the method, came to London, and illustrated its utility by demonstrations and lectures, his personal endeavours no doubt attracted for the time considerable attention, but this attention was more of a Platonic than of a practical character, and the laryngoscope for a long time continued to be looked upon by the majority of the profession as a "physiological toy." Nor were the interesting communications and the brilliant therapeutic results of the pioneers of British laryngology sufficient to rouse the bulk of the profession from its passive attitude. The importance of the method was not yet realised; no provision for a long time was made for its efficient study by the necessary formation of special departments in the large hospitals; and, in those days, a suggestion that an elementary knowledge of its practice ought to form part of the medical education of every qualified practitioner would probably have been received as the impracticable dream of an enthusiast.

In view of these facts, it is not surprising that at a comparatively early period the expedient usual under similar conditions was resorted to, and special hospitals were founded for the better study of diseases of the throat and nose. This departure, however, did not increase the popularity of laryngology. The majority of the profession was in those days, even more than at present, averse to special hospitals, and laryngology did not escape the unpleasant consequences of asserting its independence. It is no part of my function to-day to examine the merits of this question; I merely wish to state facts. Other circumstances no doubt contributed to the undesirable turn which matters took for a time. The supposed small compass of laryngology was ridiculed, it was dogmatically asserted, over and over again, that constant occupation with so small a subject must necessarily lead to "narrow-mindedness," and a very general, and unfortunately not altogether unfounded, opinion gained ground, that there was too much local and too little constitutional treatment in the practice of laryngologists. Personal questions very largely entered into the abstract discussion of the merits and demerits of laryngological specialism, in short, the general feeling of the profession resulting from all this was, for a considerable time, decidedly unfavourable to our aspirations. The younger generation of laryngologists can hardly realise how earnestly their predecessors had in former days to struggle for a better appreciation of the aims of scientific laryngology, what deep rooted prejudices had to be overcome, what difficulties offered themselves *extra muros et intra*.

But there is too much inherent good in laryngology and rhinology for it to be possible that such obstacles could permanently bar the way towards its recognition. An improvement, slow at first, but none the less sure, began to manifest itself about ten years ago, and has ever since continued. The advances made by our Branch, in scientific as well as in therapeutic respects, became too obvious to be permanently overlooked; the authorities of the teaching hospitals could no longer shut their eyes to the importance of the method, and to the necessity of providing suitable accommodation for it; the good work done by the Laryngological Subsection of the Seventh International Medical Congress, held in London in 1881, convinced many adversaries that there was more in laryngology than had so far been admitted; a new generation of practitioners grew up, who had the opportunity of convincing

themselves during their student's career, of the importance of laryngoscopic examination, not merely for the diagnosis of laryngeal, but of severe intracranial and intrathoracic diseases, and of rational local treatment in affections of the throat and nose; the public became more and more aware of the advances made in our line, and—last not least—the laryngologists themselves, who for a time seemed perilously near one of the most fatal mistakes of specialism, namely, of becoming totally absorbed in the observation of minor details and in the perfection of minute modifications of local treatment, turned their attention towards more important subjects, and began to devote themselves, more than had been hitherto done, to the study of the mutual relationship of local affections of the upper air-passages with more general systemic disturbances.

It is difficult, where so many factors have been at work, to assign its proper share of importance to each, but I am strongly inclined to believe, that powerfully as the other ones may have influenced public opinion in favour of a more just appreciation of laryngology, none has had a greater effect in procuring us the goodwill of the profession, than the turn of laryngology towards questions of broader and more general interest, which, I venture to say, has been the distinctive characteristic of the scientific work of our branch, not only in this country, but throughout the world, during the last seven or eight years.

However that may be, there can be no doubt that the present position of laryngology in Great Britain and Ireland is much better than the boldest of its adherents and well-wishers would have ventured to hope for only ten years ago.

To-day it is, as our present meeting shows, recognised by the profession at large; already previously colleges and medical societies had recognised its legitimacy by electing professed laryngologists to the higher grades and to positions of trust in their councils; there are now in most of the large towns in England, Scotland and Ireland, well trained and well known specialists for laryngology and rhinology; in almost all the large teaching hospitals special throat departments have been provided. Special hospitals, exclusively or mainly devoted to the study of matters laryngological and rhinological, exist in London, in the provinces, in Scotland and Ireland, and their number almost yearly increases; several of them have lately instituted regular "post-graduate classes;" the literary activity has never been so great as it is at this moment and it may perhaps specially interest my hearers to learn, that the number of papers, etc., on laryngological matters produced within the last year in Great Britain and Ireland, namely, 375, was, as my statistics in my own *Centralblatt* show, in excess of the number of laryngological contributions produced within the same period in any other country, while the intrinsic value of many of them was undoubtedly great; finally, there is now a special journal written in English which serves as an analytical record of current literature relating to the throat and nose. With regard to the recently founded British Laryngological and Rhinological Association, which no doubt will be looked upon by many present as another sign of progress, I regret that I cannot take that view, and I will further on give my reasons for my divergent opinion. But leaving this one point for the moment *sub judice* it is clear from the foregoing that all along the line considerable progress has been made.

Much, however, still remains to be done. It is undeniable that a very large fraction of the profession is still unacquainted with our methods and our achievements; that the organisation of the throat departments of the large hospitals is by no means above improvement; that laryngology, so far as its place in the plans of teaching and examination is concerned, occupies a most subordinate position; and that a good deal more of useful work might be done by laryngologists at the general medical societies. For the present, therefore, it will, I think, be desirable to concentrate our efforts upon the achievement of the following points:

1. That compulsory attendance on a practical course of laryngology and rhinology be included in the official curriculum.
2. That the proficiency of every student going up for final examination regarding the use of the laryngoscope and rhinoscope be tested in the course of his clinical examination.
3. That the organisation of the throat departments in the teaching hospitals be further improved, and co-operative action amongst the teachers of laryngology be aimed at.
4. That by frequently bringing forward subjects of general interest at the meetings of general medical societies, the interest of the profession at large in our endeavours be, if possible, further increased.

The first two of these propositions may well be discussed together, as the second is only a corollary of the first.

It is true of laryngology as of so many other things, that its greatest adversaries are those who know least of it. Our first aim, therefore, ought to be that every qualified practitioner ought to be acquainted with it. Now it is perfectly true that in this country, as well as elsewhere, there are a good many students who already during their hospital career understand that they do not learn for examinations, but for life, and who eagerly seize upon every opportunity of becoming thoroughly acquainted with every progress of modern medicine. For such men no compulsion is necessary. Unfortunately, however, men of this stamp are, and are likely to remain, in a minority; and to the great mass of students those subjects only appear important which are prescribed by the official curriculum, and form part of the examinations. Considering the frequency and importance of throat and nose affections, and the light thrown by the laryngoscope upon severe diseases of distant parts, it appears urgently desirable, first, that attendance on a practical course of laryngology and rhinology should be made compulsory; secondly, that proficiency in these two subjects should be tested in the final examination. To avoid all misunderstandings, however, I beg to say distinctly that I do not propose to harass the already overburdened student with a separate laryngological examination, conducted by a specialist, but merely that the extent of his acquaintance with the use of the laryngoscope and rhinoscope should be ascertained in the course of his clinical examination, and that ignorance in these respects should be noted against him, in the same way as deficiency in any of the other recognised methods of physical examination.

Concerning the organisation of the throat departments of the teaching hospitals, the wish may fairly be expressed, that they should be all placed in the charge of gentlemen taking more than transitory interest in the subjects they are called upon to teach, and further, that the principle of rapid rotation of clinical assistants, which may answer well enough in the general departments, should not be extended to special branches, demanding a technique which necessarily can only be acquired in the course of time. So long as the present principle of a three-, or at the best, six-monthly change of the clinical assistants is continued, the work of the head of the department is a real Sisyphus-task. He loses his helpers just at the moment when they become really useful to the department; he has personally to do much work, which ought to be, and is elsewhere, left to the assistants; he cannot devote sufficient time to the really important cases, and above all, he is prevented from fulfilling to its full extent what I consider his most important duty, namely, to instruct the students. This is a question of the highest importance, and I hope that the authorities will soon admit that the present system benefits a few students at the expense of the many, and in a larger sense, of the public in general. In the present circumstances we shall never be able to compete with the throat clinics abroad, to which so many English and American students flock, not because they beat us with regard to material, or to experience, but merely on account of their superior practical arrangements. Perhaps it may some day be possible to organise in that great clinical centre, London, an association of teachers, similar to those formed in so many Continental universities, whereby the opportunity may be given to students and practitioners to utilise, better than is possible at present, the time they wish to devote to the study of throat and nose diseases. Whilst, for instance, at Vienna the budding laryngologist has the opportunity of devoting himself from 8 A.M. to 1 P.M., without interruption, to the study of his favourite subject, under the guidance of four different able and experienced teachers, at London, with its infinitely larger material, with but few exceptions, the hours of attendance at the throat departments of the teaching hospitals, as well as at the special hospitals, are from 2 to 4 P.M., and the student has hardly an opportunity of visiting more than one throat clinique in the course of the day. This fact forms a standing complaint of foreign visitors, who wish to make the most of their limited time. It will probably be difficult to make satisfactory arrangements with regard to all these points, upon which I could but hurriedly touch to-day, but the questions ought to be submitted to consideration, in order to be satisfactorily solved in the future.

I now come to the last part of my task, the advocacy of greater dissemination of laryngological knowledge by papers brought forward in general medical societies. I trust that the whole gist of this address has not left it doubtful to the minds of my hearers

in what direction, according to my opinion, the true progress of laryngology must be sought for. I say it is in remaining intimately connected with our mother science, with medicine and surgery in general. We may and must try to obtain so much independence as is absolutely required for the sound development of our branch, but we ought not, I think, to be led astray by a false ambition for independence at any price, and we ought to avoid the fatal mistake of becoming isolated. From this point of view I recommend as the best bond of union between general medicine and laryngology and rhinology the frequent reading of papers of common interest in general medical societies, to be discussed by specialists, physicians, surgeons, and general practitioners in union, and to be published in general medical journals. From the same point of view I cannot but express my regret at the formation of a special Laryngological and Rhinological Society. Two years ago I fully stated my reasons for opposing such special societies when the same plan was brought forward in Germany, and all the objections I then raised and victoriously maintained apply, I think, with still greater force to this country. I do not doubt for a moment that when my friend Dr. Whistler last year brought forward his suggestion, which since has taken practical shape, he was actuated by the most ideal motives, but in this as in so many other questions theory and practice unfortunately differ.

Had this Association obstinately refused to grant a position to laryngology, the formation of a special Society would have been intelligible enough. As matters, however, actually stand there is, plainly speaking, but too much reason to fear that there will be always a latent rivalry between the new Society and the Laryngological Sections of this Association, splitting up the few British laryngologists into two camps, and leading to insufficient attendance at the meetings of either. Moreover, although there are undoubtedly some questions continuously arising, such as we shall have presently before us, which can be better discussed in a smaller circle of experts than in a large general Society, the number of these questions is very small, and they can be quite sufficiently discussed at the annual meetings of this Association. Again, it is almost certain that, in order to fill up the programme of the meeting of the new Society, a number of papers will be read on these occasions which might have been brought forward with much greater advantage before general medical societies. Several other reasons strongly speaking against a separation from the general body could be adduced, but what I have said will I think justify my fears that, far from benefiting laryngology, this departure will only lead to its isolation. I wish I may be mistaken, but I do not believe it. My own conviction is that no specialty can lastingly flourish which aims at independence at the expense of too complete a separation from the general body; and a specialty like ours, which possesses so many points of common interest with medicine and surgery in general, with neurology, with otology, with children's diseases, with public medicine, and with numerous other branches, ought, I strongly feel, rather to work in connection with them, and to impart ideas to and receive ideas from territories apparently rather distant from our own, than to retire into its own little snail-shell, and there to lead a self-satisfied existence.

Cultivation of intimate relations with our great mother science, *in hoc signo vincemus*, and under this motto we will now begin our common work.

AN ADDRESS

DELIVERED AT THE OPENING OF

THE SECTION OF DISEASES OF CHILDREN.

At the Annual Meeting of the British Medical Association, held in Glasgow, August, 1888.

By W. B. CHEADLE, M.D., F.R.C.P.

Physician to St. Mary's Hospital; and Senior Physician to the Hospital for Sick Children, Great Ormond Street; President of the Section.

ON THE PRESENT POSITION OF THE STUDY OF DISEASES OF CHILDREN IN RELATION TO MEDICAL EDUCATION.

THIS Section of Diseases of Children, gentlemen, cannot boast of ancient standing or a long record of regular and continuous work. It has had but a brief and intermittent existence. It did not come into life until 1883, at the meeting held in Liverpool, but in that