which the use of the rake is not required, would soon put an end to a nuisance which is a disgrace to our vaunted sanitary progress and civilization.

II.—THEODORE THOMSON, M.B.LOND.,

Lecturer on Physiology Sheffield School of Medicine; Medical Officer Sheffield.

DR. THOMSON entirely agreed with Dr. Barwise's exposition of the legal view to be taken as to the administration of the Public Health Act clauses. On the question of apparatus to be employed, Dr. Thomson pointed out that the question had too usually been considered entirely as a question of boiler furnaces, and these, too, in trades in which a tolerably uniform pressure was maintained. In Sheffield, in the heavy trades, the pressure in boiler furnaces had often to be very suddenly raised, and to a very high degree, which increased the difficulty of dealing with the smoke. Further, converting, heating, and other furnaces were, from their structure, beyond the reach of mechanical stokers and many other so-called smoke abatement apparatuses. He considered that in these cases, where local authorities are not prepared to advise what apparatus should be employed, and to prove their position, it should be their duty to ascertain by experiment what apparatus to recommend.

RESOLUTION.

The following resolution, proposed by the PRESIDENT, and seconded by Dr. UNDERHILL, was adopted:—"That the Section, acknowledging the difficulties of advising as to the best means of dealing with the smoke nuisance, points out to the Association the value of the work done by the Society formed for testing the various methods of smoke preventing appliances, and suggests that the British Medical Association recommend the various sanitary authorities to subscribe to it."

CLINICAL INSTRUCTION AT FEVER HOSPITALS IN CONNECTION WITH THE OPERATION OF THE COMPULSORY NOTIFICATION ACT.

Read in the Section of Public Medicine at the Annual Meeting of the British Medical Association, held in Birmingham, July and August, 1890.

By EDWARD SEATON, M.D., F.R.C.P.,

Lecturer on Sanitary Science and Public Hygiene St. Thomas's Hospital; Medical Officer of Health Chelsea.

WE shall probably all agree that one of the chief uses of the Compulsory Notification of Infectious Diseases Act is to secure the isolation of persons suffering from the diseases specified in Act, and which spread by contagion. We should also agree that in a very large proportion of such cases isolation cannot be obtained in the dwellings of sick persons, and that, unless a suitable hospital is provided for their reception, the sanitary authority will not be in a position to take effectual measures to prevent a spread of the disease. An authority which fails to provide an infectious hospital is severely in default. It is therefore assumed in this paper that the adoption of the Notification Act, as in the metropolis, has been preceded by the provision of hospital accommodation of a suitable kind. Under these circumstances, compulsory notification in many cases must virtually amount to compulsory removal to hospital, and, consequently, correctness in diagnosis becomes more important now than ever. It may be said that it is assuming too much to suppose that "compulsory" as distinct from "voluntary" notification may in some instances be injurious to individuals through possible mistakes in diagnosis, inasmuch as no one is compelled to notify until he is sure about the nature of the disease. To this it may be replied interrogatively, Is the practitioner always sure of the nature of the disease when he feels compelled to notify? Probably not; and so we may partly account for cases in which the diagnosis before removal to hospital has afterwards proved to be incorrect. Now in these cases serious and, as things are now, practically unavoidable accidents have happened. For the occurrence of such accidents the authority, or authorities concerned in the operation of the Compulsory Notification of Infectious Diseases Act, are, in a measure, responsible. This is the light in which our eminent and experienced colleague, Dr. Russell, evidently regards the situation, as is clearly shown by the prominence which he has given to the question of "Errors in

Diagnosis of Infectious Diseases," and by the stress he lays on the importance of making sanitary hospitals available for teaching purposes. The same view has been taken by the authorities at New York, whose system of compulsory notification is supplemented in various ways so as to provide against its operating injuriously to individuals. The occasional inspection of cases before removal by "expert diagnosticians," appointed by the municipal authority, prevents to a considerable extent harm resulting from what are styled "unpardonable errors in diagnosis;" while in other cases, pardonable or unpardonable, the interests of the patient are further safeguarded by the provision of ample accommodation for doubtful cases, which accommodation at New York is distinct from special hospitals. The hospitals of the Metropolitan Board, though well equipped in most respects, are deficient in this kind of accommodation. The recently published statistical report of the Board may be here referred to. It contains a quantity of very interesting information on this subject which deserves careful study. The cases of mistaken diagnosis at the metropolitan hospitals amount to less than 4 per cent. of the admissions, and are therefore rather less in proportion than those which are reported at Glasgow. But it may be observed that the proportion varied at the several hospitals of the Board. Thus, at the Eastern and South-Eastern hospitals the proportions were respectively 4.5 and 4.0, while at the North-Western and Western they were respectively 2.7 and 2.6. A difference between 4.5 and 2.6 per cent. is very remarkable, and some explanation should be given of this in the Board's report. The cases in which errors were least frequent were (as at Glasgow) in scarlet fever. They were more frequent in diphtheria, typhus and enteric; and they were most frequent of all in small-pox, only 5 out of 26 (or about 19 per cent.) cases of this disease being diagnosed correctly. This seems an astonishingly large proportion of error; but in estimating its significance there are special considerations to be taken into account. The policy of the Board during the last few years has been to move all doubtful or suspicious cases of small-pox by its ambulances to one of its hospitals. There further medical examination takes place without taking the patient into a ward occupied by other sick persons. By these special arrangements the spread of small-pox is prevented with practically no harm to individuals whose cases do not turn out to be small-pox. I am afraid the same cannot be said absolutely of all the cases sent in as scarlet fever, diphtheria, typhus, and enteric fever. In a few cases of convalescent scarlet fever, amounting to about 1 per cent. of the admissions, and in some cases sent as diphtheria and diphtheritic croup, the diagnosis of the certifying practitioner must be relied on entirely, as there are no symptoms at the time of admission which allow of an independent diagnosis being made. The last-named disease is likely to be a source of difficulty to sanitary authorities in more ways than one. Dr. Donkin, in a very important letter to the *Lancet* of July 5th, has indicated one difficulty, arising from the fact that cases certified as membranous croup may be, and are, sent to hospital. Dr. Sweeting, in his last report for the Western Hospital, writes passages of great significance regarding the policy of the Board in segregating cases of diphtheria. It is impossible to read this report without feeling that patients admitted into these wards and not protected against diphtheria may incur considerable risk.

It is unnecessary to dwell on this part of our subject any longer. Enough has probably been said to indicate the kind of risks that we have to be on our guard against. It is plain that the principle of compulsory notification itself would be in danger if all possible safeguards against injury through its operation be not provided. The precaution instituted by the American system is hardly possible in this country, although some modification of it might well be adopted. It would be much better for the public and the patient if the advantages of consultation with experts in the diagnosis of fevers were more frequently sought by general practitioners, and it would be a great advantage if, in the case of the poor, provision could be made by boards of guardians for the payment of the consultation fees. Such an arrangement would probably save the ratepayers money in the long run. The establishment of separate wards for doubtful cases is very expensive, as it greatly increases the difficulties of infectious hospital administration; but it is not improbable that the Metropolitan Board will have to make some provision of the kind. It is to be regretted that in some recently constructed provincial hospitals no accommodation for doubtful cases exists at all. But the employment of "expert diagnosticians" (to use the American phrase), or the establishment of wards or a separate hospital for doubtful cases, are only provisional

expedients for obviating difficulties in the operation of the Compulsory Notification Act. The way to establish that Act on a firm basis is to promote clinical study and instruction at hospitals set apart for infectious diseases. Sanitary authorities who have the control and management of such hospitals have a great responsibility in this matter, for it depends chiefly on them as to whether an important and essential part of medical education shall be cultivated or neglected. Glasgow has led the way among sanitary authorities. Dr. Russell, the medical officer of health for that city, has made the public familiar with the importance of clinical instruction at Belvidere, and the municipal authorities have given every facility for medical study and instruction at that rate-supported hospital. It has lately been resolved by the Special Committee of the Town Council, "That the teaching to be afforded by the physician superintendent at the hospital should be given free to all medical students." Dr. Allan, the physician superintendent, tells us that during the recent session as many as 104 medical students at Glasgow have availed themselves of these special opportunities. In Ireland, under the regulations for candidates for the licence in medicine and midwifery of the King and Queen's College, the candidate must produce satisfactory evidence of having for not less than three months studied fever in a recognised clinical hospital containing fever wards. The word "fever" is here defined as including the following diseases only—namely, typhus, enteric, scarlet fever, small-pox, and measles. The Royal College of Physicians had this important subject under consideration during 1889, and at their instance a section was incorporated in the Poor-law Amendment Act which enables the rate-supported fever hospitals of the metropolis to be used for purposes of medical instruction. The College drew up a scheme for carrying on such teaching, which has since been adopted by the Metropolitan Asylums Board, and which it is expected will come into effect in October. The course, though short, will, it is anticipated, prove of great value to students in teaching them the diagnostic signs of those diseases which they must be ready to distinguish as soon as they enter practice. Dr. Allan, in the lectures referred to, makes a strong point of the danger to a medical attendant in not recognising the enemy he is called on to deal with. Not only may he suffer in his reputation, but in his person as well—as, for example, by mistaking typhus for a severe feverish cold, and exposing himself to unnecessary risk in the close examination of a patient in an ill-ventilated room. Dr. Russell and Mr. Vacher, of Birkenhead, have shown how unrecognised cases of fever, especially typhus, become a not infrequent source of public danger. It has been indicated in this short paper that there are other ways in which "errors in diagnosis" may indirectly be detrimental to the public health, seeing that they may lead to accidents which would not have occurred but for the operation of the new Act. By forwarding the cause of clinical instruction at fever hospital it is hoped that a foundation even more secure than that on which it at present rests may be secured for the Compulsory Notification of Infectious Diseases Act.

SECTION OF PUBLIC MEDICINE.

JULY 30th, 31st, AUGUST 1st.

Registration of Plumbers.—The following resolution, submitted by Mr. ERNEST HART, was proposed by the PRESIDENT, seconded by Dr. WELCH, and adopted: "That this Public Medicine Section of the British Medical Association in Birmingham approves of the system of education, examination, and registration of plumbers carried out by the Company of Plumbers, and of the formation of a Committee and a local centre for the purpose in Birmingham, and expresses its hope that the memorial addressed to the Plumbers' Company be approved and acted on in the interests of public health."

Pollution of Streams by Paper Works.—Dr. JOHN C. THRESH (Chelmsford) said that the amount of waste material produced at a paper mill depended not only upon its size but also upon the kind of fibre-yielding material used and the special kind or quality of paper manufactured. The largest amount was produced by mills using Esparto grass for newspaper making, and the smallest probably by the makers of millboard and brown and other coarse kinds of paper. The raw materials used in paper making might be divided into three classes: (1) The fibre-yielding material; (2) chemicals used in preparing and bleaching the fibre; and (3) substances used in glazing, tinting, and weighting the paper. The refuse arising during the processes of manufacture

might be grouped under six heads: (1) The dirt and dust collected during the cutting and dusting of the fibre-producing material; (2) the alkaline liquors resulting from the treatment necessary to prepare the fibre; (3) the waste liquor from the bleaching process; (4) the insoluble portion of the bleaching powder and the carbonate of lime formed in making the caustic ley; (5) washings from the breaking engine in pulping the fibre; (6) drainings from paper machine containing size, colouring, etc. Of these, 1 and 4 were solids, the remainder liquids. The dustings were probably never cast into the streams. The lime residues, as a rule, were either openly or surreptitiously thrown into the rivers. The residue from the bleach liquors consisted of slaked lime, and should be utilised in making the caustic liquors, and so converted into carbonate. The whole of the carbonate of lime so produced should be allowed to drain in tanks made in duplicate, so that whilst one was filling the other was draining, and, when sufficiently dry, the residue could be carted away. In some districts it could be utilised for agricultural purposes. It could be so readily and inexpensively dealt with that there could be no possible excuse for polluting the rivers with it. The alkaline liquor resulting from the boiling of the fibre-producing material was by far the most serious source of river pollution. On an average, 3 to 4 lbs. of caustic soda were used for each hundredweight of rags, and 17 to 18 lbs. were used for each hundredweight of Esparto grass and straw. As it required 2 tons of Esparto or straw to make 1 ton of paper, the enormous amount of waste produced was evident. In one mill, turning out 25 tons of paper a week—not a large quantity—Dr. Thresh had calculated that over 30 tons of polluting solids, dissolved or in suspension (of which 20 tons were putrescible organic matter), were thrown into a small river every week. The process of preparing the fibre having been briefly described, the author urged that a more systematic and efficient method of removing the ley and washing the fibre should be adopted. The "boilings and first coolings" would then contain 95 per cent. of the soda used. In some mills a primitive method of recovering the soda from these liquors by evaporating in shallow pans and burning the residue in caves was adopted; but the process gave rise to a decided nuisance, and only recovered about half the alkali. The "Porion," "Yah-yan," and other modern processes for evaporation and incineration were briefly described. By using these more rational processes it was shown that over 80 per cent. of the soda could be recovered without causing any nuisance, and at so cheap a rate as to leave a profit to the manufacturer. The later "coolings," containing nearly the whole of the remainder of the soda, should be used for making fresh ley to treat a further quantity of fibre. In this way the most serious cause of stream pollution would be prevented, and in a manner not affecting in any way prejudicially the interests of the manufacturers. The waste liquor from the bleaching process was essentially a solution of calcium chloride, and, when mixed with the caustic ley from the boilings, produced a flocculent precipitate; but when the ley was kept out of the stream there could be no serious objection to this liquid being mixed with the washings next to be referred to and treated therewith. The washings from the breaking engine contained a considerable amount of fibre in suspension, even after being passed through wire cloth save-alls, and the amount of water used in such washings was enormous. By more careful washing of the fibre before "breaking" the amount of water required for washing after was reduced to a minimum, and resulted not only in a saving of fibre—a source, therefore, of profit to the manufacturer—but also in proportionately reducing the amount of washings to be disposed of. These liquids, together with the calcium chloride solution and the drainings from the paper machine, might be passed into the sewers where available. The drainings from the paper machine were as a rule used over and over again, so that the amount passing into the waste was not large. These mixed liquids formed a turbid mixture, the solid particles in which settled very slowly, and rapidly choked up any filter constructed to attempt their removal. Where no sewer was available and the amount of turbid fluid was too considerable to be allowed to pass directly into the stream, it should be caused to traverse a series of settling tanks, in which precipitation might be hastened by the addition of a little sulphate of alumina or "alumino ferric." If still considered too impure, the process of intermittent filtration through land, as suggested by the Rivers Pollution Commissioners, would probably have to be adopted. Dr. Thresh contended that, as it had now been demonstrated that the manufacturers could, without loss to themselves, reduce the polluting matters produced to 1, or at

most 2, per cent. of the present amount, there was no excuse for permitting such manufacturers to pollute streams as they were now doing with impunity. County Councils in manufacturing districts might with advantage employ chemical experts to devise and suggest processes for preventing river pollution instead of each manufacturer being left to devise processes for himself. Where such a manufacturer was fortunate enough to extricate himself from a difficulty, he took, as a rule, exceeding great care that his commercial competitors should not get at the secret of his success. Processes worked out by a public official would be public property, and, when demonstrated to be successful, would remove every excuse for their non-application.

The Pollution of Rivers, with Special Reference to the Mersey and Ribble.—Dr. EDWARD SARGEANT (Medical Officer of Health, Lancashire) said that it was satisfactory to find the question relating to the pollution of rivers again attracting public attention, and much was hoped from the action taken by the newly-formed county councils. Since the passing of the Rivers Pollution Prevention Act of 1876 very little had been done, and the rivers were becoming daily more and more polluted. The permissive character of the Act and the difficulty of enforcement accounted for the existing state of things. Sanitary authorities have hitherto been the great polluters of streams, and therefore have not cared to take action against other delinquents. By county authorities continuing to form boards representing watershed areas additional strength will be secured, and the action will be more uniform. There were instances in Lancashire, and no doubt in other parts of the country, of streams filled up by the solid refuse which had been deliberately tipped there for the purpose of being carried away by the flow of the water. Many rivers were used as mere conduits for foul liquids, with their waters discoloured and poisoned, and their beds and banks covered with deposits of mud and stinking. The inhalation of gases given off by the decomposing filth was injurious to health and produced typhoid fever, sore throat, and diphtheria. The prevalence of scarlet fever had lately been attributed to the filthy condition of the river Irwell. The pollution of rivers had a ruinous effect on fisheries, and of the total area of England and Wales, representing about 56,000 square miles, the streams, draining some 9,000 square miles, are practically denuded of fish of any kind by reason of the pollutions poured into them. Even the fish-producing streams are much polluted, as, for instance, the Ribble. The fish are suffocated by the deposit on their gills of suspended matter from the dye works, etc. This is most noticeable after a flood, when the deposit on the bed of the river gets stirred up. The Ribble is occasionally covered with tons of dead fish, destroyed by the abominations carried into it by the Calder and Darwen. The sewage of Preston so fouls the estuary as to prevent fish entering the river. The plentiful supply of water has no doubt contributed to the prosperity of Lancashire, and it is usual to see the important trades of the bleacher, dyer, paper maker, etc., crowding round the sources of the streams, so that within a few hundred yards the water becomes highly polluted and unfit for further use, and injurious to persons living in its vicinity. The manufacturers are selfish, and abuse one of God's best gifts. It would be far better if manufacturers were compelled to purify the water after use than before use. Rain sewage is still poured in the rivers by so-called sanitary authorities. Efficient methods of treatment are well known and ought to be adopted. In some cases sewage works are a "delusion and a snare," as they were only used at certain times of the day or on "show" occasions. The principal sources of river pollution by manufacturing refuse within the Mersey and Ribble basins were as follows: Dye, print, and bleach works, chemical works, tanneries, paper-making works, woollen works, and dye works. The pollutions from the various manufactures are amenable to chemical and mechanical remedies, which may be applied without interfering with the processes of trade. The expense of treatment was not great, and in some cases the operations have resulted in a profit. If the restrictions with regard to pollution were more stringent no doubt "necessity" would prove the "mother of invention," to the further advantage of the manufacturer as well as the public.—The papers of Dr. Sargeant and Dr. Thresh were discussed together.—Dr. SIDNEY BARWISE (Medical Officer of Health, Blackburn), pointed out that if the effluents from paper works in many districts were expected to be irrigated on land, it would be necessary for manufacturers to lay sewers for several miles in some instances, and in other cases no suitable land could be obtained; he did not think that

land was the proper method of dealing with it.—Dr. A. BOSTOCK HILL (Birmingham) quite agreed with the readers of the papers as to the great importance of maintaining the purity of rivers. With regard to the waste products from paper mills, it was of the highest importance that chemical refuse should be kept out. As far as his experience went in the neighbourhood of Birmingham, the difficulties arose chiefly from the influx of organic refuse. In one case in which he was interested the paper makers practically removed all the suspended matter; they still had complaints from the sanitary authority as to nuisance caused further down the stream. This was caused chiefly by the fact that the stream was to some extent polluted with sewage, and this, when meeting the paper works' refuse, did undoubtedly at times cause a nuisance. An important question arose as to whether or not it did not become the duty of the sanitary authority to aid as far as possible the manufacturers by laying sewers, which could be used for taking the refuse water, especially as they had taken in the past all reasonable precautions.—Dr. J. S. TZW (Nottingham) said he had seen several cases in which alkaline refuse from bleaching and other works passing into a river were little or no apparent nuisance until mixed with sewage matter, in small quantity even, but the slime and effluvia were most apparent within a short distance from their mixture. The temperature at which the various waste products were discharged into rivers and sewers was most important, both visibly and by their after-effects; when introduced cold little was to be seen, but when discharged into the sewers in a hot state a considerable smoke and smell arose. He would like to ask Dr. Thresh as to the usual temperature at which the waste products of paper manufacture were usually discharged into rivers or sewers.—Dr. SARGEANT and Dr. THRESH replied.

The Compulsory Notification Act.—Dr. B. H. MUMBY (Medical Officer of Health, Portsmouth), observed that the very general and widespread feeling in favour of notification was shown by the rapidity with which this largely optional Act had been adopted by sanitary authorities throughout the country. Since this Act came into existence less than twelve months ago, it had been voluntarily adopted by local sanitary authorities under whose jurisdiction about 12,000,000 of persons were living. The Act compulsorily applied to London with its 4,000,000 of inhabitants, so that it now enforced the notification of all cases of certain infectious diseases occurring in 16,000,000 people. Powers of compulsorily notification had been previously obtained by the expensive method of special local acts in fifty-six towns, which, together, were estimated to have a population of 3 to 3.75 millions, so that compulsory notification now existed with respect to about 20,000,000 people, i.e., about four-fifths of the people of England. In respect of the dual notification rendered obligatory by the Act, some medical practitioners regard the notification by the medical attendant to the medical officer of health as a breach of professional confidence, but this feeling was gradually dying out just as it had done in the case of certificates of the cause of death. The advantages of dual notification were considered by the framers of the Act to entirely outweigh those of any other form. The diagnosis of some, if not of all, the infectious diseases named in the Act, might be at times very difficult, but the Act did not call upon the medical attendant to take any steps until he was aware of the nature of the disease. For the protection of the public health the sooner the diagnosis was made the better, but for those cases which were of an obscure or doubtful nature, the sanitary authority ought to provide proper isolation wards in which the patients could be kept under observation until time had been given for the true nature of the disease to declare itself. In the report of the statistical committee of the Metropolitan Asylums Board for 1889, out of 5,772 admissions, 181 cases were reported to be mistakes in diagnosis, which was equal to about 3 per cent. Under this Act it is very certain that mistakes in diagnosis would occasionally occur; it was, therefore, eminently desirable that a friendly arrangement should exist between the medical officer of health and medical practitioners, in order that doubtful cases in an early stage of disease might be removed to the observation wards of an isolation hospital. Such an arrangement, especially in small towns, was usually only practicable where the medical officer of health was debarred from private practice. The act only dealt with the notification of infectious disease, and the methods by which this was to be secured. The mere fact of notification could not be of much benefit to the public health unless prompt action was subsequently taken by the sanitary authority to enforce the required measures of isolation of patients and disinfection of

premises. By means of notification many towns had found how badly supplied they were with the means of isolation, and had in consequence of the knowledge so obtained, taken means to provide themselves with more hospital accommodation. The chief advantages to be obtained by the adoption of this Act were:—(1) A more complete knowledge of the local incidence of zymotic disease upon the population, and its relations not only to locality, but to season, age, sex, employment, and mode of living. (2) The power of securing efficient isolation of first cases of infectious disease, and preventing the spread of epidemics. (3) The ability to carry out thorough disinfection in every case as it arose. (4) The prevention of the exposure of infected persons or articles, especially the prevention of the circulation of infected books by public libraries, and the keeping away from schools of scholars residing in infected houses. To reap the full advantages of the Act, there was required:—(1) The co-operation of the medical profession in notifying promptly. (2) The provision of ample accommodation in isolation hospitals by the sanitary authority. (3) A sanitary administration, active, energetic, and courteous.

Some Points in the History of Compulsory Notification and Isolation in Nottingham.—Dr. BOOBYER (Medical Officer of Health, Nottingham) read a paper, illustrated by a diagram, on "Some Points in the History of Compulsory Notification and Isolation in Nottingham." He said he was constrained to choose this subject by the large number of inquiries he had recently received from towns that had adopted the Infectious Diseases Notification Act of 1889 without previous experience in the working of such measures. Small-pox, cholera, typhus, relapsing, typhoid, and scarlet fevers and diphtheria, he said, were made compulsorily notifiable by Section 22 of the Nottingham Improvement Act of 1878, but compulsory notification did not actually come into operation at once. The following were the dates at which the several diseases now on the schedule were made notifiable: Small-pox and scarlet fever, February, 1882; enteric and typhus fevers, June, 1883; diphtheria and cholera, August, 1885. Space for the isolation of small-pox cases had been provided since 1871. For the first few months an empty ward of the New Union Hospital was used for the purpose, but by the beginning of 1872 four temporary wooden blocks, with an aggregate of 100 beds, were equipped upon the isolation area still partly in use in Windsor Street. The subsequent history of these blocks was instructive. They were first used for small-pox, as above stated; then, with an interval of three years, for typhus during a period of three months; after this (1875) they were set apart almost entirely for scarlet fever till 1881, when they were once more almost exclusively used for small-pox till the end of the epidemic in 1882. From this last year onwards they were devoted to scarlet fever. During the small-pox epidemic of 1887-88, space for fifty additional beds was provided at Bagthorpe on the outskirts of the borough, and since October, 1889, this space has been exclusively used for scarlet fever cases. Now, so far as the writer had been able to learn, there was not during this period any evidence of a retention of infection by the temporary buildings, but when small-pox and scarlet fever cases had been admitted at the same time—though into separate blocks and these at no point less than forty feet apart—there was distinct evidence on more than one occasion of a direct communication of small-pox to the scarlet fever cases. Dr. Boobyer gave an account of the working details of the system of notification, registration, and isolation of infectious diseases in Nottingham, as developed and established by his predecessors, and urged the desirability of employing one or more special visiting officers to obtain information respecting cases and their surrounding conditions, to issue printed and verbal instructions, to make arrangements for the removal of patients to hospital, and to disinfect or to superintend the disinfection—by Corporation *employés*—of infected premises. Such specially trained officers were often also of great value in securing information about cases having no medical attendant, which, if undiscovered, would doubtless be the means of spreading disease on all sides around them. Referring to the diagram, Dr. Boobyer said that it was mainly intended to show the rapidly increasing popularity of hospital isolation in Nottingham. To take the most recent annual record of scarlet fever for example. During the year ending with June, 1890, 1,194 cases of this disease were notified in the borough, and 906, or 75 per cent. of these were admitted to hospital. The total deaths in Nottingham for this year were 32, or 2.6 per cent. of the cases, and 1.7 per cent. only occurred in hospital; or, to put it otherwise and in round numbers, one-third of

this extremely low mortality occurred among the one-fourth of the cases which did not go to hospital; and it must be remembered that those remaining out would be for the most part mild cases, and would also probably belong to a more affluent class than the bulk of those admitted. During the 1887-88 epidemic of small-pox, all the cases occurring in the borough, to the number of 61, and ten of those occurring in outside districts were admitted to the Bagthorpe hospital. At one time in the course of the past winter, with a by no means severe epidemic of scarlet fever in progress, there were 178 cases of this disease in the hospitals; and seeing that small-pox, diphtheria and typhoid had all also to be reckoned with under ordinary circumstances in every isolation scheme making any pretensions to completeness, the old estimate of one bed to every thousand of the population did not certainly appear at all in excess of the requirements of such towns as Nottingham. No charge was made for admission to hospital in Nottingham, except in those cases where extra accommodation was required. All goods, too, that had been exposed to the infection of any of the scheduled diseases were gratuitously disinfected at the public station. The number of such articles had increased greatly during recent years, though of course it must vary with varying epidemic incidence. In 1883 it was 3,530; in 1886, 6,446; in 1887, 15,994; in 1888, 18,441; and in 1889, 22,300. During the current year two new steam disinfectors, both also provided with separable steam jackets, had been purchased by the Corporation from manufacturing firms in the borough.—Dr. SERGEANT said that, in reference to Dr. Mumby's statement with regard to the decreased mortality from notifiable cases of infectious disease subsequent to the passing of the Act in Portsmouth, his experience in Bolton during a period of thirteen years was of an exactly similar character. Scarlet fever had been reduced 50 per cent., and the small-pox deaths had been reduced from an average of 12 per year to 0.5. Difficulties of mistaken diagnosis would occur notwithstanding the greatest care, and to minimise this danger hospitals for the treatment of infectious disease should be provided with "observation" or quarantine wards.—Dr. FOORD CAIGER (Metropolitan Asylums Board) emphasised the importance of increased facilities for acquiring a knowledge of infectious disease in connection with the increased application of the Notification Act. Owing to mistaken diagnosis the medical officer at the fever hospital to which the patient was sent was frequently placed in the dilemma of, when the isolation wards were occupied, either admitting the case into a ward devoted to other infectious disease, or of practically reversing the other medical man's certificate by sending the patient home again—a course which was naturally distasteful. In some cases this was the only course open to one who had the interest of the patient at heart. He would be glad to hear an expression of opinion of the meeting on this point of professional etiquette.—Dr. H. MAY (Medical Officer of Health, Aston Manor) said the passing of this Act was a great success from a legislative point of view, and it had also proved a success in its application, although it was too soon to point to any definite results secured by it which would satisfy the hostile critic, as it was of the nature of the action of notification that the harvest should not be reaped until after many years of working. The Act recognised and improved the position and status of the medical officer of health in his relations with the medical profession. Previously, there was a friendly toleration, but little or no official recognition of mutual duties and responsibilities. By this Act a statutory duty was imposed upon the medical man in regard to him. Any increase of the medical officer of health's status usually, and especially in this instance, greatly increased his burdens, but he would not grumble at that so long as it advanced the cause in which he was employed. Another advantage of the Act was that medical men were now entitled to be paid for the indispensable professional information they supplied to sanitary authorities, and their fees for so doing are a legitimate source of income. Some reference had been made to the position of the medical officer of health as to whether he was debarred from practice or not. The statement had been so often repeated that he ought not to be so engaged, that it had become quite monotonous, but there was another side to the statement. Numerous medical officers of health in practice in middle-sized towns (York, Smethwick, Worcester) which could not afford to keep a medical officer of health to fill that office without his having any other source of income, had secured the confidence of their medical brethren, and the work was carried on without any drawback. They had even a better hold on the

work than a medical officer of health living at a distant centre, though he gave his whole time to his office.—Dr. J. WRIGHT MASON (Hull) said the compulsory notification of infectious disease was adopted in Hull in February last, and for the ports of Hull and Goole in April last. The Act had worked well, and had been beneficial. The Corporation had provided efficient hospital accommodation to meet all the requirements for efficiently carrying out the Act, wards of observation being attached to the hospital.

Medical Officers of Health and Infectious Illness in Board Schools.—By WILFRED W. E. FLETCHER, B.A., M.B.Camb., M.O.H., Ormskirk Rural District. The object of the paper was to introduce a discussion through which the usual and most general methods adopted by medical officers of health of dealing with infectious illness in schools may become better known. The term "board schools," used for brevity, was intended to include not only schools under a "school board," but all "public elementary schools" under the control of the Educational Department. Reference was first made to the difficulty of giving satisfaction to parents, managers, and teachers, in the management of epidemics. The duties of medical officers and the interests of managers and teachers of schools might appear to be antagonistic, but were not really so. The necessity of early information of an infectious outbreak led on to a discussion of notification. Cases might be notified by: 1. Registrars of death (only fatal cases). 2. School attendance officers. 3. Medical practitioners under the notification Act. 4. The masters and mistresses of schools. The tendency of some teachers to keep medical officers ignorant of cases was next noted, and their reasons for doing so given. The reporting of measles, and in fact of all infectious cases, ought to be compulsory. The four sources of information mentioned above were compulsory in the Ormskirk Rural District. Rules for the guidance of managers and teachers were distributed in the form of a circular letter, and the liability of teachers under Section 126 of Public Health Act was pointed out. He next passed to consider when the closure of schools was advisable? It was better to close early than to wait for a given percentage of absentees. As to the question how long schools should remain closed, he thought a fortnight too short a period. He sketched the causes which lead to an epidemic spreading from one school to another, and discussed the question how long convalescent children should be kept from school? In conclusion he pointed out that disinfection not only of schools but also of private dwellings was necessary.—Dr. THRESH said that a difference should be made between schools in urban and rural districts. In the latter case schools should be closed for a month after outbreaks of infectious disease. Whooping-cough was very prevalent in parts of Essex. In his district children under 8 years of age in an infected family were excluded in case of whooping-cough.—Dr. LIFFE (Medical Officer of Health, Derby) had never had occasion to close schools at all in Derby. Much could be done by preventing attendance of children from infected houses. It was almost hopeless to prevent the spread of whooping-cough, and scarlet fever was more easy to deal with than measles, owing to the infectious nature of the pre-eruptive stage of the latter disease. He had not found scarlet fever infectious prior to the period of full eruption.—Dr. A. S. UNDERHILL said he could not agree with the previous speaker that scarlatina was but little infectious in the first few days of its incidence; and he narrated a case in which a housemaid introduced scarlatina into a school, although there was no scarlatina in the district, and the housemaid appeared in good health. It was, however, subsequently ascertained that the girl had come from an infected parish, and she herself sickened and contracted the disease two days after her introduction into school. There was a great difference between schools in urban and in rural districts; in his own district, which was partly country, he had only once closed a school for scarlatina; in the more thickly populated districts he could not see any great advantage in closing schools. The infection of whooping-cough was of so long a duration that in his district, where whooping-cough was endemic, if he kept all children away from school where whooping-cough was present in the house, it would partially close the schools in some seasons of the year.—Dr. MUMBY agreed with Dr. Liffe that scarlet fever was very slightly infectious at first. His experience was that if a patient with scarlet fever was removed within thirty-six hours of the rash appearing, another case hardly ever occurred in that family. He found it difficult to get his sanitary authority to order a school to be closed.—Dr. BOSTOCK HILL considered that however valuable the closure of schools might be in country districts, it would present little, if

any, advantage in towns. Scarlet fever was very variable in the duration of its infectiveness, and the question must be decided on the circumstances of each individual case; he had known infectiveness reside in the condition of the throat for months. Whooping-cough was very difficult to deal with, and he thought that that the masses should be educated to know the danger resulting from such cases, particularly when neglected, which they generally were, from being considered trivial in their character. He found no difficulty in obtaining the disinfection of infected houses, and always had the walls stripped, the rooms fumigated, and the walls lime-washed. He did not agree with one of the speakers that voluntary notification was in any great degree satisfactory.—Dr. SIDNEY BARWISE said that, in his opinion, it was an open question who should bear the expense of disinfection, the public, for whose benefit the work was done, or the owners of the property. In Manchester and Salford the disinfection was done at the expense of the rates; the wall papers were stripped off there and the walls dressed with caustic soda. On the whole, he thought the burden should fall upon the ratepayer, as it would be an undoubted hardship upon the owners of property who have recently renovated and repaired their houses.

Meat Inspection.—Mr. THOMAS WALLLEY (Principal, Royal Veterinary College, Edinburgh) said that the subject of meat inspection might be considered under three heads: 1. The necessity for the adoption of a system of meat inspection in this country; 2. The best method of carrying out meat inspection; 3. The principle that should guide using the condemnation of meat. 1. Meat inspection was necessary for the reasons (a) that the British were the greatest of flesh eaters in the world; (b) that the vast majority of the flesh-eating portion of the public were utterly ignorant as to the characters which distinguished good from bad meat; (c) that through the medium of animal flesh many lives had been lost, and many people had suffered injury to their health; and (d) that the flesh eaters had a right to protection from such dangers, and from the evil designs of those who profit by the trade in bad meat, and also by the fact that there was no law to compel them to declare from what source the flesh they sold had been obtained, nor to declare the nature of the disease from which an animal had suffered. 2. In order that meat inspection should be properly carried out three things were necessary (a) that all animals intended for human food should be examined, prior to slaughter, by competent persons; (b) that not only the carcasses but the viscera of all animals intended for food should also be examined; (c) that those persons whose duty it was to carry out such inspection should possess the necessary knowledge of their work to enable them to discharge the duties devolving upon them in an efficient manner. Inspection of all animals prior to slaughter could not be carried out in all cases, for example, in those instances in which as the result of accidents it was found necessary to slaughter animals in places other than abattoirs, and also in the case of dead meat from foreign countries; but where animals were killed on account of injuries or sudden illness, the internal organs should be sent to a licensed abattoir or receiving house with the carcass for inspection and as a guide to the inspector in his work; further, all private slaughterhouses should be abolished, or where, as in small villages or towns, a public slaughterhouse could not be supported, they should be licensed and placed under the direct control of the sanitary authorities. He held that in all abattoirs there should be one or more lay inspectors, but they should not be empowered to condemn flesh; for this purpose a sanitary board (consisting of a medical officer, a veterinary officer and a lay inspector) should be established in connection with every abattoir; but inspectors (lay or professional) should only be appointed after submitting themselves to examination by a competent examining body, and the decision of the sanitary board should be final. The microscope should be brought into requisition in dealing with the flesh of animals that had suffered from micro-parasitic or parasitic disease. 3. Flesh should be considered unfit for food if its physical characters presented gross departures from the normal, as from its being excessively lean or anæmic, or soft, or moist, or dark in colour; or in which effusions, or extravasations, or evidences of commencing decomposition were detected; or from which an unnatural odour was given off, or which possessed a distinctly abnormal taste. Flesh should be considered unfit for food when the animal from which it was derived had been physicked to any extent or had suffered from such maladies as pyæmia, septicæmia, glanders, farcy, rabies or anthrax; or from any malady from the effects of which important nutritive changes have taken place, or in which

there was a probability of the malady being transmitted to the human subject by ingestion. The question of the condemnation of the flesh of parturient animals, and of those that had suffered from specific fevers, such as swine fever, pleuro-pneumonia, foot and mouth disease, or tuberculosis; or from such hæmal lesions as black quarter, was one for the grave consideration of the members of the Association and of all sanitarians.—Professor McFADYEN said that skilled inspection should devolve upon veterinary surgeons, who should be able to distinguish between flesh that could with impunity be eaten, although diseased, and that which could not. He thought tuberculosis in cattle was not of prime importance from a public health point of view (in man the primary lesion was not in the alimentary canal), and he thought that only such cases of human tuberculosis as had their starting point in connection with the alimentary organs could possibly have been brought about by the consumption of tuberculous meat or milk.—Professor MEYRICK said meat inspection should be carried out by medical or veterinary inspectors. Meat from animals suffering from parturient apoplexy could, he believed, be eaten with impunity, and so also could that in the early stage of pleuro-pneumonia. Tuberculous meat ought to be condemned.—Dr. GEO. WILSON said that the public should not be allowed to run any risks by eating meat from diseased carcasses. Meat exposed for sale should be regarded as presented to the public as sound meat from healthy animals, and if found otherwise should be condemned.—Mr. HUNTING said it was impossible to inspect all meat. The large towns got all the worst meat. The best remedy was to establish public abattoirs, and abolish private ones. The inspectors should be butchers (laymen); they could detect all ordinary cases of unsound meat in the slaughterhouses.—Dr. MASON (Hull) thought that an expert veterinary pathologist should be the meat inspector. Tuberculosis was very rare in sheep, but very common in cattle around Hull. In 1883 the corporation of Hull took action in the matter, and proposed compensation to owners of condemned beasts. Auctioneers who sold diseased cattle in Hull were liable to be suspended.—Dr. SERGEANT concurred in thinking public abattoirs only should be used in towns. Inspection of meat in private slaughterhouses was almost impossible; in many cases animals were slaughtered outside the town, when meat inspection was efficiently carried out, the carcasses being "stripped" before entering the town. He regarded tuberculosis in meat as very important. In all advanced cases of the disease the meat should not be used as food, whatever views were taken as to the early stages of the disease. Tuberculous milk was even more important than tubercular meat. The conditions of most cowsheds were very insanitary.—Dr. FOSBROKE said that local authorities should have more power to close private slaughterhouses; if that were not done, public abattoirs were not of much use.—Dr. A. HILL remarked on the fact that although more meat was eaten and milk drunk, and more tuberculosis existed in cattle, still the death-rates from tabes mesenterica and pulmonary phthisis were being gradually lowered. Mr. Walley brought forward no evidence to show that human disease had been produced by ingestion of meat from slightly tuberculous cows. Healthy-looking animals could be taken as being healthy for human food.—Professor WALLEY replied.

RESOLUTION.

The following resolution was proposed by Dr. W. RUSSELL (Edinburgh), seconded by Dr. E. SERGEANT, and adopted: "That it be remitted to the Parliamentary Bills Committee to approach the Government with a view to obtain the abolition of private and the establishment of public slaughterhouses with skilled inspection of meat."

How to Improve the "Medical Register."—A paper on this subject, by Surgeon-Major G. J. H. EVATT, was read by Dr. L. PARKES. After dwelling on the importance of accuracy in the *Medical Register*, Surgeon-Major Evatt proposed that, as the *Register*—published only once a year, as it now was—became inaccurate a few weeks after publication, the *London Gazette* should be utilised for all notifications referring to it. Changes should be published week by week in the *Gazette*; all new names entered on the *Register*, all deaths of registered practitioners, all transfers of residence from one county or borough division to the other, and all removals from the *Register* should be at once published in the *London Gazette*. Examples of how these various notifications might appear in the *Gazette* were given. In this way local copies of the *Register* might be kept

up to date, and the public would know the qualifications of any new medical man coming into any particular quarter. By noting all transfers it would be possible to trace the career of any practitioner, as the movements of an army medical officer could be followed by the *Army List* and the *Gazette*. Local lists of medical practitioners were also needed. The list should be divided into city, borough, and county lists. Cheap reprints of these lists might be published for registrars of births and deaths, police stations, etc. Colleges and universities should send lists of their graduates and licentiates to the General Medical Council. The object, in fact, was to supersede the non-official *Medical Directory* by an official publication bearing the same relation to the profession that the *Army List* did to the army. It would be of advantage if every medical officer of health of a city, borough, or county were made a subregistrar of the General Medical Council to furnish returns and keep check over the lists of medical men in his district or division.

MEMORANDA:

MEDICAL, SURGICAL, OBSTETRICAL, THERAPEUTICAL, PATHOLOGICAL, Etc.

THE PREVENTION OF COCAINE POISONING AND RESORCIN. THE annotation on page 94 of the *JOURNAL* of July 5th, drawing attention to the value of a little phenol in solutions of cocaine as a preventive of the toxic effects sometimes following the use of this drug, and, as a means of preserving such solutions, is interesting. I have witnessed more than once some curious symptoms follow the use of cocaine in cases of hypertrophic post-nasal adenitis with or without adenoid growths in the naso-pharynx, which I attributed partly to personal idiosyncrasy, partly to the large absorbing surface such conditions bring about, and partly to varying potency in the drug itself. In these cases simple cocaine solutions (10 to 20 per cent.) had been applied with a soft camel's hair-brush.

In other cases where the diseased condition was commencing, or where operative interference could not be carried out, I have tried the effect of resorcin combined with cocaine. Repeated experience has since taught me that this is a valuable combination, and that the individual action of each drug is enhanced; nor have I seen any toxic effects even after a free use of the drugs when so combined. My attention was first directed to resorcin by reading about its action in one (I forget which) of the American journals. Thus I can confirm Dr. Glück's view, for resorcin is one of the phenol series. It is antiseptic and preservative; it is astringent and a hæmostatic. After a few moments it lessens sensibility, and has a vigorously contractile action on the hypertrophied mucous membrane. In suitable solutions it is a valuable application in post-nasal catarrh, pharyngitis, enlarged tonsils, stomatitis, gingivitis, some forms of conjunctivitis, and other kindred conditions.

Old Cavendish Street, W.

R. W. PARKER.

A CASE OF EXALGINE POISONING.

A YOUNG man, A. J. M., aged 20, had been suffering for some days from muscular rheumatism. I ordered a mixture containing exalgine gr. ijs in each dose with tincture of orange and water, to be given three times a day (this dose of exalgine being rather larger than that given by Professor T. R. Fraser, of Edinburgh, but less than that given usually by Drs. Bardet and Dujardin-Beaumetz). The first dose was given about 3 P.M. I was prevented from seeing the patient again until about 10 A.M. on the second day afterwards, so that he had taken six doses. I found him very dull and heavy, and apparently presenting all the usual signs of carbolic acid poisoning. He had slept almost continuously, but waking up at short intervals, and starting in his sleep. On inquiry he complained of pain in the small of the back, and on examining the urine it was found to be of a distinct and pronounced olive-green colour. He had only passed water twice in the twenty-four hours, and on both occasions the amount was very small.

On examination, the urine was found to be of high specific gravity, with a large deposit of urates, but containing no phosphates, albumen, or blood; the temperature was 98° Fahr., pulse 102, of full volume and strong. The patient complained of great