BRITISH MEDICAL JOURNAL

LONDON SATURDAY FEBRUARY 25 1939

HEALTH AND THE STATE*

BY

The Right Hon. WALTER ELLIOT, M.C., LL.D., D.Sc., M.B., F.R.S., M.P.

Minister of Health

The profession of medicine is one of the most individualistic of all professions. The relationship between doctor and patient is a highly individual relationship, with something of a religious character, even though the doctor has long ceased to be actually a member of the priesthood as he was in earlier times. In a country such as ours it is a very good working rule—and indeed it is more than that: it is a fundamental principle—that individual enterprise should not be interfered with by the State unless that enterprise is either injurious to others or to the community, or is failing to deliver the goods or services which the community requires. I think this principle is generally observed in the relations between the general practitioner and the State. The State or municipality can lend organizing power, and it can supplement the work of the individual by making available facilities which the individual could not provide for himself or by creating conditions in which the individual can make a more effective contribution to the common good. But the State is not, as is sometimes supposed, a bureaucratic machine trying to bring everything under its control because of a blind worship of the Unknown God of tidiness, and, although it is sometimes accused of adding every year to the number of things in Acts of Parliament which are subject to the approval of the Minister of Health, much of the time and energy of Ministers and their Departments is in fact spent in resisting the acceptance of such control or jurisdiction because it is clear that the public interest, which must be paramount, does not require it.

The Beginnings of Hygiene

The history of this subject goes back very far. The Book of Leviticus is a compendium of early sanitary law. Moses has been rightly termed the first Minister of Health. He enforced compulsory notification and set out in detail systems of isolation and of disinfection of patients and their dwellings. Why was this? It was because he was dealing with a closely settled community—an encampment is a very closely settled community—and such are most liable to epidemic disease. Pestilence, in fact, has always been a prime stimulus to the practice of public health.

In England leprosy brought about the establishment of leper hospitals by the ecclesiastical authorities, and the beginnings of our present hospital system and of our method of notification and isolation. Plague demonstrated the necessity for sanitation. The first Sanitary Act was passed by the English

Parliament at Cambridge in 1388; it was followed by quarantine laws, by the appointment of scavengers, by sanitary watchmen, and by penalties for the concealment of infected persons.

In Scotland, as elsewhere, the beginnings of health services can be traced to the fear of pestilence. England and Scotland throughout the Middle Ages and down to the nineteenth century were periodically ravaged by epidemics of plague, cholera, and small-pox. During the Black Death it is estimated that about one-third of the population died of the disease. During a part of the eighteenth century one child out of every three under the age of 5 in Glasgow died of small-pox.

The early sanitary enactments (to which allusion has been made) aimed at isolating those who were affected and preventing to the utmost contact between the contaminated and the clean. They were concerned more with the preservation of the healthy than with the recovery of the sick. To illustrate this policy of segregation: the Act of 1427 prohibited lepers from entering towns except to purchase food at specified hours on three days in the week. During the great plague of 1568 the infected inhabitants of Edinburgh were required to remove themselves to the Borough Muir or to the shelter of the Salisbury Crags until they should be "clenyit." A very drastic example of port sanitary control is the decision of the magistrates of Aberdeen in 1585 to erect certain gibbets, "ane at the mercat-cross, ane other at the Brig of Dee, and the third at the haven mouth, that in case any infectit persons arrive or repair by sea or land to this burgh, or in case any indweller of this burgh receive, house, or harbour, or give meat or drink to the infectit person or persons, the man to be hangit and the woman to be drowned."†

As need arose the State sought the counsel of leaders of the medical profession and of the Royal College of Physicians in dealing with problems of disease. But these counsels were not organized and comprehensive. They were framed to meet the emergency, although the first foreshadowings of medical officers of health may perhaps be read in Mead's *Short Discourse concerning Pestilential Contagion* (1720), in which he advised the appointment of a Central Council of Health, of "seachers" for those dead of plague, and of special physicians to attend the sick. Mead had been called in by the Government to advise them on the prevention of plague which had appeared at Marseilles and, it was feared, might spread to England. He also advocated certification of infected persons, prompt isolation of the sick, and the disinfection of persons and houses. The plague did not come and the eighteenth century was not to see a Ministry of Health.

Towards the end of that century, however, the industrial revolution had set in. The rapid growth of population in the new manufacturing centres compelled communities to provide sewerage and water supplies, and to pay increasing attention to public cleanliness. A few burghs in Scotland had previously

* The honorary presidential address to the Southern Medical Society at the Victoria Infirmary, Glasgow, on January 26, 1939.

† *Committee on Scottish Health Services Report*. Department of Health for Scotland. Cmd. 5204.

obtained powers to provide these services, but the first general measure conferring such powers on all burghs was the Act of 1833.

State Responsibility for Public Health

A hundred years ago in fact the State was becoming conscious anew of its responsibilities for national health. The Reform Act of 1832 had given power to remedy long-standing abuses. The Factory Commission of 1833 had let light into the shocking conditions of children employed in the cotton trade. The Factory Act of 1833 limited the hours of work for children and recognized the need for independent and impartial inspection by officials. A new and effective principle was thus introduced into the control of evils, whether of industry, of poverty, or of insanitation.

This Factory Act did not abolish all the horrible conditions then associated with industrial labour. A boy or girl of 13 might still be working in the mills from six in the morning till six in the evening for five days in the week. In 1840

"a Lancashire mill-hand had no need to keep his home healthy; he and she could send their little children to work long hours in mine or factory; and the whole household could live as it chose, though it might be infecting all its neighbours."

This Factory Act nevertheless made a beginning in industrial reform, and the Poor Law Amendment Act of 1834 started legislation in preventive medicine. It was largely inspired by the enthusiasm and driving force of Edwin Chadwick, the disciple of Jeremy Bentham. The first Sanitary Commission to investigate the general sanitary conditions of the labouring population of Great Britain was appointed, and Chadwick was the author of the Commission's report. In this report Chadwick described the shockingly insanitary conditions under which the people lived. He pointed out that the people could not be clean because the water supplies were defective; that the annual loss of life by diseases induced by filth and bad ventilation was greater than the toll of lives exacted by modern warfare; that the physique of the younger population suffered from their bringing up in insanitary surroundings; that the effect upon the adult population was to make them short-lived, improvident, reckless, and intemperate; and that defective town cleansing fostered habits of the utmost degradation. Then followed the Public Health Act of 1848, and the establishment of the General Board of Health, succeeded, first, by the Medical Department of the Privy Council, with Sir John Simon as chief medical officer, and, secondly, by the Local Government Board in 1871, of which the Ministry of Health is the successor.

Public Health is a comprehensive science. Many contribute to it—the engineer, the architect, the lawyer, the administrator, the sociologist, the chemist, the physicist, the physiologist, the biologist, the biochemist, and so forth. But the chief contributor is naturally the exponent of medicine. The doctor was at first faced with the problem of treating a disease, a departure from the normal. In order to recognize disease he had to know the condition and state of the healthy body. Hence the importance of anatomy and physiology in the medical curriculum. Next he was occupied in studying the causes of disease: *Felix qui potuit rerum cognoscere causas*. Thence it was a short step to study how these causes might be prevented from assailing the human healthy body—in other words, preventive medicine.

We have just noted the beginnings and progress of active State intervention in public health. It has been remarkable in growth and fruition. It has been fostered,

as we have seen, by the work of intelligent lay administrators like Chadwick and by the humanitarian zeal so characteristic of our nation. But the success of State medicine is due largely to two factors: first, the great advance of the science and art of medicine in the last two hundred years or so, and, secondly, the individual and important contributions to knowledge of British medical practitioners.

Pioneers of Preventive Medicine

The foundations of the administrative practice of modern preventive medicine are to be seen in the work of the practitioners of medicine in the eighteenth century. The work of Mead has already been instanced in this connexion, and he was the forerunner of others.

Heberden and Huxham studied fevers; Fothergill described malignant sore throat; Smellie and William Hunter practised and advanced the art of obstetrics, and Charles White applied antiseptic principles to it; Haygarth of Chester introduced notification and isolation of infectious disease; Richard Bradley studied plague at Marseilles; Sir John Pringle began hygienic reform in the British Army; Lind laid down principles for the abolition of scurvy among seamen and the prevention of typhus fever; Sir George Baker wrote on the cause of Devonshire colic and palsy; Sir Gilbert Blane studied the diseases of the Navy; Percival denounced the lack of hygiene in crowded factory towns and initiated "industrial welfare"; and Edward Jenner introduced vaccination for small-pox in place of the inoculation method practised for seventy years before.

Thus much research work had been and was being done in fields where the safety of the community and the interest of the practitioner coincided. We find a medical practitioner, William Farr, building on Sir William Petty's work with Captain John Graunt, *Observations Upon the Bills of Mortality*, the modern science of vital statistics. Farr devised the methods and supervised the actual compilation of our national mortality statistics, introduced methods of tabulation which have stood the test of time, and a classification of causes of death which has been the basis of all subsequent methods. John Snow (1813–58) demonstrated that cholera was water-borne, and by advising the Vestry of St. James to remove the handle of the Broad Street pump stopped the metropolitan outbreak of cholera in 1854. William Budd (1811–80) confirmed Snow's work in cholera, first showed that infection of typhoid can be conveyed by water, and differentiated typhus from typhoid fever before Sir William Jenner's more complete exposition of this subject. Dr. Michael W. Taylor of Penrith in 1858 was the first to trace an outbreak of infectious disease to infected milk. He described a small epidemic of typhoid fever caused by a milk supply, and in 1870 showed that scarlet fever could be spread in the same way. In 1877 Dr. Jacob made a similar observation for diphtheria at Sutton, in Surrey.

There follow the famous series of reports by medical officers of the Central Health Department. The first reports by Neil Arnott, Kay, and Southwood Smith, into the prevalence of epidemic diseases and their relation to poverty, preceded another important series of investigations by Greenhow and his colleagues, under the Privy Council, into epidemic diarrhoea, pulmonary disease, infant mortality, and ague; and also into the four "elementary requisites of popular healthiness," as they were termed—namely, food supply, house accommodation, physical surroundings, and industrial circumstances. They led the way to the new applications of medicine for the removal of nuisances, the prevention of contagion and infection, and industrial hygiene and welfare.

The Part played by Practitioners

It is indeed the practitioners of medicine, and chiefly the general practitioners, who by their observations at the bedside have pointed out the way to preserve health and have proclaimed the need for public health administration in season and out of season with a most laudable

persistence. Nay, more, the comprehensive character of public health legislation and administration, as we see it to-day, came into being through public remonstrances by the medical profession against the disorderly state of the early sanitary laws.

At the instigation of Mr. H. W. Rumsey, F.R.C.S., of Cheltenham, in May, 1868, a certain joint committee which the British Medical Association and the Social Science Association had appointed "to promote a better administration of the laws relating to registration, medico-legal inquiries, and the improvement of the public health," memorialized the then Government for the appointment of a Royal Commission in relation to those objects. The prayer of the joint committee was granted, and on the recommendations of the ensuing Royal Commission the Public Health Act of 1875, the Magna Carta of Public Health as it has been termed, was passed. Here, then, is ample evidence to refute the allegation that the State seeks to drag the medical practitioner at its chariot wheels. On the contrary, medical progress, the wonderful work of private practitioners in epidemiology and the prevention of disease, the influence of the medical profession upon public opinion, direct representations from the profession to the Government on the need for more comprehensive and more effective health legislation, and appreciation by successive Governments of the value and selflessness of the advice tendered by the profession have brought about the State control of public health. Indeed, they made it inevitable.

The Coming of the Medical Officer of Health

Rome was not built in a day; neither was our system of health services brought into being by the shaking of a magician's wand. Take, for example, the appointments of medical officers of health which are now universal throughout Great Britain. They have become an essential feature of our social structure, so essential indeed that no enlightened citizen can visualize being without them. Yet the first medical officer of health was appointed less than a century ago, and the appointment has only been a compulsory one within the lifetime of many of us.

Sir Robert Peel's Royal Commission of 1843, which inquired into the outbreaks of disease in large towns and the best means of improving the public health, had as one of its recommendations the appointment of skilled officers by local authorities.

In 1846 the Town Council of Liverpool procured the passing of a local Act to provide for the improvement and drainage of the borough and for making further regulations for sanitary regulation of the said borough. In Section 122 of this Act provision was made that the town council, with the approval of the Secretary of State, might appoint and salary a medical officer of health. The town council made use of their new power by appointing Dr. William Henry Duncan, a native of Liverpool who had long been known there as a leader in promoting sanitary reform. Dr. Duncan thus has the distinction of being the first medical officer of health.

In 1848 the Corporation of London, always a pioneer in sanitary reform, asked Parliament for powers adequate to the new conceptions of sanitary improvement. That application resulted in the City Sewers Act, which included powers for the appointment of a medical officer of health. To this post Sir John Simon was elected. He served from 1848 to 1855, when he became the first Chief Medical Officer of the Central Health Department. He was the first medical officer of health to write annual reports.

In 1855 legislation promoted by Sir Benjamin Hall, the president of the General Board of Health, required that medical officers of health should be created for all districts of the metropolis. The appointments were sought by highly qualified and in some cases already distinguished members of

the medical profession. Among the successful candidates we find Dr. (afterwards Sir John) Burdon-Sanderson, Dr. (afterwards Sir George) Buchanan, Dr. Odling, Dr. Parry, Dr. Robert Barnes, and Dr. Thomas Stevenson, great men who did great work for organized public health.

The Royal Sanitary Commission of 1869-71 in its important findings recommended, *inter alia*, "that every local authority should have at least one medical officer of health, being a legally qualified medical practitioner or possessing such other qualification in medical science as shall be declared by the central authority to be satisfactory."

As one of the results of the Royal Commission's work the Local Government Board was founded in 1871, and in 1872 local authorities such as urban district councils, rural district councils, etc., were set up and the general appointment of medical officers of health by each local authority became obligatory. This requirement was also included in the great consolidating Public Health Act of 1875. Later degrees and diplomas in public health were instituted. These increased the professional status of the medical officer of health. The Local Government Act of 1888 laid down that unless he had held one of certain offices prior to January 1st, 1892, no person should, after that date, be appointed medical officer of health to a county or district of 50,000 inhabitants or over unless he was the possessor of a registered degree or diploma in public health, sanitary science, or State medicine. The latest regulations of the Ministry extend this requirement to all sanitary districts whatever their size.

The large urban authorities and in some instances combinations of authorities (urban or urban and rural) made whole-time appointments. The smaller authorities made part-time appointments from men in general practice. Preceding legislation had in many cases resulted not in the combination of districts served by a whole-time medical officer of health, which was advocated, for instance, by Sir John Simon, but in numerous petty appointments of medical officers whose interest and outlook were necessarily confined to the needs of their own districts. A larger and more co-ordinated local authority was needed for public health administration, and the creation of county councils on an elective basis, with the formation of counties and county boroughs, provided the opportunity. To these new authorities county medical officers of health could be appointed by the Local Government Act of 1888. The appointments were made obligatory by the Housing and Town Planning Act, 1909. The duties of county medical officers then were light—light indeed compared with what is required of a county medical officer of health to-day—for at first the public health powers of county councils were extremely limited. They have been greatly increased by the legislation of the past twenty-five years.

General Progress in Public Health

The years 1875 to 1900 covered a long series of progressive reforms under the direction of the Local Government Board, which supervised especially such local government as related to the public health and the relief of the poor. These reforms comprised general sanitary improvements, pure water supplies, pure food supply, provision of isolation hospitals, public vaccination, the supervision of slaughter-houses and common lodging-houses, etc. Local authorities obtained control over housing, powers to condemn slums and to provide new housing accommodation. Infectious diseases were made notifiable, while port sanitation prevented the admission of fresh disease and plague and pestilence.

In Scotland, similarly, a survey of the Statute Book from 1833 until the end of the century reveals a more or less continuous series of Parliamentary enactments, dealing for the most part with sanitation and the control of infectious diseases. These Acts culminated in the Public Health (Scotland) Act, 1867, "a great landmark in the sanitary history of Scotland." That Act was superseded later by the Public Health (Scotland) Act, 1897, still the principal Public Health Act in Scotland.

These measures were followed by a great improvement in the national health. One of the greatest boons received in this period was the purity of the water supplies. For centuries English drinking water had an unenviable reputation. Henry VII, in the fifteenth century, wrote to Ferdinand and Isabella that the water of England was undrinkable, and therefore the young Princess Catherine of Aragon, betrothed to Prince Arthur, should be accustomed to drink wine. To-day the water-borne diseases have become negligible. Cholera has been abolished among us and typhoid is now a rarity, though we still have to keep on the watch for epidemics caused by "carriers." Personal cleanliness and lessened overcrowding have stamped out typhus, the deadly "jail fever," which spread from the prisoner in the dock to the judge on the bench. Every second person we meet is no longer scarred with small-pox. The general mortality decline and the improvement in the health of the country were indeed remarkable when it is remembered that urbanization was on the increase, a process favourable to the diffusion of infection.

More Recent Advances

The present century also is remarkable for steady and rapid advances in preventive and curative medicine. They have gradually brought all agencies for promoting national health into closer and more helpful control. The tuberculosis work of local authorities includes both prevention and cure; in the child welfare and maternity services the clinician works side by side with the hygienist, and to-day we have to consider the development of maternity services in relation to the Midwives Act of 1936 and the recent report of the Ministry on Maternal Mortality; the insurance medical service is designed for the prevention as well as the treatment of disease, and is now working in closer relation with the public health services. The Local Government Act of 1929 greatly increased the hospital resources of county and county borough councils, and provided for a more intensified co-operation between municipal and voluntary hospitals in a joint war against disease. Thereby the administrative responsibilities of county and county borough medical officers of health have been greatly augmented and extended. It is to be observed, also, that the establishment of the Ministry of Health by the passing of the Ministry of Health Act in 1919 and of the Department of Health for Scotland has largely contributed to this wider outlook upon preventive medicine. The Ministry, for instance, is now a central authority of comprehensive health services which is interlinked and intimately co-ordinated not only with local authorities and the multiple health bodies of Great Britain, but through the Health Committee of the League of Nations and the Office International d'Hygiène Publique with the health services of the whole world.

The conspicuous advances made in medical knowledge have in turn enhanced the potentialities of preventive medicine. Mention may here be made of the wider recognition of deficiency diseases and the new and ever-increasing knowledge of vitamins. Closely associated is

the successful treatment of pernicious anaemia by liver therapy. Still another biochemical triumph was the discovery of insulin in 1922, which revolutionized the treatment of diabetes. Orthopaedic surgery is preventing the onset of crippling and treating cripples with new knowledge and new methods. The vital importance of medical research has been recognized by the creation of the Medical Research Council, which has now over twenty years of successful achievement to its credit.

The State and the General Practitioner

It must not be forgotten that the private practitioner of medicine, besides, as we have seen, promoting legislation for health, takes a large share in the national health services. Every medical practitioner has definitely prescribed statutory duties to the State—for example, notification of cases of infectious disease, certification of births and deaths, certification of cases of industrial poisoning, and many other statutory duties in the course of his professional work.

The public medical services employ a large number of private practitioners. The first medical officers of health were part-time practitioners, and as late as 1926 out of 1,450 medical officers of health 1,100 were private practitioners and only 350 were whole-time officers. It is the amalgamation of smaller districts into larger sanitary authorities for the needs of efficient administration that has caused the appointment of the private practitioner as part-time medical officer of health to cease.

The Public Assistance Medical Service employs over 5,000 medical officers for outdoor medical relief, the majority of whom are private practitioners; many V.D. officers are private practitioners also; many private practitioners are attached to the maternity and child welfare centres; two thousand odd are on the Post Office list; nearly 2,000 serve as certifying factory surgeons; a number of private practitioners are employed by local education authorities in the school medical service and 16,000 are engaged in the national health insurance scheme.

The progress of modern medicine has been so rapid that the general practitioner requires a number of ancillary methods of diagnosis and specialist aid in order to treat his patients successfully. In many cases these patients could not afford to pay for specialist aid or laboratory tests. But from the health services the practitioner can get, free of charge, the usual pathological tests done, specialist advice and x-ray examinations on tuberculous cases, expert opinion on infectious diseases, removal of infectious cases to hospital, the advice of a consulting orthopaedic surgeon, in many areas that of a consulting obstetrician, and so forth.

With all the general practitioner's statutory duties to the State and his work in the public health services he has remained an individualist. It seems desirable that he should continue to do so.

The Newer Services

But the State and the municipality are taking a hand in the prevention and treatment of specific diseases in care for the individual, and no longer contenting themselves with chaining up lunatics or providing isolation hospitals, with (as we have seen) occasionally the gallows as a robust and economical alternative in Aberdeen. The underlying assumption in those days was practical outlawry or extinction of the individual in the interest of the safety of the rest of the tribe. Yet the modern view is not an entire novelty but also has its roots far in the past. The ancient doctrine of "mayhem" or

"maim," whereby it was illegal to consent to the infliction on oneself of certain operations, indicates the early concern of the community in the health as well as in the sickness of its members.

This, however, was due to the practical interest of the community in its fighting powers, and the new attitude is almost entirely a development of the present century. It includes the school medical service, the ante-natal and post-natal and child welfare clinics, and also the health insurance services covering 16,000,000 citizens. It is a growing shoot—moulded and altered from time to time by the stress of events and the march of time. Two years ago was added, in England, a new service under which fully qualified whole-time and salaried midwives are available either as midwives or as maternity nurses, and subsequently an Act giving even better provision in Scotland. We are now in process of adding yet another general service—a cancer scheme—under which the financial resources of the State and the local authorities will be brought in to make the existing and proved methods of diagnosis and treatment—by surgery, radium, or x rays, or a combination of them—available on a much wider scale. With this we hope to join the help of the private practitioner. His patients will be encouraged by the growth of an enlightened public opinion to consult him earlier, and he will have at his service the clinics staffed by doctors specially skilled in diagnosis, to secure in many cases that earlier diagnosis on which often the life and cure of the patient will depend. And subsequently there will be available beds and apparatus, without which the most skilful diagnosis is in vain.

A.R.P. Emergency Measures

But it is not only the growth of knowledge, with its accompanying need for new instruments and methods of precision and new and costly methods of treatment, nor internal social changes which bring about changes in the relation of the doctor to the State. In these latter days world affairs enter, too, into the picture, and the uneasy conditions which find their reflection in A.R.P. also modify the relationship. A measure of State direction and supervision which would be intolerable in this country in peace-time may well be necessary in war and will, I am sure, be loyally accepted by the profession, who can rest assured that those who speak for them will be taken fully into consultation on all such matters.

The Ministry and the Department of Health for Scotland are now responsible for the whole of the casualty organization from the stage when casualties have been collected for treatment. Responsibility for emergency hospitals was assumed in June, 1938 (after making a survey of hospital accommodation earlier in the year), and responsibility for the first-aid posts and the ambulance services was taken over in December. Hospital officers have been appointed for various districts, of which there are five in Scotland, and they have been busy since the summer in working out detailed plans for the best use of hospital accommodation in their areas. They are doing this in consultation with medical officers of health and the voluntary hospitals.

The same process is of course going on in England. Taking a place I recently visited—Manchester—the hospital officer for the north-west region, Dr. Patrick, has submitted his proposals for utilizing to the fullest extent and for expanding the existing hospital accommodation in Manchester and the surrounding district. He has received every possible assistance from the medical officer of health, and the Department are indebted to Dr. Veitch

Clark and his colleagues for all the work they have done to push forward the organization of the casualty services, both in the crisis in September and since.

Manchester is well served with hospitals. There are six municipal hospitals, all of them of a good size and three of them with more than 1,000 beds; and fifteen voluntary hospitals, of which the Royal Infirmary is the biggest. This hospital, which has nearly 600 beds, provides magnificent services, and in the event of an emergency would be one of the first-line casualty hospitals. It is estimated that nearly 500 beds could be made available in the hospital for casualty work within twenty-four hours of an announcement by the Government that a state of emergency had arisen. Beds are made available as follows: In the first place hospitals would be asked to send home all the patients for whom continued in-patient treatment was no longer considered essential, and it is estimated that rather more than half of the patients normally in the Royal Infirmary could be treated in this way, thus freeing over 300 beds, taking into account those which are ordinarily vacant. It is not of course at all desirable to send home patients who are in hospital for treatment, and the necessity for it would be deplored; but we do not know what modern warfare entails, and until it is seen how the emergency develops no risk could be taken.

In the second place, patients who were still in need of hospital treatment but who could without injury to themselves be removed to another institution less well adapted to casualty work would be transferred in ambulances, and it is estimated that something over 100 could be so moved from the Royal Infirmary to an institution further from the centre of the town. By adopting a similar policy in all the Manchester hospitals fit to undertake casualty work some thousands of beds could be made available within a very short time. It is not proposed to put additional beds into the city hospitals for casualty work, as if such heavy damage was inflicted that it became necessary to provide additional hospital accommodation efforts would be concentrated on moving patients out of the towns into safer areas—stretchers have already been distributed to Manchester.

Taking the country as a whole, plans have now been made for finding about 200,000 beds in existing hospitals and institutions in the first twenty-four hours by sending patients home and transferring them to other accommodation and by putting additional beds and equipment in the wards, and about another 100,000 later by using ancillary parts of hospitals not at present used as wards. For this purpose 50,000 beds and mattresses have been obtained and are in process of distribution. Orders are being placed for another 50,000 beds and mattresses and for 300,000 blankets, 50,000 pillows, and 150,000 pillow ticks unfilled; 120,000 stretchers have been obtained and distributed.

Other points are:

A booklet on structural precautions has been issued to all hospitals and local authorities.

A circular has been issued to local authorities on first-aid posts and ambulances.

The B.M.A. register now covers 95 per cent. of the profession.

A Dental Emergency Committee is doing similar work as regards dentists.

A Central Emergency Committee for nursing and nursing auxiliaries has been appointed.

Co-ordination of Services in War-time

All this requires close relations between the organizers and the technicians, the doctors, and the State. I am aware that the profession has expressed dissatisfaction with the medical arrangements which were made during the crisis of last September; but these arrangements had to be hastily improvised, and the problem is too big to be met without careful planning. Since that crisis we

have had the advantage of hearing the profession's views, which were stated by a representative deputation which waited upon the Minister for Co-ordination of Defence last November. The Government was then urged first to provide some machinery whereby the demands of the Navy, Army, Air Force, and civilian population for medical personnel could be co-ordinated, and, secondly, that the Central Emergency Committee and the Scottish Emergency Committee set up by the British Medical Association at the request of the Government should be regarded as the sole sources through which these demands should be met. We have gone a long way towards adopting these suggestions. As regards the first, we are ascertaining so far as possible the requirements of the Service Departments in medical personnel, so that they can be related to the demands for the civilian services of the profession. Further, the responsibility has been placed upon the Ministry of Health in England and the Department of Health in Scotland, not only of making plans for the hospital treatment of civilian air raid casualties but also of organizing the first-aid posts and the ambulance services, which must obviously play a most important part in any casualty service. The ordinary peace-time responsibility for seeing that the public health and insurance medical services are maintained remains, of course, with these Departments. Thus so far as the civilian population is concerned much has been done to combine under one single direction the whole of the medical arrangements for meeting an emergency.

As regards the machinery for meeting these demands, we have available in the Central Emergency Committee and the Scottish Emergency Committee set up by the British Medical Association two central and expert advisory bodies. These committees are, as you will be aware, representative of the whole of the profession. But if the committees' advice is to be sound it must necessarily take account of the local conditions affecting the profession. I am glad, therefore, that the British Medical Association has recently advised each of its Divisions to call a meeting at once of the whole profession for the purpose of setting up a local emergency committee, which will also be representative of the profession as a whole in the area, and will thus be able to advise the Central Emergency Committee on questions of personnel from the local point of view.

Apart, however, from a certain amount of earmarking we cannot fix in advance the capacity in which each individual practitioner can best render service in an emergency. We shall, however, do our best in this direction, and Mr. Colville and I are having a meeting with the English and Scottish Central Emergency Committees and representatives of the local emergency committees on February 15 to see in how much detail we can develop our plans for the allocation of medical personnel.

There is, however, one piece of advice which I should like to emphasize, and that is that every practitioner, except, of course, those having obligations to the Forces, should remain at his peace-time post, even though an emergency should arise, until he is asked to do something different. I hope he may rest assured that we are doing everything we can in consultation with the duly accredited representatives of the profession, both local and central, so to organize the personnel available as to ensure that it is used to the best advantage.

To sum up, life and death are the raw materials of the State, and those dealing with life and death must always and inevitably be under some compulsory con-

nexion with the State, call it organization or what you will, both in peace and in war. This connexion, as I have shown, is very old and is still actively developing almost every hour to-day. Since that is so the relations between both the medical profession and the State must be as cordial and as personal as can be accomplished. That is why I have taken this long road to see you and speak to you to-night.

THE TREATMENT OF TRICHINOSIS

A REVIEW OF METHODS

BY

VERNON D. van SOMEREN, B.Sc.

*Research Student, Department of Parasitology, London
School of Hygiene and Tropical Medicine*

In countries where trichinosis appears still to be widely prevalent, as in the U.S.A., the majority of cases generally are of a symptomless subclinical type, and as such are discovered only by post-mortem examination or by use of the Bachman intradermal test. Naturally such cases do not come within the purview of the general practitioner, but every now and then the disease assumes epidemic proportions of a more or less severe character, while severe sporadic cases are also not uncommon where meat inspection and proper cooking of pork are not rigidly practised.

Since such cases are seldom diagnosed during the incubation period, but only during the acute migratory phases, immediate treatment is essential to prevent the onset of graver complications in an already debilitated patient, and the fact that a wide variety of methods have been tried is in itself indicative of the present experimental stage in the treatment of the disease. Such experimentation may possibly have unfortunate results; hence it seems advisable to summarize the available knowledge concerning treatment and indicate the more hopeful lines of progress. It is proposed to deal only with methods specifically directed against the parasite in the body, and not with the purely symptomatic clinical treatment: this latter, however, may briefly be summarized.

Trichinosis being a disease inducing a febrile state, a general fever regimen should be followed, and since the symptoms are those of a more or less profound toxæmia, all necessary supportive measures should be provided, followed by a prolonged convalescence period. The bowels should be kept open and alkalinized, and special attention paid to the kidneys. Heart and respiratory stimulants should be provided, and sterile saline given to counteract dehydration (Craig and Faust, 1937). Muscular pains and fever associated with the late migratory and early encystment stages of the disease should be relieved by sedatives and antipyretics, though it is of note that salicylates are of little use in these respects (Herzberg and Vitenson, 1930). Possible allergic symptoms may be controlled by the intramuscular injection of 0.5 to 1 c.cm. of adrenaline, as often as the somewhat transient improvement might demand; while meningismus, a not uncommon feature of the syndrome, might be ameliorated by lumbar puncture (Fantus, 1935). The patient should be kept on a high-calorie diet (McDonald and Waddell, 1929).

While measures directed to support and perhaps increase the natural resistance of the host to the parasite are the most valuable in the present state of knowledge,