VIEWS & REVIEWS

We need better data on smoking in pregnancy

PERSONAL VIEW **Carmel O’Gorman**

My work as a smoking cessation midwife involved me directly with the initial national target to reduce smoking in pregnancy from 23% in 1995 to 18% by 2005 and now to 15% by 2010. An additional requirement is to reduce the rate of mothers who are smoking at delivery by 1% year on year, specifically focusing on disadvantaged women to tackle inequalities in infant mortality. There is great pressure to meet this target, which the Healthcare Commission is monitoring. Reducing smoking in pregnancy is also a health objective for Sure Start Children’s Centres.

The 1% annual target was set centrally but has not been discussed with key stakeholders involved in its implementation, who are now concerned by how realistic the target is and whether it is achievable within the required time scale. How was the target derived? Why has good practice guidance not been issued in support? Each primary care trust has a plan specifying how it intends to decrease the percentage of mothers who are smoking at delivery year on year and this is how their performance is managed. However, there

Collecting quality data isn’t just about meeting targets, it is key to knowing whether our interventions are improving health

are concerns about the quality of current smoking data, making it difficult to set local targets and baselines and to monitor progress.

Reducing inequalities is

proving challenging; the latest infant feeding survey shows marked variations in smoking in pregnancy by mother’s socioeconomic classification and age. In 2005 mothers in routine and manual groups were four times more likely than women in managerial and professional occupations to have smoked (29% versus 7%). Teenagers were also five times more likely to have smoked than older mothers (45% versus 9%). Over the past five years rates have consistently increased in these two groups. Tackling social disadvantage is a wider problem than training staff in cessation

skills. Pregnant women who smoke get less support and have fewer financial resources, more family problems, less residential stability, and more psychological and emotional problems than non-smokers.

Historically the infant feeding survey monitored the national target, but it is only undertaken every five years and cannot provide local information. To provide a more timely and regional breakdown of the number of mothers smoking at delivery, all hospital trusts with maternity services should collect data on smoking. However, since 2003-4 the basic collection of smoking data has been reported to be incomplete (more than 5% unknowns) and inconsistent (doesn’t add up; see www.dh.gov.uk/tobacco).

Although there were improvements last year, there are still problem areas. Furthermore, in a recent area audit of data on smoking at Good Hope Hospital, part of the Heart of England NHS Foundation Trust, a number of postnatal women were contacted to determine whether their recorded smoking status at delivery was correct. In a considerable number of cases this was not reassessed, resulting in inaccurate recorded data, which is probably a national problem.

Another weakness is that the data are based on self reporting and should be interpreted with caution. With greater public knowledge of the risks of smoking in pregnancy and pressure to stop, pregnant women may be less inclined to admit to smoking. We need to debate the use of measurements of cotinine in saliva or urine in maternity units to validate smoking behaviour objectively. Attention to smoking behaviour in this way should be as routine a part of antenatal care as the blood pressure check with testing during pregnancy and at delivery to measure progress. Although cotinine testing is a more reliable measure, increasingly breath testing for carbon monoxide at the booking visit is being introduced into routine midwifery practice.

Though these measures have practical and cost implications it may help to increase the trustworthiness of data and clarify the true scale of the problem. For example, the latest

infant feeding survey, which is based on retrospective and self reported data, shows that in 2005 17% of mothers in England smoked throughout their pregnancy. (Interestingly, this is in line with the interim government target.) Whereas in June the Department of Health reported that throughout England smoking rates at delivery last year ranged from 4.4% for Richmond and Twickenham Primary Care Trust to a staggering 38.2% for Blackpool Primary Care Trust.

Clearly the target setting process is flawed because it relies on the effectiveness of current data collection and monitoring mechanisms. Given these inherent problems it is difficult to establish accurate baselines, set local targets, monitor progress, and compare countries. My view is that the resultant targets are unreliable and unrealistic, which can be demotivating and cause needless stress for those involved.

Clearly the target is challenging: according to the Department of Health figures, published in June, only a quarter of Primary Care Trusts achieved the target for a 1% reduction in smoking at delivery in 2005-6 and 2006-7. Collecting quality data isn’t just about meeting targets, it is key to knowing whether our interventions are improving health.

At the coalface we have experienced some successes: supporting women in difficult circumstances—that is, women with material and emotional pressures that work against stopping; preventing postnatal relapse back to smoking; supporting women in the third trimester of their pregnancy; and supporting partners and others. Not all of these may be measurable in the target driven NHS.

Carmel O’Gorman is midwifery lead smoking cessation in pregnancy, Good Hope Hospital, Sutton Coldfield, Birmingham, West Midlands carmel.ogorman@heartofengland.nhs.uk

Competing interests: The author is a member of the programme development group for forthcoming National Institute for Health and Clinical Excellence guidance on smoking cessation; is a member of the International Network of Women Against Tobacco; is the Network Coordinator for the West Midlands Stop Smoking in Pregnancy network and In2focus and Pfizer have sponsored network meetings; and has had conference travel fees reimbursed by In2focus.

See **FEATURE**, p 302

A scabrous attack on
the ethical pitfalls
of clinical research,
p 333

REVIEW OF THE WEEK

On the road with MS

Colin Martin reviews a new film documenting an acclaimed comic artist's battle with multiple sclerosis

Here's Johnny

www.heresjohnnyfilm.com

Rating: ★★☆☆

"I have been fighting a horrible and brutal war over the past seven years," shouts Johnny Hicklenton, furiously propelling his wheelchair through the doors of a lift, in the opening sequence of a new film documenting his battle with multiple sclerosis. Some patients with chronic diseases write about their experiences, but Hicklenton is a talented artist, well known for his horror comic illustrations. So he collaborated on the artwork and animation for *Here's Johnny*, made by UK film production company Animal Monday.

He is definitely not an avuncular Rolf Harris, wielding a paintbrush and asking "Can you see what it is yet?" The "cancer journeys" written by oncology patients often record their genteel self discoveries in the face of adversity. *Here's Johnny* establishes a more radical genre, providing a cathartic, full-on road trip through the progression of the protagonist's disease. Think Jack Kerouac with a sketch pad instead of a typewriter.

For Hicklenton, his diagnosis with MS was definitely "personal." His increasing disability during the six years that the film makers followed his progress made him angrier at each faltering step. His disgust at a general practitioner's incredibly off hand and callous reiteration of a neurologist's diagnosis is palpable; as is his indignation at being required to answer crass questionnaires on his symptoms—including loss of bowel control—after his successful appeal led to the reinstatement of his disability allowance.

In some scenes he addresses the camera in hushed, confidential asides, evoking David Attenborough observing wildlife in the unlikely habitat of health centre or hospital waiting room. An intriguing graphic device is used to show colleagues, family, and friends as "talking heads" within comic-strip frames. MS experts

describe the pathology, symptoms, treatment, and progression of the disease. Hicklenton is filmed drawing, both in real time and using time-lapse photography as an animation technique. He also comments wryly on earlier sequences of film, projected behind him, recounting how his attitude to MS has evolved over the years.

He argues that not enough is being done to help relieve the symptoms of people with multiple sclerosis, or to find a cure for the disease or ways of preventing it. Although current approaches to treating MS are outlined in the film, he seems to reject them, in spite of clinical trial evidence of their safety and efficacy. He rules out β interferons and anti-inflammatory steroids on the slender linguistic prejudice of disliking drugs whose names include "interfere" or "anti." It's astonishing that he seems to inhabit a polarised cartoon world of his own imagination, rather than comply with a regimen of evidence based treatment. Perhaps compliance was too passive a response.

"Some search desperately for anything out there that can help, however improbable," comments Professor Alasdair Coles on the situation facing people with MS. Two years after diagnosis, Hicklenton tried dietary myelin—"from organically farmed cows in Wisconsin"—hoping to divert the autoimmune disease process from attacking his own body's myelin. The next year he was filmed diluting 20 drops of an unspecified "liver purifying" liquid with whisky.

In a bizarre sequence, he doses himself with an equine feed supplement containing methyl sulphonyl methane, an organic form of sulphur described by manufacturer Natural Animal Feed as an "essential building block for proteins found in connective tissue of joints." This desperate scenario is relieved only by his wondering aloud whether he should perhaps take the lower dose recommended for ponies, rather than the full dose for a grown horse.

Five years after diagnosis, he "road tests" an experimental product derived from the serum of goats that have been inoculated with several vaccines, so as to develop antibodies to a wide range of diseases. His current treatment of choice is low dose naltrexone, which boosts the immune system.

"I'm not worried about losing my life," he says six years after diagnosis. "But I'm worried about losing my demeanour, my mind, my interaction with life."

"There are as many approaches to MS as there are people—including enmity, partnership, or denial," commented Professor Coles during a post-screening discussion with the audience. "The warfare approach gives energy and focus, but it's a war you see yourself losing; if it's your partner, you accommodate it."

Hicklenton's dark humour, evident throughout the film, outweighs his contrary personality and is ultimately life affirming. "MS has grounded me—properly," he acknowledges. "I'm no longer an egocentric yob."

The film changed over five years too. "Our first pitch was for a documentary on how this incredible artist beat MS," the film makers said. "We wanted the final cut to celebrate Johnny Hicklenton, rather than omnipresent illness and death."

Funded by the Channel 4 British Documentary Foundation and the Wellcome Trust, *Here's Johnny* will premiere internationally next month at the South by Southwest Film Festival in Austin, Texas.

Colin Martin is an independent consultant in healthcare

communication, London
Cmpubrel@aol.com

**Man screaming, by artist
and film protagonist,
Johnny Hicklenton**

The perils of commissioning bias

FROM THE
FRONTLINE
Des Spence

"You're not listening." She was right, but fortunately we'd had this discussion many times. "Well, you believe that ADHD is not a 'condition,' but an evolutionary trait of men. That boys need exercise to function and that in modern society, and in particular our education system, this is lacking. Boys are like puppies—coop them up, and they will chew the legs off your furniture and shred the newspaper. That vigorous exercise should be used to 'treat' this 'condition.' You based this argument on our three boys and being a vet." I replied.

Could she actually be right? After a bleary eyed trawl of Medline and the Cochrane database, I found nothing on exercise as an intervention—just thousands of papers on drug intervention. She scowled when I told her she was wrong.

But at 3 am my hyperactive brain buzzed me awake, a flashing neon sign read "Commissioning Bias." She wasn't wrong. It is that no one has ever bothered to commission the research. No research, no evidence. The vast majority of research is commissioned by drug companies, which have the motivation and wealth to do so. But they then own the data, restricting access and allowing data to be spun in the most convincing ways. Therefore, there is a gaping flaw in medicine, as it is

skewed towards drugs by this commissioning bias.

Commissioning bias operates in all clinical areas, but especially in pharma's golden geese of chronic diseases. The greatest effects are in mental health. We live in a psychotropic state—diazepam in inner cities, antidepressants in the suburbs, and now the amphetamine cocktail being offered to 10% of children. These interventions result from the tsunami of positive pharma research.

But when this wave inevitably falls and crashes to the ground decades later, it is too late—the social devastation is complete, with the chaos of diazepam dependence and the medicalisation of mood with all its sequelae. We won't know the effects of prescribing in attention-deficit/hyperactivity disorder for at least a generation, but I fear that when we do it will be too late for that generation of children and adults—and all dissenting voices and alternative psychological hypothesis long drowned. Commissioning bias has perverted and distorted medical care but isn't even being discussed within the academic and medical community.

Is my wife right about exercise in ADHD? Who knows, but somebody should find out, for soon it will become obvious that the drugs don't work.

Des Spence is a general practitioner, Glasgow destwo@yahoo.co.uk

The errors in our ways

THE BIGGER
PICTURE
Mary E Black

Once, I prepared a comprehensive brief for the World Health Organization executive board recommending that it commission a chain of warehouses across the war zone of what was then Yugoslavia. Thank heavens for a regional director with an eye for detail and a sense of humour: "Surely you mean warehouses, Dr Black?" More recently I examined a thesis for membership of the Faculty of Public Health Medicine. The candidate was pinkly embarrassed. I was kindly and magnanimous; we have all hit the wrong spellcheck button in our day, and no damage was done.

Poor spelling can be worse than amusing or embarrassing—it can kill. The notoriously bad handwriting of doctors—also known as doctor "chicken scratch"—is a major source of prescribing error and affects patient safety. Moving to electronic prescriptions and standard bar coding for dispensing drugs in pharmacies and hospitals does help.

Tatayana Shamliyan and colleagues from the University of Minnesota reviewed 12 US studies in 2007, concluding that computerised prescribing in hospitals cut total prescribing errors by 66%, dosing errors by 43%, and reduced events in which patients were harmed by 37% (*Health Services Research* 2008;43(1p1):32–53).

E-prescribing is firmly embedded in the NHS and coming to a trust near you; it has been shown to reduce errors, improve accuracy, take more time than the older methods, and cost a lot. The internet has led to a more informed patient, one who expects clear explanations and instructions. The rising tide of polypharmacy, wildly expensive drugs, and the need to account for resources have all put final nails in the coffin. Yes, the era of mysterious potions and the healing spell of an individually quirky Latin script dispensed with an artistic flourish by a kindly, god-like physician is well

and truly over. To err is human, to forgive is divine. Technology will help, but it will not save us; mere mortals still press the buttons, and the medical litigation firms that now occupy the heavens are not forgiving. We will always need supportive colleagues and alert patients to help us spot the errors in our ways.

One of my heroes—a brilliant but notoriously irascible paediatrician—reviewed a dictated letter signed and sent by his secretary to a referring general practitioner. A page of detailed assessment concluded, "I believe in the end this child will be below normal, like you." Listening to the tape he had actually said, "I believe in the end this child will be a low normal IQ." The GP, used to the paediatrician's eccentricities, had not replied. You can make things better, but you can't win them all. Humans still rule.

Mary E Black is a public health physician, Belgrade, Serbia drmaryblack@gmail.com

Never mind the quality

I was told by those who knew the French well (because they are French themselves) that no one would obey the new law that prohibited smoking in cafes and restaurants: that they would go down fighting to preserve the right to their immemorial fug. But when I went to Paris soon after the law came into force, I found that the French had obeyed the law, if not quite as lambs to the slaughter, then at least as hypochondriacs to the panacea.

While in Paris I bought a book by the great Sinologue and literary critic Simon Leys. He is a stylist both in English and French; what is even more impressive and unusual is that he puts his style to the service of truth and profundity.

His books during the Cultural Revolution and its western apologists were simultaneously so erudite and so witty that they made you laugh out loud (though the subject was no laughing matter). They were clear sighted at a time when many intellectuals had blinded themselves.

His latest book, *The Happiness of Little Fish*, is a collection of his short but concentrated and penetrating literary commentaries, written from Australia, where he now lives. Several times he brings up our obsession with the evils of smoking.

For example, Leys quotes an opinion of tobacco that it is one of the most dangerous of poisons (a common enough view) and only afterwards lets us know the source of this opinion: Adolf Hitler.

He is not trying to imply, of course, that smoking is good for the health; only that enthusiasm for the anti-smoking cause is not necessarily a sign of virtue and goodness of heart.

BETWEEN THE LINES Theodore Dalrymple

Where human life is concerned, we have no choice but to take the purely quantitative view: the more of it for each individual the better

In his little essay, "Cigarettes are divine" (the title of a book that Leys says he has bought but not yet read, for fear that it says exactly what he would say in a book on that subject that he has long dreamed of writing), he tells us that Mozart, in one of his letters, said that he thought of death every day, and that this thought of mortality was the inspiration of all his musical creation. And Leys says that this (quite apart from his genius) explains the inex-

haustible joy of his art.

He continues: "I do not want to claim that the inspiration we may derive from the funereal warnings by various health organisations and right-thinking people will turn all smokers into Mozart, but certainly strident reminders paradoxically come to adorn the use of tobacco with a new seductiveness, if not with a metaphysical significance. Each time I see one of those menacing slogans on a packet of cigarettes, I am seriously tempted to resume smoking."

Leys is here raising the question, in the most delicate possible way, of what life is for: a question that we, as doctors, are professionally prohibited (quite rightly) from asking, let alone answering.

Where human life is concerned, we have no choice but to take the purely quantitative view: the more of it for each individual the better. For us, therefore, Hitler's life was twice as successful as Schubert's, because he lived twice as long.

Theodore Dalrymple is a writer and retired doctor

MEDICAL CLASSICS

Woyzeck By Georg Buchner

Written 1836-37

Georg Buchner (1813-37) packed what most would regard as several lifetimes' worth of experience into his tragically short 23 years. At the time of his death from typhus in 1837, he had written an incendiary revolutionary pamphlet; a dissertation *On Cranial Nerves*, which led to his appointment as lecturer in comparative anatomy at Zurich; and two of the greatest plays ever written.

The first of these, *Danton's Death* (1835) was written in five weeks, during Buchner's flight into Switzerland from probable imprisonment. It is a gripping political drama, its insight into political intrigue being comparable to Shakespeare. The second play, *Woyzeck*, though probably unfinished at Buchner's death, has been responsible for most of the key developments in Western theatre since 1913, when it was first performed in Munich. Quite simply, without *Woyzeck*, there would be no Brecht and no Beckett.

The play was directly based on the miserable life of Johan Christian Woyzeck, who was beheaded in Leipzig in 1824 for the murder of his mistress in a fit of jealous rage. At the time, Woyzeck's case made legal history because the accused had been subjected to lengthy medical examination in order to establish if his sentence could be reduced due to diminished responsibility. Buchner stuck to most of the factual detail of his protagonist's life, telling the story of a poor man's descent into failure and of his brutal romantic loss that ironically echoes Goethe's *Faust*.

MARILYN KINGWILL/ARENAPAL

Beware the dangers of doctors who like to play God

Although short as a play, *Woyzeck* is endlessly innovative and exciting on many levels. From the medical perspective, it delivers a scabrous attack on the ethical pitfalls of clinical research, namely the danger of the doctor playing God. One of the play's main characters is that of the unnamed doctor who is paying Woyzeck to be a guinea pig for his scientific inquiries. At the time of the play's action, the doctor has been feeding our hapless hero with nothing but a diet of peas and is monitoring the physiological and psychiatric results daily. It is the doctor's total lack of interest in the wellbeing of his subject that is dramatic here and the consequence of his (effectively) chemical intervention on our protagonist's mental state is Woyzeck's impassioned murder of his beloved, Marie.

What is extraordinary about *Woyzeck* is how a medical student (who was actively engaged in neurological research at the time of writing his play) had the depth of vision and perception to connect his emerging scientific knowledge with a level of compassion and understanding of human nature that seems beyond his 23 years.

Iain McClure, consultant child and adolescent psychiatrist, Murray Royal Hospital, Perth imcclure@nhs.net