adult life; and these generally originate in its posterior segment, the iris enjoying remarkable immunity from these neoplasms. Indeed, the only primary tumours of the iris which have come under my personal observation have been congenital solid tumours, the histology of which is unknown to me, and cysts of which I have now seen several, and examined a few. They are evolved in the iris, and bulge into the anterior chamber, as also to a less extent backwards; and they consist of a delicate hyaloid membrane, lined by a very beautiful pavement-epithelium.

The tumours which are most common in the posterior segment of the uvea are sarcomata and cancers. I am inclined to think that the majority are sarcomas. I employ these terms with a strict anatomical definition, and without reference to their clinical history. Sarcomas are histioid; cancers organoid in their fine structure; and the former may, and often do, exhibit clinical features of the most malignant type. Both begin in the choroidal stroma; they often seem to split the choroid, and bulge inwards, displacing the retina, and wasting the corpus vitreum.

THE MODE OF ADMISSION OF PATIENTS INTO BRITISH HOSPITALS.*

By T. P. HESLOP, M.D.,

Physician to the Queen's and Children's Hospitals, Birmingham.

THE notion that rather generally prevails, both among the general public and members of the medical profession, as regards the utility of our hospitals, would be considerably modified were their administration better understood. There can be no doubt that much good springs from the worst governed of these institutions; but the existence of this good is purchased in the worst possible manner—in a manner which combines all that is repulsive to science and humanity—while it is essentially based on an appeal to the meanest part of our nature. That an institution for the relief of the sick poor should be set up and maintained on the principle that those rich men who give of their superfluity towards its support should dictate as to who should be admitted to, and who should be withheld from, its benefits, is an affront to medical science, and an outrage on charity and religion. I feel that this bare statement of the case, without fact or argument, should be sufficient to ensure the hearty concurrence of the Association in the statement, that the system by which patients are admitted to the benefits of the great majority of English hospitals is a vicious system, and ought to be abolished. Let me, however, detain you for a few minutes, while I ask—What is the aim of these charities? What do they profess to accomplish? How far do they succeed in effecting their object?

The aim of hospitals proper is to provide lodging, maintenance, medical appliances, and the advice of skilled physicians and surgeons, for persons who are either affected with such dangerous maladies as to require special skill, both in the medical attendance and in the nursing; or, who are in such a position of life as to require charitable assistance, even if their disorder be of an ordinary character. The latter category includes individuals who are more or less temporarily placed in difficulties from sickness, bad time of trade, nature of the season, or from moral causes, such as drunkenness. Let it be observed, however, that it excludes all those who, either from age, chronic nature of malady, physical or mental incapacity, or want of work, are thrown out of the possibility of effecting self-maintenance, and thus become fit subjects for the care of Government in those countries, like ours, where the absolutely destitute become emphatically children of the State. The only exception to the excluding influences of such cases as these, is to be found in my first category. Should a pauper become the subject of a dangerous disorder, requiring special skill for its treatment, he then becomes a fit object of private charity. He rightly applies at the door of the renowned hospital, though it may have been opened by the contributions of private benevolence. This exception is by no means universally entertained. It is believed by some that the fact of hospitals, so maintained, undertaking the care of these unhappy persons under such circumstances, tends to put off a just administration of the Poor-law system, and to blind the Government to the inefficiency of our workhouse medical service. It may be so; but I have ever held, both in practice and in writing, that we, knowing the deficiencies of that service, are bound to serve paupers in their extremity, at the expense of voluntary charity, until the conscience of the governing classes shall be awakened to a higher sense of duty.

My first division needs but slight explanation. There are many per-

sons fully competent to remunerate a private practitioner, who are very far from being able to pay the ordinary fees of eminent consulting practitioners. If such an one suffer from stone in the bladder, cataract, ovarian disease, hydatids of the liver, and such like, he or she needs a skilled opinion, a hand made dexterous by experience, and a nurse who has other faculties than those of drinking and sleeping. There can be no doubt that persons so circumstanced are, in the completest sense, fit persons for the reception of hospital relief. I believe that founders have had these specially in view when endowing medical charities; for how else than through them can those deserving and honest people, neither rich nor very poor, who become afflicted with formidable maladies or accidents, obtain the service of the chiefs of the profession? Here I make no exception. As I repudiated the inhumanity which would exclude the pauper from hospitals even when suffering from conditions for which no adequate provision has been made in our Poor-law system, so do I refuse to take part or lot with those who, in obedience to a selfishness which is only professional in name, clamorously demand the exclusion of all who can in any manner recompense any medical man whatever for his services. I shall not speak of the want of modesty of such a view; I prefer to declare that it is opposed to the best traditions of medicine.

That which hospitals do in fact more or less explicitly profess to accomplish is as follows. They profess to be open at all times to the sick and hurt; to offer an asylum wherein protection and skilled treatment may be found; to ensure to the hospital population, as above defined, an amount of comfort and a range of scientific knowledge which, but for such institutions, would be totally beyond the power of that population to obtain, and, by consequence, would become the particular privilege of the rich.

The monks, both of the east and west, in past times; the Governments of continental Europe; the founders of some of the Scotch infirmaries in our own times, have endeavoured to extend this particular privilege of the rich to all people possessing the rightful claims derived from suffering and small means. Disease has been held to level all distinctions; and, under the guiding hand and voice of charity, science has lavished her choicest treasures on tens of thousands of poor creatures who would otherwise have only known enough of those treasures to lament the lot that placed them beyond their reach.

In England, a state of things exists which renders it impossible that hospitals can fulfil the object for which they were established. I have known and openly asserted this, in various ways, for many years past; but those to whom the subject is new will find all needful information in the sixth Report of the Medical Officer of the Privy Council. It contains the elaborate, but far too little known, Report of Dr. Bristowe and Mr. Holmes on the hospitals of the United Kingdom. There the hospital system of England is to be found depicted in its true colours by impartial observers; there are the proofs that so far are our hospitals from carrying out the aim for which they exist, they uniformly, though in different degrees, fail to perform the good they profess to accomplish. I will give the substance, and, as far as possible, the very words of their conclusions on this subject. In London, as contrasted with Paris, hospitals are private institutions, and receive only such cases as the governors of the hospitals choose to admit. Such rules as are approved by the governing body fix what cases each hospital shall receive, and these regulations differ for each. Most of them exclude fever and measles. Several exclude, by rule, all cases of fever. The number of beds is also fixed solely according to the salubrity or convenience of the hospital, and not at all by the wants of the district. The beds are allotted to medicine and surgery in proportions quite different from those in which such cases occur in actual practice. In the great majority of London hospitals, which depend entirely, or almost entirely, on private bounty, it has been found necessary, in order to conciliate the subscribers, to allow them a kind of right of nominating the recipients of their charity. A larger or smaller proportion, according to circumstances, are received from considerations of urgency; that is to say, for purely medical reasons; but the bulk of the patients are received, partly on account of the gravity of the disease, and partly because they bring a subscriber's letter; that is to say, partly for private reasons.

In English country hospitals, properly so called, no proportion is kept between the number of the beds and the wants of the district. All cases of infectious disease are in most cases excluded—a regulation which involves the exclusion of almost all acute medical cases. The right of the subscribers to nominate the inmates of the hospital is far more rigidly enforced than in London: the proportion of accidents and urgent cases admitted without such nomination is smaller. These establishments are practically reduced to the treatment of accidents and cases of chronic disease. At the Radcliffe Infirmary, in this city, in 1862, out of 896 patients admitted, only 10 medical cases were taken in

* Read in the Public Medicine Section before the Annual Meeting of the British Medical Association in Oxford, August 1868.

without letters, on account of urgency. In the country districts of England, the hospitals are reserved for the chronic cases—hence the extraordinary detention of the patients. In Colchester, the number of patients per bed was 5.8 per annum; in Gloucester, 6.09; in Ipswich, 6.3; even in a town so important as Norwich, only 7.7. In St. George's, London, the number arrived at 12.09; in the Liverpool Royal Infirmary it reached 13.08. In many country hospitals, the beds are taken for some time beforehand; in many, the subscribers would not think they obtained fair value for their subscription unless their nominee were admitted, however little prospect there might be of his receiving more benefit by treatment at the hospital than at home; and not only admitted, but kept for the full "term" as it is called; that is to say, the time during which a letter is good. The consequence is, and must be, that the hospital is looked upon amongst the poor as a private charity, as far as *disease* is concerned; and admission into it is sought through private channels, just as into an almshouse: in fact, these country hospitals have become in great measure sick clubs, in which the employer pays instead of the patient. At hospitals of the purely country class, urgent medical cases hardly ever present themselves, except on the day of the weekly admission, and then very rarely. Such a hospital, therefore, usually contains a few grave accidents, and a still smaller number of cases requiring surgical operation, amongst a much larger number of chronic invalids. Another effect of this strict adherence to the letter system is, that the hospital is seldom, if ever, full, and that the daily average of patients is very greatly below the number of beds. Out of 4,093 beds made up in the rural hospitals, only 2,813 were occupied at the time of the visit of the reporters. The regulations which exclude grave cases of disease from our country hospitals, and diminish their proportion in many town hospitals, by throwing the nomination of patients into the hands of non-medical persons, is a cause of the comparative salubrity of such hospitals. In any other point of view they cannot help regarding such regulations as an un-mixed evil. The greater salubrity of the hospital is obtained only by its omitting to perform its most important duty—that of affording succour and safety to those among the poor who are in the most grievous danger. The evils of this system appear to be known even where it is still adhered to, since many of the hospitals at which the system of weekly admission by letter still prevails, dwell with complacency on the large proportion of their patients who have been admitted on the free system. The reporters proceed to make the following remarkable declaration:—"We may be accused of trespassing beyond our province in thus entering to a certain extent on the question of the general effect of such rules, apart from their sanitary influence; but we could not resist putting on record distinctly our conviction, forced on us by a comparison of the hospitals in English counties with those of London, and of these latter with the Scotch and Parisian, that our system is a much inferior one to both of theirs, and that it tends to reduce to the smallest possible amount the good which is done by our large establishments and liberal expenditure of money." They go on to show that the great majority of English country hospitals exclude all fevers, while they admit wholesale chronic cases, trivial cases, petty accidents, and so forth. To what cause is all this wrong attributed by these gentlemen? Here are their own words, as given on page 525: "We have already drawn attention to the effect which systems of admission exercise upon the medical and surgical practice of hospitals. We have shown that admissions limited to special days, and especially the plan of admission by governors' letters, tend (especially in rural hospitals) to fill the beds with chronic or trivial cases, which are retained in the house, not for any actual benefit they are likely to receive, but out of deference to the recommendations which secured their admission."

I shall make but one further quotation from the Report, to which I beg to refer all who sincerely desire to be informed upon the intolerable evils of our English hospital system and their real causes. After referring to certain passages in the Report of the Dundee Infirmary, they say: "We have quoted the above passages to show how perfectly feasible it is to maintain in a high state of efficiency an establishment which shall really fulfil the purposes of a hospital—an institution, that is, from which no poor man labouring under serious disease shall be turned away; which shall not present the monstrous anomaly, that the more violent and dangerous the disease, the less chance is there of the patient's reception; and which shall not be so surrounded with formalities and privileges as to be regarded, and in fact to become, not the public refuge for the sick poor, but a private institution for the relief of the subscribers' nominees. It must be surely far more easy to make provision for the relief of all cases of sufficient urgency in a small country place, than in a large manufacturing town like Dundee; nor is the accommodation that would be required for such a purpose wanting in most of our country towns; only the habit of making the hospital a place for the treatment of chronic cases—by the letter-system, by the ex-

clusion of fevers, and by giving up such a disproportionate number of beds to surgical cases—has become almost inveterate; and it appears to be the most natural thing in the world, that a number of cases of chronic rheumatism, hysteria, bad legs, scrofula, etc., should occupy the hospital beds, and receive the care of the practitioners of best repute in the neighbourhood, while patients labouring under those acute diseases in which the absence or presence of quiet, fresh air, careful nursing, proper diet, skilful and deliberate medical treatment, and careful diagnosis, involves death or life, should be left in their squalid crowded cottages, fed probably on casual charity, and attended as best they may be by the overworked parish doctor or his apprentice."

Such, then, is the manner in which English hospitals subserve the purposes for which they were constructed; and such are the regulations which have brought about these results. But, if experience tells so conclusive a history as to the inherent faultiness of the regulations, and as to the imperfect mode in which our hospitals carry out in practice their great function, it might still be maintained that some modification of the system of admission by letters of recommendation, or, in other words, by privileged notes, would change all this, and render them more fitting representatives of the charity and science of the time. The system is, however, incapable of such a modification. It will not lend itself to the requirements of a just administration. It can easily be proved, on *à priori* grounds alone, apart from experience, that the privileged system of admitting patients to hospitals must necessarily lead to the impairment of their efficiency. Every well ordered hospital endeavours to do the largest amount of good to the largest number of patients; to circulate through the smallest number of beds, in the shortest possible time, the largest number of the fittest—i. e., the most urgent—cases, both in the social and the personal sense. We have already seen how these endeavours are frustrated by the privileged system; but I wish to impress on you that, in the nature of things, they must be frustrated under that system. Let us assume for a moment that governors invariably select with the utmost wisdom and the greatest conscientiousness those to whom they give their tickets of admission; let us assume that the lazy drone with dyspepsia, the pampered dependent with sore legs, the wife of the selfish tradesman with hysteria, would have no chance of getting a ticket, if that ticket were wanted for a poor artisan suffering from fever, acute rheumatism, or calculus; let it be granted that, at the particular moment when the governor bestows his ticket, it gets into the hands of the fittest person known to him,—does it therefore follow that the individual so privileged is the fittest person for the hospital functionaries to admit on the day and hour of his application? It may be, and must often be, quite the contrary. The duty of selecting for admission, among urgent cases, the most urgent, cannot be performed outside the hospital. It must be performed daily and hourly within its walls, without other bias than strictly medical considerations, if the institution is to fulfil its mission, as I have just delineated it. I cannot put this point better than it has been enforced by a lady in the able Report of the Committee appointed to consider and report upon the erection of fever wards in connection with the famous infirmary of this city. The Report is signed by clergymen, members of the Town Council, and by those distinguished members of our Association, Drs. Acland and Tuckwell, and Professor Rolleston. The reporters urgently advise that these wards be administered on the free principle; and the lady quoted expresses her opinions as follows: "In the course of my small experience, I have seen the continual recurrence of most serious evils from the difficulty of obtaining turns*; and I believe that many lives have been lost (humanly speaking) from this cause. Even where, by the process of a sort of house-to-house visitation of all one's friends, one succeeds in obtaining a turn, it is seldom at the right moment, or for the most urgent cases. It has often happened that a turn has been given to an apparently needful case the one day, and that the next an infinitely more urgent one has presented itself, for which no help was to be obtained; and as, by a curious fatality, the persons who possess the turns are generally those who do not know any patients, it constantly occurs that, while many helpless sufferers have been sent away without hope of admission, some one, a few doors off, has let his turns lie idle till the close of the year made them useless. A young married woman in St. Ebbe's nursed her sister-in-law through low or typhoid fever, of which she died, and fell ill herself of the same complaint. Being young and healthy, there seemed no reason why she should not recover; but in her own home she had every conceivable disadvantage. To go to the infirmary seemed the only chance; and her friends earnestly wished it, and tried all they could to get a turn. When the first attempt was made, she was still sitting up, with the baby on her knee. When, ten days later, I succeeded in getting a turn which had been *for-gotten* in a friend's desk, she was so much worse that it was necessary

* A "Turn", in Oxford Hospital language, means a Governor's letter.

to ask a physician's opinion as to the possibility of removing her. His answer was, that it was too late; and too late it proved, for she died in a few days."

A system which renders possible such results as these is a cruel irony on charity, absurd in principle, and most disastrous in practice.

ON THE OCCURRENCE OF AMAUROTIC AMBLYOPIA, LONG AFTER THE INJURY, IN CASES OF CONCUSSION OF THE SPINAL MARROW.*

By THOMAS WHARTON JONES, F.R.S.,

Professor of Ophthalmic Medicine and Surgery in University College, London; Ophthalmic Surgeon to the Hospital; etc.

CASE I.—In the early part of last year (1868), my attention was directed to the following case in University College Hospital, under the care of Mr. Erichsen. R. S., a man aged about 35, two years before fell from the top of a house on his back and injured his spine. Since then he suffered from muscular weakness, especially of the right extremities, and was now altogether in a broken down state of body. His mind and spirits were at the same time much depressed. Three weeks before I saw the man, the sight of his right eye had become so dim that he had a difficulty in making out even the largest letters with it. This failure of the sight was accompanied by photops, or an appearance which he compared to "fireworks", before his eye; by haloes all round the gas-lights; and by pains in the region of the right eye and side of the face, extending to the back of the neck. The left eye presented indications of having been, at some former period, affected with iritis. On inquiry, the patient stated that the attack occurred many years before the accident. The sight of the eye in question had not been impaired by the inflammation; but subsequently to the occurrence of the dimness of the right eye, the sight of the left began to fail also, and that in a similar manner. Two or three months before his attention was drawn to the failure of the sight of his right eye, the man found that after reading for five minutes or so the eyes began to water, and that after reading for half an hour he had to give up altogether, in consequence of the occurrence of pain over the eyebrow. The pupil of the right eye contracted freely on exposure to light. Under the ophthalmoscope, I observed in the right eye a bluish whiteness of the optic disc on the side next the temple (apparently on the nasal side), with congestion and blackish discoloration of the retina all round, from granular pigmentous deposit—appearances indicative of degeneration of structure.

CASE II.—In the beginning of June 1868, I was consulted respecting the sight of Mr. O., a gentleman aged 48, who, in November 1866, suffered a shock of the brain and spinal marrow from a railway collision, while in a second-class carriage. Since the accident, the patient's energies, both bodily and mental, had become much impaired. He was unable to read longer than five or ten minutes at a time; and it was only with the right eye that he was able to do this. In November 1867—that is, one year after the injury—dimness of the sight of the left eye was first discovered. On examination in June 1868—that is, eighteen months after the injury—I found that the patient could see with the left eye no better than to make out the large letters called Two-line Great Primer. The pupil was still quite natural in its movements. On making an ophthalmoscopic exploration, I found the optic disc the seat of vascular injection and granular pigmentous deposit, so that it was of a blackish red hue. The retina, all round the disc, presented a similar discoloration. The centre of the disc, where the retinal trunks emerge, was free from vascular injection and pigmentous deposit, but was unnaturally white. Though Mr. O. could still see distinctly enough with the right eye to make out letters of every size, he could not, as before mentioned, continue to read any length of time with it. Under the ophthalmoscope, I found in the right eye congestion and discoloration of the disc and retina similar to what I found in the left, though in a less advanced stage.

CASE III.—Mr. L., aged 31, suffered a shock of the brain and spinal marrow in a railway collision, while in a second-class carriage, on the 4th of September 1866, and was laid up for three months in consequence. Since then he had found himself unhinged, both bodily and mentally. On the 3d of July 1867, ten months after the injury, he first consulted me respecting his eyes, which had been failing him. He complained of a haze which now and then came over the sight, especially that of the right eye; of inability to exert the eyes as formerly; of pain in his head when he made the attempt; of motes which he saw

floating before him; of the appearance, sometimes, as if of flashes of light in the dark; of haloes around the lights; and of undue retention of impressions. Since the patient first consulted me, I have seen him every now and then. Of the several examinations of the eyes which I made, the following is the result of one instituted on the 3rd of July of the present year—just one year and ten months from the date of the accident. Both pupils were active, but when the left eye was kept closed, the pupil of the right eye became somewhat more dilated than when both eyes were exposed to the light. There was some external congestion. The right eye being examined under the ophthalmoscope, the optic disc was seen to present on the temporal (apparently nasal) side a bluish white aspect, and to be opaque and irregular-looking at its circumference all round. Both it and the adjacent retina were in a state of anæmic congestion. Similar appearances, though in a less degree, were observed in the left eye.

CASE IV.—The following is an extract from a newspaper report of a trial at Westminster, on the 25th of June, 1868. The railway accident occurred on the 20th of September 1866—"The plaintiff, about 44 years of age, appeared to be in a very nervous and feeble state. Being asleep at the moment of the collision, he had only an indistinct knowledge of a blow on the head. When he recovered consciousness, he found himself on his knees, leaning over on one side. Since the accident, has suffered a constant pain in the head, with numbness and weakness of the left extremities. *Later, there was the symptom of a shadow before the left eye.*"

In the cases which I have now related, the failure of sight, it is to be remarked, was not experienced until some considerable time after the injury. This would seem to shew that the affection of the eyes arose from a disturbance of the circulation, and consequent impairment of the nutrition, leading slowly to degeneration of structure of the optic nerve and retina.

Inquiry into the nature of the connection between the injury of the spinal marrow, on the one hand; and the affection of the eyes and sight, on the other.—The part of the sympathetic nervous system, on which the healthy circulation in the eye and the due nutrition of the organ depend, has its roots in the spinal marrow in the region of the lower part of the neck and upper part of the back. Thence the nerve fibres pass to the sympathetic in the neck through the hypoglossal nerve and the anterior roots of the two last cervical and two or three uppermost dorsal spinal nerves. From the sympathetic in the neck, the internal carotid plexus arises, and from this are detached fibrils, which, having passed from the cranium into the orbit, enter the eyeball, and are distributed to the muscular walls of the arteries of its internal tunics. Through these fibrils the sympathetic governs the contractions of the walls* of the arteries, and so regulates the variations in the width of their calibre. Variations in the width of the arteries of an organ imply, it is to be remembered, modifications in the flow of blood in the part, independently of the general effect of the heart's action. Thus it is that the healthy circulation in the eyes and certain other parts of the head, and their due nutrition, depend on the integrity of the sympathetic nerves in the neck.

Lesion of the sympathetic nerves in the neck is followed by such a disturbance of the circulation in the eye, and consequently such changes in the nutritive process, as to lead to degeneration of structure and impairment of function.

In the cases which have been related, the roots of the sympathetic in the neck must necessarily have participated in the injury which the spinal marrow sustained from the concussion in the accidents, on which the failure of sight supervened. The effect has been the disturbance of the circulation in the optic nerves and the internal tunics of the eyes, from which the deteriorated nutrition, causing the impairment of sight, has directly resulted.

That the eyes thus suffer from injury of the sympathetic nerves in the neck, the old experiments of Petit, and the more recent ones of Reid, Claude Bernard, Brown-Séquard, and many others have demonstrated. Section of the sympathetic in the neck of a dog, cat, or rabbit, in the experiments referred to, was followed by vascular congestion and disturbed nutrition of the eye of the same side, leading, in some cases, to destruction of the organ by penetrating ulceration, or even sloughing, of the cornea, and evacuation of the humours.

The occurrence of inflammatory congestion of the eye after section of the sympathetic in the neck was, in the first edition of my work on *Ophthalmic Medicine and Surgery*, attributed to the consequent paralysis of the walls of the blood-vessels of the eye; and microscopical observations recorded in my essay on *the State of the Blood and the Blood-vessels in Inflammation*, published in 1850, shewed, in illustration and cor-

* The radiating muscular fibres of the iris are also under the government of the same part of the sympathetic nerve, being supplied with nerve-fibrils therefrom. But this is a point which does not immediately belong to our present subject.

* Read at the Annual Meeting of the Shropshire Scientific Branch, October 1868.