that these latter lie, all of them, at the inner side of the membrana limitans externa. Owing to the radial direction of the primitive cone-fibres, the outer granules belonging to the central cones lie peripherally, so that the outer granular layer is absent from the foveal centre.

At the inner surface of this layer the cone-fibres combine in a plexus, the bundles of which, near the centre of the macula, are directed obliquely towards the inner surface of the retina; between the centre and the circumference of the macula they assume a direction nearly parallel to the retinal layers, and at the circumference of the macula they run nearly vertically.

At its inner surface, the cone-fibre-plexus breaks up into primitive fibres, which pass through a thin connective tissue stratum, the intergranule layer, and enter the inner granule layer. This latter, at its beginning in the centre of the fovea, is not separate from the ganglionic layer. The nerve-fibres pursue in it the same direction as in the outer granule layer.

The ganglionic layer, at the periphery of the fovea, contains three or four tiers of cells; these become fewer towards the foveal centre, but even here they lie in a double or treble series, bedded in a granular tissue.

The ora retinæ is the other situation to which I referred as having a peculiar arrangement of its tissues. Being less important than the fovea, I can notice it only very briefly. Towards the ora the nervous elements gradually become fewer, the layers thin out, the beads and cones shorten, and become stouter. With this decrease of the nervous tissues, the connective tissues predominate, and they are prolonged beyond the ora as the pars ciliaris retinæ, the radial fibres becoming, according to Kölliker's observations, the columnal, epithelial-like bodies, which line the pars striata.

In conclusion, Mr. President and gentlemen, let me thank you for the attention you have kindly bestowed on me during these lectures. If they shall have succeeded in putting the minute anatomy of the eyeball in a clearer light, and still more, if they shall induce any to take up the subject and work it out, I may hope that the honour the Council conferred on me in electing me the successor, in this anatomical chair, to Clopton Havers, may not prove without useful results.

AN OBSTACLE TO LONGEVITY.—At the recent meeting of the British Association for the Advancement of Science, Sir Duncan Gibb read a paper on "An Obstacle to Human Longevity beyond Seventy Years." He drew attention to the position of the epiglottis, and said that in 5,000 healthy people of all ages, and in 11 per cent., it was found to be drooping or pendent, in place of being vertical. He had discovered, he said, that in all persons over 70, its position was vertical, without a single exception—a circumstance of the highest importance bearing upon the attainment of old age amongst Europeans. In a number of instances where the age varied from 70 to 95, in all was this cartilage vertical. Many of these he cited as examples, such as the well-known statesmen Lord Palmerston, Lord Lyndhurst, Lord Campbell, and Lord Brougham. He also gave instances among old ladies still alive at ages from 76 to 92, whose epiglottis was vertical. But the most remarkable was that of a gentleman still alive 102 years old, in whom it occupied the same position. He summed up his views in the following conclusions:—1. As a rule, persons with a pendent epiglottis do not attain a longevity beyond 70. Possibly a few may overstep it, but such examples are exceptional. 2. With pendency of the epiglottis life verges to a close at or about 70, and the limit of old age is reached. 3. A vertical epiglottis, on the other hand, allows the attainment of four score years and upwards, all other things being equal, and affords the best chance of reaching the extremest limit of longevity. 4. Lastly, pendency of the epiglottis is an obstacle to longevity—certainly beyond the age of 70 years—and it is a peculiarity that occurs in 11 per cent. of all ages amongst Europeans.

AN ADDRESS

DELIVERED IN

THE SECTION OF STATE MEDICINE,

*At the Annual Meeting of the British Medical Association,
in Leeds, July 1869.*

By WILLIAM FARR, M.D., D.C.L., F.R.S., ETC.

GENTLEMEN,—In opening this Section, I have in some respects an easy task to perform. Our course was buoyed out for us last year by my eloquent predecessor, Mr. Simon. We are prosecuting a work which engaged the earnest attention of the founders of the Association; and the interest of the subject is admitted on all hands.

Public Medicine comprehends something more than Public Hygiene—a word which comes to us from Greece through France. Medicine is, in a certain sense, one and indivisible; it has to do with the whole nature and forces of man. And yet, in great cities, divided fields of practice exist: there is the surgeon, and there is the physician; one man practises midwifery; another is an oculist; another is an aurist; another ministers to minds diseased. As each organ leads its own life, each organ—each disease—has its special student. Yet the parts forming a whole are united; there is a concert in their suffering; and all the members are directed by central volition. So one physician—one general practitioner—takes charge of the community of confederated organs. Now, men in the same town form one body; they have a life in common; they have common interests and common wants. The families coalesce under a Council, by whom they are governed. Each member has his own special adviser in sickness; and is it not, by analogy, natural that the incorporated community—the town—should have its town physician? Otherwise, in the absorbing interest of the parts, might not the interests of the whole be overlooked?

A new department of science is open to the town physician. For of some things the laws are most easily discerned in large masses; it is so with the stars, and it is the case here. The mortality of two town populations is easily determined; their mean lifetime can be calculated. It is possible to forecast the health of a city, and to determine the effects of any great changes in the condition of its population; whereas no man can calculate how much an individual dies daily—how long he will live—what the precise effect of any condition on his health will be. Hence the difficulty of judging the effect of therapeutic agents on a patient. Communities can only supply certain wants by common work. If they desire roads, the roads must be made and repaired at the common cost. Then light, and water, and sewerage, can only be provided adequately by that company—the town—of which every ratepayer is a shareholder. Public Medicine is in this category. Our towns, counties, and districts, are parts of that still grander community, the State; and the State, whatever may be its constitution, whether monarchical, aristocratic, or republican, has public duties to perform in watching over the public life. This is an office of high police, and was recognised in the early forms of civil society. The chief open dangers in woods and savage wildernesses were wild beasts; and the heroes of the age, like Hercules and Theseus, killed lions, wild boars, and serpents. Against fierce men and hostile tribes, in the struggle for existence, the warrior-king defended his people. These were visible enemies. But for protection against the pestilence that walketh in darkness, the people also looked to the king; they held him responsible; of him they sought remedy; and they often ascribed their afflictions to his crimes. The deaths by plague of the Greeks before Troy were ascribed to the wrath of the Sun-God, and to the misdeeds of Agamemnon.* In that more modern time of which Thucydides writes, the plague of Athens rendered Pericles unpopular. Under another form of civilisation, in Egypt, the plagues were charged against the reigning Pharaoh; and, in the wilderness, Moses undertook to stay the plague; his brother stood between the dead and the living. When their mysterious desolations were referred to the ire of the immortal gods by the Romans, the oracles were consulted by the great officers of the city and the empire.

Hippocrates inaugurated the true philosophy of disease by announcing that all its phenomena are alike divine. Plagues are traced no longer to accidental antecedents; and a complete revolution in modern thought is the consequence of the development of this doctrine. Diseases as disastrous as ever assailed the Greeks before Troy befel the British army in the Crimea; but who would now accept the explanation, that the gods thus slew the British soldier to avenge the insults offered by a

* This Greek sentiment is well wrought out in the *Ædipus* of Sophocles.

prince to the daughter of a Greek patriarch? Yet precisely such a theory satisfied the exigencies of Homer and the minds of the Greeks. The true cause nevertheless was traced here to the incapacity of a minister, who was cast out of office; and quite recently the plague among cattle gave us an opportunity of observing how easily a pestilence may become a ministerial question. The Public Health Acts recognised the responsibility of Government, and took a practical form when the Board of Health was ably administered by the Earl of Shaftesbury, Mr. Edwin Chadwick, and Dr. Southwood Smith. Lord Llanover, on its extinction, called into existence a great Council of Health, which inaugurated a system of scientific inquiry, prosecuted still further, under the direction of Mr. Simon, with the happiest results.

Public Health, Social Government, Nuisance and other Acts, abound in the statute-book; they evince good-will on the part of the legislature, but no mastery of legislation. The country wants a sanitary code; and one responsible man alone can produce such a code, to be accepted and sanctioned by Parliament. Law (1) declares what is to be done, what is not to be done; (2) it ensures the execution of its enactments by rewards or by penal clauses; and (3) it creates an adequate staff of officers to carry the law into effect. Without organs, we see no life; without administrators, no administration. Sanitary law without sanitary officers is a dead letter. Now, it is precisely at this point that our laws break down. With the failures full in view, this Association, with another great Association, called for an inquiry by Royal Commission, which was conceded by the past, accepted by the present Government, and is now sitting in Westminster, under the presidency of Sir C. Adelerley, who has evinced much interest in these subjects. It is gratifying to us to find on its roll the names of our late esteemed President, Dr. Acland, Sir Thomas Watson, Mr. Paget, Dr. Stokes, and Dr. Christison. It is just to mention, too, that we have to thank, besides, Mr. Bruce, his predecessor Mr. Gathorne Hardy, Dr. Rumsey, Dr. Stewart, and others, for great services in promoting this important inquiry. Excluded London, Scotland, and Ireland cannot, however, be overlooked, without incurring the risk of leaving our sanitary legislation incomplete. In this, as in everything else, let us be an United Kingdom.

Sanitary administration can never be perfect without one supreme head. A Minister of Health must in the end be called into existence; but, in the meantime, his duties naturally devolve on the Home Minister. The work divides itself into four main branches—administrative law, medicine, engineering, statistics; and these branches should be organised so as to work in harmony with a Council of Health and executive heads. Under the Local Government Act, you have now on each Local Board the clerk, the health-officer, and the surveyor.

There is a disposition in England to create, for all sorts of purposes, new territorial divisions. No minister looks at local administration as a whole; and every measure appears to be isolated. The end is anarchy, waste of officers, conflict of powers. One body has charge of the highways, another of the poor, another of the public health, another of the police, another of the militia. It would be as sensible to create several Houses of Commons, for several purposes, as several councils in a single city or in a single district.

For all large towns, the organisation under the Municipal Act, with some improvements, will answer every purpose; but the Town Council should nominate a Public Health Committee, with a permanent chairman presiding over the sanitary staff, and representing it as a minister represents a department in Parliament. Take out the boroughs, as was done of old, because they have special wants, and sentiments with which the country around does not always sympathise; and then you fall back upon grouped parishes and townships in Districts or Unions, as they are called, corresponding to the historical Hundred. The boundaries and the grouping of districts, with careful revision, give you the best basis of sanitary administration. The identity of the administrative with the registration subdivisions of the country will enable us, in the causes of death and in sickness returns, to follow, step by step, the consequences of sanitary operations. Solid progress will become as apparent as the sun at noonday; errors, blunders, failures, will be revealed; and illusions will be dispelled. The appointment of health-officers was prescribed under the Metropolitan Act; and the names of Dundas Thomson, Druitt, Ballard, Buchanan, Barnes, and others, prove that among them you have distinguished men. Liverpool, Birkenhead, Manchester, Salford, Bristol, Leeds, Swansea, Merthyr Tydfil, Glasgow, Edinburgh, Dublin, recall the names of Trench, Baylis, Leigh, Davies, Robinson, Dyke, Gairdner, Littlejohn, Mapother. That the institution is so far a success, is unquestionable. All the large towns of the kingdom will ere long have their town physicians. The harvest is ripening. What can be done to aid and to increase the efficiency of the labourers? That we hope to discuss on Thursday. Among other questions, these are important: Should the public physician in large towns engage in private practice? Should he undertake the office of

coroner in all small boroughs? Should he supervise the registration of the causes of death, and inquire into every death uncertified by a qualified medical attendant? Should the county magistrates appoint a county physician?

Public Medicine is now on its trial; it is scarcely out of the martyr stage. But, as it becomes appreciated, it will open a great career to young physicians. They will, treading in the steps of Mead, of Pringle, of Lind, and of Blane, always place their profession in the front ranks. But the public health is so wide a field, and so difficult to cultivate, that it requires the aid of all classes. We want help; and we ask for it from the chemist, the engineer, the naturalist, the highest statesman, and the humblest town councillor.

What are the aims of Public Medicine? Primarily, to prevent disease; and, although it does not heal the sick, it surrounds them with all the conditions most favourable to recovery. It gives the physician chances in his favour; it diminishes the death-toll of the people. It prolongs earthly existence; and it carries numbers of souls through childhood, youth, manhood, to a ripe old age. Health gives rich and poor the full use of their faculties; it lessens sorrow; it gives fortitude in the vicissitudes of life. These are great objects; and their attainment is difficult, but it is not impossible. To accomplish them is to bestow on mankind riches more precious than gold. To endeavour to accomplish them is a noble enterprise.

Human lifetime can be exactly measured. Its complete circuit is *a hundred years*. This has been long known. The Etruscans, measuring it by the longest life of a generation, made it their *seculum*. It is our extreme lifetime. The mean lifetime in the healthiest parts of England is *fifty years*. This is not a high standard; but, on applying it to city populations, we find how much work Public Medicine has before it. The mean lifetime will often be found, in whole towns and in entire classes, to be only twenty-five or thirty years; in the United Kingdom, it does not exceed forty-one years.

Where life is of fifty years' duration, the annual mortality in a stationary population is at the rate of 20 in 1,000; there are 20 births and 20 deaths annually to 1,000 of the population. Actually, it was found that, in our healthiest districts, the rate of mortality was 17 in 1,000; because the births exceeded the deaths, and thus produced an excess of young people. Constituted, as the London population largely is, of immigrants, the mortality with a mean lifetime of fifty years should not exceed 15 in 1,000; it is 24; and the difference (24—15) = 9, is the true excess. The same correction is required in every town.

Now, applying this measure, it is found invariably that a high rate of mortality is reduced by elementary sanitary measures. Certain things are conditions of existence. Withhold these conditions, and the people perish. Pure air to breathe is one of these conditions; you see the effects of pure air and the effects of smoke and sewage-vapour alike on the faces of the people. Pure water is equally indispensable. Sewage is carried out of the dwellings in many towns; but it is delivered into the rivers, whence the water-supply is frequently derived. The dangers of once contaminated water are known to everybody—except to a well-known class of scientific writers, who have led a certain Royal Commission into calling such water a "wholesome beverage". As population increases, impurities increase; and the rivers drain the land. What is to be done? Here our great hydraulic engineers come to our help. As Mr. Glaisher and Mr. Symons so admirably show us, the waters of the sky in these islands fall in torrents on the hills, whence they can be brought pure, by gravitation, to nearly all our great cities. Locomotion and transport of goods are useful; they have been facilitated by canals and railways, which have, perhaps, cost the country five hundred millions sterling. All our cities may be supplied for ever, for a fraction of this sum, with living waters. Then an aqueduct-sewer may follow, and dry earth may be employed. Arrangements may also be made to prevent the diffusion of zymotic diseases; but the efficacy of the existing quarantine is questionable, while its evils are evident. Small-pox is replaced by other diseases in unfavourable sanitary conditions. Here are Gordian knots to cut. But suppose all these conditions to be supplied; suppose sufficient dwellings to be provided; suppose the diet of children and adults to be adequate, and to be so regulated as never to fail by society for this purpose in friendly cooperation; and even then some of the greatest problems of Public Medicine will remain unsolved.

In a neighbouring city the Royal Agricultural Society has recently met, under the presidency of the Prince of Wales. That Society supplies proofs of the power which breeders have of producing races of sheep, cattle, and horses, infinitely superior to the races formerly in England; and holds out encouragements to further improvements. The results have been produced by placing the races in the conditions most favourable to their life, and by artificial selection. Now, we do not know what the people were in the prehistoric period of Sir John Lubbock;

but we do know, in some respects, what the people were in Queen Elizabeth's reign. They were not a perfect race, but they had many great qualities. At that date seven millions, at the last census nearly thirty millions, of the race existed in these islands; besides the swarming millions in the New World and in Australasia. Is there any correlative improvement in the fine qualities of this race? There is, in many qualities. Yet it is impossible to pass the population in review at a census without observing in many grave defects; in many, shortcomings; in many, organic degeneracies; in many, criminal depravities. In large portions of the world, only low and barbarous races roam. How, out of the existing seed, to raise races of men to a divine perfection, is the final problem of Public Medicine.

ON THE USE OF ANTISEPTIC CERE-CLOTH FOR COVERING WOUNDS.*

By EDWARD LUND, F.R.C.S.,

Lecturer on Anatomy, and one of the Surgeons to the Manchester Royal Infirmary.

I AM anxious to bring before the notice of the Surgical Section of the British Medical Association a material which I have lately used with great advantage for covering wounds, and which I have called *antiseptic cere-cloth*. It is, as the name implies, cloth or thin calico saturated with waxy matter in the form of solid paraffin, to which are added a little oil and wax, with carbolic acid in certain proportions. It possesses this double property, that, when placed over a wound, ulcer, or the opening of an abscess, it not only serves to exclude the air as an impervious dressing to the part, but it constantly emits from its surface the vapour of carbolic acid, as it is disengaged by the heat of the body, and so forms an antiseptic atmosphere around the wound.

It will be found an economical and ready substitute for the antiseptic lac plaster of Professor Lister, by which he has obtained wonderful results in the management of severe lacerated wounds, abscesses, and the like; and, in the particular method of applying the cere-cloth, I have endeavoured as far as possible to carry out those minute and careful directions which Professor Lister has given, as the only means by which to secure for the "antiseptic method" a fair chance of success. I will not occupy the time of the Section by entering upon the disputed question, how it is that the antiseptic method really acts—whether *chemically*, upon the tissues and fluids of the part; or *physiologically*, if I may so say, by arresting the development of those "septic germs" and "living organisms" which by their presence, under certain conditions, seem to determine the existence of suppurative inflammation on the surface of wounds, and thus interfere, more or less, with the healing processes; for, quite independently of this, it is very desirable, especially in hospital practice, where surgical cases are crowded together, to prevent the putrescence of the secretions from wounds, and the foetid tainted atmosphere which they engender; so that, merely on the score of cleanliness and neatness, it must be admitted that the antiseptic method has much to recommend it.

In the preparation of the cere-cloth, solid paraffin is used as the basis of the composition with which the cloth is saturated. It has these advantages: that paraffin in itself is not at all irritating to the skin; and, when made into cere-cloth, it adapts itself easily to the surface to which it is applied, moulding itself to any peculiarities of form by the warmth and gentle pressure of the hand, at the same time that it is in no way adhesive, as ordinary ointments or cerates would be; and, therefore, when it is required to be removed, it can be raised or slid off from the surface with the least possible disturbance, and a fresh piece placed in its stead. This mixture of solid paraffin, oil, wax, and carbolic acid, in the proportions which I am about to mention, does not liquefy much below 190° Fahr.; so that it retains its solid form at the ordinary temperature of the body, the vapour only of the carbolic acid being slowly dissipated. It is likewise an inexpensive material—a matter of no small importance in public practice. I am not prepared to state its exact cost; but I am sure, if made in large quantities, it will be found to be a very cheap form of surgical dressing. It can be kept in the solid state, protected from the air, for a great length of time; it can then be

warmed and liquefied as required. The calico saturated with it, by simply drawing a portion through it while in a fluid state, congeals immediately, and is ready for use; or it may be made, in pieces of any length and width, by rolling the calico over cylinders containing cold water as fast as it has taken up the cerate, as I have shown by a machine in the museum collection of new instruments at our present meeting.

To illustrate how effectually the vapour of carbolic acid, thrown off from this cere-cloth at ordinary temperatures, will prevent putrefaction, I placed some piece of fresh meat in several wire cages of a cubical form, covering each with the cere-cloth, and fixing it loosely round by an India-rubber band. This was done on the 12th of June last, and again on the 23rd of the same month; and, on opening one of the packets to-day, it will be seen that the piece of meat has remained unchanged, as far as putrefaction is concerned; although, from the time it has been kept in a warm room, it is quite dry and hard. To prove that this was due to the carbolic acid vapour, and not to mere exclusion of the air, on June 12th I also placed a piece of fresh meat in a cage, and covered it over in the same way with calico steeped in exactly the same composition as far as the paraffin, oil, and wax were concerned, but *without* carbolic acid; and in less than nine days the meat was quite putrid and moist from decomposition, and I was compelled to throw it away. This has suggested to me that possibly this cere-cloth might be found very useful for the purpose of wrapping up pathological specimens to preserve their colour and freshness for future microscopical examination; for, if it be the vapour of the acid which produces the result, this alone could not occasion any serious change in the structure or chemical composition of the tissues.

In using this cere-cloth for dressing wounds, although it is important to bear in mind that the exact size and quantity to be employed must vary with the extent and depth of the wound to be covered, and the time which is to elapse before its re-application, yet it is always prudent not to use carbolic acid at a greater strength or for a longer period than is really needed to prevent or check putrefactive changes. As soon as these have ceased, or, after a reasonable time, have not manifested themselves by the presence of foetor, the weaker the carbolic preparation the better; for there can be no doubt that carbolic acid is an irritant, and in some constitutions a very powerful irritant; hence it becomes a cause of protracted suppuration by over-stimulation. How to adjust the exact strength of the application in any given case is a matter of great difficulty; and it is doubtless one reason why many surgeons, who have given carbolic acid a trial with the object of averting putrefaction, have ceased to use it, thinking that at times it seemed to do more harm than good.

To obviate these difficulties, I make the cere-cloth of three degrees of strength, as it contains one-fourth, one-sixth, or one-eighth of carbolic acid. The strongest quality is needed in the management of the early stages of a wound; the others are more useful while cicatrisation is going on.

The exact formulæ for the cerates with which the calico is saturated are as follows; the form in each case being intended for twelve fluidounces of the cerate in the liquid state—enough to spread about one square yard and a half of the cere-cloth. The quantities which I give are to be measured by bulk, and not by weight—that is, for the carbolic acid and the oil, as well as the paraffin and the wax which have been previously liquefied; for I find that in this way I get a greater uniformity in the composition.

No. 4, or the strongest form of the cerate, is composed of pure carbolic acid, Calvert's, *liquefied*, f. ʒiii; olive oil (coloured red with alkanet-root, to distinguish the cerate), f. ʒiiss; yellow wax, *liquefied*, f. ʒiiss; paraffin, *liquefied*, f. ʒvi. Mix.

No. 6, the next in strength, and of a yellow colour, is composed of pure carbolic acid, f. ʒij; olive oil, f. ʒiiss; yellow wax, f. ʒiiss; paraffin, f. ʒv. Mix.

No. 8, the weakest, which should be nearly white, is composed of pure carbolic acid, f. ʒiiss; olive oil, f. ʒi, f. ʒvi; white wax, f. ʒi, f. ʒvi; paraffin, f. ʒvii. Mix.

I trust that these few remarks will induce some of the members of the Association to make trial of this material; and that its use may serve to advance the general adoption of those principles in the antiseptic method of treating wounds which have been so ably and perseveringly advocated by Professor Lister.

I shall be happy to give samples of the cere-cloth to any interested in the subject, who are likely to have an opportunity of testing its value as a covering for wounds.

THE LIBRARY OF THE OBSTETRICAL SOCIETY will be closed from Monday, September 6th, to Saturday, September 18th, both days inclusive.

* Read in the Surgical Section at the Annual Meeting of the British Medical Association in Leeds, July 1869.