ADDRESS IN MEDICINE.

BY

W. F. WADE, F.R.C.P.,

Physician to the General Hospital, Birmingham.

THE circumstances of the hour suggest, almost compel, retrospection. A first impulse might be to attempt a review of what has been done to advance the practice of medicine during the last half-century; but the labourers have been so numerous, and their work so wide-reaching, that a moment's consideration shows the impossibility of compressing such a task within the limits of time which custom allots to us on these occasions. Suppose, then, that we adopt a narrower scheme; that we recall to memory some of the actual facts of medicine as it existed when this Association was founded, and some others which have occurred since. It may be possible from a consideration of them to derive some hints, some lessons useful to ourselves, and perchance to "make the stumbling-block the stepping-stone" to a safer and sounder platform.

At the time from which we date our existence, the weekly medical press, established not many years before, was in full and earnest operation—labouring, as it has ever since laboured, for the enlightenment and protection no less of the general public than of our own profession. In lectures, papers, cases, and hospital reports, we can see our predecessors as they lived and worked—not dressed up for inspection, not posing for posterity, but saying what they thought and relating what they did. There is, indeed, often an old-fashioned and out-of-date colloquialism, that brings their personality so vividly before us, that at times, when absorbed in these records,

"It seems as though these were the living men,
And we the coloured shadows on the wall."

Some high authorities tell us that the science and theory of language are to be acquired by the study of dead rather than of living languages. In like manner, we may sometimes learn more from the study of dead than from that of living therapeutics. If we exhume and dissect some of the mistaken practices of fifty years ago, or of a later date, let us do so, not in a spirit of vainglory or disparagement, but with the strict purpose of amending ourselves. The sum total of knowledge increases fast, but the capability of individual intellects slowly, if at all. We are, therefore, each of us liable to fall into errors analogous to, if not identical with, those we reprehend in others. It was not then—it is not now—a question of who makes mistakes and who does not, but of who makes the most and who the fewest; who the most excusable or who the most inexcusable. Looking back at the records of the past, we see that current errors were shared oftentimes by men who were in the front rank of the profession, and who, did they flourish in these days, would be in the front rank now. We may find even yet much to learn from their precepts and their practice. Great as have been the additions to our knowledge, all the wisdom of that day has not been exploded or superseded. It is only a spirit of conceit and ignorance, not of philosophy and knowledge, that would dismiss the doctors and patients of half a century back with,

"... all our yesterdays
Have lighted fools the way to dusty death."

We may hope that fifty years hence our successors may be celebrating the Centenary of this Association as we are this day celebrating its Jubilee. It is not indeed unlikely that they may follow our example, and select for that celebration the city of our birth. May we not also venture to hope that not all our knowledge and not all our practice will by then have become obsolete, even though they may be able to see clearly many things which we discern only through a glass darkly or not at all.

No one of the present generation, reading for the first time the clinical memorabilia of 1832, can fail to be struck by one all-pervading method of treatment—viz., blood-letting. Indeed, at first sight, it almost obscures our perception of any other therapeutical means or agents. The difficulty is to name diseases in which it was not used,

not those in which it was. Its prevalence may be brought very vividly before us by a quotation from a contemporary author. He says: "Blood-letting is not only the most powerful and important, but the most generally used, of all our remedies. Scarcely a case of acute, or indeed of chronic disease, occurs, in which it does not become necessary to consider the propriety of having recourse to the lancet, or to estimate the effects of blood-letting already instituted." But, to get a full impression of this frequency, you must read, one after another, the records of cases in which—medical, surgical, traumatic, and obstetrical—bleeding from the arm was practised. Indeed, this does not exhaust the category. The chief resource of preventive medicine was to let blood from the arm every spring and fall.

Such was the practice of that day, and such, in large measure, the therapeutical science; for, be it observed, these things were done, not only by obscure apothecaries, but under the direction and auspices of those who constituted the highest court of scientific appeal.

Not many years before 1832, a weekly medical journal, which still maintains its high character, was instituted under the then appropriate name of "*The Lancet*". In a few years after this date, the title of this periodical had well-nigh become an anachronism.

Within those few years a revolution of opinion had taken place, the like of which the history of medicine wots not of. For, be it remembered, this was not the case of a transient phantasy—of a gourd which, having sprung up in a night, might well wither in a day—but the well established practice of centuries, which had withstood, not only the ravages of time, but repeated volleys from the batteries of wit and satire.

History tells us that, though she may lay her finger upon "ship-money", or "tea-tax", as having directly provoked a great political revolution, yet that there have been in each case many other circumstances which as surely, though less immediately, contributed to the result. The special grievance was but the fuse which fired the shell already charged with the explosives of discontent. Dispassionate survey can, I think, discover that our revolution in this respect resembled those political ones to which I have alluded.

To begin with the most remote predisposition: the medical profession cannot escape the influence of those phases of thought and waves of opinion which from time to time dominate other sections of the body politic. The intellect of that period was coming to distrust, and ultimately to banish, "violence, harshness—the darker shades of repression—from the education of the young, from the treatment of the insane, from the punishment of criminals, and to substitute for those time-honoured but most ineffectual processes a rational moderation". Well known political reforms were the work of that period, and the outcome of the spirit just mentioned. Reconsideration of ancient dogmas was the order of the day; and that reconsideration in many instances led to their effacement.

Another influence was coming into play. The *vis medicatrix nature* has been recognised in medicine from time immemorial; but its efficiency as an antagonist to disease has been at different times very differently estimated. The formula may be the same; but the conceptions it embodies may differ to an extent which is equivalent to a difference in kind. It would seem that formerly Nature was esteemed but a very feeble and humble assistant, whose influence was nothing unless rigidly controlled and directed by a more intelligent, or reinforced by a more potent, agent. This idea was all in favour of robust and strenuous therapeutics, and they were accordingly dominant. It was assumed then that Nature could do nothing without assistance. We do not assume, but know as a matter of fact, that in many instances Nature unassisted can do everything. "Expectant medicine" is the term used to designate the line of conduct, or perhaps rather the mental attitude, which this knowledge imposes upon us. This is sometimes derisively described as the art of laboriously doing nothing—of trusting to Providence; and it is supposed to be a lazy, shiftless mode of shirking responsibility. All sound principles are liable to corruption; and this particular principle may—indeed, in the hands of those who do not appreciate its essence, does—lead to a neglect of therapeutical means. But, rightly understood, it is anything but a lazy and shiftless method; it necessitates a constant, anxious, and laborious study and observance of the tricks and turnings and vagaries of disorder and disease. So far from this system, when intelligently followed, leading to a disbelief in the potentiality of drugs, it seems to me to do exactly the opposite. Having learnt with more accuracy and greater fulness the natural progress of disease, we are the better able to estimate the extent to which the direction of that progress is capable of deflection by the administration of remedies; and it passes my comprehension how any person who has intelligently and dispassionately watched the progress of disease, when subjected and when not subjected to drugs, can refuse to believe that we hold in our hands gigantic forces to oppose to those of an aberrant Nature. Extremes

meet; and it may be that, in this and many other cases, incredulity is a token of a credulous nature. I have avoided the term scepticism, which is familiarly used to signify an absence of confidence in drugs as remedies. Scepticism in circumstances where pitfalls abound, where just judgment is difficult from the complexity of the conditions, is not only tolerable, but commendable, and is of the essence of wise therapeutics. Disbelief and scepticism may appear to some minds to be the same in kind. The sun of another system may be the same in kind as our sun; but the difference in their respective distances is equivalent to differences in kind of the most essential character. Various causes, no doubt, co-operated in generating and maturing expectant medicine. One, which we know did at a later period markedly contribute to its development, was even at this period beginning to attract attention. Laymen for the most part do not pretend, and do not seek, to understand the merits of opposing medical theories or schools of thought. It is on this broad ground, and as an historical fact and not a critical opinion, that I say that Hahnemann was commencing to subject, not so much the public mind to his doctrines, as the bodies of the public in this country to his treatment. He had by this time evolved out of his inner consciousness the belief that infinitesimal particles might have what seem to us preternatural powers instilled into them by the divine agency of the pestle and mortar. If it was not the "little-dose" element which made this system attractive to the laity, certain it is that this chiefly fixed the attention of the profession. To say that the trituration doctrine is so absurd that no sane person can possibly believe it, is to ignore a great part of the history of speculative thought in all ages and countries; but it is just to say that the adoption of such a dogma requires an unusual share of that mystical element of which the mind of no one is entirely devoid. This view explains why, to the great bulk of the profession, the doctrine of infinitesimal doses dynamised by trituration was, and remains, incredible. Rightly or wrongly, cures apparently wrought by such medicaments were and are judged to be instances of spontaneous recovery. This interpretation necessarily facilitated the reception of that higher ideal of the powers of nature which was then arising; indeed, from that it is possible that the suggestion proceeded. Such a conception would undoubtedly make more easy the relinquishment of severe and violent modes of treatment, and amongst these bloodletting was conspicuous.

But systems are not swept away without some faults inherent either in themselves or in the individuals who administer them. Persons who, like myself, practise chiefly in consultation with others, have great advantages. We see much to admire and much, also, to learn, if we are not too conceited to accept the lesson, in the practice of those with whom we are associated. We ought, from observing the faults of others, to recognise and correct our own, though an opposite result too often arises from the frailty of human nature. Mistakes in practice originate mainly from one of two sources. The first is ignorance of the teachings of science, or inattention in the application of them to the case in hand. To treat this statement otherwise than as a truism would be disrespectful to your intelligence. But you will not think it disrespectful if I say that we are every one of us a little apt in our own cases to blur and smudge this truth in our minds. Without categorically saying so, we contrive to feel that, after all, the mistake is chargeable less to our own account than to that of an inexact science.

The second source of error is a too rigid adherence to the dictates of science. This cannot be treated so peremptorily. That medical science as a whole is imperfect; that the individual sciences of which it is composed are imperfect; that of these the science of therapeutics is the most imperfect; that, above all, we, the agents who have to apply these sciences in our daily life, are imperfect—all this is not only true, but is universally admitted to be so. The doctrine that we must incessantly compare that which does happen with that which we think ought to happen is therefore no new one. Yet those who venture to submit rules and methods which, it is hoped, may minimise these defects, are somehow supposed to disparage, if not to dethrone, science, and to be wishful to replace it by some fanciful hocus-pocus of their own. Nothing can be more unjust, nothing can be more injurious, not to those who use, but to those who reject, precautions and safeguards, and to the science which they honestly desire to exalt. Disguise or dislike it as we may, it is not the less certain that, in the treatment of disease, we have no firmer basis than the doctrine of probabilities. And he who manfully recognises this is the least likely to fall into error, and the earliest to find out when he has done so, and, therefore, the promptest to retrace his steps. But why should we disguise or dislike this statement. We are not the only class who have to exercise their calling subject to such a law. Rulers and statesmen have to deal with involved and complex problems which their sciences have elucidated, but have not solved. They have to base their

actions upon probabilities. They, therefore, though stimulated as we are by the combined forces of duty, benevolence, and self-interest; and, with means of information far in excess of ours, find too often that their best considered efforts fail. They find still, as Hippocrates taught us, that "the opportunity is fleeting, experience fallacious, and judgment difficult." Take another instance. The doctrine of probability is invoked by a large and influential section of theologians as itself sufficient, without recourse to higher sanctions, to justify for mankind the hope of a future existence, and a belief in the Divine government of the world; but, in speaking of probability, the truth is that many fail to realise that the highest probability is divided by an imperceptible line from certainty; and we familiarly treat as certainties future occurrences, such as the rising of the sun to-morrow morning, which are but high probabilities. In medicine, we have, in an ordinary way, to deal with some things which are highly probable, some fairly probable, some slightly probable, and some improbable, some only just possible, but, with nothing absolutely certain and nothing absolutely impossible. This is not a reasonable cause for discouragement still less for despair, though it is a reasonable cause for reflection, care, and thoughtfulness.

It is scarcely necessary to detail examples of the certainty or uncertainty with which we may anticipate the effects of particular drugs. But I may suggest a consideration of the varying results of aperients in what are apparently similar circumstances in different persons, or in the same person at different times.

There are special occasions in which we are all prone to misuse drugs, sometimes straining sometimes neglecting the teachings of science. We have all seen the acute case going wrong, sliding, we know not exactly at what first moment, or how, out of our grasp. We see looming in the not remote distance the cliffs which overhang the valley of the shadow of death. We are beset by our professional solicitude, harassed possibly by undeserved reproaches, by passionate tears, or by the still more touching mute appeal of tearless eyes. We see no course which commends itself to our judgment, no clue to the enigma, no indication of what we ought to do.

Is it not true that, thus tried, our composure may become disturbed, our judgment clouded, that our conduct, instead of being controlled by calm consideration may be misguided by panic? Does it never happen that, not knowing what to do, we resolve to do something? Does this something never take the shape of a potent drug in what is mis-called a heroic dose, administered without a sufficient possibility of being able to predict its effects? No one dissents from the propositions, that meddling surgery is bad surgery, that meddling midwifery is bad midwifery. Do we at all times adequately realise that there may be a meddling medicine which is bad medicine? Standing in the dark on the brink of a precipice, may it not show more wisdom, and require more courage, so to stand, than to take a free step, not knowing whether it may land us in security or precipitate us into the abyss? If, then, at such an adverse moment, keeping our fortitude unimpaired, and our head cool, we restrain our hand—if we hold on, and wait and watch—that is true heroism, and may be rewarded by a clear, though likely enough a slender, indication of the course we should pursue, and that course may lead us to success. We shall, at any rate, have done that which is best calculated in desperate cases to secure a welcome result.

We have now seen that there is more than one way of misusing remedies. In all these ways, our predecessors from time to time, as we may see from the records, misused bloodletting. In this misuse we find the real origin of its abandonment. In 1820 a provincial practitioner, a physician at Nottingham, Marshall Hall, opened the first parallel of the siege which, in my opinion, eventuated in the razing of this stronghold.

In 1829 he brought to bear on the abuses of blood-letting in a more elaborate criticism, new facts, and a more matured opinion. Instances are given where the sagacity of experienced practitioners had intervened to shield patients from the fatal effects of a too servile submission to the accepted teachings of science. Other instances follow in which honest reliance upon these teachings resulted in the patients being bled to death. The cases are on record, and will convince the most unwilling reader that this is not a sensational or rhetorical statement, but the simple, unvarnished, if unpalatable truth. If all this be so, who can challenge our duty to exercise the right of private judgment? But this exercise, if it is to be salutary rather than misleading, must not be reserved for cases of exceptional complexity and difficulty; it must be habitual, daily, hourly. Trivial cases and familiar drugs should be to us what academy studies and jottings of nature are to the painter, reviews and field-days to the soldier, scales to the vocalist—the means by which we perfect ourselves in the details which have to be happily combined to make the supreme effort successful.

We come now to an episode in the investigation which, beyond its historical interest, has an important bearing on a question which is just now subjected, not to philosophical criticism, but to a vehement, heedless, rhetorical guerilla. After ten years devoted to investigating the effects of loss of blood, having amassed cases and accumulated observations, not ignorant of the strictures of previous writers on the abuse of blood-letting, in possession of a real clue and well advanced on the right track, deeply penetrated with the importance of the inquiry, and profoundly anxious lest while purposing to benefit humanity by promulgating truth, he might inadvertently injure it by propagating error, in 1830 Marshall Hall undertook some experiments on living animals. But hear from himself his reasons. He says:—

"After paying considerable attention to the effects of loss of blood, as manifested by the human subject under the influence of blood-letting or hæmorrhagy, I still felt that there were so many questions left in obscurity, that the investigation of them in the way of experiment was one, the object of which was at once legitimate and most important.

(1) "It was highly important to ascertain the effects of loss of blood in circumstances entirely free from the complication of disease or other unusual condition of the system.

(2) "It was highly important to estimate the difference in the effects of loss of blood in the different ages.

(3) "It was also highly important to fill up a blank left in my former investigations by ascertaining more accurately and distinctly than before the various organic changes induced by loss of blood.

(4) "And as blood-letting constitutes the most powerful of our remedies, and hæmorrhagy one of the most formidable of diseases, it became of the utmost moment to fix the rules and limits of the employment of the former, and to ascertain the most efficacious mode of restoration in the latter."

These words may have been—and, according to some, I presume, were the specious covering which a cruel and bloodthirsty man, reckless of animal suffering and regardless of all moral duty, used to cloak his inherent savagery. May they not have been the truthful words of a just and righteous philosopher offering reasons for resorting to proceedings primarily repulsive to his feelings—proceedings which were nevertheless, in his pondered judgment, obligatory for the complete elucidation of an obscure subject of direct and paramount importance to the cure of his fellow-man? Sitting here, the inheritors of this knowledge, which has indirectly changed the whole face of our practice, it may seem to us that the case was overloaded with proof. But it is impossible to decide, after the event, what amount of evidence ought to have been sufficient to fashion and consolidate into a coherent and shapely form the flocculent masses of colloidal truth floating hither and thither in the mind of a discoverer. War against the cherished convictions of the age is not to be undertaken with a light heart, nor with an incomplete armament. At any rate, the other evidence did not seem to Marshall Hall sufficient to overcome the *vis inertia* of contemporary opinion. For in 1836, he deemed it necessary to publish, in a more extended and complete form, and reinforced by his vivisection experiences, the views which he had already on several occasions propounded. It is warrantable, in such cases, to consider not only what is needed to convince ourselves, but, further, what is needed to carry that conviction to others.

A notable example of this necessity is furnished by difficulties which Harvey had to encounter in procuring admission for his great discovery into the category of accepted truths. I am not unmindful of the opinion held by some few persons, that the true circulation of the blood had been discovered before Harvey appeared on the scene. My own view of the truth on this question can be conveyed in a homely illustration.

A troop of children might be in possession of the various parts of a dissected map of Europe. One might hold a little piece, another a large piece. The clever ones might have got a knowledge of the names and the relative position of those towns which each bit of territory held. But, none being skilful enough to put the map together, they have no idea of the relative situations of the various countries. They would be the less likely to succeed in putting the map together, if some portions were missing, and if some chanced to have bits of another map which they tried to incorporate. The master-hand of the teacher puts the bits in their right places, and immediately all places assume their true relations to each other. The pieces of the map of Europe are items of knowledge previously won, the bits of the other map are untruths—such as that the diastole of the heart was synchronous with that of the arteries—previously believed. The master-hand was Harvey's. The whole civilised world, with few exceptions, has long admitted that by Harvey the riddle was solved.

It would much strengthen my present argument, could it be proved that Harvey was a plagiarist and his disciples dupes. A truth

which is locked up in the bosom of its discoverer, or remains recognised only by a select few, is rather a dead than a living truth, and might almost as well have remained undiscovered. Up to the time of Harvey, the physiology of the circulation, if it had been discovered, had not been accepted. Having satisfied his own mind, he was desirous of enlightening others. For nine years, he expounded his doctrine to his Fellows of the College of Physicians, and illustrated his lectures by dissections of dead, and experiments on living, animals; especially exhibiting the action of the living heart, contemplation of which had mainly suggested to him the doctrine he was labouring to teach. Not till after this protracted education of his fellows did he deem it prudent to publish his essay. Further repetition of his experiments was necessary to convince the new audience thus obtained. It is, indeed, on record, that a Professor of the University of Louvain, then an eminent seat of learning, was only brought to accept Harvey's views by repeating his experiments, a business which he had undertaken in the expectation of thereby proving Harvey to be wrong. Looking back at the time and labour expended by Harvey on the propagation of his discovery, it seems not unlikely that, but for the educational employment of vivisection, the office of the heart, and therefore the circulation in its totality, might yet remain to be discovered.

This fragmentary reference to the great Harvey is no doubt a digression. But, being compelled by the exigency of my theme to mention some experiments on living animals, it appeared both timely and fitting to say these few words. Vivisection is a method of questioning nature which has its supporters and its opponents. Behind them and behind us is a jury of our educated countrymen—yes, and of our educated countrywomen. Tenderness is not always irrational. Of the ultimate verdict of that jury, I, for one, am not afraid.

To return now to our proper subject. In the year 1836, Marshall Hall's last word on bloodletting was published. But a very few years elapsed before it had ceased to be practised. It is most curious that the intention and object of his publication was to regulate, not to abolish, bleeding. It is true that he clearly demonstrated that it might be, and had been, so employed as to produce not only injurious, but distinctly fatal, effects; but he also taught its utility, authorised and, indeed, recommended its employment, though with limitations not previously laid down. How, then, it may be fairly asked, could such teaching result in its abandonment? The printed records show distinctly that this remedy had come to be used in all sorts of cases, at all sorts of times, as a matter of course; as one that could do no harm at the beginning of an illness to cut it short, in the middle as routine treatment, and when things became desperate as a forlorn hope—as the last, the only, chance. The plain blunt statement that persons had been bled to death *secundum artem*, the simple detail of the facts of individual cases, proving to the most unwilling reader that this statement was true, must have pricked the conscience of many an honest practitioner. Men came to look at bleeding from an exactly opposite point of view to that which they had previously occupied, and began to see that it was not absolutely necessary at the onset of disease, was of doubtful safety as a routine treatment during its height, and at a grand crisis might even be fatal. Can we wonder that, in a few short years, the practice had ceased to exist?

It would be improper, and indeed might be misleading, to leave this subject, without adverting to another explanation of this astonishing change in practice. It has been attributed to a change of type in disease. A chief supporter of this view is one of the ablest and worthiest representatives of medicine in our time—worthy, indeed, of any age—Sir Thomas Watson. What has not been shown, he says, writing in 1857, "is that the human constitution is incapable, from influences to us unknown, of undergoing alterations, in respect to the manner in which it is affected by inflammation, and by the reputed remedies of inflammation. For my own part, I am firmly persuaded, by my own observation, and by the records of medicine, that there are waves of time through which the sthenic and asthenic characters of disease prevail in succession; and that we are at present living amid one of its adynamic phases."

It is not necessary to discuss the soundness of the view so succinctly stated. For the purpose of my argument, I could have wished to be able to give it an unequivocal assent. It enforces, with the most eloquent brevity, the supreme and paramount necessity of a constant, even suspicious watchfulness, of our own operations and of the workings of nature. Let us now turn to some further considerations, which especially enforce this obligation.

Whilst unreservedly admitting that medicine is imperfect, we all believe that it is not stationary, but progressive. Each year furnishes more exact knowledge as to the structure of the body; the uses of various organs; their *modus operandi* in health; the manner in which their operations are disturbed by disease; the effect of such disturbance upon

other organs; the causes of these disturbances; and the extent to which they may be controlled or interrupted by diet, drugs, or other agents.

We are from time to time presented with new instruments, or new means of exact research, with new drugs, and with new facts or theories respecting old ones. But this is by no means all. We are furthermore being, not infrequently, urged to apply this new knowledge, or these new views, to the treatment of disease; to employ a new drug, to discard an old one, or to use it in conditions to which it has heretofore been considered inapplicable, or to use it in doses of much less or of much greater magnitude than we have been wont to administer. Examples will at once occur to your minds of beneficial changes, which have of late years been in this way introduced. It is possible that we may have to go much further in some of these directions. As regards the dosage of drugs, I am strongly inclined to think that, both as regards *maxima* and *minima*, we are too closely bound by the fetters of posological tables, or of our habitual prescriptions.

But let us look at the other side of the shield. It is not many years since a provincial surgeon of ability and of local repute began to employ and recommend a new plan of treating delirium tremens. He gave tincture of digitalis in doses which, compared with ordinary ones, were simply enormous. In support of his views, he cited cases in which these huge doses appeared to have produced the most beneficial results. One thing appeared certain, that, contrary to anyone's anticipation, these doses had not proved fatal. The facts were puzzling to most. There is always a class of minds who have no difficulty in dealing with such a case; if the inferences appear unavoidable, but inconvenient, they disbelieve the facts. Nothing can be more simple. Some supposed that the drug employed was of inferior quality, and therefore comparatively inert. To others who looked a little deeper, it seemed probable that there were conditions of the body which might bear and even profit by doses which, under other circumstances, would be poisonous; that these conditions were present in some, but not necessarily in all, cases of delirium tremens; that before long, cases of this disease might present themselves in which these particular conditions were not present, and that, if so, we should hear of fatal results from this plan of treatment. This is exactly what happened; and on this the practice, so far as published data show, passed away. It is too probable that the reaction went to the extent of unduly limiting the use of the drug in those cases of delirium tremens where, in moderate quantities, it is most advantageous. It is not in the case of blood-letting only that we see that a remedy, while it has a good name, is used in season and out of season, but, if its name become tarnished, not at all.

Let me quote one other example of the pitfalls being daily dug in our path if, by constant search after improved methods, we justify our claim to the honourable title of practitioners.

It is not so many years ago that there flourished a great clinical teacher, famous alike in the wards of an important metropolitan hospital and by the besides of the wealthy. Is it a truism that to be sound, medicine must be based on physiology? He was an assiduous cultivator and eminent teacher of this science. In the zenith of his fame he sought, as you all know, to establish the plan of treating acute diseases by alcohol in almost unlimited quantity. Is it surprising that his views—earnestly enforced by word of mouth and in fascinating essays, propagated by an enthusiastic and numerous band of disciples, and not without an important substratum of truth—is it surprising, I say, that his precepts became popular, and that his example was for a time largely followed? What is our position now with regard to alcohol and its administration as a drug in acute diseases? Exactly what it was before this mischievous delusion arose. There is no acute disease in which alcohol is necessarily required. On the other hand, there is no acute disease in which special circumstances may not arise which necessitate its use in small, or in large, and even in very large doses.

The error of Todd mainly arose from that fertile source of medical—we might truly say of human—error, hasty generalisation. He had no doubt seen, as who amongst us has not seen, the revivifying effects of a dose of brandy opportunely administered. He had, no doubt, as we all have, seen the patient rescued by a few repetitions of this dose from the door of death to which he had been brought by an internal inflammation. The change is nothing less than the transformation of a scene where hope seemed ridiculous into one where anxiety seems absurd. The thought naturally arises, why not prevent the advent of such an alarming condition by beginning a little sooner to administer so sure an antidote? To the soundness of this suggestion no just exception can be taken, for undoubtedly the experienced eye can discern the storm coming, without waiting till its bursting has announced its existence and destructiveness. So far, then, so good. But having got so far safely, it is easy to go still further, and to get on to dangerous ground. Why not begin at the beginning? Why not give the alcohol as soon as you know, and this is not difficult, that you have

to do with an inflammation? The acceptance of this reasoning involves perilous consequences. Few minds are so delicately balanced as to be able to distinguish between such a position, and the adoption of alcohol as an anti-inflammatory specific. You will not ask me for a metaphysical analysis or definition of the term "specific." But you will permit a few remarks upon the practical dangers arising from the conception which it embodies.

The medical mind never has ceased, and probably never will, to hanker after specifics. From time to time some drug is elevated by its undeniably remedial effects into this position, and our hopes are flattered that we possess one. The idea is most grateful. In the first place, what a saving of labour, thought, and trouble; nor is there anything in that feeling of which we need to be ashamed; for with many specifics to lean on, our lives would be sufficiently arduous. Then again, we all feel, though perhaps we may try to hide it from ourselves, the uncertainty of medicine. How delightful to know, that, to the credit of our own reputation, and to the advantage of our patient, we have, for at least one disease, a remedy that cannot fail.

We see the chemist with his glass vessel full of carbonic acid in one hand, and in the other a lighted taper. He dips the wick in the carbonic acid, and the flame is extinguished. The result is immediate, decisive, and unfailing. Can we be reproached for wishing that we might in like manner take a pneumonia in one hand and a vessel full of alcohol in the other, and by a similar immersion procure a similarly decisive and unfailing result. We might perhaps with equanimity submit to its being less immediate. Depend upon it, that to those who harbour such a wish, and indulge in contemplating the possibility of its fulfilment, the danger is great of erroneously believing that they have achieved the result. The danger is still greater that they will come to look at many drugs in the light of quasi-specifics, and so relax watchfulness over their effects.

It is true, probably, that no one of us believes in the existence of an absolute specific which can never fail; but, on the other hand, we must remember that the conception of a specific and the conception of failure are reciprocally exclusive. A vivid mental picture of the one necessarily implies a very shadowy perception of the other. One reason why this yearning for specifics is so likely to mislead us is that it almost inevitably involves a conception of disease as an unity, instead of a complexity, of processes.

Perhaps I shall be able more readily to explain myself if, leaving abstract propositions, we revert to the specific treatment of pneumonia by alcohol.

A "case" of pneumonia is compounded of two parts. The first of these consists of those local changes which are summed up in the phrase "the inflammatory process". It is true, though we do not need to dwell upon it, that even this phrase suggests multiplicity rather than unity. But there are also, as in all cases of inflammation, not only the local focus, but the influences radiating therefrom, and affecting all the organs and constituents of the body. In no disease is this duality better exemplified than in pneumonia, and hence this disease has been so often in times past a battlefield for therapeutists. In no disease does this duality require to be more explicitly recognised, because in none is death more often distinctly due to these secondary disturbances, and the danger so little in proportion to the cubical area of the original disease. It is true in all acute diseases, though especially so in this one, that the difference between life and death turns oftentimes on the possibility of rectifying some quite secondary functional disorder, as of the kidneys, the liver, the heart, or (in a single pneumonia) of the other lung. If we cannot unload the camel, we may nevertheless succeed in a timely removal of the last straw. It is true of all acute diseases that a proportion will under the most unfavourable circumstances recover, that another proportion will, under the most favourable circumstances and the most sagacious treatment, die. But there is a residue in which the issue is in our hands to make or mar. Which we do, depends, in the main, on the soundness or unsoundness of the abstract principles which underlie our actions. And here let me beseech you in your mind to keep every case in this third category till all danger is gone, or till, on the other hand, death, not in your judgment is impending, but has actually commenced. The desire for a specific is an instinct, and will, therefore, be ever lurking in our minds; and it is because I believe it to be a dangerous conception when translated into practice, that I have dwelt on this question with sincere, if tedious, earnestness.

Let me now direct your attention to another idea which has influenced, and does influence, therapeutists. It is a truth which has been long recognised, that enfeeblement of the general powers of the system lowers our corporeal capacity to resist the invasion of disease. Debility is, to use the old phrase, now, it is to be regretted, lapsing into obsolescence, "a predisposing cause of disease". The histories of desolations and

famines have, more than once within our own times, exemplified this on a large scale. Individual instances are continually presenting themselves amongst the recipients of medical relief in the club, the parish, and the hospital, where disease has followed close upon an insufficiency of fuel, food, and clothing. In the better classes, we see something similar amongst those who are worn out, or battered, or wounded in the battle of life. All this I say is as true as it is old, and as old as it is true. But, for some years past, this idea has been very largely developed. The connection between debility and disease has been advanced by degrees till, in many minds, they appear to have become convertible terms; not perhaps avowedly, not even consciously, but so effectively, as often to dominate all other therapeutical conceptions. This position is scarcely tenable, either theoretically or practically. It rests on confusion of two very different conditions. The body enfeebled by insufficient food may yet have its component parts and organs sound, and their functions maintaining their due balance and complementary proportion. It is, on the other hand, of the essence of disease, that one of these parts or organs should be so altered as to interfere with its functions, and so to disturb this balance. But disease also arises in those whose vital antecedents have been quite different; and anatomical examination, however searching, fails to find that the local changes in the one case differ from those in the other.

Practically, taking the case of acute disease, we do not find that the difference in the previous vital status necessarily indicates a decisive difference in the treatment. Take, for example, two cases of typhus, the one occurring in a subject previously in full health, the other in a person previously reduced by want; it does not follow that in the latter alcohol will be requisite in larger doses than in the former. As a matter of fact, we know that the very reverse may happen. It seems to me difficult to get away from the theoretical proposition, that the best way to relieve the debility arising from disease is to remove or mitigate the disease. Probably, what seems to me a practical slighting of this proposition, arose at a time when confidence in the resources of art to combat acute disease had fallen to a low, perhaps its lowest, ebb. Bloodletting had dropped into disrepute. Calomel and opium, a combination both safe and effective for certain purposes when discreetly employed, had also become discredited, mainly in consequence of its administration having been pushed under these circumstances to a pernicious extreme. We cannot wonder that the idea of driving the patient through difficulties, as an engine may be driven through a snow-drift, assumed in some minds an undue magnitude. But the influence of this notion was not limited to the case of acute disease. The progress of medical science has for some time been most marked in the elucidation of the nature and results of organic disease. The hopelessly irremediable character of the changes here found has certainly tended to enforce the idea of "nourishing, supporting, and building up". From this point, the same idea has spread to an earlier stage in such cases, the stage of incipient disease, or to an even earlier stage, that of threatening or impending organic changes—a pre-organic stage. May it not happen, has it not happened, does it not happen, that sometimes this truly important consideration is suffered to overshadow other considerations also truly important? Is there not danger that what we will, merely for convenience and brevity, call the physiological basis of treatment, may be insufficiently resorted to; that the diseased organ itself may not be adequately helped, and coaxed, and assisted to do yet a little more work; that its oppressed and labouring neighbours may in like manner be left without due succour? If it be important that we should get a complete mental grasp of the whole of a case, it is mainly so that we may be the better able to disintegrate it into its constituent elements; that, having so resolved it, we may the better see what we can and what we cannot cope with. How it might have altered the past, had the custom been universal for each one to ask himself, before deciding on a plan of treatment, these questions: What do I propose to aim at? Why do I do so? How best may I effect my object? Might not such a method also alter the future?

In planning this address, it seemed to me that it might hold out better prospect of profit to deal with the impersonal past, and not at all with the personal present; but I should feel myself unfaithful to a great trust on a serious occasion, did I not infringe this resolution to the extent of one sentence. Dispassionate survey of present medical practice forces me to the conclusion that, on a very large scale, and in both chronic disorder and organic disease, the physiological basis of treatment is too often unduly subordinated to the restorative basis of treatment.

We have now recalled to our recollection leading examples of various kinds of past error. My desire has been to enforce lessons which are worth the learning, since they are of perpetual applicability. I could well have wished to do so with more power, with more perspicuity, with more persuasiveness. But, I beseech you, let not any clumsiness

of method, any dulness of manner, any inaptness of illustration, repel you from the subject. Analyse, each one for yourself, and in your own way, the conceptions and the practices of those who have gone before. Above all, analyse each one for yourself your own conceptions and your own practices. All true wisdom must be endogenous. You may plant cuttings or sow seeds of the tree of knowledge in the brain of another; but, unless they there grow and germinate, he will have no true tree of knowledge of his own. Principles, to be effective, must be bone of our bone and flesh of our flesh—not foreign bodies, how much soever embedded or encapsulated.

The lessons I have been trying to enforce are no new ones; we can see, by looking back, that the doctrines they embody have underlain the actions of all the great practitioners of the past. I venture to think that they ought to be assimilated by all practitioners in the future. We are told, and it is true, that a stage of observation is but the infancy of any science, from which, in its adolescence, it must be emancipated. We are told that observation has done all it can; that medicine has been too long dawdling in this infancy, and that all our efforts should be directed to elevating it from a stage of observation to the higher level of exactness. What if of late years great advances have been made good in this direction? What if the knowledge procured by more precise methods of investigation, by a more refined organic chemistry, by more penetrating microscopy, by a more diversified experimentation, promises in the future to assume proportions undreamt of in the past? Can we suppose, has anything yet been done to justify the hope, that in any near future we shall be able at once to repeat the experiment of the laboratory in the sick room, and certainly obtain the same result in the confused and complex conditions under which it has there to be performed? Such hope is idle, and worse, it is hostile to philosophy and fatal to progress. The greater our advances in the sciences of anatomy, physiology, and pathology, the more need that our powers of observation should be sharpened, refined, and sensitised; for, in the same proportion will new suggestions arise of modes in which this knowledge may be transmuted into means of influencing the processes of disease. In short, we shall be told more frequently in the future, that we are to modify our old usages, or to discard them altogether, and employ new methods. Is the history of medicine from this day to be reversed? Are we in future to be confident that no false prophets will arise; that we shall be safe in believing that all we are told is true? If not, how are we to refuse all the evil and to choose all the good? The authority of the teacher, as we have seen, is no infallible test, for the evil may come from an oracle well calculated to command our assent. We must, to a large extent, depend each one upon himself, his own observation and his own private judgment; employing the best means and devices of science to ensure accuracy of observation, and exercising our judgment with caution and modesty. To the few only is it given to extend the landmarks of science, or to reclaim the waste lands of ignorance. But to each one is given the power to cultivate and utilise those which have been reclaimed. To each one it is given to make the practice of medicine more rational, more common sense, and therefore more truly scientific; to render more rare in the future such dark blots as we have regretfully recognised in the past.

BEQUESTS AND DONATIONS.—Miss Elizabeth Baxter of Oxford Street, has bequeathed £1,000 to St. Bartholomew's Hospital, £500 to the Brompton Hospital for Consumption, and £500 to the St. Mary's Hospital.—The Grocers' Company have given a sixth £100 to the National Hospital for Consumption at Ventnor.—Mr. George Cheesman of Dorking has bequeathed £50 to the Royal Sea Bathing Infirmary at Margate, and £50 to the National Hospital for the Paralysed and Epileptic.—Her Majesty the Queen has given £30 to the British Home for Incurables.—The Goldsmiths' Company have given £50, additional, to the Victoria Hospital for Children at Chelsea.—The Directors of the Great Northern Railway have given £50 to the Royal Free Hospital, in recognition of the kindness and attention shown to the sufferers in the accident at Hornsey on the 25th of January.—Mr. Frederick Youle has given £50 to the North Eastern Hospital for Children.

A MEDICAL MISSIONARY FOR CENTRAL AFRICA.—A farewell service was held at St. Thomas's, Regent Street, on Tuesday last, to bid God speed to Dr. James Petrie, who is about to proceed to Central Africa, as a medical missionary, to work with Archdeacon Farler under Bishop Steere. Dr. Petrie is the son of a clergyman of the Scotch Episcopal Church, and received his medical education at Aberdeen University, where he graduated M.B., M.Ch., in July last. The salary of this medical missionary is provided by the Guild of St. Luke—viz., £200 a year for three years. To meet this expenditure, a lady has paid to the account of the guild £300, the remaining £300 to be collected from the members of the guild.