yearly meeting of this Association. After forty years of similar gatherings, in most of the large towns of England, we meet for the second time in the great metropolis. From a beginning nobly conceived, and cherished by the brightest luminaries in the provinces, you have expanded into a large and cosmopolitan institution, and carry on your rolls the names of almost every man of note in the metropolis. Beginning with a few hundreds in number, you muster more than five thousand highly educated men. From your professional standing, great social and moral influence, you are the arbiters of a large portion of human happiness. Let us hope, indeed we cannot doubt, that the proceedings of this meeting will add greatly to the status of our profession, and we may fairly anticipate that our present efforts may bear comparison with those of former years. The hand of time has pressed heavily upon kind hearts and bright intellects which graced and enlightened bygone meetings; yet, whilst avowing our admiration for our predecessors, let us fondly trust that there are hearts and heads among us still to uphold the character, in every varied aspect, of our noble profession.

Never has this Association met under more favourable auspices. Through the generous liberality of the Council of King's College, you have at your disposal all the accommodation in respect of halls, meeting-rooms, and lecture-theatres, which is required. The Chief Magistrate of the City (the Lord Mayor of London) will grace us with the hospitalities of the Mansion House. The Royal College of Surgeons of England will give us a hearty greeting, and throw open its halls, libraries, and unequalled museums, for our inspection. One of the most gratifying events of the occasion is the courtesy of the Benchers of Lincoln's Inn, comprising many of the most distinguished lawyers of the day, including the Lord Chancellor of England, in permitting the use of their splendid hall for our dinner festivity. Never, perhaps, has there been such a blending of Law and Physic before,—a happy omen of our times. Her Majesty's great Castle at Windsor, the episcopal Palace of Lambeth, the mansions of many of our nobility and gentry, are thrown open to permit inspection of æsthetic collections possibly not to be surpassed in the world. Our fourth evening's entertainment will spring from the generosity of the Council and Professors of University College, where, as professional men, we shall meet in harmony on the premises of one of the most distinguished and efficient of our modern Medical Schools.

We have begun our work this morning holily, under the dome of St. Paul's; let us conduct it wisely, and thus fulfil the well chosen motto for King's College, within whose walls we are now met, "Sanctè et sapienter."

ACTION OF NITROUS OXIDE.—Joylet and Blanche (*Archives de Physiologie*, v, July 1873, p. 364) have obtained the following results from their experiments on this subject. Chemically pure nitrous oxide will not support the respiration either of animals or plants, as they cannot decompose the gas. When breathed in a pure state by animals, it causes asphyxia and death, with all the symptoms usually occasioned either by strangulation or by the respiration of an inert gas, such as nitrogen or hydrogen. Nitrous oxide causes death in nearly the same time as these other asphyxiating agents. Nitrous oxide has no special anæsthetic action. The anæsthesia which it may produce when inhaled in a pure condition is only due to want of oxygen in the blood. Insensibility appears when the oxygen in arterial blood is reduced to less than 2 or 3 per cent. Arterial blood is then very dark, and contains 30 to 40 per cent. of nitrous oxide. Animals can live and show no alterations of sensibility while breathing mixtures of nitrous oxide and oxygen, in the same proportion as nitrogen and oxygen in air. The arterial blood then contains about 30 to 35 per cent. of nitrous oxide. Birds placed under a bell-jar filled with this mixture, behave exactly like those placed in a jar of the same size filled with air, and die after having exhausted the oxygen to a similar extent and formed a similar amount of carbonic acid. As nitrous oxide is an irrespirable gas and does not possess the anæsthetic properties which have been attributed to it, the authors conclude that its employment cannot but be dangerous, and ought, on this account, to be excluded from medical practice.

ADDRESS IN MEDICINE,

BY

E. A. PARKES, M.D., F.R.S.,

Professor of Hygiene, Army Medical School; Emeritus Professor of Clinical Medicine in University College.

WHEN the Council of the Association did me the honour of asking me to deliver the Address in Medicine, my thoughts naturally turned to the progress in the art of recognising, curing, and preventing diseases which has taken place during the period over which my personal, knowledge extends. I began to try and recall the medical practice of my student days, now not very far from forty years ago, and to think over the chief changes which have since occurred. I found the retrospect interesting; and, in the hope that it may prove so to others, I shall endeavour to pass in brief review the principal points in practical medicine which have seemed of most influence during my medical life.

When I commenced attending hospital practice thirty-seven years ago, the two great discoveries of the first quarter of this century—viz., Richard Bright's recognition of albuminuria, and Laennec's application of the ear to discover the normal and abnormal actions of the heart and lungs—had hardly made their complete impression on medical practice. The urine, indeed, was tested in every hospital, and the stethoscope was taught in every school; but we were still able to see something of the old practice, and to observe how great a change had been produced. By a little effort, a student of the present day may imagine what a light the discovery of renal and of auscultatory signs threw upon the chaotic practice of earlier times. Without a recognition of the state of the kidneys, diagnosis was often little better than guesswork, and in many cases was impossible. Diseases, such as some dropsies and uræmic nervous conditions, ran their course without their nature being in any way detected. There were still some old practitioners who did not use the stethoscope, and were obliged to rely on very uncertain indications when judging of heart or lung diseases. But everywhere these two grand advances were being diligently pushed on, and their extraordinary importance for the whole human race was recognised. Our every-day work became defined; indecision, the most harassing of our troubles, was replaced by certainty; symptoms thought to be identical were suddenly separated; what had been deemed important was seen to be useless; what seemed insignificant was shown to be full of meaning.

Nor has any advance since that time equalled these two great steps. To Laennec's work, indeed, as far as it concerns the interpretation of auscultatory phenomena, little has been added. The completeness of his investigation is nothing short of marvellous. Let any one go over the diagnosis of the diseases of the thoracic organs in the ante-Laennec period, and then read his wonderful treatise; then let him look through the almost countless works since; and he will see how much was done, how little was left undone, by the great Frenchman. He never went wrong, except when he left the interpretation of what he heard, and attempted details of morbid anatomy for which the time had not yet come. And, if Bright's great work was not so complete, this was inevitable from the very nature of the case. He was not merely investigating the meaning of sounds which a special instrument made audible; he was dealing with the most intricate changes within the body. It was impossible he should round off and make clear the signs of the several kidney-degenerations whose nature was not even suspected; yet all he did do was perfect. It is wonderful how little error of commission there is in Bright's essays. While Laennec, in his discussion on tubercle, wished to give a complete and exhaustive account, which he could not really do, and desired to bring everything into the narrow circle of a definition which really left half out, Bright kept to his facts. What he saw, he stated, and, as far as the facts warranted, he interpreted; but he went no farther, and in this he showed a more philosophical mind even than the illustrious discoverer of auscultation.

These two great discoveries stand high above all that has followed, nor is it likely that equal advances will be made in this century. Laennec's work has been somewhat enlarged, and here and there corrected. Bright's albuminuria, like a newly discovered country, has been separated into provinces, surveyed, classified, and enumerated. The work is not yet ended; but I presume we see now its limits more

or less distinctly, and can foresee the time when, for practical purposes, it may be considered to be thoroughly known.

The value of the discoveries which have since chiefly influenced practical medicine will be estimated differently by different persons. To my mind, one of the most important practical advances in the last thirty years is the discovery of embolism and thrombosis. The immediate effect on diagnosis was considerable. To be able to separate class of apoplexy from other apoplectic cases, to recognise blockage of the pulmonary, the ophthalmic, and other arteries, was a great gain; but the indirect consequence of the doctrine of embolism—the recognition of the effect of minute capillary blockage, and of the transference of cells which are arrested in other parts and give rise to growths there—has a still more important bearing. In the same way, the doctrine of thrombosis—of so-called spontaneous clotting and arrest of circulation, and the mixed cases of embolism and thrombosis—has most important practical consequences, which are gradually becoming clear. In 1845, Virchow first got the hint for his great discovery of embolism, which he subsequently fully elucidated in his essays published in 1846 and 1848. Among all the discoveries in pathology which have been made by the surpassing genius of Virchow (and he has touched pathology at all points and never without adorning it) there is none more valuable than the recognition of embolism.

Another advance, which appears to me to have greatly influenced practical medicine, is of a very different order. The entozoic diseases of men have long been known; but the mode of access and the transformations of the entozoa have been only made out within twenty-five years. How marvellous they are—what light is thrown upon obscure diseases by the tracing of the embryo or ova through its different stages and hosts to its maturity in its last resting place—I need not say. The labours of Van Beneden, Küchenmeister, Leuckart, our own Cobbold, and many others, have given us a degree of certainty about these animals and the diseases they cause which was quite unlooked for thirty years ago. We now understand, and can therefore prevent if we please, not merely the common entozoic diseases, such as tapeworms, round worms, and the like, but we see how to deal with such wide-spread maladies as the indigenous liver-disease of Iceland, which has been traced to an echinococcus; as the chlorosis of Egypt, caused by the *dochmias duodenalis*; as the fatal trichina disease, which has doubtless been until now confounded with the specific fevers; and as the Bilharzia affection of Natal. The importance of recognising these diseases, of bringing them out of the domain of mystery into the light of common day, and of thus freeing the class with which they were mixed up from a heterogeneous element which made investigation very difficult, is too obvious to need comment.

The latest contribution to our knowledge of entozoa is by no means the least curious. That a nematoid worm shall live in the blood of a man—shall multiply there, or, at any rate, somewhere in the system—shall be in such numbers that there must be many thousands at once in the body, is wonderful; but passing wonder is the fact that these thousands of active, living, feeding worms, seem to do little injury. Their discoverer, Dr. Timothy Lewis, of the Army Medical Service, has given evidence which proves that some of the persons infested with them must have had these worms for years, and yet not only live, but pursue their avocations, and are in the possession of fairly good health. How is it these thousands of worms do not cause blockage and obstruction? Why do they not take the nutrition the body ought to have? What becomes of them when they die and decay, for they must do so? Where do they decay? and in what way is the structure of the blood-vessels and other parts through which they pass influenced by their passage? What a number of singular points arise, for which further investigation must find an answer! The discovery shows us, at any rate, that the entozoic diseases are not yet exhausted, and that many things must still lie over for those who have eyes to see and energy to use their eyes.

The recognition again of the diseases (chiefly of the skin) which are owing to cryptogamic plants, has had important bearings on practice; it leads at once, as in the case of the discovery of the itch insect in the last century, not only to the adoption of a local treatment of a special kind, but to the recognition of the method of spread and to the means of prevention. At present the recognised diseases from the implantation and growth of plants have been chiefly those of the surface, or of what may be called the external passages, such as the throat, stomach, or bronchi, which are in communication with the air. But what shall we say of the researches of the last three or four years, which seem to trace many affections, in part or wholly, to the influence of the bacterioid bodies which at present we must call plants?

Without venturing to decide what relationship the class of plants which, for convenience, are massed together as Schizomycetes, have to the specific and infectious diseases, or to putrefaction, it seems clear that a profound study of them must be fraught with deep consequences to practical medicine. We are now certain that, penetrating from without by the surface of wounds, or more rarely by the intestinal surface, these minute cells, whose numbers are to be reckoned as untold millions, pass into spaces or blood-vessels (on the walls of which they colonise and live), or enter living cells, it may be wandered white blood-cells, and are carried to distant parts of the body, or grow in and block vessels and cause a sort of embolism, or adhere to and grow on the valves of the heart, and may in one way or another cause various diseases and complications, and in some cases originate a disease which is mortal within a few days' time. Without exaggerating the frequency or the importance of these "mykoses," we can yet feel sure that in this direction practical medicine is about to make another step, and that, as there is "a disinfecting surgery," so also there will have to be a "disinfecting medicine."

In a class by itself, for the recognised cause of the disease cannot at present be referred to any plant, though it resembles, perhaps, no common animal cell, must be placed the small cell which, by its extraordinary powers of growth and attraction of food, causes the painful and obstinate sores known in India and Syria by many names. The Delhi or Damascus sore, the Aleppo evil, and other names have been applied to a disease which is spread all over the East, affecting men and dogs, and which, though not fatal, is yet in the highest degree harassing and discomforting. The discovery of the cause and its cure we owe to Dr. Fleming, of the Army Medical Service; and it is a good instance of the great use of the microscope in the hands of a competent man. Dr. Fleming found as a constant element in these rodent ulcers a small cell; its nature is quite doubtful; no kind of plant can be developed from it, and it is presumably of animal origin; it contains nuclei, and grows marvellously fast, though whether by cleavage or budding or exosmotic transit, so to speak, of small cells through its wall, has not been made out. By pressing on and absorbing the nutrition of the skin, it soon destroys portions of the surface, and forms most unsightly and painful ulcers. That this cell is the cause has been proved by repeated inoculations. It is very tenacious of life and resistant to chemical agents, hence the uselessness of the common plans of local treatment which have been repeatedly tried without effect. The only cure is at once to destroy the cells with potassa fusa. In a few days, a sore which has been open and extending for months is cured as by magic. The cure is infallible; and if this plan of Dr. Fleming be carried out, he will have the merit of having at once obliterated a disease which has been a plague for hundreds of years, and neither spared the great Aurungzebe in his hall of Paradise nor the meanest pariah who was no more than useless dust beneath his feet.

The discoveries to which I have now referred, *i.e.*, embolism and the entozoic and microphytic diseases, exert at once a great influence, not only on diagnosis but on treatment and prognosis. But to some the changes in the general doctrines of pathology in the last forty years will appear, perhaps, even more interesting. During this time we have learnt partly to know the great class of degenerations with its two divisions; *viz.*, degenerations which are simply the result of age, *i.e.*, of the loss of the peculiar formative force, which first builds up, then maintains, and then finally dies out and leaves behind it a tissue worn out, effete, and useless; and degenerations which are the slow result of some excessively slight but constant failure in nutrition. Fibroid, fatty, and atheromatous changes, and wastings especially of muscular fibres, but also of gland-cells and mucous membranes and nerves, come in to complicate the acuter maladies and largely to increase their mortality. It must be confessed that, while they will account oftentimes for failures of treatment, the chance of degenerations being present in middle-aged patients is a source of great embarrassment in prognosis. Except when attacking the kidneys and the muscular tissue, they are diagnosed with great difficulty, and slow degenerations of the alimentary mucous membrane or of the nervous system are among the most puzzling of maladies. In the means of detecting the presence and estimating the amount of these degenerations, we have still much to learn, and no greater benefit could be conferred on the human race than a perfect analysis of their causes, and a recognition of how they may be avoided.

The great subject of inflammation which underlies so much of pathology has suffered many changes, and yet the views held by some observers thirty years ago at the outset of microscopic research were to a large extent correct.

Thirty years ago the doctrine of the Vienna school, based partly on the teaching of Rokitsky, though never, I think, accepted as a whole by that great master, was dominant in Germany and in France.

Everything was dyscrasia; and the belief that a profound alteration of the fluids, and especially of the blood, underlies most morbid changes, for a long time governed a large school of pathologists.

In this country it never obtained great weight, though it certainly tended to modify our ideas of the origin both of cancer and of tubercle. Gradually losing ground before the pressure of opposing facts, the doctrine of crasis at length gave way to a local pathology almost as extreme. The theory which superseded it was the celebrated cellular pathology of Virchow; that theory which looked only to the individual elements; which traced all to growth of cells, and which virtually rejected the idea of exudation in the old sense of the word. It was admitted, indeed, that nutritive cell-less fluid emerged in disease from the vessels as in health, but it was caught up and appropriated by the cells met with outside the vessels, and especially by the connective tissue-corpuscles. At one time it seemed as if the time-honoured term "exudation" would be banished from pathology, and the old doctrine of inflammation seemed altogether undermined. But this cellular pathology was like the creed it superseded, pushed too far. True to a large extent, it was made to embrace conditions beyond it, and the inevitable reaction came. In 1867, Cohnheim described the transit of the white blood-cells through the unruptured walls of the capillaries, and the old doctrine of exudation had again an empirical foundation. I say Cohnheim described, but I did not say he discovered. For the discovery had long been made, and the fact that it had been made and had been disregarded is a striking instance of want of appreciation of a cardinal fact, of which so many cases are recorded in the history of all sciences. It is bare justice to record that in 1839, William Addison, now of Brighton, perfectly described the emigration of the white blood cells as well as many other phenomena which attend inflammation. The fact did not escape notice, and one writer, at least, Charles Williams, in his well-known work on the *Principles of Medicine*, appreciated its importance. But, as a practical matter, the discovery fell dead, and when Cohnheim announced the fact twenty-eight years later, the world of pathology was stirred to its depths. It is also but justice to observe that the chief microscopic phenomena of inflammation and the processes of stasis and exudation were nearly as well described twenty-five years ago by W. Addison and Williams as they are now, though certainly the proliferation of tissue-cells outside vessels was not known.

At present the pathology of inflammation seems settling down on a mixed humeral and solid basis. It seems to be admitted that the albumen in the blood which feeds the organs partakes of the quality of the food which supplies it, and is modified also by the condition of the organs, whose action prepares its introduction into the main torrent of the blood. Degrees of nutritive adaptability may, therefore, exist in it, and we may fairly assume that the composition of the blood albumen must vary, and that it is quite possible it may be sometimes so degraded as to justify the idea which underlaid the Vienna doctrine of crasis. But it seems also clear that the main phenomena of nutrition (normal and abnormal) rest with the cells and with the ultimate molecules, so to speak, which, though without a cell wall, can be classed with cells. The cellular pathology is, to this extent, an undoubted and valuable generalisation.

If the doctrine of inflammation has thus, as it appears to me, made the full circle of change, the same may be almost said of phthisis pulmonalis. Laennec's genius, so sure and accurate when he was dealing with the interpretation of physical phenomena, failed when he attempted a definition of phthisis. Like many a geographer, he wished to fill up his blank map, to insert a coast line here and a watershed there, and to have everything defined, described, and completed. It was an impossible attempt, for the country had not been surveyed.

Laennec's opinions on tubercle were widely influenced by those of Bayle, and doubtless his interest in the subject was heightened by the fact that, like Bayle, he was himself the subject of phthisis. Influenced probably also by reflection on the hereditary derivation of phthisis, he at last elevated tubercle into a special and peculiar product and as the only sign and cause of phthisis; he took tubercle out of the category of common inflammatory changes, and made, so to speak, an entity of what may be merely a form. His influence was so great, his hypothesis, for it was no more, so exactly chimed in with many of the facts of phthisis, and gave an explanation so simple and complete, that it met with general acceptance.

But in this country there were not wanting those who, from both clinical and pathological stand-points, never accepted Laennec's theory in its integrity. The masterly descriptions of Thomas Addison, of Guy's, published nearly thirty years ago, show how completely that great and original physician had seen the imperfection in the favourite view of tuber-

culosis. But Addison was not alone in this. It is but just to the memory of a man whose extraordinary talents did not save him from mistakes which eventually overshadowed a brilliant career, and left him in his old age neglected and stranded on the shallows whither a false light had enticed him; it is but just to John Elliotson to recall the fact that he constantly asserted the production of phthisis pulmonalis from common inflammation, and the identity of many so-called tuberculous and inflammatory processes. So also it is but justice to Charles J. B. Williams, a pupil and follower of Laennec, so say that he also brought into great prominence the intimate connection between inflammation and tubercle.

But it was not until 1847 that Laennec's theory in its exclusiveness was to receive its death-blow. In that year Reinhardt, himself, like Laennec, soon to be a victim of phthisis, published his exhaustive examination of the microscopical characters of tubercle, and asserted that there was no difference between tubercle and common inflammatory products.

Then, gradually opinions seemed to settle down in three directions. There were some who held to the old theory of Laennec, that there was a specific tuberculous product or deposit; some who followed Reinhardt, that the deposit was of a common inflammatory nature; and some who steered between the two, and considered phthisis pulmonalis to be a generic term covering two, if not more, distinguishable morbid conditions. How we now stand in this matter it would be rash to assert, but it seems to me that the late able discussions in this country and in Germany tend more to the idea that the tubercular character is the consequence merely of an anatomical condition, and that the greater or less amount of lymphoid tissue in the lungs and the fact of its involvement will account for the peculiarity of form.

Time, indeed, has added two important facts to Reinhardt's masterly description; the one is the implication of the lymphoid tissue in the most typical form of tubercle, and the other is the demonstration of the infective character of phthisical inflammation, for which we have to thank Villemin, Simon, Andrew Clark, Sanderson, and Wilson Fox.

There was a moment, indeed, when Villemin first announced the production of tubercle by inoculation, when it seemed as if the specific nature of tubercle might after all be true, but the researches in this country soon proved that the inoculation of many kinds of morbid matter might give rise to tubercle, and that there need not be anything special about the introduced starting point; and so tubercle has, perhaps, come to this, that it is merely a form of those common changes which are most conveniently grouped as inflammatory, with this addition, that the presence of a special structure impresses on it a special form. The tendency of inquiry seems to me to indicate that we must look to the anatomical condition of the bodily tissues, and especially to the abundance or special condition of the lymphatics in the lungs or throughout the body, to explain the hereditary nature of tubercle in certain cases, and also to account for those instances of general tuberculosis which formed the basis on which Bayle built up his hypothesis of phthisis.

But how in this whirl of controversy, in this endless assignment of names, and discussion of what these names mean, how has the practical physician who had to treat phthisis found his practice changed? In some ways favourably, in others, as I conceive, unfavourably. The principal change in the treatment of phthisis has been the introduction of the supporting plan, based on the idea of tubercle being the indication of a weak and morbid nutritive condition. Cod-liver oil, practically unknown in my student days, reintroduced in this country (after long years of forgetfulness) by Hughes Bennett, and tested by Charles Williams, has become an article of commerce on an enormous scale; good feeding in other respects, and exercise and pure air to improve the pulmonary circulation, are the main grounds on which many practitioners treat phthisis; so far, the effect of the view of phthisis to which I have referred has been most useful. But, in another aspect, I doubt whether we have not somewhat lost in the little attention paid until lately to the inflammatory conditions. Formerly there was a vast amount of local counterirritation, and even local bloodletting, which certainly seemed to be very useful, and of measures used with the idea of removing exuded inflammatory products, such as the preparations of iodine and even mercury. There are many cases of phthisis which appear to be largely benefited by measures of this kind, or by a union of the two plans, and, in so far as the common notion of the peculiar specific nature of tubercle discouraged the use of anti-inflammatory measures in some cases, so far I conceive harm was done.

In two points late researches have, I think, influenced our view of looking at phthisis. In the first place, it has been shown how many cases of phthisis are caused by removable conditions: breathing of air impure with solid particles, constrained positions, syphilis, etc.,

are now known to produce many cases of wasting lung-diseases; and, as it is possible to prevent these, and thus to lessen the prevalence of phthisis, we have now a greater element of hope than formerly. On the contrary, the evidence of the so-called infective nature of phthisis; that is, the way in which it can originate in the lungs from distant infected parts, the way in which it extends to adjoining parts, or, perhaps, to distant parts of the lung by absorption from a diseased lung centre, and thus returns and returns until fatal inroads are made on the organ or the system at large; the constant production, in fact of fresh centres of spread, is a discouraging aspect. On the whole, the last thirty years have done much for the treatment of phthisis, but it is not all unmixed gain, and the amount of future progress is uncertain.

But I must pass from this subject of tubercle, which might occupy the whole address, to glance at a clinical advance which has done much to extend and to define our views on the great class of the specific febrile diseases. Forty years ago many of the peculiar diseases which, under the term epidemic, or endemic, or in late years zymotic, cause a large mortality among all nations, were well-known, but a large class still remained misunderstood. I can confidently appeal to those of my contemporaries who studied in fever hospitals before the year 1840 to bear me out when I say that few points in practical medicine were more unsatisfactory than the diagnosis and treatment of continued fevers. We seldom had knowledge of what existed, and none of what was coming, and no prevision of what to-morrow might bring forth. The most unexpected turns occurred in different cases: sudden recoveries, sudden relapses, sudden gushes of blood in one case, sudden sinking, or coma, or convulsions in another. No practitioner ever gave more than an uncertain prognosis, for he did not know what changes a day would cause, and the want of knowledge of morbid lesions sometimes led to the employment of improper remedies, such as the use of strong purgatives in advanced typhoid fever.

How wonderful is the change now. We can make in most cases of so-called continued fever a diagnosis as certain as in small-pox or measles, we know what to expect and can indicate the limits within which the morbid cause acts. When I contrast this certainty with the vague hesitating conjectural diagnosis of former times, when I think also of the result of this accurate diagnosis, viz., a recognition of the mode and conditions of spread, a recognition which leads at once to preventive measures, I begin to doubt whether, after all, this is not our greatest advance in practical medicine. Certainly in extent of consequences it stands behind few others. We all know how many men of many countries, France, America, and Germany, have contributed to this great result; but I shall not be accused of national pride if I claim a large share of the honour for our own countrymen. A most active member of this Association, Dr. A. Stewart, was a very early pioneer in this matter, and to one of the greatest physicians of our time, to William Jenner, must be ascribed the immortal honour of the demonstration which converted dubious conjecture into certainty. The great work of Murchison has become the guide of every one, not only in this country but abroad, for it has been largely translated, and has greatly influenced public opinion in Germany and in France. The researches of Mr. Simon and his able band of investigators, have probed the causes of the fevers of England at every point, and if allowed to guide the action of the State it is not too much to say that the diseases which caused so great a mortality in times past, and which even now kill so many persons, will become things gone by, and as little known in England as leprosy or plague.

Enough has been done in the case of all those diseases to show us how we must act in preventing or in healing them, but I cannot avoid a reference to the inquiries now going on respecting the causes of the so-called specific diseases.

It is now more than thirty years ago that a physician of singularly penetrating and philosophic mind, one of those men who influence less their contemporaries than their successors, wrote a work of remarkable power. Gathering up from all sides the numerous observations whose significance became apparent only when they were brought together, Robert Williams of St. Thomas's first gave, in his work on *Morbid Poisons*, a clear demonstration that the several epidemic and contagious diseases must own separate and specific causes. How gradually this belief has gained ground until it is held by most persons I need not say, nor how it bears at once on preventive measures. In all these epidemic diseases we now—or, at least, most persons now—recognise that there is a material cause; that conditions of meteorology, such as heat, moisture, and the like, or conditions of season or locality, or states of the human body itself, are merely additions which influence by aiding or retarding transmission or growth. In this belief, logically born of facts, which is no dream or invention,

but a plain deduction, we have a solid ground for action. If material, those causes must enter the body through some channel and by the agency of some other substance, by the aid, that is, of air, of water, or of food, or by broken surfaces of the body. By this conception of the "morbid poisons," to use his own term, Robert Williams marked off a great class of febrile diseases from those which might be produced by alterations in meteorological conditions, by excessive radiant heat, or intense electrical conditions, or parched and burning air, all of which may cause febrile symptoms. He thus simplified and defined, and cleared the ground for future inquiry. But it must be confessed progress has since been slow. It was seen that, if the causes of the epidemic diseases be material, they must come within the scope of modern instrumental inquiry. Either by chemistry, or by microscopical research, it was hoped that they would be seized and recognised and made to give up the secret of their birth, parentage, and power. But it was not known how far behind the delicacy of the problem were the instruments of the day. The recognition of these agents is evidently a task more difficult than to seize and decompose the light of the planets, or the dim luminosity of the nebulae. At present inquiry has carried us to the very threshold. How long will it be until some one opens the door and bids us enter? In the face of so subtle a point, and of so many differences of opinion among the best microscopists, I fear to prophesy; and when Beale takes one side, and Ferdinand Cohn another, he would be a bold man who would decide between them. But I think we may safely say that the sap has been carried up to the very wall of the fortress, though how long it will be till the final assault is delivered it would be rash to say. One may conclude, perhaps, that the problem in question is not a simple one like trichinosis, for example, where it is simply the entrance into the body of an animal with extraordinary powers of multiplication and penetration; but that in the case of the specific diseases we must not only have determinate breeding-places in the body, but also possibly special conditions of nutrition, without which the agent cannot increase, and cannot recur.

Closely connected, again, with this question of the nature of the agents which produce small-pox, scarlet fever, measles, typhus, and enteric fever, or other infectious diseases, is that of the causes of septicæmia. I cannot tell in what light the observations of Coze and Feltz, of Klebs, or von Recklinghausen, or Burdon Sanderson, and Klein, and others, or the singular success of Lister and his antiseptic treatment based on the germ-theory, may appear to others. To me they seem in the highest degree important. To refuse them credence, or to pass them by as immaterial, seems to me about as philosophical as it was to discredit Jenner because the protective powers of vaccination seemed at the time so improbable. The rapid multiplication of bacteroid bodies, their colonisation and emigration, the effects they produce by pressure, blockage and embolism, the changes they cause in the white blood-cells and perhaps in the albumen and fibrine, the disintegration of the white blood-cells, and the fibrillary deposits in the vessels, are all phenomena which can be shown. Can these things be without importance when they not only are real but agree so curiously both with the symptoms of septicæmia and with the most successful treatment of surgical injuries? It does not follow that we have got to the bottom of the question, but surely we have made a step, and that no trifling one, in learning one aspect of "blood-poisoning"; a term true, yet so vague; so useful, indeed indispensable, but yet not satisfactory; because, for the most part, it represents only a haze and not an outline.

But I must pass on to notice the changes in one other branch of pathology. About forty years ago the diseases of the nervous system were very little known. The great discoveries of Bell, and the physiological and microscopical observations of Germany were gradually clearing the subject. At the commencement of the period Marshall Hall was completing his observations on reflex action, and launching into that bitter sea of controversy which poisoned his own happiness, and overshadowed the fame which was justly due to him. That he owed much to his predecessors; that he was not careful enough to acknowledge it, must be admitted; but the work which he did was yet real and true work, and his name can never be deposed from its honourable niche in this part of pathology. Then followed in quick succession the discovery of the governing power of nerves over contraction of vessels and over the work of the glands and the secretions of membranes. Then microscopes and experiments together paved the way for a proper understanding of the parts of the chord, and the effect of section or injuries. The recognition of nervous centres; of the comparative independence, so to speak, of ganglia; of the effect produced on these centres by reflex irritation and by direct irritation by the circulation of poisoned blood; all these and other similar discoveries have occurred

in thirty years. Consequently, with much that is still vague, nervous diseases are no longer the hopeless medley of my student days. The recognition of locomotor ataxy and of other paralyses is a step of immense magnitude; but far more than the mere diagnosis of any pathological state, is the fact that the physician has now the condition of the nerves ever in sight, and can to a certain extent explain that heterogeneous group of symptoms which, under the name of sympathies or sometimes metastases, were so great a puzzle to our fathers, and can also see to some extent the cause of those convulsive affections which are attended after death by no physical change we can at present appreciate.

In many other directions practical medicine has also made progress; diseases of the larynx are now seen and not guessed at; internal conditions of distant organs like the kidneys may be disclosed by an examination of the eye; the microscope in many ways gives us information about blood, sputa, urine, which one wonders how our forefathers could do without. Instruments to extend or perfect the senses, to aid touch like the thermometer, or sight like the microscope or laryngoscope, or to show movements like the sphygmograph, are now in constant use, and the senses are multiplied a hundred or thousand fold by their aid. Precision and mechanical accuracy are the aims of everyone, and exactness and thoroughness are becoming more and more the rule from year to year.

Here, then, I must bring this part of my long, but yet too brief, review to a close; it chronicles, I cannot but think, an immense forward movement in practical medicine, but if time had permitted me to go into details, or into a fuller examination of certain parts, I should have been able, perhaps, to bring out the matter more clearly and more completely. But I have said enough to show that we have not stood still, that few subjects can boast more original investigations, and that, in spite of great difficulties, and oftentimes of great differences of opinion, the general knowledge of practical medicine has advanced continuously and has advanced greatly.

But now will occur to all, the question which is the touchstone of all progress. Have we gained in useful power by this knowledge; do we cure, do we prevent disease more easily and more perfectly than our fathers, or is this knowledge barren, a false light, like that pictured by Milton, making only darkness visible, and showing us only that we are helpless?

We must all, I think, acknowledge that therapeutics form the most difficult part of our work, and that it is only slowly that the discoveries of pathology become worked into our daily practice of healing. At first, indeed, pathological discoveries may even perplex therapeutics, and many of us can remember what scepticism (scepticism which was untrue and hurtful) seized many people when the profound alterations of tissue produced by disease were first clearly seen. The reparative powers of nature, the wonderful agencies of drugs, were alike thought to be useless in the face of such profound disorganizations, and at one time it seemed as if the physician's art was to be reduced to a useless diagnosis; useless because sterile of results. But this was a phase merely, and no period has witnessed so many new and useful drugs added to our pharmacopœia, and so much more knowledge of their use, as the last twenty-five years. The essential distinction, however, between the old and the new practice arises, I conceive, from a difference of method. Forty years ago it was only in a comparatively small number of cases that a practitioner could make an accurate diagnosis. What was to be done when the exact nature of the disease remained uncertain? For the most part he took note of the prominent symptoms and treated them; and looked especially to the general condition. The first thought of many men was whether the patient was plethoric or the reverse; whether he was to be reduced or sustained. I knew intimately a physician who was most successful in his treatment, and who always, when he could not determine the disease, put this question to himself: "Which of these two courses must I take?" and, if he thought the patient required reducing, he bled and gave aperients and diuretics, and restricted the diet. If he thought the patient anæmic and in bad nutrition, he gave good food, bitter tonics and iron. It was astonishing how many of those ailments, which we all know are difficult to bring under a determined category, were cured by this simple plan when judiciously carried out, and how much benefit was done even when no diagnosis had been made out.

Other men, when a diagnosis was difficult, invariably followed the eliminating plan, giving aperients and acting on the skin and kidneys, and then, after a time, changed the plan and gave tonics and iron;

dropsies were treated by digitalis or purgatives or diuretics, without reference to their cardiac or renal cause; cardiac palpitation was treated by rest, blisters and opium, no matter whether it owned neurotic or organic cause; dyspeptic symptoms, however arising, were treated by prussic acid (then lately introduced by Granville and made popular by Elliotson); vague, uncertain symptoms which could not be referred to their source were often combated by a succession of remedies termed "alterative," the main drugs being purgatives and then mercury, iodine and antimony, and neutral salts. On looking back as well as I can to what I can remember of the practice of my early student days, it seems to me that a vast amount of good was done by men whose diagnosis we should now look upon as very incomplete. That much was left undone we must allow; but even now there are many cases in which we have to fall back on such a general plan as I have referred to, and often find our cases benefited.

There is, of course, no doubt that, among the measures resorted to in those days, depletion was far more commonly practised than it now is. It was of daily occurrence to bleed and often to bleed largely, and there can be little doubt that the plan was pushed to excess, especially in the period from 1820 to 1840. But I think it would be a mistake to suppose that all practitioners used depletion so largely as is commonly supposed. The generality of practitioners practised small bleedings and seldom carried them to excess; in fact, at one time bleeding was so little used that the head of the Naval Medical Department issued instructions to his surgeons to make more use of the lancet. A great change has now taken place, and the lancet is seldom used, and the time honoured practice of cupping is almost a thing of the past; and this, in my view, has not arisen from any change of type, of which I can see no proof, but to an improvement in diagnosis and a more direct mode of treating the disease. But I am disposed to agree with some of our best practitioners, who believe that we have too much abandoned an agency which, when well used, is often powerful for good, and that it is not unlikely the pendulum may soon commence to swing the other way, though not, we may hope, ever to reach the extreme point which some of us can remember.

In the present day our practice is, I conceive, differently conducted. Our first thought when we investigate disease is to know precisely the parts affected; to estimate the amount of local injury, and to determine the effect produced on the constitution at large by the abnormal condition. We aim at a diagnosis as accurate and large as possible, and, though this is not always practicable, I think all will allow that there is a considerable degree of certainty. Then, being better acquainted with the course and tendencies of the special condition, we are able to form a better judgment of what is likely to take place, and how it is to be combated. Of course, a vast deal of our treatment is still empirical, and no doubt will be so for many years to come, and oftentimes we must fall back on general rules and treat a constitutional condition without recognizing its cause. But, on the whole, we diagnose, I conceive, fairly, and have a tolerable knowledge of how the state we discover can be best dealt with.

If, as I believe, the art of cure has really advanced greatly in the last forty years, the art of prevention has also made great progress, and this has directly arisen from the improvement in diagnosis. The recognition of a disease, and its reference to a particular category, inevitably lead the mind to probe its causes. This seems an instinct of our nature, probably divinely implanted to impel us in the path of knowledge and improvement. We cannot rest satisfied with seeing the thing; we must know its origin. Hence, during the last forty years, has arisen the School of Sanitarians, whose creed is that every disease, as we see it, has its antecedent, and that the problem they have to solve is to reach this antecedent, and to prevent the seed from bearing its fruit.

Either in the action of external nature, or in social habits, or in nutritive conditions, or in conditions proper to the individual, and arising from his mind or mode of thought, the seeds of the diseases are sown, and by degrees the conviction is gaining ground among all classes that we have ourselves to thank for a large number of those maladies which destroy health, embitter life, and rob us of the blessings which we feel ought really to be ours. I need not say to what proportions this belief has grown, and how it is beginning to affect every class in the community; but it is only right to point how directly it springs from the progress of medical science. Let us hope that, as preventive medicine is really the child of curative medicine, and is indissolubly linked to it, those who are conducting the vast plans which the Legislature has devised for improving the national health may remember that the profession which has so far searched out the causes of individual and national ill-health must be entrusted both with the execution of the plans and with the continued search into a subject which is yet almost in its infancy.

And now, gentlemen, I have passed in review, far too briefly, the points which appear to me most interesting when the eye glances back over the varied, smooth and rugged, light and dark, fertile and sterile regions which a man passes over as time carries him, but too quickly, from youth to age. To me the retrospect is cheering; it has given me fresh hope for the continued advance of our knowledge and for the progressive usefulness of our profession. I feel, as I have lightly passed over the records of the profession's work and gains in the last forty years, that we have played no unworthy part in the great drama, and that among the restless activity of modern times and the marvellous growth of newly born sciences, an old art has not stood still, but with ever increasing power is still, as it has always been, the Friend of Man, and a very present help in time of need.

ADDRESS IN SURGERY.

BY

JOHN WOOD, F.R.C.S., F.R.S.,

Professor of Surgery in King's College, and Surgeon to King's College Hospital.

MR. PRESIDENT AND GENTLEMEN,—The responsible duty of delivering to so important an audience an address upon a subject well worthy of more able powers, has come upon me at short notice as the "proxime accessit" to one whose reputation as an author and teacher of surgery had entitled him to the first place in your consideration. The indisposition which led to this, I fear, somewhat unsatisfactory alteration in the programme of our proceedings has been, I am happy to say, but temporary in its nature. I trust that it will entail upon him no consequences more painful than your disappointment and his own, and upon me, nothing more disadvantageous than those comparisons which you may not be able to repress, and which the short notice I have had has not enabled me to diminish, except by an appeal to that liberality which is rarely wanting in our profession. A stimulus to increased mental effort (of which your professional experience will well enable you to estimate the value in critical cases) was supplied to me by the knowledge of the place in which we were to assemble, and the feeling which I entertained of the great worthiness of the occasion. Within these walls and under these auspices I could not refuse to tax my powers, and even to risk that suspicion of temerity which may be attached by some to the undertaking.

The present state of surgical knowledge indicates quite as much as that of any department of human progress that thorough movement in the dry bones of systems, which, we may hope, is the prelude to more perfect constructions, to an advance in directions more likely to lead to the attainment of that satisfaction which comes from a clear knowledge of what we can and ought to do. As our notions are at present, we require the exercise of a shrewd judgment, acting upon an extended acquaintance with facts, and in many cases a very delicate balance of opinion indeed, to determine what is the right thing to do even in the commonest cases. The prime wisdom is now, even more than in Milton's days—

"Not to know at large of things remote
From use, obscure and subtle, but to know
That which before us lies in daily life."

The multitude of counsellors and the diversity of counsel is so great that a surgeon can find authority for almost every variety of opinion and practice. And I believe that no opinions which are honestly advanced, with due regard to the elements of truth and probability, will remain long without supporters even in the living generation.

In medical science, gentlemen, we have no Pope and no Syllabus. Our councils are liberal assemblages such as that we form to-day, and our appeal lies to an educated jury,—the public opinion of the profession,—and this jury, moreover, is fortunately by no means compelled to be unanimous in its decisions. And if, by reason of great originality, or by that sort of miscarriage which is not uncommon in the production of men of genius—viz., that of being born before his time—a man's views and deeds are not rightly estimated by his contemporaries, there still remains that ultimate appeal to the judgment of posterity which the possession of a free press and the facility of publication places within the reach of every one.

It is no wonder if those who have lived to see the rise and fall of many theories and many systems are tempted to become converts to

the doctrines of Finality, and to consider it very probable *a priori* that whatever is new is therefore not true; and, if by any chance it should happen to be true, it would certainly prove not to be new. When this frame of mind grows upon us, it is well to consider that the Past, of which we think so highly, was once a Future, and had a more undeveloped Past before it, and that the old ways have been led up to by ways still older and, no doubt, worse to travel over.

The study of pathology and the natural history of disease have led to a simplification of medical treatment which in some quarters has advanced to the extreme phase of the "expectant" system, which prescribes little beyond the primary necessities of food and drink, with a regimen which allows the patient ample scope to be comforted by faith, and supported by resignation. In the present condition of public intelligence, deplorably wanting in the knowledge of the laws of health and disease, there is required an amount of natural gifts which is not conferred upon every man, to inspire in the patient such a robust quality of the former blessings as to enable him to nourish the latter upon so simple a thing as orange-flower water. While we are looking for the coming rain-cloud, which brings relief to, or release from suffering, by the operation of laws of which we know more or less perfectly the course and certainty, but which our patient cannot see, it is but natural that he should speculate, from his observation of our conduct, upon the perfection of our eyesight. The talented author of *Middlemarch* has fairly recognised the ideas which prevail in what truth compels us to call the greater portion of our population in Mrs. Mawmsey's remark upon the new medical light who had appeared in her native town, and who, as she was told, went about saying that physic was of no use. "Does he suppose that people will pay him only to come and sit with them, and then go away again?" Such are the intelligences that a doctor has now far more frequently to deal with than those of the calibre of Mr. Trumbull, who characterised himself as "one who was not altogether ignorant of the vis medicatrix," who went without shrinking through his abstinence from drugs, much sustained by the application of the thermometer which implied the importance of his temperature, by the sense that he furnished objects for the microscope, and by learning many new words which seemed suited to the dignity of his secretions."

In the practice of surgery we meet happily with fewer difficulties of this kind than in the sister art of medicine; but occasionally, in obtaining the advantages which result, especially in cases of joint disease, from the intelligent application of the principle of "rest" so conclusively set forth by our distinguished President of Section, Mr. Hilton, we have to contend with the impatience of the patient or his friends, and perhaps may even fall into the error of giving too much of a good thing, and thus may reach, not the "be thankful" stage, but that of fibrous ankylosis. Here we may have the ill-luck, too, to leave our patient open to the temptations of the quack bone-setter, lately subjected to the serviceable exposure of Dr. Wharton Hood. That last infirmity of long-suffering patients applies his material force upon the hit or miss principle, and, straight, the bone which had been "put out" is set with an audible snap, which proves the evident correctness of the remarks upon the numerous fallacies of the faculty with which the operator improves the occasion, and piles up the agony of his *éclat*.

In face of the latest developments of surgery, it becomes more and more difficult to endorse the opinion of the eccentric veteran surgeon Vincent, that it was doubtful whether the human race would be worse off than it is if there were no doctors, no accoucheurs, no physis, and no instruments at all. The utter extinction of the weak and sickly might indeed improve the race physically, if not numerically, as is said to be the case among savages; but, as in them, it would in the meanwhile press very hard indeed upon individuals, and ultimately improve the whole tribe off the face of the earth. To a civilised community, hard-heartedness and cruelty are so abhorrent, and the instinct to heal and to relieve pain is so deeply inrooted, that a reaction against such a *law of neglect* would infallibly reproduce that kind of superstitious remedy which has already caused in the world's history more suffering than it has relieved.

In this respect this innate feeling resembles that instinct of religion with which it was so closely interwoven by the greatest Exemplar of both. We could no more prevent the growth of doctors than of preachers and moralists.

The noblest function of the wisest among us is to enlighten and guide this innate impulse, to keep it under the control of the calm, reflective intellect and of the tender conscience, to prevent the crystallization of ideas into fixed dogmatic formulae, which hinder development in science and art, as well as in language and literature, and to maintain the honour and true interests of the healing art. There is no better way of doing this than by the promotion of friendly inter-