a clinical point of view, is a case of peritoneal hydatids where the tumours had been diagnosed to represent a case of extra-uterine foetation. It appears that there were two cysts, one of them being connected with the uterus. Two of the enormous hydatids taken from these cysts are preserved in the collection of the "Anatomy School of Oxford". Several of the preparations show to perfection the stages of natural cure produced by calcareous degeneration; and there is one liver showing three of these so-called ossified cysts. The disease in this case proved fatal.

Most of the entozoa displayed in the Charing Cross Hospital Museum have been contributed by Dr. Wiltshire; the series being particularly strong in tapeworms. There are four characteristic examples of hydatids of the liver, representing as many separate cases. Two were from abscesses of this organ. In one of these, Mr. Canton's case, the hydatid was, I believe, expelled after operation; but, in the other example (presented by Mr. Rose of Swaffham), the parasite was evacuated from an abscess which burst of itself, externally.

In the Museum at University College, I examined sixteen preparations of hydatid disease, representing almost as many distinct cases. One is a wax model. Eight of the specimens were from the liver, five from the abdomen (including those of the omentum and mesentery), two from the lungs, and one from the heart. The model displayed ordinary hydatids of the liver bursting into the lungs. The mesenteric example is particularly fine, whilst that from the omentum is undergoing calcareous degeneration. Probably the most interesting of all is the example showing an hydatid lodged in the septum of the heart. This was from a middle-aged female who died suddenly, whilst pursuing her ordinary domestic avocations.

The Museum of the Royal College of Surgeons contains a fine collection of parasites; its chief strength in this respect being due to the special series of entozoa. Were visitors to judge by the contents of the catalogue of this series (which I prepared some years ago at the instance of the Council of the College), they might be led to suppose that the hydatids were only feebly represented. Out of nine preparations of hydatids in this section, only six have come from the human body. However, scattered throughout the collection, I found that there were no fewer than thirty-five different preparations of hydatids belonging, apparently, to as many as thirty separate cases. Omitting, for the present, all mention of those derived from animals, I ascertained that, of the thirty human cases, thirteen were referable to the liver, four to the abdomen, three to the lungs (one of which was originally connected with the liver), and two to the brain. Five were of uncertain seat. With the abdominal cases, we may also include one case of hydatids of the spleen, and another where these organisms were found in the region of the bladder. There is a characteristic breast case. One of the original Hunterian cases (in which "a prodigious number of hydatids were found in the sac of the liver and dispersed throughout the cavity of the abdomen") appears, though it is not expressly so stated in the catalogue, to have been regarded as an ordinary example of abdominal dropsy. In one of the three lung cases, two small hydatids were separately expectorated at an interval of about a month. This occurred in a female.

I may here incidentally remark that many cases are on record where abdominal hydatids have been overlooked: the patient being supposed to be suffering from ascites. One such instance took place a few years ago at the Middlesex Hospital. I well remember, also, a case of supposed hydrothorax, where the *post mortem* examination revealed the presence of immense numbers of these formations occupying the right side of the chest. This last-mentioned case, however, occurred at the Norfolk and Norwich Hospital at the time when I was studying there, thirty or more years ago.

The pathological collection connected with St. George's Hospital displays several good hydatid preparations; the entire series representing at least twenty-two separate cases. Of these, fifteen are referable to the liver; that is, if we include Dr. Dickinson's case, already published, where hydatids were found within the hepatic duct. There are two renal cases; also one from the brain (Dr. Dickinson's case), and another where an hydatid was expectorated. Besides these, there are three other highly characteristic examples of echinococcus disease affecting the region of the neck, breast, and axilla respectively.

The Museum of the London Hospital Medical School contains a large collection of parasites. Out of fifty-seven preparations of entozoa, I found twenty-two referable to hydatids; and, so far as I could gather, all of them belonged to different cases. Only one case seems to have been published in detail. This, though a very old preparation, is a fine example of an hydatid, nearly three inches in length, occupying one of the cerebral hemispheres (*Edin. Med. Journ.*, vol. xv). There is a second brain case, where the vesicles were of small size, but very numerous. Of the other twenty cases, fourteen belong to the liver, two

to the spleen, one to the lung, one to the uterus; one being a very large hydatid of doubtful seat, and another being referable to the lumbar region, where it formed a tumour containing "a large number of small hydatids". Amongst the more remarkable specimens is that described in the MS. Catalogue as "a true hydatid cyst developed in connection with the broad ligament". This preparation, unique of its kind, shows no trace of the ovary, which, indeed, seems to have disappeared altogether. One of the liver cases should rather be classed as abdominal, since the large cyst is situated between the diaphragm and liver, pressing upon the latter organ below and also upon the lung above, but apparently not involving either of these viscera structurally. Another very striking case is that in which there is an external opening communicating with the cyst in the liver, and an internal opening through the diaphragm communicating with the lungs and bronchial tubes. The patient had actually coughed up liver hydatids by the mouth, and had passed others through the right wall of his abdomen. There is another liver case in which the hydatids, in place of escaping externally, had gained access to the inferior cava; and, if I understand the MS. record rightly, in the same patient, a second hydatid communicated with the portal vein, and a third with the hepatic vein. Lastly, I must add that there is yet another fine preparation of liver-hydatids, occurring in a lad nineteen years of age. He had, it seems, met with "a slight accident, and died with obscure head-symptoms"; but the odd part of the case is that, at the *post mortem* examination, there was positively nothing found that could explain the patient's death. He was under the care of Mr. Luke (1834).

FAILURES OF MEDICINE.*

By T. COLE, M.D., Physician to the Royal United Hospital, Bath.

IT is acknowledged on all hands, and with some degree of justice, that medical science has of late made most wonderful progress. Never were her prospects brighter; never was her power of doing good and preventing evil more extended; never were her votaries more ardent, able, and illustrious. Her torch shines with unequalled brilliancy, and its healing rays illumine the darkest corners of misery and desolation. Her children are full of mutual congratulations, and those whom she benefits are not backward in their praise. The picture is pleasing, and we naturally view it with a sense of satisfaction and delight. We revel in all its bright touches, and, charmed with the general aspect of pleasure which it presents to us, forget the dark shadows which, equally with these touches, go to make up the whole. It suits us ill to compare them, when, by serious contrast, the shadows deepen and blacken; and we are forced conscientiously to confess, too, that the gay and splendid tints must, and do,

"Take a sober colouring, from an eye
That hath kept watch o'er man's mortality."

It is our business to keep watch "o'er man's mortality", and it is, therefore, our duty to allow nothing to interfere with that business; to permit no dazzling pictures to pervert our vision; to hinder every soft illusion from lulling us into a false and injurious repose. I willingly admit that our art has made much sure and steady progress in the past, and that it affords legitimate reason for rejoicing among the members of our profession. But are we not in danger of overestimating the degree of that progress, and of losing sight of our failures and retrogressions? Do we not pride ourselves too much on our advances in physiology, pathology, and therapeutics, and think too little of those ever-recurring scenes of agony which every death-bed furnishes, and which tell us, in terrible language, how ineffectual oftentimes are our best efforts, how feeble the weapons we employ? Should we not the rather calmly and seriously consider the reasons why our science proceeds with such slow and halting steps, and endeavour to find out how they may be quickened, and a more solid triumph ensured? The deep conviction that we are prone to lose sight of this, the graver aspect of the question, and a strong desire to obtain the matured opinions of those present upon it, must be my apology for intruding upon your time and patience to-night.

With your permission, I will briefly allude to a few of the more important causes which influence our failures. To understand the obstacles which impede our pathway, and the manner of surmounting them, is halfway to the end of our journey. Those which obstruct the road along which medicine travels are probably more numerous and difficult than any which lie in the course of other sciences. Some are peculiar to herself; others she shares with them. Moreover, her path runs close by and parallel with theirs. And, unfortunately, so scantily

* Read before the Bath and Bristol Branch.

furnished is hers with intelligible directing-posts, that she is often compelled to use those which they have furnished for themselves. But they speak their own languages, which she has to learn before she can advance; and even when learnt, they often lead astray, or give no information at all. She is obliged to employ the same methods of observation, yet has far more difficulty in escaping from the fallacies which surround every logical process; and has to rely for a great portion of her knowledge upon these very sciences. Frequently she has to accept on trust their theories and deductions, and build upon them. Not seldom these are false, and she builds in vain. This affords ample explanation why she has adopted so many systems of practice, and why each in its turn has blazed upwards to the zenith, and then fallen for ever to the nadir of oblivion. When it is thus considered that medical science is dependent to such a degree upon other sciences, it should excite no surprise that she lags so far behind. Some would even deny her the right of assuming the title at all, so imperfect are her claims to it. But astronomy, at the dawn of celestial discovery, was far less developed than our branch of knowledge now is. Besides, we can never attain to the exactitude and perfection of which the students of other sciences make boast. They work in the glorious fields of nature, comparatively unimpeded by the thistles and briars of abnormality that infest our toil. We labour in antinature. Although a curse has gone forth, at all events, over our little planet, yet stars, rocks, beasts, and birds, and flowers have, to a great extent, escaped its influence. But we, with all our race, the objects of the sad science of physic, are rendered so by the introduction of conditions antagonistic to our natural state, and, therefore, to our well-being. However, not only is medicine dependent upon and intertwined with other sciences, but it is also, in a certain sense, independent and isolated. With the exception perhaps of some portions of the moral sciences, it alone deals with conditions of disease. Whatever light physiology may throw upon the functions of the healthy tissues and organs of our bodies, however great an insight organic chemistry gives us into the changes which take place in them during their normal exercise, our study alone can inform us of the alterations which disease produces in our system, and of the laws by which its processes are regulated and controlled. Not but that it is absolutely necessary for us to know the mechanism of the machine and its purposes before we can repair any injury to it. But it is equally essential to understand the injury itself before we can remove it. This brings before us the question, What is disease? Errors on this important point are so many *ignis fatui*, drawing us away from the true path of progress. Is, then, disease simply a derangement of the animal machine, or is it something superadded thereto which we can think and talk about, and work against, in the human economy?

First, let me remark that many conditions dignified as diseases, and named accordingly, are not so at all; for example, jaundice, paralysis, vertigo, and a host of others. Accurately speaking, they are only evidences or symptoms of widely varying diseases. As terms, we find them useful, serving as they do for cloaks to our ignorance of the real morbid states upon which they depend. Further, many conditions that have a more legitimate claim to the title are only effects of other complaints, and really stand in the relation of symptoms to them, and are not, as a rule, amenable except to treatment appropriate to the complaints themselves; for instance, gouty and syphilitic bronchitis, or epilepsy from an intracranial tumour. Of course, we are often compelled to treat symptoms for their own sake. Thus bromide of potassium might control the convulsions due to a syphilitic tumour in the brain or its membranes; but the only way in which we should hope to cure them would be by curing the tumour, as by iodide of potassium. If we thus eliminate such conditions as I have alluded to, we shall be in a better position to determine this important matter. Is, then, disease an entity which we can imagine as apart from the body that is the seat of its phenomena? The answer, I think, must be emphatically "No". Nevertheless, the definiteness and invariableness of the characters of the various diseases entitle them to an individuality no less real than that claimed by the objects of all other sciences. We cannot delineate them with such precision, it is true, as we can the subjects of the physical and more exact departments of knowledge. But this arises from the much greater intricacy in the chain of events, and our ignorance of factors too subtle and complicated for our present means of research. Were our powers of observation more extended, we should probably analyse the maladies already known to us into an infinity of clearly defined groups. However this may be, there is good reason to assume that the phenomena of properly defined maladies are constant enough to warrant the supposition of their dependence, in each given case, upon a certain physiologico-pathological process. Physical diagnosis lends additional countenance to this view, although we are in danger of looking too much at

the physical characters of diseases, and too little at the vitalistic phenomena which are equally essential to them. And, if there be any drawback to the utility of the various scopes and other instruments which modern science has invented, it is the tendency we all have, more or less, to treat what we hear, and see, and feel, rather than the particular departures from health, in their widest sense, that these signs only serve to indicate.

But however clear to us may be the fact that each disease, properly so-called, is distinct from every other disease, and is capable of definition, so far as the progress of our science permits, it must be confessed that the routine practice which follows too close an embrace of this doctrine is most illogical and pernicious. It is just as absurd to treat the disease and not the patient as it is to treat the patient and not the disease. Both ought to be the subjects of treatment: the disease in the patient. Nor ought we to lose sight of the causes of ill-health, which may fitly, in many instances, be called entities, and by their quality impart a specific element to most maladies of the utmost importance in regard to treatment. Thus, taking into consideration the varied causes of the diseases which attack us, as well as all the modifications they undergo in their different subjects from peculiarities of temperament, time, place, and other perturbing influences, we can institute a plan of treatment calculated either to remove the disease or restore the patient. Very important is it to determine which of the two we can attempt in each case. Sometimes we can remove the disease, as ague by quinine; more often, as in the continued fevers, we are obliged to be content with the humbler alternative of relieving symptoms, and tiding the patient over a certain period till the course of the disease has been brought to a natural termination. By this means, we shall avoid those false methods of treatment, such as homoeopathy and many others, which have had their origin in the fallacy that disease is an entity, a positive existence, to be sought out, fought against, and driven from the system. Granted that we have determined the nature of disease, an almost insuperable difficulty meets us in the subject of it. It is not merely a machine, of which we thoroughly understand the mechanism, that engages our attention; but it is a highly organised being, about whose structure and functions we know very little indeed, and whose body is not only under the control of the mind and higher faculties, but also reacts upon them. It requires all our ingenuity and skill to estimate the share taken by each of these in the production of disease; and we are often baffled altogether. There are thus causes at work so complex and obscure as to defy all our methods of research and calculation. A thousand refined influences, moral, mental, and emotional, are sufficient to perturb our analytical scrutiny. "What medicine can minister to a mind diseased?" expresses but one side of the truth. How little can medicines avail in diseases of the body, over which the mind and passions hold sway. Under ordinary circumstances, the intricacy of the matter is great enough; but, when we add to it idiosyncrasies of mind and body, we become more and more entangled in its meshes. We all meet with mental and moral idiosyncrasies. And, to touch upon bodily ones, how can we explain the fact that one person may be salivated by a grain of calomel and another cinchonised by a grain of quinine? On the other hand, we all of us know that some persons can take enormous doses of poisonous medicines with impunity. The laws that govern these uncertainties have not yet been elucidated, and, until they are, idiosyncrasy will ever be a stumbling-block in our way. The imperfect state of our physiological knowledge is another barrier to the advance of medicine. Great strides have been made in this direction; but as yet we are only on the threshold of the subject. The subtle working of the brain and central nervous system, and their mysterious influence over the functions of the different bodily organs, have scarcely been interrogated. But few of the outworks of this great citadel, which towers majestically above all our puny endeavours to capture it, have as yet been taken, and the fortress itself would seem to be well-nigh impregnable. The few brilliant discoveries which have been made only heighten the gloom with which our ignorance enshrouds this grand object of our contemplation. Yet hidden behind the laws which preside over the functions of these portions of our organism lies the explanation of innumerable phenomena of health and disease, which at present are utterly inexplicable. It is probable that the nervous system is the theatre of most of the diseases which afflict us.

This point deserves much more consideration than it has received. I believe a thorough understanding of it would elucidate the nature of nearly every morbid process. Glancing over the other structures of the body, how little is known of the work of the spleen, suprarenal capsules and other ductless glands, and even of the liver and the skin. That wondrous fluid the blood, ever flowing through the lanes and alleys of the body, requires profounder investigation than has been bestowed upon it. Conveying health and sustenance to every organ, how often is it compelled at the same time to carry destructive and

death. Poisons we introduce of our own accord, or which pass into us unobserved, wander in its rapid stream, polluting and destroying the fair fabrics with which they meet. Surely much more needs to be known about this life-liquid. I believe spectrum-analysis would be a great source of knowledge in this direction. Physiology must indeed be wonderfully improved before medicine can obtain from her that aid which is necessary for the scientific treatment of disease. One word with regard to diagnosis, probably the most advanced department of our art; yet how far from perfect it is. Take skin-diseases as an example. It is very easy to say this is eczema, this psoriasis, and so on; but that is a very superficial distinction. Look at herpes. To say a person has herpes zoster is no diagnosis at all. We must unravel the mystery of the complaint, and discover its seat in the nervous system, and the peculiar change there, before we can diagnose the disease satisfactorily. Why the affection of the eye in herpes frontalis? why the lingering agony after an attack of zona? Here is a remarkable case. A lad has a large crop of herpes labialis on the left side of the lower lip, great darting pain in the lower part of the left cheek, and intense inflammation of the left tonsil. Will any gentleman interpret this for me? All came together, and gradually subsided together, and were doubtless connected pathologically. An accurate system of diagnosis means a thorough revision of the groups of diseases: a thing impossible at the present stage of pathology, about which I will now say a few words.

No branch of medicine is more important. It forms the rational basis of all treatment. The nature of a disease is the key-note to its management. If we have but a small insight into the laws which govern any pathological process, small indeed will be our power to arrest it, or render it harmless to the subject in whom it occurs. The only exceptions to this rule are the merely empirical means which experience has taught us to be useful in a few diseases, as quinine in ague, iodide of potassium in certain stages of syphilis, and arsenic in psoriasis. Of course, we indulge in a vague kind of way of combating all manner of complaints, and use for this purpose all manner of remedies, and we frame hypotheses to enable us to do so. But such is the state of pathological science, that it would be difficult to prove any or very few of these to be true. The inherent difficulties of the subject are very great. The simple determination of the gross anatomical features often defies us. Still more do the minute changes which take place in the affected tissues. Sometimes we are able to enumerate the microscopical characters of a diseased part with tolerable precision; but, having done this, how seldom can we arrange the tiny links thus presented to us into a well ordered chain of sequences, and so discern what are causes, what effects; from what source the disease sprang, and what are the ravages resulting from its destructive working. The structure of cancer and tubercle is fairly made out; but we have only to refer to the discussions on their nature at the London Pathological Society's meetings to find how imperfect is our knowledge of these diseases. Are they constitutional or local in their origin? What is meant by the former? Does it imply a general predisposition in the system to any special departure from health, or a mere tendency to special local change arising from some hereditary or acquired defect in the particular tissue or organ? Each speaker seemed to have his own pet theory, the product of his imagination rather than a true deduction from the bare facts at present known to us. These discussions, admirable in themselves, appeared especially able in rendering confusion worse confounded. But the light the microscope furnishes fails us when we have most need to long for its glimmering assistance. What is the pathology of hydrophobia, cholera, syphilis, and a host of others? It affords no real answer here. Who can furnish a rational explanation of the phenomena of acute rheumatism? One says it is a neurosis, whatever that may mean; another that it essentially consists in the presence of lactic acid in the blood. If we had to choose between these two hypotheses, we should be comparatively happy. But the speculative habit will not let us off so easily, and generates a profusion of smaller ones to plague us. Not much harm would result were our treatment uninfluenced by these theories; but built upon them are the quinine, the alkaline, the blister, and peppermint-water plans advocated with such energy. Do we know more of the "nova cohors februm" than we did years ago? The beneficent fact that small-pox, the most virulent of the band, has the poison of its sting destroyed by previously tainting those who may be exposed to its malignant power with a mild dose of that poison is a wondrous discovery; yet we cannot explain it, and seem almost as far off as ever from an accurate theory of the fevers as a class. Do they ever arise *ab initio* in the body, or always attack it *ab extra*? If the latter, does the poison act principally on the blood, or nervous system through the blood? Does it propagate fresh poison while in the system? Does it seek to pass out of the body by the various natural outlets, thus causing the changes in the skin, lungs, kidneys, and intestines, till all

has escaped, to begin anew its evil work, or are all the symptoms mere results of the poison, which, having immediately affected the system, is at once powerless for further mischief there, though still powerful to affect another? These and a thousand other questions must be answered before we can attempt to write a true account of the nature of these diseases. How subtle are the alterations in the brain and nervous system which constitute their different maladies. Some we recognise, others are quite beyond our ken, and probably ever will be. Look at the different changes found in fatal cases of epilepsy; why, they are all found in other cases of brain-disease which we believe to be totally different from epilepsy. Therefore, they cannot be essential to its existence, but are probably only results produced by the special disturbance from which the disease arises.

Time will not let me do more, however, than indicate in this imperfect manner the comparative failure of this branch of medicine. The great aim and object of our profession is the rightful use of medicines, and thereby the control and cure of disease. It must be confessed that therapeutics is in a very unsatisfactory condition. An army may be in the highest state of discipline, led by the most prudent and experienced generals, and brave to a degree; but without weapons it would be useless. The medical army is certainly not weaponless, but its armoury contains many implements of warfare which have become rusty and neglected, not a few of questionable utility, and some of very modern design and pattern scarcely tested as yet. There are fashions in drugs, as in everything else, and we are not philosophical enough to escape the contagion. Therapeutical Sniders are constantly being invented, warranted to slay every disease at which they are aimed; but how often they disappoint by hitting wide of the mark, or by bursting after being used a few times. Sometimes they are so unskillfully handled as to kill either the reputation of the medical man or the unfortunate patient himself. Take bromide of potassium for example. In what diseases has it not been used, and with signal success, too, according to its advocates? Some time ago, I collected notes on this drug, and was astonished to find what a panacea it was. I almost felt we had found something as valuable as potable gold; but I also discovered that its many virtues were denied by very competent persons, and my heart melted within me, and the golden dream vanished. The fact is, we do not appreciate the various fallacies which surround observations on the action of remedies. Experiments with drugs require a peculiarly philosophical mind in the investigator. Too severe a scepticism, on the one hand, and too eager a belief, on the other, have to be avoided. A calm and judicious summing up of the most intricate and dubious evidence must be made. Idiosyncracies must be remembered. How difficult is it to find cases identical in all their important particulars from which to draw reliable conclusions.

Diseases vary in severity and type. Climate, season, the presence of other diseases must be considered. The drugs should always be introduced with the same rapidity into the system, and equally transmitted. An antagonist, of whose existence we are unaware, may neutralise the remedy, or it may be impure. The time of administration, the doses, and the intervals between them must be taken into account. Then, what is Nature doing all the time? How can we estimate her share in the result? Our knowledge of the natural history of diseases is very defective. We are afraid to give up any case to Nature's care; and are, therefore, incapable of judging how far she would be equal to the task. Some are bold enough, it is true, to suppress all artificial aid and watch what will happen, and a few are thorough champions of the so-called expectant plan. But life is so valuable, and the medical adviser's responsibility so great, that most men shrink from relying solely on Nature's power; but bring to her assistance the various means which theory or experience prompts them to adopt. This inability to estimate the part which Nature takes in the cure of disease is a great source of error in experimental inquiries into the action of remedies, and seriously retards the development of therapeutical science. It renders it almost impossible for us to use any of the ordinary methods of research. The composition of causes introduces the greatest intricacy into the investigation; and this is increased by the intermixture of effects. We cannot eliminate conditions, of the existence of which we are ignorant; and there are many which we recognise, but which are so essential to life that we could not suspend them without frustrating the design of the experiment altogether. Conclusive as the following instance seems to be, and well nigh approaching the accuracy of the logical method of difference, yet, without a number of confirmatory instances, it scarcely passes beyond the range of the probable. Subacute nephritis, with great hæmaturia, continued for many weeks in a lad who had suffered from the acute form after scarlet fever. The hæmorrhage resisted all kinds of treatment. In despair, I tried oxide of silver, which I had found valuable in other hæmorrhages. Three half-grain doses stopped the bleeding; and it never returned. I am morally sure of it.

But how seldom can we find a case so favourable even as this as an experiment. So seldom that, according to Mr. Mill, the experimental methods of investigation are but little worthy of attention in this line of research. We are thus compelled to fall back on the deductive method. Even this is not available, except to a very limited extent. For every deduction must start from a previous one, or some induction. If we wish to find out under this method whether any particular medicine is useful in a certain malady, we must discover first of all the laws of all the causes implicated in the result. We must clearly determine the properties of the drug. These, of course, include its physiological action. This part of the process is beset with a thousand fallacies. We must then determine the pathological laws which govern the said malady; and who could assert that he thoroughly understood the natural history of any malady at all? Take croupous pneumonia. The physical signs and peculiar pulmonary changes are well known. But, why should the disease commence sometimes with acute gastro-enteric catarrh? What is the significance of the little crop of labial herpes so often accompanying it? Why should the general symptoms abate so remarkably just when the lung becomes solidified? Why should the chlorides desert the urine. These are but a few of the queries which must be answered before we know what pneumonia really means. And when all this is done, and we have become fully acquainted with all the particulars essential to the elucidation of the subject, and are in a position to draw our deduction as to the value of our drug, we must verify it by past experience or by some other evidence. Mr. Mill ably discusses this matter, and justly points out the small amount of success likely to be obtained in such intricate investigations. Suppose we took a case of chorea and made a series of inductions with regard to the causes of the disease, we should find some cases induced by fright, etc., some in connection with rheumatism, and many other apparent causes. But how difficult to connect the causation with the disease. If rheumatism be concerned, some will say it is the rheumatic element; some that it is an embolic state of certain parts of the brain, from detached valvular vegetations; some that the rheumatism is a mere coincidence. These are only hypotheses, of but little value till proved true. Take the various drugs used in this disease, we know little more about them than that they are so-called nerve tonics mostly. Bring them to the test, they fail as often as they succeed. One vaunts arsenic, another praises zinc, a third juice of conium. Some cases resist all. I remember a boy, on whom bark and ammonia acted like magic, when all other means had been tried in vain. Another case of very severe unilateral chorea in a girl, with anæmia and valvular mischief, resisted iron and arsenic, with chloral at bedtime. The patient was very sleepless; and, at the end of three or four days, was quite worn out. Three or four one-scruple doses of chloral at two hours intervals sent her to sleep, and she awoke well. The next case I had derived no benefit from chloral. Can we generalise from such facts as these. The results, perhaps, depend on the varying causes or the different conditions of the patients. But the general conclusion must be that none of the drugs mentioned are *bona fide* cures of, or at all events specifics against, chorea. Want of success depends in many cases, no doubt, upon our ignorance of certain essential conditions in them, and thus our want of skill in combating these. Time would fail if I were to touch upon general principles of treatment, such as the use of bleeding, counterirritation, and a host of others; and I must pass by many minor impediments, such as the inaccuracy of names and classifications, and the fallacies of statistics and averages as guides to treatment.

I will allude very briefly to two other points. 1. There can be no doubt that we are too prone to slight the labours of those who have gone before us. We despise their antiquated notions, in which lie concealed from our superficial notice truths of the greatest value. Our brethren in all ages have performed their part in leaving us rich legacies of knowledge. But we are not willing to claim or make use of them, because they are encumbered with much that is absurd, useless, and untrue. Each generation, instead of adding to the great fabric whose foundations were laid thousands of years ago, prefers to pull the edifice to pieces and rebuild it after its own fashion. There is thus a perpetual change in theory and practice by no means conducive to progress. 2. Valuable stores of knowledge, accumulated by individual thought and experience, often perish with those who possessed them. How many have amassed most useful materials during their years of practice, and never given them the publicity they deserved. The consequence is that hundreds of able cultivators of our art leave the world without contributing in the least degree to the advancement of their science. Certainly much more is done than heretofore in this direction. But a great Association like ours ought to develop some plan, by which this most important means of spreading medical knowledge could be more successfully carried out than at present.

Having sketched very roughly and imperfectly the main causes of

the backwardness of medicine, I will say one word in conclusion on her future. It were idle to imagine, so long as the state of the world and men's passions and frailties exist, as at present, that diseases will cease from off the earth. Some may disappear; but their place will probably be taken by others. The pangs and terrors of most will very likely be mitigated. But there will ever be the need of the labours of men like ourselves. The dreams of the optimist are worse than useless. Let us, then, note down every fact, however trivial; sift every piece of evidence, however insignificant; and test every theory by the most scrutinising experience; thus furnishing broad and sure bases for greater deductions than even the brilliant discoveries of Jenner, Marshall Hall, and other worthies; deductions which will throw clearer floods of light upon the nature of disease, and therefore upon the treatment of it. It falls to the lot of but few

"To leave a name,
A light, a landmark on the hills of fame";

but we can, at least, hand down to another generation the torch, dimmed by no want of care or zeal, but burning more strongly and brightly in the cause of humanity.

ON INTRAUTERINE INJECTIONS.

By ROBERT BARNES, M.D.,
Obstetric Physician to St. George's Hospital.

THE cases of injection of perchloride of iron to restrain *post partum* flooding, recorded in recent numbers of the BRITISH MEDICAL JOURNAL by Mr. Boddy and Mr. J. C. Clark, together with the comments of Dr. Swayne and Mr. G. F. Hodgson, induce me to offer a few observations upon the subject.

In Mr. Boddy's case, the injection was followed by death. The severity of the hæmorrhage and the reduced state of the patient are attested by the fact that "several large doses of ergot and two injections of cold water into the uterus" produced only a "temporary good effect". Under such conditions, reflex action failing, the resort to styptic injection is, in my experience, generally indicated. I cannot doubt that Mr. Boddy was justified in using it in this case. But the mode in which he used it seems to be open to some objection. The instrument employed was an "ordinary enema-syringe"; the styptic consisted of "four ounces of liquor ferri perchloridi fortior to twelve of water. The nurse worked the syringe. . . . The hæmorrhage ceased immediately on the injection of the solution; and, during the first part of the process, the patient made no complaint, and the uterus began to firmly contract. But, during the latter part of the process she began to be uneasy, complained of pains in the belly; then severe cramps of the flexors of the legs occurred; next she gave a shriek, crying out 'Oh my belly'; a general convulsion took place, the skin became blue, the pulse ceased, and she expired. All this took place during the last two or three strokes of the enema-syringe. The uterus was firmly contracted round the injection-tube, some little force being required for its withdrawal."

I do not question the correctness of Mr. Boddy's conclusion "that the injection of the perchloride of iron was the immediate exciting cause of death". But his opinion that "the hæmorrhage could not be the cause, because the injection was used before the loss of blood had begun to affect the nervous system" is at variance with his previous statement "that ergot and injections of cold water failed to induce active uterine contraction". When the reflex function is impaired to the degree indicated by this test, a very serious effect has been produced upon the nervous system, under which it is peculiarly susceptible to the influence of shock. Shock was caused by the iron injection; and from the narrative it may be concluded that it was mainly due to the mode in which the injection was made. Mr. Boddy misunderstood my directions, if he thought that the whole quantity of sixteen ounces must be injected; and the use of an enema-syringe worked by a nurse is no part of my instructions.

At page 472 (*Obstetrical Operations*, second edition) are the following directions: "You have the Higginson's syringe, adapted with an uterine-tube, eight or nine inches long. Into a deep basin or shallow jug pour a mixture of four ounces of the liquor ferri perchloridi fortior of the *British Pharmacopæia* and twelve ounces of water. Pump through the delivery-tube two or three times to expel air, and insure the filling of the apparatus with the fluid before passing the uterine-tube into the uterus. This, guided by the finger of the left hand in the os uteri, should be passed quite up to the fundus. Then inject slowly and steadily."

Without insisting unduly upon the probability that a nurse under exciting circumstances cannot be trusted to pump slowly and steadily,