"The body of the cathedral," he continues, "was preserved from utter ruin by the Earl of Huntly, and in 1607 repaired and covered with slate at the charge of the parish." The little of the interior that had been spared was destroyed by the Covenanters in the Civil War.

The following description of the manner in which the work of destruction was carried out is given by Douglas in his *Account of the East Coast of Scotland*:

The high altar, a piece of the finest workmanship of anything of the kind in Europe, had to that time remained inviolate, but in the year 1649 was hewed to pieces, by order and with the aid of the parish minister. The carpenter employed for this infamous purpose, awed by the sanctity of the place, and struck with the noble workmanship, refused to lay a tool on it, till the more than Gothic priest took the hatchet from his hand and struck the first blow. The wainscoting was richly carved and ornamented with different kinds of crowns on top, admirably cut; one of these—large, and of superior workmanship—even staggered the zeal of the furious priest; he wished to save it, perhaps, as a trophy over a fallen enemy. Whatever his motives may have been, his hopes were disappointed; while the carpenter rudely hewed down the supporting timbers, the crown fell from a great height, ploughed up the pavement of the church, and flew in a thousand pieces.

The roof is the only woodwork now left of the original fittings of the cathedral. This heraldic ceiling, which is still well preserved, was put up by Gavin Dunbar about 1520; on it may be seen three rows of shields with the blazons of "Kings, Priests, Prelates, Potentates and Peers." Some attempt to patch up the ruined building was made in 1607, but Cromwell's soldiers found the eastern part a convenient quarry for materials with which they built a citadel on Castle Hill. Owing to the dilapidation thus caused, the great steeple, which rose at the junction of the choir and nave, fell down in 1688, crushing the choir and transepts, and doing much damage to the nave.

Since the suppression of the last Jacobite rising in 1745 the history of the city of Aberdeen has been one of steadily increasing prosperity.

In another article the history of the University of Aberdeen will be sketched.

(To be continued.)

ROYAL COMMISSION ON VENEREAL DISEASES.

THE following is the official report issued to the press by the Secretary of the Royal Commission on Venereal Diseases:

At the eighth meeting of the Royal Commission on Venereal Diseases evidence was given by Sir William Thompson, Registrar-General for Ireland.

He said that as a cause of death venereal diseases played relatively a small part in Ireland. The death-rate from syphilis and allied diseases was 0.78 per 10,000 of the population, whereas the figures for tuberculosis at the head of the list were 21.52 per 10,000.

Compared with previous years the deaths from syphilis and general paralysis of the insane appear to show a tendency to increase, but Sir William Thompson thought that much of the increase was more apparent than real, and was due to the more careful recording of deaths.

The greater part of the deaths from venereal diseases occurred in the two cities Dublin and Belfast. In Dublin the figures were abnormally high, the death-rates from syphilis and general paralysis of the insane being about twice those for London.

On the whole the incidence of venereal diseases in Ireland was very much lower than in the rest of the United Kingdom; the syphilis death-rate was only that of England and Wales, while with regard to infant mortality the number of deaths due to syphilis per 1,000 births in the three kingdoms were—England and Wales 1.29, Scotland 1.4, Ireland 0.59.

THE late Dr. William Carnegie Brown left estate of the gross value of £49,886.

AN international society for the destruction of rats has been formed, with its head quarters at Copenhagen (K. Cort, Adellersgade 8). It already includes a number of other organizations formed for the same purpose, and has obtained the patronage of numerous sanitary authorities throughout the world.

FUEL FOR MEDICAL MEN'S MOTOR CARS. POSITION OF PETROL SUBSTITUTES.

By H. MASSAC BUIST.

THE fact that wholesale contracts with the big corporations for the supply of petrol during 1914 are in many cases being entered into on a basis of as much as three-pence a gallon more than a year ago raises a serious problem for the medical man, who has already found that his fuel bills threaten to become a greater burden than his tyre costs. True there exist a few enterprises created for the avowed purpose of supplying car owners, nominally on the co-operative plan, with petrol at fixed prices below the current market cost of that fuel. But the financial soundness of these concerns has yet to be proved, while the scale even of the best schemes among them is such as to have no appreciable effect in alleviating the situation. The cost of the generally used motor fuel has risen to at least twice as much as the lowest that has ruled during the last ten years; and this has happened despite the facts that, on the one hand, petrol of a character heavier than that formerly tried is being marketed as a second grade spirit; and, on the other, that fresh processes are being employed whereby, for example, the Rockefeller Corporation is able to produce a usable motor spirit from about 60 per cent. of the total amount of material formerly wasted in treatment.

The situation is so serious that the Royal Automobile Club formed a "Petrol Committee," but its sittings, after several months, revealed only a more and more hopeless case instead of showing any likely solution. The inquiry was therefore suspended indefinitely until a newly created body—the Petrol Substitutes Investigation Committee, composed of members of the club, of the Automobile Association, and of the Society of Motor Manufacturers and Traders—should have completed exhaustive investigations of substitutes, and arrived at some definite conclusion. The more directly to encourage the object in view, the Society of Motor Manufacturers and Traders offered a prize of two thousand guineas for the discovery of a motor fuel of any sort that could be produced in this country in commercial quantities at a price to compete with petrol. Sir Boverton Redwood was appointed adjudicator. Though nearly a year has passed since the work was begun, he reported the other day that not only had no fuel been discovered that would justify the awarding of the prize, but he could not even recommend that a consolation prize of a small sum should be given for anything submitted.

PRACTICAL ASPECTS OF THE RETAILING OF FUELS.

Alternative fuels may be broadly grouped under three classes: (1) Mixtures of various chemicals with petrol or with crude petroleum; (2) benzol; and (3) alcohol. The first class may be dismissed at the moment, because it cannot be introduced successfully without at least the willing co-operation of those who control the large supplies of petroleum and petrol. Therefore, whatever comes in this direction is likely presently to be introduced directly by the big oil groups, which, apart from having their own extensive laboratories, from time to time purchase patented methods of producing mixed fuels, though they have not yet put any such on the market. In regard to benzol and alcohol, which are fuels produced in their entirety quite independent of the sources of oil supply, the governing factors of the situation are not entirely limited to the cost at which the fuel can be actually manufactured. We have, for example, had benzol offered us duty free in minimum quantities of fifty gallons at certain gas works and at certain refineries, provided the purchaser will go to those places and himself carry the fuel away. To be of any use as a general proposition to the medical profession, however, motor fuel must continue to be procurable in small retail quantities locally in any part of the country. It is this necessity which accounts for a very heavy proportion of the retail cost price of any motor fuel. The popular idea is that the American Oil Trust owns practically all the wells that supply the fuel it handles, whereas the fact is that that Trust is a gigantic organization for the marketing of oils and all the products associated with them. It does not own the wells producing more than 5 per cent. of the material it sells.

Even the rival British oil group, under the Samuels's management, only owns a small proportion of the wells producing the oil it sells. For the most part it contracts to handle the output of proved wells independently owned. The huge capitals are employed in building up endless ramifications for the effective retail distribution of motor fuel all over the country. This point is of the utmost importance when considering alternative motor fuels. In the case of every one of these it will be necessary to have equally efficient distributing organizations, and it would therefore seem that gigantic capital and methods of amalgamation on the part of producers and vendors can alone solve the problem, even if a substitute fuel could be produced at the right price.

THE ONLY WIDELY AVAILABLE ALTERNATIVE TO-DAY.

To-day benzol is procurable in retail fashion at prices between 1s. 2d. and 1s. 4d. a gallon in approximately a couple of hundred centres about the country. From that point of view it may be described as beginning to be practicable for quite a number of users, though not entirely so, because to get efficient results with benzol carburettors have to be used in a condition of adjustment different to that employed when petrol is used. It will be appreciated that at the present prices benzol does not start as a really cheap motor fuel per gallon, though considerably less in cost than petrol. It has a further disadvantage in that it is not plain to see how the price of it could be reduced should there be a sudden and great "cut" in the price of petrols of usable grades. The gas companies, as at Manchester, are not eager to readjust their plant for the production of benzol because such as they do produce they can at present sell at a very high price for chemical work in connexion with aniline dyes, and so forth. Moreover, before the gas companies of the country in general could produce great quantities of benzol, such as would make a really appreciable difference to the market, there would have to be an alteration of the Board of Trade unit for the quality of gas supplied to the householder. At present there is a proportion of heating power as distinct from illuminating power in the gas, which is entirely wasted by the vast majority of users, but which, on the other hand, is needed by those who use the old-fashioned open burners and who cook by gas. Experience in the districts where coal-gas is so used to the greatest extent has proved that it is practically impossible to educate the British working man to use incandescent burners. If we were to assume this accomplished, however, and that the standard required by the Board of Trade unit were so altered that companies were able to produce the maximum amount of benzol for motor fuel, they would have to sink vast capital sums in entirely remodelling their plant to that end, and would further have to supply gas to the consumers at a lower price, for those who used it for heating would require to burn a greater amount to get an equivalent result.

POINTS ABOUT BENZOL IN USE.

Nevertheless, we are to-day producing in this country benzol equal to quite a tenth of our demand for petrol. It is estimated that at the end of 1913 we shall have imported 100 million gallons of motor fuel, against an actual import of 80 million gallons in 1912, which contrasted with only 12 million gallons used in 1904. These figures sufficiently indicate that the demand for motor fuel is abnormal and is likely to continue to be so for several years. We are in a transitional stage. No matter what fresh sources of supply shall be opened up, the fuel problem is likely to be difficult of solution for a generation or otherwise until the motor movement shall have attained to something approximating its full growth.

In the meantime the medical man is not free to use any of the many forms of fuel down to crude petroleum. His choice is restricted by certain practical conditions. Of the alternative fuels at present on the market, benzol must be regarded at the moment as the only one generally within his reach. It has various advantages over petrol apart from the cheaper price, as notably that, once the carburettor has been properly adjusted, appreciably greater mileage can be got, as well as more power, and, as far as unofficial tests have gone, comparative freedom from carbonization. Against it is the fact that practically every user of benzol is expected to be an experimenter on his own initiative, inasmuch as

neither the Royal Automobile Club as the recognized trials organization, nor the National Physical Laboratory, has as yet conducted any tests to furnish the world with official data as to the precise effects of the use of benzol on the mechanism of a motor-car engine; or to determine by comparative trial, for the guidance of automobile engineers and the public, precisely in what manner the use of benzol is advantageous and exactly where it is disadvantageous. Such unofficial tests as have been conducted have been of too haphazard a character. None has been of anything approximating to sufficient duration. We want to know positively what are the effects of using benzol on various types of cars on the market over a period representing three or five years' use.

With benzol a combustion which is comparatively very hot is obtained. An attempt by one of the foremost British constructors to use benzol, as being the means of getting increased power out of an engine built to a volume limit, in the last 3-litre car race in France for the *Coupe de l'Auto*, was found to be impossible owing to the electrodes of the sparking plugs melting under the extreme heat. That, however, does not occur with motors of slower speed and lower compression, such as the medical man uses for his daily service. A practical point that will concern him, however, is that benzol continues to smell badly, its malodour being extremely penetrating. This is a drawback that affects the medical man whose practice is in the towns much more directly than the one whose work is in the country. In Germany benzol is being produced in something like 30 per cent. greater quantities than in this country. But of the twenty-eight million gallons manufactured there last year only one and a half million gallons were made by gasworks. It is estimated that it would be necessary to treat more than a million and a half tons of coal to produce sufficient benzol for the yearly requirements of the London General Omnibus Company alone.

NATURE OF THE MAIN MOTOR FUELS.

The other principal school studying the production of a spirit entirely independent of oil which will be suitable for motor fuel advocates alcohol. Perhaps the best-known adherents to this view are Sir Boverton Redwood and Dr. W. R. Ormandy. The term "alcohol" is applied popularly in this connexion to the particular alcohol known chemically as ethyl alcohol (C_2H_5O), of specific gravity 0.806 at 0° C. Its calorific value is about 12,600 B.Th.U., and it boils at 78° C. It burns with a blue flame, and mixes with water in all proportions, having, indeed, always a small proportion of water present. From 4 to 13 per cent. alcohol vapour in air will explode, as against from 2 to 5 per cent. of petrol vapour in air. The coal-tar spirit called benzol consists of a mixture of benzene, toluene, and xylene. It commences to distil at about 80° C., but does not completely distil until nearly 120° C. Its calorific value is about 20,000 B.Th.U., and its specific gravity is about 0.885. It contains about 92 per cent. carbon and 8 per cent. hydrogen. The motor spirit known in this country as petrol is of the approximate composition of C_8H_{18} . It consists of a mixture of hydrocarbons of the paraffin series, and its boiling point varies from about 50 to 150° C. Its specific gravity is from 0.680 to 0.720, while its calorific value is about 19,500 B.T.U. It contains about 84 per cent. of carbon and 16 per cent. of hydrogen; is extremely volatile, and burns with a luminous, sooty flame. For this last reason petrol is comparatively an ideal fuel for engines of the sliding sleeve valve sort, which work at their best only when in the natural condition of a gas engine—namely, in a partially carbonized state. It is for this reason not an ideal fuel for the latter-day highly efficient poppet valve engine, an inherent defect of which at present is that it does not work at its best under the normal conditions of an ordinary gas engine precisely because these poppet valve, liquid fuel, internal combustion engines must be in a clean, non-carbonized condition to give the best results.

PROSPECTS AND ASPECTS OF ALCOHOL AS FUEL.

As far as this country is concerned, alcohol is not yet available on a commercial scale as a motor fuel. It is, nevertheless, an established fact that it merely requires capital to put it among the practical motor fuels. Not only do experiments conducted at home point to this, the

fact is besides confirmed by Continental experience. There alcohol fuel is being used for commercial purposes. Abroad some liquid fuel engines that have been running on alcohol for from twelve to sixteen hours a day for periods up to eight years do not show the slightest sign of corrosion that could be attributed to acid production. Any alternative fuel applied to the motor-car engine necessarily suffers from the disadvantage that it is being used in a machine that has been designed for something like a quarter of a century to employ one class of spirit only, petrol. Experience to date points to the fact that the problem of satisfactory carburation will have, to a very large extent, to be studied afresh in the case of each new class of motor fuel. That, however, is not an insurmountable difficulty, because the results of such investigations can always be standardized.

A large school is advocating the use of half-and-half fuel, otherwise half benzol and half alcohol, which has been proved, with merely slight modifications to existing types of carburettors, to give as much power, flexibility, ease of starting, quiet working and economical consumption in a motor engine as ordinary petrol. Dr. Ormandy's view is that progress towards the final goal of using alcohol virtually as the sole motor fuel is to be sought by experimental work on mixtures containing gradually diminishing amounts of benzol, the influence of which, according to experiments carried out in France and Germany, is out of all proportion greater than the small quantity employed.

THE MEDICAL MOTORIST IN 1914.

Meantime, the situation of the medical motorist is that, for 1914, he has the choice of paying a possibly increased price for petrol, though it must be had in mind that the cruder grades now on the market can give better mileages, and also that remarkable economy can be achieved by employing the latest styles of carburettor. To take a single example of perhaps the most widely used type—the Claudel-Hobson. With the new patterns the same power, a better "pick up" and fully 20 per cent. better mileage can be got than with the former patterns.

Again, many a novice to motoring is not aware of the big savings that can be effected in driving if the average speed is reduced perhaps by only three or four miles an hour. According to my own experience a 30-cwt. car handled at speeds not exceeding twenty-four miles an hour and averaging, say, sixteen miles an hour, will do as much as twenty-four and twenty-five miles to the gallon on second-grade petrol with the carburettor adjusted precisely, as when driving up to forty miles an hour fastest, and averaging about twenty-seven miles an hour, when the consumption works out at only eighteen miles to the gallon. The average medical man does not use a high-powered engine. If he will give attention to having his carburettor so adjusted that the motor will start readily, another very appreciable source of saving is that he can stop the engine even if only for half a minute at a time. In a year or two everybody will stop his engine if he only pauses to inquire the way, because all cars will be fitted with engine starters as satisfactory as the magneto-ignition machines themselves. At present, however, as a general proposition, one would hesitate to say that the average mechanical engine starter has been sufficiently proved in the hands of the British motoring public to justify its being relied on absolutely by the medical profession. In any case these aids to economy apply equally to any form of motor fuel used.

The obvious possibility of a further rise in the price of petrol in 1914 means that many doctors living in districts where benzol can be got in retail quantities will put up with the malodours at present associated with its use. They should be warned, however, that the carburettor will need specially adjusting. The best way to do that is to be guided by the actual individual experience. Twenty miles should be done with the carburettor in the ordinary condition as used for petrol. The driver will then begin to have some idea of what sort of a mixture he has got according to the way the car is behaving as he drives it over roads that will be chosen because they are familiar to him when motoring. He will in all probability discover that he can weaken the mixture. But the jet should be adjusted very gradually, say half a turn at a time. Then let the car be run another twenty or thirty miles, and then,

perhaps, another half-turn tried. So, feeling the way until the proper proportion of fuel feed to air supply has been achieved, the user will get the best results.

ONE HUNDRED YEARS AGO.

THE ANNUS MEDICUS, 1813.

THE ANNUS MEDICUS 1813 was not by any means an annus mirabilis. It could not take rank with 1798, when Jenner announced the success of vaccination; with 1846, when ether was introduced into surgical practice; with 1847, when Simpson used it in obstetrics, and later in the same year discovered the anaesthetic properties of chloroform; with 1867, when Lister began to make antiseptics known; with 1881, when Koch discovered the tubercle bacillus; and with 1885, when Pasteur treated human subjects successfully for hydrophobia. Nevertheless, there was much that was interesting in the progress of medicine in 1813, and during the past few months we have had occasion in these articles to refer to some of the burning questions of that time. There was the state of the medical profession itself, and its attempts at reform, "abortive bills," and what not; there was vaccination making its way steadily, meeting with a warm welcome wherever the ravages of small-pox were recent and terrible; there was some growing acquaintance with tropical diseases, made possible by the researches of the British naval surgeon sailing in southern seas; there was Richard Bright taking his M.D. at Edinburgh, and causing no small stir in his own circle by his trip to Iceland and his somewhat unsettling versatility; there was the local business of the Royal College of Physicians of London, of great interest to the Fellows and to their phoenix-like president; there was the tragic story of typhus fever and the part it had played and was even then playing on the battlefields of Europe; there was the French encyclopaedia of medicine steadily making its periodical appearances undeterred by war's alarms; there was the curiously backward position of surgery to be deplored; there were accidents happening in those days too, even although there were no railway trains, motor cars, or aeroplanes; there was Thomas Thomson and his very own *Annals of Philosophy*; there were the quarrels amongst the physiologists; and was there not also that small storm in a teapot about the fast-ing woman of Tutbury? Assuredly there were medical matters of weight and importance in 1813.

Medicine, too, had business with the monarch who sat upon the throne—with disastrous George III; had had business with him more or less all his life, from his birth as a seven months child, when it was doubted whether it would be physically possible to rear him; in his youth when he was very backward; soon after his accession to the throne, when symptoms of mental derangement appeared, to disappear again; in 1788 when he suffered much from bilious attacks and mental derangement once more (intense cerebral irritation, "mind dwelling much on the loss of the American colonies"), and when Dr. Willis was called in, not a little to the disgust of the regular physicians, right on to the year 1813, when visual as well as mental darkness hung heavy over the old man and the regency had been an accomplished fact for two years. Here is the monthly report of his health (or alas, the lack of it) for September, 1813:

The report circulated, that his majesty is so much recovered as to have had communication made to him of political events, is totally void of foundation. The king has never, at any period of his protracted disorder, been more under its influence than he is at this time; and not a single individual has spoken to his majesty but his physicians and the attendants. The queen occasionally sees the king in the presence of the doctors. [Dr. Willis himself had gone in 1807 "where beyond these voices there is peace."] Either Sir Henry Hallford or Dr. Baillie are in constant attendance on the king. Dr. Heberden has taken a house at Datchet, in consequence of his constant attendance on his majesty, where his family reside, particularly when he is in waiting. He retires there every evening after dining with the other medical gentlemen.¹

The Emperor Napoleon had not, unlike George III, had much to do with doctors, not that is to say, before 1813; but in that year, on August 27th, the battle of Dresden having been won, something happened to Buonaparte which, as his followers believed, so altered his physical

¹ *Edinburgh Annual Register*, vol. vi, Chronicle for 1813, p. cix.