from reasons already given, are less liable than the unilateral movements to be paralysed in hemiplegia. The unilateral movements consist in abduction from the mid-line to the right and left, adduction from the right and left to the mid-line, and rotation of the spine with the face turned to the right and then to the left. All these movements should be tested with and without resistance, which should be applied by the hand of the observer against the patient's shoulder, and also both in the position of lying down and in that of sitting up in bed when this is possible, and particular notice should be taken in the latter position whether the patient is unable to prevent himself falling to one side.

REFERENCES.

¹ Sherrington and Mott, *Proc. Roy. Soc.*, 1895, vol. lvii. ² Beevor and Horsley, *Phil. Trans. Roy. Soc.*, vol. clxxxi, B., 1890, p. 74. ³ Horsley and Schäfer, *Phil. Trans. Roy. Soc.*, vol. clxxix, B., 1888, pp. 10, 13, and 14. ⁴ Grünbaum and Sherrington, *Proc. Roy. Soc.*, vol. lxxix. ⁵ Mott and Schäfer, *Brain*, vol. xiii, p. 169, 1890. ⁶ Beevor and Horsley, *Phil. Trans. Roy. Soc.*, vol. clxxxv, B., 1894. ⁷ Jackson, J. Hughlings, *BRITISH MEDICAL JOURNAL*, March 5th, 1892. ⁸ Beevor, C. E., *BRITISH MEDICAL JOURNAL*, October 1st, 1898.

A Clinical Lecture

ON

TRAUMATIC HEART DISEASE

AND

COMPENSATION FOR "ACCIDENTS."

DELIVERED AT GUY'S HOSPITAL.

BY

LAURISTON E. SHAW, M.D., F.R.C.P.,

PHYSICIAN TO THE HOSPITAL.

EVERY now and then some great discovery in pathology or in therapeutics leads us to change the point of view from which we regard certain diseases, in respect of either diagnosis or of treatment.

Recently there has been a social development, not a scientific discovery, which has led us to consider the causation of many diseases from a somewhat altered standpoint. I am referring to the tendency that there is now for all sorts of people to be insured against the results of accidents. In consequence of this habit, the possibility of an injury being the cause of any disease is much more before us as a profession now than it ever was before. The growing prevalence of insurance against accidents is probably responsible for what was to me a novel experience. Just before Christmas there were lying in adjacent beds under my care in Addison Ward two patients suffering from heart disease, each of whom attributed the symptoms from which he was suffering to an accident. This exceptional occurrence led me to choose as my subject for lecture to-day traumatic heart disease. And in introducing to your notice the question of traumatic heart disease by relating to you some of the particulars about these two patients, I propose to take the opportunity of offering for your consideration a classification of traumatism of the heart generally, then to draw your attention to some of the difficulties by which the profession which you are about to enter is assailed owing to the spread of insurance against accidents, and finally to ask you to consider some possible means of avoiding some of these difficulties.

I.—TRAUMATISM OF THE HEART.

There are three very different conditions in which injuries to the heart occur. First, there are the conditions in which gross and obvious injuries to the heart result from external violence. A man is cycling with his machine out of control; he meets and collides with a cart; the shaft penetrates his thorax and causes immediately fatal results. Other examples are those in which the buffer of a train breaking the sternum and the ribs leads to the heart being seriously injured by the bony fragments. Bullet wounds and stabs of the heart are also in this section—conditions, perhaps, of more interest, because they may afford an opportunity of surgical treatment if the injuries are not too extensive. Another interesting injury to the heart due to external violence is worthy of your consideration, inasmuch as you

may yourselves be responsible for causing it in attempts to aspirate the pericardium.

The essential feature of this group of cases is the obvious external violence. The patient seldom survives to present symptoms of heart disease.

The second group consists of cases in which there is a disruptive lesion of the heart, which is certainly not due to any external violence. The patients are found dead, and the muscular wall, generally of the left ventricle, is torn across, and the pericardium is full of blood. In such cases, as a rule, you would find obvious disease of the muscle of the heart, fibroid or fatty, which explains its rupture on such slight provocation. Every now and then it will not be quite clear that there is any obvious antecedent disease, although it seems almost certain that a muscle must be diseased before any internal pressure resulting from the ordinary circulation of the blood would cause it to rupture.

These may prove very interesting cases, because questions may arise as to whether the relatives of a person found dead under such circumstances are or are not entitled to receive compensation on the grounds that he has died as the result of an accident. Certain it is that in some of these cases the patient is found dead in bed, which makes it unlikely that a violent strain is necessary to produce such a rupture. At other times this condition has been found in the case of a man who was exerting himself to his utmost immediately before his death.

I come now to the third group, to which, perhaps, the title "traumatic heart disease" is alone properly given. Introducing you to this group, I will mention the few salient features about 4 cases which have come under my observation.

CASE I.

A young tram conductor, several years before admission, had had rheumatic fever, but believed himself since to have been in perfect health. One night two drunken passengers had to be expelled from his car. He struggled severely in throwing them out, and when he got home a little later, feeling rather exhausted by his efforts, he noticed a curious noise in his chest, and, calling his wife's attention to it, she also was perfectly certain that she could hear a loud noise in his chest which she had never heard before. He came the next morning to the hospital, and was found to have an extraordinarily marked musical murmur, diastolic in rhythm, all over the precordium. He was not suffering from any marked cardiac symptoms beyond that. Here was definite aortic regurgitation, apparently produced or increased by violent struggling; and we imagined that in the struggle he had torn or detached one of the semilunar aortic valves, and was consequently suffering from aortic regurgitation, at present thoroughly compensated.

CASE II.

A painter, 50 years of age, who at the age of 20 had syphilis, and a few years later rheumatic fever, believed himself to be in perfect health from that time until a few weeks before admission. When painting something high up, he slipped, fell, saved himself with a great effort as he fell, and immediately had cardiac pain and breathlessness. When admitted to the hospital, we found that he had aortic stenosis—a well-marked systolic thrill all over the right of his sternum—and distinct evidences of cardiac failure. In his case we imagined that his hypertrophied heart, which resulted from his aortic stenosis, and which had done its work extremely well for many years, was suddenly dilated as a result of the violent effort which he put out.

In both those cases you will see there was pretty clear evidence that the patient had already chronic endocarditis, and that the alleged injury was an injury to a diseased organ.

CASE III.

A sea cook, a little over 20 years old, perfectly well as far as he knew, and telling us that he had never had a day's illness in his life before, was on a voyage from London to Hamburg. Lifting a cauldron of soup off the fire, the ship gave a sudden lurch, and, desperately afraid that the soup might upset and scald him, he put out all his effort to prevent this. He saved it, but immediately suffered from a very severe pain in his heart, and extreme condition of syncope; so that he was laid flat on his back, was kept on his back until the boat reached port, was immediately carried to the hospital at Hamburg, and remained there for many weeks, until it was thought safe for him to travel to England, when he came to the out-patient department at Guy's Hospital.

In his case we assumed, quite wrongly, as I shall show you in a moment, that his tremendously violent effort had ruptured a *healthy* aortic valve; and, under this impression, this case was shown at the Clinical Society. Years afterwards I met this case again in the hospital as an in-patient; and he then told me that, after my careful

inquiries about his previous health—which, you remember, I thought established the fact that he had not had a day's illness in his life before—he went home, and, inquiring from his mother, he was told that he had a bad attack of St. Vitus's dance as a small child, which he had quite forgotten. This case, therefore, is strictly analogous to the other two. I was wrong in assuming that it was an example of the rupture of a healthy valve. There can be little doubt now that this man's valve was affected by his chorea, and that his great exertion ruptured a diseased valve.

CASE IV.

A former pupil of mine was unwisely touring with a heavy motor car in a very hilly district when his car stuck on the middle of a hill. Still more unwisely he took an undue share in pushing the car to the top of the hill. He felt that it was an exertion such as he had never put out before in his life, and wished that his car were lighter. When he got to the top of the hill there was nothing for it but to lie down; and from that day for several weeks he was on his back seriously ill. When I saw him some months later he had recovered, and his heart was perfectly normal; but the history of the case suggests, I think, that he did seriously and acutely dilate a normal ventricle.

So with regard to traumatism of the heart, you will recognize that the difference between the cases in this third group and the cases in the former groups is that these latter patients survive the injury, which is some sort of fierce strain, and have time to suffer from symptoms of actual cardiac disease. Please recognize that there are two forms of injury in this class of case, laceration of a valve and great distension of a cavity, and that there are two classes in which these injuries occur, one with antecedent disease and one without antecedent disease.

One of the difficulties of a clear appreciation of the frequency with which the rupture of a healthy valve occurs is due to the fact that if the patient survives the accident for even a few weeks, when death ensues chronic inflammatory changes will have taken place in the valve even though before the rupture it was perfectly healthy.

Another difficulty in establishing, even by pathological evidence, the existence of traumatic heart disease, is due to this fact: that rupture of a diseased valve—perhaps I had better not say rupture—detachment, or separation of a diseased valve may take place as the result of ulceration apart from any severer strain than is naturally taking place in every heart in which blood is circulating.

II.—PROFESSIONAL DIFFICULTIES IN RELATION TO ACCIDENT INSURANCE.

I now come to the second part of my lecture, and propose to speak to you of some of the professional troubles which are connected with this increasing tendency of the community to insure against the result of accidents. I would have you recognize that this habit is putting upon the profession a totally new class of work—a class of work for which no courses of instruction have been laid down, to which no compulsory lectures are assigned, and which, as far as I know, is not dealt with in any of your too numerous examinations.

Let us look for a moment at what are the existing branches of professional work. First of all, there is our duty to seek out the causes of disease and methods of alleviation and prevention. That is the branch of work which is always being carried on by the medical scientist, whether he be a mere physician striving in his laboratory—which is his ward—or whether he be a special pathologist working under more fortunate circumstances, with proper assistance in his endowed laboratory. The second branch of our work is that of endeavouring to persuade a reluctant public to put into effect the methods of prevention of disease which we have discovered. This falls to the lot of the medical officer of health. The third function of the profession, and hitherto the last, is to cure the patient. This is the duty of the great body of the profession, be they general practitioners or consultants. But now we have a fourth duty, a totally new duty, put upon us. This is, to hold the balance even between conflicting pecuniary interests, the just settlement of which can only be determined by medical knowledge. It is a thing we have not bargained for, and a thing that we are not at present very skilful at performing. It becomes our duty to decide, for example, when a man is insured against the results of accidents and becomes ill, whether it is fair or unfair for him to receive the benefits of his insurance. The

difficulty of deciding this, I think, may already have been made clear to you from the cases which I have related of traumatic heart diseases. Let me give you a few other illustrative cases which have recently come under my notice.

CASE V.

A butler, fully insured by his master against the results of accidents occurring in his occupation, is endeavouring to perform his special duty for his master of uncorking for him a special bottle of port. Very anxious not to break the crust—I think that is the right expression—but finding the cork extraordinarily tight, he put out great force, and just as the cork came out he felt a severe pain in his right iliac fossa. Within a day or two he was operated upon for gangrenous appendicitis.

Is that a case in which it is fair for the insurance company to have to pay the insurance money? Is that a case in which it is fair for the employer to be deprived of the advantages of having insured his servant against the results of "accidents"?

CASE VI.

A labourer was digging on a plot of land. It was 5 o'clock on a winter afternoon. His work was over. He walked home, had his tea, and, while sitting down after tea, suddenly had a violent pain in his head, and in twenty-four hours was dead from cerebral haemorrhage.

Was that an accident resulting from the heavy strain of digging in the ground? Is it fair that the insurance company should pay for the death of this man, or is it fair that this man's dependants should be deprived of the advantages of his insurance?

CASE VII.

A factory hand was taking part, as he often did, in moving a piece of iron. He felt a pain in his back, but took no notice of it, and went on moving other pieces of iron. He was not quite so well the next day, but went to work. The following day he had pins and needles in his toes, and in three days was lying in a London hospital with all the symptoms of acute myelitis.

CASE VIII.

A gardener was walking along, pushing a mowing machine in front of him. He suddenly stumbled, and, in trying to save himself, "ricked his back." From that day forth he was a wreck from neurasthenia. He thought he had all sorts of diseases and pains everywhere. There could be no doubt that he had neurasthenia.

Was the neurasthenia the result of the accident? Was it not rather the result of the fact that the law provides that his master shall compensate him for illness produced by accidents?

CASE IX.

A hunting man had influenza. He was recovering from it, and his wife entreated him "not to hunt to-day." He did hunt that day, and when so doing was thrown, soon scrambled up again, went on, and finished the run. Next day he was not so well. The day after he had a rigor, and in three days he was dead of acute pneumonia.

Was his acute pneumonia the result of accident? Was it fair that the insurance company, restricting its policy to the direct results of accidents, should have to pay?

Now, gentlemen, why I ask you carefully to consider this question is because it seems to me to be likely that if this work of deciding these pecuniary interests is carried on as it is carried on at present, it must lead to a degradation of the profession in the eyes of the public.

A lay authority in the insurance world frequently consults me on such subjects as I put before you to-day. He says, "Do you think that such and such a condition was due to the accident?" "No, I certainly do not." "Do you think any medical man of repute can be found to go into the witness-box and say that he thinks it was the result of the accident?" "Yes," I say; and he shrugs his shoulders with an expression which shows what he thinks of the medical profession. But he does not understand the position. He does not know how difficult it is for us; how impossible sometimes to estimate which of the numerous possible causes of any disease is the dominant one in an individual case. He is accustomed to legal decisions which are made upon authority, and not to medical decisions, which are often necessarily indefinite. My friend thinks when he extracts from me the fact that other members of the profession will swear to an opinion different to that which I have expressed, that this is an indication of the fact that the members of the medical profession will accommodate their opinions for the purpose of sale. Of

course there are black sheep in every fold. But the striking differences of opinion that may be held by honourable men are inherent to the nature of the cases. Nevertheless, the fact that it is constantly happening, that one medical man is giving evidence on one side, and another man is giving directly opposed evidence on the other side, is in my opinion having a very deleterious effect upon the high regard in which the profession is held. Not only so; the present method of settling these cases is causing a most unnecessary expense to the community.

REMEDIES.

Now let us consider possible methods of reforming this uncomfortable position for the profession. The first one I should like to urge upon you is this, that we, as members of the profession, should insist that in this matter we will be arbitrators and not advocates. I have the highest possible respect for the legal profession, and am certain that it is in every particular as honourable a profession as that of medicine; but I am convinced of the fact that the unfortunate necessity which compels members of the legal profession to act as advocates, and to defend people against charges which they know to be true does, in the eyes of an undiscerning public, somewhat lower the esteem of the profession generally. We do not want to be advocates. We, as a medical profession, if we are called upon to perform this new function of seeing fair play between different pecuniary interests, should take the position if we can of arbitrators and not advocates.

It should not be impossible to set up a special tribunal to deal with these questions in which independent medical men with special experience should act in a judicial capacity as arbitrators or assessors to a legal arbitrator. Before such a tribunal, medical evidence should be restricted to questions of fact observed by medical men actually in charge of the patient.

But there is another means whereby we might possibly lessen the complexity of the problem to be arbitrated upon in many cases. The problem in most cases now is how far has the traumatic element anything to do with the condition? Cannot we persuade the insurance companies; cannot we persuade the Government; cannot we persuade the people generally, that while they are about it, insuring against the result of accident, they should, instead, insure against invalidity of all sorts? It is not often, though no doubt it is sometimes, a difficult thing for a medical man to say definitely that this man has a disease and that man has not a disease, but it is constantly a very difficult thing to say whether the disease from which any man is suffering, or has died, is due to a specific cause or not. If the hunter, for instance, is insured against death and not against death from accident, it does not require extraordinary skill on the part of a medical man to certify that he is dead—a duty, by the way, which under existing circumstances is imposed upon us by the State without remuneration.

That insurance against invalidity from all causes is much needed in the case of nearly all breadwinners none can doubt. If the medical profession in a desire to deprive itself of unnecessary work helps forward this movement, its action will be entirely in keeping with its best traditions. We are always working hard to add the whole profession to the ranks of the unemployed.

There is another professional difficulty raised by this habit of insurance which is deserving of your careful attention. It seems right that we should recognize that as a profession our pecuniary relations are necessarily somewhat different to persons who are insured to those who are not.

In the days before insurance became common any breadwinner who met with a serious accident which incapacitated him was at once in the eyes of the profession probably a suitable subject for charity, and his presence in a hospital passed without question. But when the breadwinner is definitely insured against the results of his accident, or can claim compensation covered by insurance, it becomes a very doubtful question whether the medical profession should give their services without payment in order to save the insurance companies from the responsibility of paying their agreed liabilities.

This is, however, a complicated subject on which I have not time to enter now, except to say that, like the other professional difficulties to which I have already referred,

it can only be wisely dealt with after prolonged discussion and careful action.

And now one or two words as to what steps you individually can take in order to meet these difficulties. I want you to appreciate that no amount of the highest possible individual professional uprightness will really enable you to do much in meeting these and many other difficulties which are assailing, or are likely in the near future to assail, the profession.

The recently issued report of the Poor Law Commission indicates the possibility of social changes which may profoundly alter the relations of the profession to the State.

All our professional difficulties become less the more careful we are that each of us shall always be actuated by the highest professional motive, that is to say, that in all our dealings we shall have an absolutely single eye to the advantage of the patient and no regard whatever to our own personal interests. But this will not enable us entirely to meet the collective difficulties of the profession.

It can only be by concerted action of the profession as a whole that such modifications in procedure as I have been suggesting can be carried out. You are doing your little part at present; you are paying fees to universities and to examining bodies to whom you may look in the future, perhaps, for some help in organizing the affairs of the profession. Later on you will pay a fee to the Registrar of the General Medical Council, and you may then look to the General Medical Council, perhaps, to secure such reforms as the future may make necessary. But I think that after some experience you will have to admit that neither the universities, the examining bodies, nor the General Medical Council can do much for you, because even if they had time to spare from their special duties, they have no recognized means of determining what are the wishes of the profession. As soon as you are qualified it becomes your duty to enrol yourself as a member of some of the many societies which are formed amongst medical men in order that they may together discuss concerted action to enable the profession in the most effective way to carry out its high mission and to maintain its worthy reputation.

And here may I suggest that of the various societies that you will have the opportunity of joining, perhaps the British Medical Association is one most deserving of your attention, from the fact that whereas while taking part in the local work—social, scientific, and political—of your own Division, you will, through the central organization, be brought into contact with Divisions all over the British Empire. If you recognize the limitation of your individual effort you will appreciate the great advantage of belonging to a body which is in touch with your professional colleagues all over the world.

You will be told by some, perhaps, that you will find in the Association a narrow spirit of trade-unionism. On the contrary, I believe you will recognize in it, as I have certainly done, the high ideals of a professional guild endeavouring to maintain in each of its members the best professional traditions.

Join the British Medical Association in the same spirit as many of you are now joining the officers' training corps of the Territorial Army, not for what you can get out of it, but for the opportunities it will give you of serving your profession, and, through your profession, the public. Be actuated by the motto of the hospital, "*Dare quam accipere.*"

AN open-air school for tuberculous children has been established on an old ferry boat which was recently turned into a day camp for tuberculous patients by Bellevue Hospital, New York. The school is maintained by the Board of Education, and at present there are thirty-five pupils in attendance, ranging in age from 6 to 15 years. The children are carefully protected from the cold, and work at their desks in all kinds of weather. The school hours are short, as the main object is to make the children well. A record is kept every day of the weight and temperature of the children, and milk and eggs are given to them at odd intervals. The improvement in some of the children has, according to the *New York Medical Journal*, from which the account of the school is taken, been remarkably rapid.