Illustrations OF HOSPITAL PRACTICE:

METROPOLITAN AND PROVINCIAL.

ST. MARY'S HOSPITAL.

TWO CASES OF ACUTE LARYNGITIS, IN WHICH TRACHEOTOMY WAS SUCCESSFULLY PERFORMED.

By EDWARD PARKER YOUNG, Esq., House Surgeon to the Hospital.

MARIA FRIAR, aged 22, servant, was admitted into the Victoria Ward of St. Mary's Hospital on Oct. 12, 1861, under Dr. Chambers's care.

When first admitted, it was not deemed prudent to take the history of her case, as talking distressed her; but, on her recovery, she said that she had been a servant at Croydon, and there caught cold on October 6th, and the next day came up to London for a few days holidays; but her cold increasing, she came as an out-patient of this hospital, under Dr. Markham, on the 9th. Still getting gradually worse, she was recommended to come into the hospital; and on the 12th was admitted. Her voice then was thick, and her respirations increased; there was also slight fulness about her throat, which was tender and painful when touched; her pulse was quickened, but small. Four leeches were at once applied to the trachea; and a draught of an ounce of decoction of cinchona, and a drachm of compound tincture of cinchona ordered to be taken every alternate hour.

Oct. 13. She passed a very bad night. The dyspnoea is increasing; but she was able to swallow till 11 A.M. with difficulty. The throat is more tender. She is obliged to be propped up in bed, as she could not breathe in any other position. There is slight cough; the face is flushed; the lips livid; the eyes swollen; and countenance anxious. These symptoms gradually increased till 7.30 P.M., when she was found gasping for breath, and asphyxia was fast coming on, when a little chloroform was administered, and Mr. Young performed tracheotomy. After the operation, the pulse was 100. She was able to swallow; and expressed herself greatly relieved.

Oct. 14. She could not sleep very well. She took a little nourishment. The breathing was tranquil. She was ordered to have an enema of mutton-broth, with ten minims of laudanum every three hours; and also as much nourishment as she can take by the mouth.

Oct. 15. She slept pretty well; pulse 100; tongue furred; slight cough. She breathes a little through the nostrils.

Oct. 16. The trachea and larynx are not so tender; pulse 98.

Oct. 17. The tube was withdrawn; she breathes tranquil. The bowels have not acted since the operation. A simple enema was ordered at bed-time. Her appetite is very fair; she is able to take three eggs, beef-tea, etc., in addition to enemata of mutton-broth.

Oct. 18. The bowels acted freely. The wound is granulating a little. Air still passes through the opening, which is covered by a piece of muslin gauze.

Oct. 19. She is cheerful; tongue cleaning at edges, but still very much furred in centre; pulse 95.

Oct. 21. Pulse natural. She sleeps tolerably well. She has slight cough, and expectorates a little.

Oct. 23. The appetite is improving. She was ordered to have half a dozen oysters daily.

Oct. 24. She feels sick and has vomited several times.

She was ordered effervescing mixture, with hydrocyanic acid every four hours.

Oct. 27. The sickness has stopped. The effervescing mixture was omitted. The mutton-broth enemata are discontinued; and she is able to take a piece of rump-steak, three eggs, and simple diet daily.

Oct. 30. The wound was healed on the 28th. She complains of slight pain in her throat, due to her having talked too freely. Six leeches were applied to the throat, and she was ordered to inhale the steam of hot water.

Nov. 2. The throat feels much better; the voice is clear. She is able to get up; and complains of feeling hungry every quarter of an hour. She was ordered ordinary diet and a half; a pint of porter, and one pint of milk.

Nov. 4. Diarrhoea is present. The porter was omitted; and astringents were ordered. From this date, she was able to wait on the other patients; but it was not considered advisable to send her out, as the diarrhoea continued occasionally, and the weather was very bad; but on Nov. 22, she left the hospital cured.

CASE II. Harriet Burton, aged 55, married, was admitted into St. Mary's Hospital on December 4, 1861, suffering from acute laryngitis, under the care of Dr. Alderson.

She states that she caught cold at her last confinement twelve years ago, and since that time her voice has been thick. During the last ten days, her throat has been sore, and she has had shortness of breathing; but the last day or two it has become much worse, preventing her from washing. She, therefore, applied for relief, and was admitted at 2.30 P.M. When in bed she presented the following symptoms. There was much restlessness and anxiety; some difficulty of deglutition; and also difficulty of breathing, showing itself by protracted and wheezing inspirations. On asking her the seat of pain, she pointed to the pomum Adami. Her voice could only be heard in a whisper; her face was flushed and dusky; her skin quite moist; pulse small and quick. A dozen leeches were at once applied to the larynx; and she was ordered a grain of calomel and a quarter of a grain of opium in a pill, and a saline draught, every four hours.

About 8 P.M. her symptoms became more serious. The countenance was livid and anxious, the eyes swollen and protruding, and dyspnoea increasing; pulse small and flickering; and death appeared to be not far distant. Tracheotomy was performed by Mr. Young; but before the trachea could be reached, breathing was suspended. The trachea was opened, and the tube inserted; and air blown through it, and the chest compressed; the patient took a gasp, then another, and, in a few minutes, she breathed tranquilly through the tube. She was then able to swallow with ease; her countenance resumed its natural colour; and she expressed great gratitude for the relief afforded her. The tube was almost hidden from sight from the oedema and fat. She was ordered three pints of milk, two eggs, and one pint of beef-tea; also, an ounce of brandy whenever she felt faint.

Dec. 5. She slept well; pulse 130, full. She swallows without difficulty. The tongue is furred. While coughing this morning, the tube came out. There was no breathing from mouth or nostrils; and it was with some difficulty that the tube was replaced, on account of the great oedema and swelling. Respiration 28. At 1.30 P.M., Dr. Alderson saw her, and ordered her to be bled to eight ounces, and the brandy to be omitted.

Dec. 6. She felt much relieved from the bleeding. The headache better; and she has passed a comfortable night. The inner tube has frequently to be withdrawn and cleansed, on account of its being clogged with mucopurulent matter and false membrane. Pulse 120, full.

Dec. 7. The cough troubles her, and the phlegm is very difficult to expectorate through the tube. The

bowels have acted several times. Pulse 100. The œdema is commencing to subside.

Dec. 8. The tube was this morning withdrawn; but no breathing could be detected from the nostrils or mouth; it was, therefore, replaced. The tongue is cleaning.

Dec. 9. She complains of her gums becoming slightly tender. The pills were omitted. Pulse 96.

Dec. 10. The tongue is quite clean and moist; pulse 80. She was ordered four ounces of port wine. The saline mixture was omitted.

Dec. 11. She bears the wine very well. She was ordered an ounce of decoction of cinchona three times a day. There is a little breathing through the mouth and nostrils. The swelling around the throat is going down.

Dec. 12. She could not sleep very well. The breathing is more free through natural passages. Pulse regular.

Dec. 13. The tube to-day was withdrawn. She breathes very well when the opening is closed. Tongue clean and moist.

Dec. 14. The wound this morning was brought together with strips of plaster. Pulse 72.

Dec. 16. The swelling has all subsided; the wound is granulating; pulse natural; tongue clean.

Dec. 18. She is able to take fish diet, two pints of milk, and two pints of beef-tea, with four ounces of port wine, daily.

Dec. 21. She is progressing favourably.

Dec. 25. She was allowed to get up for a short time. Pulse regular; tongue clean and moist.

Dec. 29. The wound was healed on the 27th. She is gaining strength daily; and from this date up to Jan. 13, 1862, she was able to get up and help in the ward, when she was discharged, forty days after her admission, quite recovered.

These cases, Dr. Alderson remarked, show how important it is that the acting house surgeons of our hospitals should be able to judge correctly and act promptly on difficult occasions.

It must almost always happen that the necessity for immediate action in such cases occurs during the absence of the physicians and surgeons of the institution. The symptoms threatening life which are the reasons or excuse for resorting to such extreme methods, more frequently come on at night than at any other time. The value of having house surgeons as highly qualified as their age will permit is strongly exemplified; for, not only are decision to act promptly and skill to perform the operation indispensable, but cool judgment to know when to refrain, as well as when to act, of the utmost importance.

There cannot be a greater proof of the use of changing the old methods of allowing any pupil who could pay the fees to assume the responsibilities of house-surgeon, to that of appointing young men to that office by competition only; thus ensuring the best qualifications that the school attached to the hospital can afford.

TEMPERATURE OF SITTING AND SLEEPING ROOMS. "Generally speaking," says the *Siccle*, "during winter, apartments are too much heated. The temperature in them ought not to exceed 15° centigrade (59° Fahrenheit); and even in periods of great cold, scientific men declare that 12° or 14° had better not be exceeded. In the wards of hospitals, and in the chambers of the sick, care is taken not to have greater heat than 15°. Clerks in offices, and other persons of sedentary occupations, when the rooms in which they sit are too much heated, are liable to cerebral congestion and to pulmonary complaints. In bedrooms, and particularly those of children, the temperature ought to be maintained rather low; it is even prudent only rarely to make fires in them, especially during the night."

Original Communications.

CARLSBAD WATER IN GOUT.

By EDWARD MERYON, M.D., F.R.C.P.

For the last two years I have been gradually inclining to the belief in the efficacy of Carlsbad water as a prophylactic agent in the treatment of gout; and my opinion has been so far strengthened by the observation of many cases, that I am disposed to think that that water has well-nigh, if not quite, as special an influence on gout as quinine has on ague; and I was led to the persuasion by the following anecdote, narrated to me by Dr. Hochberger of Carlsbad.

During the Crimean war, a Russian officer had the humerus of one arm fractured; but, for want of proper surgical assistance, the broken extremities remained unreduced, and a large mass of callus was formed around them. A deformed limb was, of course, the result. After the war, this gentleman was sent to Carlsbad for an affection of the liver; and, after copious libations of the Sprudel for some five or six weeks, the exuberant callus was absorbed; and one day, whilst using his arm, the broken ends of the bone were suddenly disunited, and he presented himself to Dr. Hochberger with the limb dangling. The further use of the water was immediately discontinued; coaptation of the extremities of the bone was accomplished; and the individual returned to his country with a perfect arm and an improved liver.

Having a patient who for many years has been, and still is, very much crippled by chalk-stones both in his hands and feet, it occurred to me that the mineral water of Carlsbad, if taken for a long period of time in small doses, might cause the absorption of the urate of soda from the joints, as it had caused the absorption of the phosphate and carbonate of lime from the fractured humerus; but herein I have been disappointed.

The gentleman in question has never passed four consecutive months without suffering from gout for nearly forty years (his first attack having occurred on the day of the Oaks, in May 1824), until the year 1860. During the years 1858-9, the attacks recurred so frequently (rarely, however, with acute pain, for during the few previous years the disease gradually assumed the atonic form), and his strength was so much diminished as to be unable to resist the slightest provocation, that, with the concurrence of my friend Dr. Gairdner, I advised him to go to Buxton, where he remained some five or six weeks, and returned to London considerably invigorated, but without a respite from his old enemy until June 1860, when he began to take half a pint of the Sprudel early every morning; and from July 1860 he remained perfectly free from gout until October 26th, 1861, when a slight attack came on, somewhat more painful than it was wont to be, but which entirely subsided in three days, under the influence of small doses of colchicum.

It is with the permission of my patient that the above details are given; and I could enumerate more than twenty other cases in which the water in question has been equally successful. I am also using it in cases of gouty diathesis, where no local manifestation of the disease has been observed, as well as in cases of regular gout.

Complicated cases not unfrequently present themselves, as, for instance, when a diseased condition of the heart or kidneys appears, wherein, for obvious reasons, I should not think of advising this system of treatment; but in no case of ordinary uncomplicated gout have I been disappointed in the action of the water as a prophylaxis; and when, as sometimes happens, it