UK NEWS Paediatricians ask GMC to review its ideas on child protection work, p 911

WORLD NEWS Danish government turns to doctors to tackle rising absenteeism, p 908

bmj.com UK government to spend more than £1bn on development research over five years

New thinking is needed to increase local care and cut competition between hospitals and GPs

Zosia Kmietowicz LONDON

The government needs to rethink the way it funds hospital care if patients are to be looked after closer to their homes, says a report out this week.

The system of payment by results, which has been gradually introduced into hospital trusts over the past four years as a means of linking payments to activity, may actually hamper government plans to deliver care closer to patients' homes, says a working party made up of representatives from the Royal College of Physicians, the Royal College of General Practitioners, and the Royal College of Paediatrics and Child Health.

Instead of the block payments hospitals used to receive to provide certain services, payment by results means that money follows patients and allows those hospitals with greater throughput to earn more.

But "perverse incentives" at the heart of payment by results can make it seem easier financially to admit patients rather than manage them outside hospital by means of specially commissioned services in primary care.

These types of disincentives "need to be rebalanced to support integrated specialist and generalist care closer to home," says the report.

For integrated care to work, boundaries between primary and secondary care need to be removed so that hospital doctors and general practitioners can work together in the patient's best interests.

The report believes that Teams without Walls, its model of integrated care, can deliver the high quality, cost effective care demanded by patients with long term conditions whose need for healthcare services changes throughout their lives.

Under the model the teams design and commission service pathways rather than isolated blocks of care. To make the concept work, the Department of Health should consider a new model of payment by pathway for an episode of care, and annual payments by condition for long term conditions, says the report.

"A jointly commissioned model of integrated health services provided by primary and secondary care would significantly

reduce unhealthy competition between the two and reduce the potential for contractual and cultural conflicts between PCTs [primary care trusts] and hospital foundation trusts," says the report.

"This approach may challenge some of the recent NHS reforms, but promises to be a more sustainable solution to some of the entrenched problems the NHS must overcome if it is to succeed in the long term," it adds.

Clinical integration would also prevent hospitals expanding into the community and creating a monopoly.

One such scheme for patients with inflammatory bowel disease in Barnsley led to estimated savings of £40 000 a year, freed outpatient slots, and provided relapsed patients with rapid advice. Under the scheme, patients were taught to manage their condition without going to hospital if they were stable, and results of blood test monitoring were sent by email or text.

The report, *Teams without Walls—The Value of Medical Innovation and Leadership*, can be seen at www.rcplondon.ac.uk

Tories say polyclinics threaten 1700 practices

Lynn Eaton LONDON

Polyclinics could lead to the closure of more than 1000 surgeries in London, more than three quarters of the total in the capital, and a further 600 in the rest of England, says the opposition leader, David Cameron.

The Conservative party leader has warned that the clinics are a threat to general practice. "Gordon Brown is trying to nationalise GP surgeries and to make GPs salaried employees of the state," he said in a speech to health specialists at the King's Fund, in London on Monday.

If the proposal for more polyclinics, which are expected to be recommended in the forthcoming report from Ara Darzi, goes ahead, patients would lose the one to one relationship that they have with their own GP, he added.

The Conservative party's claims about the closure of existing general practices are based on the assumption that the total number of GPs will not increase and that each polyclinic will have 25 GPs. Because each practice has an average of five GPs, it claims that four practices would have to close and relocate to each polyclinic.

The researchers assumed that the primary care trusts with the poorest provision would have three polyclinics and the others just two.

But a Department of Health official refuted the claims that it would mean a reduction in general practices. "This is about increasing access to primary care—not replacing existing GPs," a spokesperson said. "Our over-riding objective is to deliver the best possible service to patients, and we make no apology for this."

See **NEWS** p 911, **FEATURES** p 916
David Cameron's speech is at www.conservatives.com.

David Cameron: "Gordon Brown is trying to make GPs salaried employees of the state"

IN BRIEF

Health minister sentenced for corruption:

Former Italian health minister Professor Girolamo Sirchia has been sentenced to a three year prison term for corruption, for several payments he had received from private companies when he was head of unit at the Milan University Hospital (*BMJ* 2005;330:380 (19 February)). Sirchia, who will not go to jail due to a pardon approved by the parliament in 2006, always denied being bribed and says he will appeal.

Germany draws up new laws on genetic testing:

Germany's federal cabinet has issued guidelines for crafting a genetic testing law to protect privacy and restrict testing by insurers and employers. The doctors' trade union, Marburger Bund, says the document does not fully deal with regulation of embryo testing and foreign testing available on the internet without being seen by a doctor.

Doctor disappears in Afghanistan:

The paediatrician Abdul Rab, medical director in Afghanistan for the aid organisation KinderBerg International, and his driver were still missing as the *BMJ* went to press, after disappearing on 8 April while driving from Kabul to Kunduz. Their vehicle was found 60 km north of Kabul. Dr Rab, aged 46 and married with four children, has worked for German aid organisations in Afghanistan for 10 years.

HIV patients detained after complaining about hospital:

Up to eight people infected with HIV/AIDS in Hebei province, China, have been detained by police after they tried to complain to Premier Wen Jiabao about a hospital where they claim they were infected with the virus via blood transfusions, according to Reuters.

Global prescription market worth \$712bn:

The worth of the total global prescription market has increased by \$178bn over the past five years, according to market intelligence company IMS Health. The 2007 data shows the US remains the largest single market at \$287bn. In the five major European markets of France, Germany, the UK, Italy, and Spain, the market expanded to \$140 billion. See www.imshealth.com

Hospital removes wrong kidney:

A Dublin hospital has admitted to removing a healthy kidney from a child rather than the diseased organ. Our Lady's Children's Hospital in Crumlin is setting up an internal review. The child has returned home but faces regular dialysis unless a donor can be found.

Low Medicaid rates mean black patients are given shorter time

Bob Roehr WASHINGTON, DC

Low levels of compensation from Medicaid programmes in the United States contribute to racial and ethnic disparities in health care, a study has shown (*Health Affairs* 2008 Apr 22; doi: 10.1377/hlthaff.27.3.w222). The federal-state programmes serve poor Americans who meet their eligibility criteria.

Primary care doctors with predominately black and Latino patients see more patients and provide more charity care. They also earn less than colleagues who treat fewer patients from ethnic minority groups.

The study, by James Reschovsky and Ann O'Malley at the Center for Studying Health System Change, was based on responses from 3320 primary care doctors who participated in the 2004-5 community tracking study physician survey.

They stratified medical practices into those with low (<30%), medium (30%-70%), and

high (>70%) minority populations. The study found that doctors in practices with high minority populations spent about 30% less time with each patient than in low minority practices (15 v 21 minutes) despite the fact that they were more likely to encounter language and cultural barriers that may make doctor-patient interaction more difficult.

These doctors were also more likely to report that inadequate time was a factor that affected their ability to provide high quality care (26% v 18%).

Dr O'Malley speculated, "Because the Medicaid compensation is so low, in order to meet the practice bottom line they see more patients during each day. You can't cost shift when you don't have privately insured patients in your practice."

Doctors in high minority practices also reported greater difficulty in obtaining specialty care for their patients (42% v 31%).

Doctors in practices with a high proportion of ethnic minority patients spent 30% less time with each patient

Danish government turns to doctors to

Ned Stafford HAMBURG

The Danish government is concerned about an increase in the number of employees who are missing work because of illness. It has enlisted the help of the Danish Medical Association to devise a plan to help keep people working and to cut disability payments.

A recent study coordinated by the Danish Ministry of Employment calculated that the national cost of missed work because of illness in wages and sick benefits in 2006 was 37bn Danish kroner (£4bn; €5bn; \$8bn),

or about 2.3% of gross domestic product. Particularly worrisome is the finding that the number of people who take at least 14 weeks' sick leave rose by 25% in 2007 compared with 2005.

Jens Winther Jensen, president of the Danish Medical Association, told the *BMJ* that the vibrant Danish economy is facing a labour shortage and that he had discussed the matter with Claus Hjort Frederiksen, the employment minister.

"We have to be more active in Denmark in

and Latino with doctors

Increasing the levels of Medicaid payments to the levels of Medicare would help to improve the situation. According to modelling conducted as part of the study, it would improve the proportion of doctors reporting inadequate time with patients by 5.8 percentage points.

Dr O'Malley told the *BMJ* that the message to policy makers is that if they are serious about reducing minority health disparities, "We need to pay for their care in the way that other people's care is paid for."

Thomas LaVeist, director of the Center for Health Disparities Solutions at Johns Hopkins University, said that the study "helps to explain why the providers who are disproportionately seeing minorities are less able to provide high quality care."

Reviews of medical records sometimes leave the impression that these are low quality providers, "but the reality is that they have fewer resources to work with." He called the study an important addition to the literature that confirms at the national level what has been seen in smaller local studies.

He said, "With the reimbursement rates being what they are, there is a disincentive to participate in the Medicaid programme. Increasing reimbursement would expand the number of providers participating in the programme, increase options for patients," and presumably increase quality through greater choice of providers.

Dr LaVeist said this has been missing from campaign rhetoric surrounding healthcare reform: "I haven't heard any of the presidential candidates talk about it in the context of health disparities and what role reimbursement rates might play in reducing those disparities."

A third of hepatitis B carriers in Hong Kong have liver fibrosis

Jane Parry HONG KONG

Researchers in Hong Kong have found that one third of people in the city who are hepatitis B carriers have severe fibrosis, including almost a fifth of patients with normal alanine transferase (ALT) concentrations. The findings of a study of 1315 hepatitis B carriers were published in the *American Journal of Gastroenterology* (2008 Apr 16; doi: 10.1111/j.1572-0241.2007.01751.x).

"It's known that severe fibrosis and cirrhosis can lead to complications, including liver cancer, but we didn't know the extent of the problem of severe fibrosis," said Man-fung Yuen, coauthor of the study and associate professor at the University of Hong Kong's department of medicine.

"In the past we relied on liver biopsy to document the incidence of fibrosis and cirrhosis, but the procedure involves some risk and discomfort, and patients are unwilling to undergo it, so it was very difficult to do a large scale study."

The researchers used non-invasive transient elastography to detect liver stiffness, with a result of less than 8.1 kPa as the cut off for evidence of severe fibrosis or liver cirrhosis. Of the sample, 951 patients (72%) had never received treatment, and 319 (34%) of these patients had severe fibrosis, with prevalence higher among men (39%) than women (24%).

Severe fibrosis was more prevalent in older patients. It was detected in 81% of patients older than 65 but in only 20% of patients younger than 25.

"General practitioners should know the importance of measuring hepatitis B virus DNA for viral load and conducting a liver

Four out of five carriers over 65 years of age had fibrosis but only one in five patients under 25

function test based on ALT, but combined with knowledge of the degree of fibrosis they can know which patients need treatment. In areas where the test is available, patients should be tested, except in cases where there is severe liver inflammation as the test can give an inaccurate result," said Dr Yuen.

The overall prevalence of hepatitis B is high in Asia relative to Europe. In Hong Kong, for example, 8-10% of the population are carriers, and of the 700 000 chronic hepatitis B carriers in Hong Kong, as many as 40% are expected to die of cirrhosis and liver cancer. In China prevalence is 10-15%, depending on the region, compared with low single digit prevalence in European countries.

"However, there are a lot of Asian immigrants in Europe and the prevalence among that subpopulation would be the same as in Asia," explained Ching-lung Lai, coauthor and chair-professor at the University of Hong Kong's department of medicine.

"Treatment with nucleoside analogues such as lamivudine can reverse fibrosis and to a certain extent cirrhosis of the liver. However, fibrosis has not really been emphasised enough in the treatment guidelines."

tackle rising absenteeism and disability payments

trying to get people back to work," he said. A specific action plan has not yet been finalised, but Dr Frederiksen says that doctors might be encouraged to define more specifically what sort of work patients on longer term sick leave are capable of or whether part time work would be possible.

He added that he would like to see a change in Danish law so that doctors would no longer have to provide statements for employers who demand certification for employees who are sick for just a few days.

"I do not want to be a policeman for employers," said Dr Frederiksen, adding that the doctor-patient relationship demands trust. But, he said, when patients are sick for longer than a week or two "that is the point where we want to be active as doctors."

Helle Osmer Clausen, the head of the division of analysis at the Ministry of Employment, said, "The Ministry of Employment has no knowledge of whether doctors are too generous or not in issuing [sick] declarations. However, our focus is on having the declara-

tions declare what job tasks . . . the person in question may be able to perform."

The total daily absenteeism rate in Denmark is comparatively high for Europe, with about 5.4% of the workforce absent each day because of illness, up from 5.1% in 2001. That compares with a daily absenteeism rate of 2.7% in the United Kingdom in the winter of 2005, the most recent data available. In Germany the rate has dropped steadily in recent years, sliding to 3.4% in the first quarter of 2008.

Primary care trusts provide poor information to GPs for

Robert Short LONDON

Practice based commissioning is being "sabotaged" by the failure of primary care trusts to provide good information to practices, an expert in commissioning said last week.

Michael Dixon, chairman of NHS Alliance, an independent body that brings together GPs and primary care trusts, says that the latest survey

carried out by the Department of Health shows that progress towards practice based commissioning has been slow. In the system local practices rather than primary care trusts commission secondary services for their patients.

"Despite small but significant improvements in the numbers of practices that are commissioning

new services and those that have agreed a commissioning plan with their primary care trust, practice based commissioning cannot properly get off the ground until commissioners have access to accurate, meaningful, real time information," he said. Such information had not been provided, he claimed.

The survey, carried out from

January to March this year, showed that almost two thirds of general practices were in favour of practice based commissioning, but half thought that managerial support from primary care trusts was poor. It was the third survey conducted by the department; the other two were carried out in 2007.

The survey showed that although

Being "humorous without being disrespectful"

Zosia Kmietowicz LONDON

Anyone with children will have no trouble putting a name to the sketchy strokes that have brought stories to life for millions of children worldwide. Quentin Blake, who has illustrated and written more than 200 children's books in the past 50 years, has for the past three years also been involved with the Nightingale Project (www.nightingaleproject.org), a charity set up to get art and music into hospitals. An exhibition of new work, called *Hand Tinted*, is showing at the South Kensington and Chelsea Mental Health Centre, the project's base.

Mr Blake said that he was drawn to the project because the pictures were directed at the centre's users, psychiatric patients, who, like himself, are getting on in years. "I thought it would be interesting to find a way of being humorous without being disrespectful to older people," Mr Blake told the *BMJ*.

The exhibition is open Monday to Friday, 9 am to 6 pm.

BMA rejects proposal that GPs should pay cost of patients' unnecessary visits to A&E

Lynn Eaton LONDON

GPs' leaders have criticised the suggestion that primary care trusts should be able to recoup from general practices the costs of any unnecessary visits made by their patients to emergency departments or walk-in clinics.

The proposals, apparently passed to the government for consideration in the review being carried out by the health minister Ara Darzi, suggest that charges are imposed if a patient uses emergency services because they cannot see their own doctor in normal surgery hours.

Laurence Buckman, chairman of the BMA's General Practitioners Committee, said that the proposal, from the NHS Confederation and NHS Employers, could mean that many general practices would lose all their funds. Those in areas where there was a culture of patients tending to go to emergency departments would be the hardest hit, he said.

"These tend to be in the more deprived areas," Dr Buckman told the *BMJ*, suggesting that doctors whose patients tend to use emergency departments inappropriately might be forced to ask them to move elsewhere "or the practice would go bankrupt."

The proposals were reported exclusively in the *Health Service Journal* (17 April 2008, p 4; www.hsj.co.uk/news/2008/04/inappropriate_ae_use_could_mean_fines_for_family_doctors.html). However, neither the Department of Health nor the NHS Confederation would comment other than to confirm that the department had commissioned NHS Employers and the NHS Confederation to undertake a piece of work to look into the matter of a tariff for walk-in centres, minor injuries units, and temporary residents.

"This report has now been received and the Department of Health will consider its findings," said a spokesperson for the department.

According to the report in the *Health Service Journal*, the threat to fine GPs is intended as another lever to encourage GPs to extend their opening hours, making surgeries more easily accessible than at present. As much as £940m (€1200m; \$1900m) could be at stake, according to the journal, because this is the amount of money spent on visits to emergency departments or walk-in clinics that do not lead to admission.

The average cost of a visit to a walk in centre is £44 and to an emergency department it is £66, according to the journal.

If a general practice received £70 for a patient a year from the government but was charged £59 if the patient attended an emergency department, the practice would no longer be financially viable, said Dr Buckman.

But NHS Employers have argued that it doesn't make sense for primary care trusts to fund care for patients through their GP only to have to pay a second time if that patient unnecessarily visits an emergency department or walk-in centre when they could have received the same treatment from their GP.

Although a similar cross costing arrangement is in place in New Zealand, according to Chris Ham, professor of health policy at Birmingham University, the funding model for GP services there differs from that in the United Kingdom.

"That is very important," he told the *BMJ*. "New Zealand GPs get paid by the number of patient consultations as well as through a government capitation funding." For a similar scheme to work in the UK, he said, GPs would have to have some kind of payment for each consultation so that if the patient used an alternative provider the funding would go there instead. But he thought the government might consider this as another way to pressure GPs into longer opening hours.

practice based commissioning

three out of five practices had “agreed a commissioning plan” with their primary care trusts, only two out of five had actually commissioned new services through practice based commissioning.

Also, the percentage of practices that said that they had a good relationship with their

primary care trust had declined since the second survey, by three percentage points to 71%.

Practices were also asked to rate, by different criteria, the information provided for practice based commissioning by primary care trusts. Forty three per cent rated the quality fairly or very poor; 39% rated

the format very or fairly poor; and 41% rated the frequency as fairly or very poor.

Practice Based Commissioning GP Practice Survey: Wave 3 Results is at www.dh.gov.uk/en/Managingyourorganisation/Commissioning/Practice-basedcommissioning/index.htm.

Doctors failed to support a motion expressing no confidence in the General Medical Council (above)

Paediatricians ask GMC to review its procedures for child protection work

Owen Dyer LONDON

The annual meeting of the Royal College of Paediatrics and Child Health has chosen not to back a strongly worded motion that condemned the UK General Medical Council's handling of cases of misconduct in child protection work.

But the meeting did pass a motion that voiced milder criticism of the GMC, which many paediatricians accuse of giving too much weight to vexatious and serial complaints against child protection specialists.

The proposed motion would have declared that the college had “no confidence” in GMC procedures, but the motion that was passed refers only to the college’s “grave concerns.”

Apart from that change the motion was passed as originally written. Its conclusion reads in part, “The college continues to have grave concerns over the current GMC

procedures for dealing with cases related to child protection. We call upon the GMC to review these procedures as a matter of urgency and involve in the review this college and other bodies.”

Without mentioning names, it makes reference to the cases of Roy Meadow and David Southall, both struck off the register by the GMC for alleged misconduct in child protection work.

Professor Meadow was reinstated by the High Court after the GMC struck him off for giving misleading expert testimony in the murder trial of Sally Clark, a mother accused of killing two of her children. Mrs Clark's conviction was later overturned.

Dr Southall was suspended for three years from child protection work by the GMC in 2004 for making allegations against Mrs Clark's husband to police after seeing a documentary about the case on television.

NHS managers call for calm in debate on polyclinics

Rob Finch LONDON

The NHS Confederation last week called on interested parties to keep calm and consider the evidence when evaluating the proposal for polyclinics made by the health minister Ara Darzi last summer (*BMJ* 2007;335:61).

The confederation's anonymous report blames “misconceptions” about polyclinics for impeding the consideration of their benefits. Far from disrupting continuity of care or undermining general practice, it says, polyclinics can improve access as well as allow patients to see their own doctor.

The confederation also admits that polyclinics are not appropriate in every area and that there need be “no national blueprint for how polyclinics should work.”

Nigel Edwards, director of policy at the NHS Confederation, lambasted opponents of polyclinics, saying that “knee jerk reactions” based on “pre-existing agendas” could jeopardise future patients' outcomes.

He said, “We have been genuinely surprised to see the level of concern surrounding these proposals among the health community and patients' groups. What we need now is a calm and balanced debate about how to bring out the best in our primary care services.

“Of course this is not something that will work in every circumstance, but delivering better organised care focused on the patient is surely a good thing.”

See **FEATURE** p 916

Ideas from Darzi: Polyclinics is at www.nhsconfed.org/issues/mediacentre-listing.cfm/pressrelease/762#topofpage.

Nigel Edwards: surprised at level of concern

Food price rises will drive up deaths from malnutrition

John Zarocostas GENEVA

The health of at least 100 million people in poor nations could be adversely affected by the sharp increase in international prices for staple foods unless steps are taken to tackle the problem, a Swiss foundation has warned. Malnutrition kills about 3.5 million mothers and children under 5 years old every year, and this figure could rise.

"We think the malnutrition death figures will go up, and you will see some other figures, like the 178 million children stunted each year, that will increase as well," said Marc Van Ameringen, executive director of the Global Alliance for Improved Nutrition, a foundation that aims to fight malnutrition by mobilising public-private partnerships.

Violent demonstrations and riots have recently broken out in more than a dozen poor countries in protest at the rise in prices, which for some commodities, such as rice, have increased by more than 100%.

Mr Van Ameringen, whose organisation has food fortification programmes in 19 poor African and Asian countries, predicted an increase in deficiencies from vitamin A, iron, and iodine.

He has called on the G8 group of leading industrial nations and the European Union

Haitians walk in a street market in Port-au-Prince destroyed by riots over rising food prices

to take decisive measures in close cooperation with private industry to avert an escalation in malnutrition.

He said that the first priority is to get the G8 to take some leadership: "Some clear solutions around addressing the impacts related to the food price increases need to be put front and centre." He deplored the fact that nutrition did not seem to be on the agenda for this year's G8 meeting, which is to be held in Japan.

Mr Van Ameringen said that the alliance thought that there was a need for a new financing mechanism that could raise \$1bn-\$2bn (£500m-£1bn; €630bn-€1.3bn) a year that could go towards a series of programmes to deal with malnutrition.

At present only about \$300m a year is allocated to tackle malnutrition, he said, and the need was for about \$1bn-\$1.5bn a year.

The Global Alliance favours an earmarked fund to pay for more programmes of food fortification and to put money into existing ones.

The alliance's programmes currently reach about 200 million people, but the target is to improve nutrition for one billion people by 2010, Mr Van Ameringen said.

In particular, there needs to be a focus on special programmes that provide feeding for infants, he said, because that group is the most vulnerable. What tends to happen in situations like this, he said, "is people consume less staple foods or they shift to foods with less nutritional value."

Charity calls on governments to give more to AIDS orphans

Peter Moszynski LONDON

A Swiss charity that campaigns on behalf of people orphaned by AIDS has launched a campaign to persuade governments around the world to devote 10% of the money they spend on the disease to help the children left vulnerable in the wake of the epidemic.

The Association François-Xavier Bagnoud, which established an annual world AIDS orphans day in 2002, claims that fewer than one in 10 orphans receives support from anyone outside their family.

Figures from Unicef show that more than 15 million children worldwide have lost one or both parents to AIDS. By 2010 the number of AIDS orphans is expected to climb to an estimated 20-25 million.

Advocates of the orphans' plight, who will be highlighting the problem on world AIDS orphans day on 7 May, say that in addition to the psychological trauma of losing a parent, orphans are less likely to receive health care,

education, and other needed services. They are often also threatened by malnutrition, illness, and HIV infection, and they are easy prey to many forms of exploitation, such as forced labour, prostitution, and child soldiering.

With its massive HIV burden, the problem is particularly acute in Africa, where there are more than 12 million children orphaned by AIDS.

"The increased spiral of adult deaths in so many countries means that the number of children orphaned each day is expanding exponentially. Africa is staggering under the load," warns Stephen Lewis, former UN special envoy for AIDS in Africa.

"Governments haven't the faintest idea what to do," Dr Lewis said. "The policies for orphans, more often than not, are a grab bag of frantic interventions, where faith based and community based groups try desperately to cope with the numbers but rarely have either the capacity or the resources."

Swaziland, with HIV prevalence at 33.4% among people aged 15-49, has the world's highest infection rate. As a result, life expectancy has halved from almost 60 in the 1990s to just over 30 today.

See www.worldaidsorphans.org.

Pilot study shows

Susan Mayor LONDON

Considerably more people have been able to die at home at no additional cost to the NHS by means of a pilot programme designed to improve liaison between hospitals and community services, according to an assessment published this week.

The UK cancer charity Marie Curie started the Delivering Choice programme in 2004 in Lincolnshire, in the east of England, to overcome many of the barriers that currently prevent

Palliative care toolkit is developed for staff in countries “swamped by volume of suffering”

Rebecca Coombes LONDON

Two doctors and colleagues from the United Kingdom have this week launched a toolkit for healthcare professionals in poor countries that advises on palliative care. The authors were struck that many countries struggle to provide even the most rudimentary control of symptoms and social support for patients with incurable conditions, chiefly AIDS and cancer.

Vicky Lavy, a doctor at Helen and Douglas House Hospice, Oxford, and an author of the toolkit, said that one of the biggest problems in providing palliative care in many poor countries is the lack of morphine.

In her 10 years' experience in Malawi, Dr Lavy said that the only painkillers in reliable supply were paracetamol, aspirin, and “perhaps a non-steroidal on a good day. But even ibuprofen is not widely available. Codeine is very expensive.”

Ironically, she said, powdered oral morphine was “dirt cheap” to buy from manufacturers, but many African governments were resistant to free supply because of fears of drug misuse.

The situation in Malawi improved after doctors met with the health minister and convinced him of the need to relax regulations. But countries such as Ethiopia are opposed to relaxing regulations, despite the fact that guidelines from the World Health Organization say that morphine should be available on essential drug lists.

Health professionals are also reluctant to use morphine, says Dr Lavy. “They are resistant to prescribe it because there is a lot of fear over respiratory depression, fears mostly unfounded. Funnily enough, people are happy to use pethidine.”

The other author, Charlie Bond, a consultant in palliative medicine at Severn Hospice, Shrewsbury, said, “It’s a myth that cancer is a Western disease. Cancers of the cervix, head, and neck, for example, are very common in developing countries.

“We have an epidemic coming with HIV related cancers, and tobacco companies have been pushing cigarettes in these regions. Lots of African countries do not have access to chemotherapy or radiotherapy, so the need for palliative care becomes almost immediate.”

The chapter on control of symptoms sets out how to treat, care, and prescribe. Dr Lavy said, “What drove us to do the toolkit are the healthcare workers who get terribly demoralised and swamped by the volume of pathology and suffering. They have droves of HIV patients and feel they do nothing. The toolkit says there is something you can do.”

One of the main thrusts of the toolkit is that palliative care is not difficult or complicated. Even if you accept that in countries such as Ethiopia it will be years before morphine is available, the authors maintain that there is a lot that doctors can do to make a difference to a patient with incurable disease.

“You can do a lot with almost nothing,” said Dr Lavy. “Communication skills can be very poor and are not taught at all.

“So just in terms of breaking bad news and listening, these basic things can make a big difference to people. Even where health carers have non-steroidals or codeine sometimes they are not used properly,” she said.

Dr Bond said, “This is about how to do palliative care when existing health structure is very poor. Palliative medicine is a medical specialty in the UK, and it sometimes feels as

if it has become more complex and sophisticated to consolidate itself as a specialty.

“In writing the toolkit we wanted to give the message that the core principles of palliative care are simple and can be practiced by non-specialists at low cost. To some extent it is about ‘catching the vision’ that just because people haven’t got long to live doesn’t make them any less important as patients.”

The Palliative Care Toolkit: Improving Care From the Roots up in Resource Limited Settings has been produced by Help the Hospices on behalf of the Worldwide Palliative Care Alliance. It is at www.helpthehospices.org.uk/temp/palliative_care_toolkit.ZIP.

New guide to palliative care says it is possible “to do a lot with almost nothing”

HO NEW/REUTERS

cost effective approach to enable people to die at home

terminally ill people from dying in their own homes.

Community link nurses were appointed at two hospitals in the area to help the speedy discharge of palliative care patients to their preferred place of care and to coordinate home care. A community based rapid response team was set up to provide planned and emergency visits to patients in their homes between 3 pm and 7 am.

A descriptive analysis of the impact and costs of the programme published this week by the King's Fund, an independent health policy think tank, has

found that it provides a cost effective model of care.

Results showed that the percentage of people dying at home in the region served by the programme rose from 19% in 2005-6 to 23% during its implementation in 2006-7.

The increase was even greater when the group of patients who accessed the programme's services were considered in isolation, reaching 42% in 2006-7, while remaining at 19% for those who did not.

Including estimates of community services, the

King's Fund researchers found that the average overall cost of care for the last eight weeks of life was £5401 for each patient with cancer who took part in the programme compared with £5324 for the comparator group, showing no significant difference.

Improving Choice at End of Life: A Descriptive Analysis of the Impact and Costs of End of Life Services Initiated by the Lincolnshire Marie Curie Delivering Choice Programme is at www.kingsfund.org.uk.