quiet life generally, and the avoidance of over-fatigue when already tired, as cycling when fatigued by a day's work, also constitutional treatment according to any observed defect, there is the use of adrenal or pituitary extract if the original adrenalism has ceased. Personally, where the diastole needs lengthening, I prefer strophanthus, the physiological preparation by preference.

7. I have had a whole group of cases, men discharged from the army certified for valvular disease of the heart. A year after, having lived a normal civilian life in the meantime, there were no adventitious sounds, only slight enlargement of the thyroid with, generally, some depreciation of the heart muscle and its work force, but nothing to be called "heart disease."

8. As regards classification for military fitness, reference should be made to Clause 2: (a) These cases, if young, are cured by a hygienic life, as military training. (b) If the myocardium has suffered and is altered, they are only fit for sedentary classification. (c) The intermediate cases, in which the heart muscle is not yet definitely weakened, but special fatigue cannot be withstood, either because they are beyond adolescence or have some physical flaw handicapping their activity, are only fit for home-service gradings, as the strain of action will never occur.

DIGRESSIONS.*

BY

A. J. CAMPBELL, M.A., M.D., C.M.,

CHAIRMAN, SOUTH-EASTERN COUNTIES (SCOTLAND) DIVISION OF THE BRITISH MEDICAL ASSOCIATION.

[AFTER thanking the members of the Division for the honour they had done him in electing him chairman, Dr. Campbell delivered the following address:]

I have added, and I fear I shall add, nothing to the sum of human knowledge. I should have been proud if I could have communicated anything new to the Division. But the best medical and surgical work that I have done has been to apply the knowledge imparted to me by other men—my superiors, equals, and inferiors in age, and my superiors in research and observation. It has, however, been my good fortune to find by the hard professional high road which I have travelled perhaps a greater variety of flowers that have seemed beautiful to me than many of my fellows have found. Even if you call them weeds I shall be pleased if to-day you find them interesting.

The petrol which we burn in our motor engines has lain for many thousands or millions of years in America or Galicia unchanged in chemical constitution. It consists of mixed paraffins whose formulae picture to us long strings of carbon prisoners, each one flanked by a hydrogen guard on each side, with or without two extra guards at the end of the line.

For more than all historic time, long before man knew that he was mortal or hoped that he was immortal, these atoms and their guards lay inert and dead. The longest stretch of hope deferred that can have dulled any of us is a very small fraction of that time. Yet to-day or yesterday Gabriel's trumpet sounded, the spark flashed between the points of the plugs, and without loss of substance guards and prisoners alike found their affinities. What happened can be expressed as a chemical formula:

For a time a little more water and a little more carbon dioxide will float or fall in the atmosphere like disembodied spirits until they find a resurrection of the body in the root and the leaf of a growing plant. Whatever view we hold about the transmigration of souls, none of us has any doubt about the transmigration of bodies.

It is interesting to notice how often the ocellus occurs in animals and plants which have no racial connexion. Darwin, in his *Descent of Man*, mentions it "on the feathers of various birds, on the hairy coats of some mammals, on

the scales of reptiles and fishes, on the skins of amphibians, and on the wings of Lepidoptera and some other insects." It also occurs among molluscs on the mantle fringes of the scallop; it occurs inconspicuously on the back of the medicinal leech, and I have seen it at the bottom of a sand-carpeted rock-pool, displayed by a worm, *Sabella arenosa*, in a hole of iridescent tentacles. The name of a rarer congener, *Sabella pavonina*, suggests the peacock tail pattern. In plants we can see it on the face of some pansies and faintly shadowed on the clover head. We see it in the lichen *Parmelia parietina* as it fades from yellow to silver on a whinstone wall. And on a wet day we see it in a lifeless thing when a drop of oil falls on the road. Here the spreading concentric rings of red, purple, pale blue, and bronze, surpass in colour, but hardly rival in outline, the pattern on the peacock's tail. In these days of dear lubricant this meditation on the glory of the quivering iridescence may palliate the pang with which we contemplate the waste of oil. This recurrence of the ocellus pattern is not due to evolution. I am willing to risk a smile and say that it appears to me as one of the signatures of a Personal Artist.

The simulation of the peacock's tail by the oil-drop, or vice versa, leads me to mention a phenomenon in inorganic nature which looks very like reproduction of the living individual. Growth by accretion is familiar to us in inorganic crystals and electroplating, but this is not reproduction. When, however, a drop of ink, or, on a larger scale but less distinct, a drop of strong permanganate solution falls from a height into a vessel of water, the vortex ring gives birth almost immediately to triplets, and these again to triplets. The multiplication of the species goes on at a rate that might appal the Bishop of London himself.

I am a hypermetrope, and need about one diopetre to correct my refraction; I need no cylinder. The asthenopia from which I suffered in my late teens was a hindrance to me in concentrated study. It was not corrected till I was about 30. Scores of times I have read a paragraph four times over without taking in its meaning; all my available energy was pouring down my third nerves to focus on my retina impressions which the occipital lobes never sent forward to the mental department of the brain, wherever that is. The inclination to relieve the strain by looking up from his book is irresistible in a hypermetropic child. Such a boy in church catches sight of "the bumbler bee in windie glasses"; in school meets the eye of the other hypermetrope at the far end of the room, so that both of them get whacked. He is quick in picking up a new subject from the blackboard, but not a good plodder at his desk. He is wax to receive, but he is not marble to retain. If after much pain he escapes being jack of all trades and master of none, if he has the honour to be president-elect of the South-Eastern Counties Division, his inaugural address is discursive, like this.

The myope, on the other hand, has no such tendency to leave his concentrated study. He is a better plodder, and except in so far as he cannot see the blackboard and the wall map he gets on better with his lessons.

Now the hypermetrope can by effort correct his defect, and is often unconscious of it, while the myope's defect, unless very small, is more readily detected. For this reason a greater proportion of myopes wear spectacles than of hypermetropes. The concave anterior surface of the myope's negative lens reflects to a focus in front of it a glare of light which the hypermetrope's does not. Moreover, the hypermetrope's eyes are apparently magnified by his glasses and the myope's eyes are diminished. Also the thick-rimmed lenses of the myope are more kenspeckle than the thin edged lenses of the hypermetrope. We see the hypermetrope's eyes and the myope's glasses. For these four reasons the convention of fictional illustration has been to stick conspicuous spectacles on the nose of the learned professor. He is often treated as a comic character. This is not true to life; it is the uncorrected myope not the corrected one who makes the funny blunders, who apologizes to the lamp-post. The corrected myope is as wideawake as anybody. Thackeray and Tennyson were, and Kipling is, myopic.

I began to wear spectacles for distance constantly when I was about forty. I had never been colour blind, but it was only after this that I began to find distinct pleasure in colour as apart from shape. I had always seen green trees; now in spring I saw the ruddy green of the young

*An address delivered before the South-Eastern Counties of Scotland Division of the British Medical Association.

plane-tree leaf, the silver green of the willow, the yellow-green of the new and the blue-green of the old pine foliage. I cannot quite explain why my enrichment lay rather in red and green than in blue and yellow, for which latter pair a larger area of retina is said to be sensitive. A few narrow escapes when bicycling showed me that the uncorrected periphery of my field of vision was not warning me so well as it used when all my light passed through the same refractive media. I suppose that the improvement was due to the fact that a greater quantity of light and colour was passing through the pupils, now enlarged by the cessation of accommodative effort. I suppose, also, that the whole of my red-green field was covered by my spectacles, while the peripheral parts of my blue-yellow field were receiving past the side of the glasses a quantity of unfocussed rays, and were thus at a relative disadvantage.

Or, again, the whole thing may have been psychical education even thus late in life. Many of my friends of recent years have had keen sense of colour. They may have drawn my attention more than was my wont to what I had always seen and seldom noticed.

The doubt as to where discrimination of impression takes place also applies to the sense of hearing. Does inability to measure musical interval and analyse chords depend on the cochlea or the cerebrum? Rutherford said it depended on the cerebrum, and Helmholtz said the cochlea. A friend of mine who knows a good deal about the physics of sound, who can explain harmony without hearing it, cannot tell harmony when he does hear it, and cannot tell an octave from a seventh or a ninth; while my little daughter, aged 10, who does not know that sound depends on rarefactions and densations of air, can yet tell harmony from discord and musical discord from noise. This inability and this ability seem to indicate that the end organ, the cochlea, is where the difference lies. Very few people can tell where the mean pitch of the well-tuned piano is faulty in any scale, but, taken as a class, violinists are better at this than organists and pianists. This would lead us to attribute discrimination to the educated cerebrum. Piano-tuners learn their trade; this again looks as if the cerebrum were the place of discrimination. On the other hand, piano-tuners work largely by the presence or absence of beats in slightly dissonant notes, and these beats are perceived rather as differences in intensity of sound than as differences of pitch.*

Russell Wallace's book, *Man's Place in the Universe*, has as its main proposition that organic life like ours cannot exist in any other world known to us and is unlikely to occur in any other world at all. The conditions of temperature, and the oxygen atmosphere necessary for carbon nitrogen protoplasm are found on no other member of our planetary system, and are unlikely to be found in any other solar system. I once saw the suggestion that organic life might be conceived of with silicon as a protoplasm basis and iodine as an atmosphere. At first we are apt to think of brittle glass creatures until we remember the radiolaria and the equisetineae. But a siliceous protoplasm need be no more glassy than a carbonaceous protoplasm is crystalline like diamond or opaque like graphite. There are some substitutions known to us slightly analogous to this. The blood pigment in some molluscs and crustaceans has copper in it where haemoglobin has iron, and the main difference between the empirical formulae of haemoglobin and chlorophyll is that haemoglobin has iron where chlorophyll has magnesium.

To what do all these disconnected fancies tend? Perhaps they lead no whither. They have interested me, and they do more. They are to me a partial revelation in religion protecting my hopes from the chloroform-like euthanasia which Metchnikoff offers in his *Nature of Man*. Some of the fancies of which I have half playfully told you encourage me by analogy to hope for a life after death. My hope is quite independent of what is usually called "spiritualism," a subject of which I have no experience. I wish to dissociate myself from all disrespect towards researchers in spiritualism, whose methods I have no more right to criticize than those of Sanscrit scholars.

It is difficult to think of leucocytes as other than individuals. Their military patrol of the body on and off

the blood vessel highways which they share with their civilian brethren the red corpuscles, their mobilization in greater numbers in the garrison towns, the enlarged glands, along the line of threatened advance of invaders—of these we have known since our college days. We have learnt later of their educability by vaccines: how they can be practised on dead bacteria as our young soldiers learn bayonet fighting on dummies; how they can be better practised, though with more risk, on sensitized vaccines where the bacteria are only stunned, just as an inexperienced battalion may be seasoned at the cost of a few lives against the weaker units of the enemy.

If an amoeba could be imagined to think of a future life it might ask for plenty of pabulum, uniform physical conditions, a well-defined nucleus, or perhaps a number of nuclei. It would find these if it were a leucocyte. Yet with all its blissful individuality the leucocyte is but one cell of the macrocosm which you are or the microcosm which I am.

The Eastern ideal of the destiny of the soul is that it shall be lost in fusion with the infinite soul. To our Western minds the loss of individuality is not attractive. We are perhaps not so anxious about our own personality as about that of our friends, whom we hope to meet again not altogether different from what they were.

When we go even lower than unicellular organisms there is an individuality in chemical molecular groups. Aspirin is not the same as salicylic acid, the acetyl radicle makes the difference; sulphonal is not the same as trional

or tetronal—the ethyl radicles make the difference. The saturated paraffins are inert, but if a hydrogen atom is taken away from methane, ethane, or butane the methyl, ethyl, or butyl can modify greatly the molecule to which it is joined. On this analogy it is possible to imagine fusion without loss of individuality. We should be glad to contain in ourselves the musical power of Beethoven, the courage of Nelson, the scientific imagination of Darwin and Helmholtz, the colour sense of Leader and Turner, the form sense of Blake and Flaxman, the poetic imagination of Browning, and the word mastery of Tennyson. In some future state the psychically good part of each of us may conceivably be fused with the complementary good in some others to form a being which will far transcend any of its components. The very physical and mental defects which we now deplore—timidity, ill health, Milton's blindness, Beethoven's deafness, Blake's insanity, Turner's astigmatism, Darwin's want of musical ear, Browning's bereavement—may be the open chain-links, the haptophores, or amboceptors, to join us to our affinities.

There is a curious passage in the Book of Revelation, xxi, 9, 10: "There came unto me one of the seven angels . . . and talked with me, saying, Come hither, I will show thee the Bride, the Lamb's wife. And he carried me away in the spirit to a great and high mountain, and showed me that great city, the holy Jerusalem." The metaphor seems mixed indeed. How can a city be a bride? A city is not only a collection of buildings, it is also a collection of citizens. But take the word in

* When I wrote the above I had not read Sir Thomas Wrightson's book.

whatever sense you will, the official handbook of the Christian religion reiterates metaphors like this: "They without us should not be made perfect." "We who are many are one body." "Members one of another."

If everything we value in the personality of ourselves and our friends is conserved, every sense corrected and made keen, every passion cleansed and strengthened, memory cleared of rubbish and set in order, our defects made good and circumstances granted of the same kind as we have already experienced but somewhat better—that would be the earthly paradise of our dreams.

But if with all this there is a further stage of synthetic creation, and if all the collective intellect and emotion of mankind be in some way unified in a Person meet to hold such fellowship with God as is expressed in the words, the Bride, the Lamb's wife, that were a destiny too great for us to contemplate as yet. We may speak the words lightly if we do not think of what they may mean; if we try to measure their content we dare hardly breathe them.

Memoranda:

MEDICAL, SURGICAL, OBSTETRICAL.

BLOOD TRANSFUSION AND RESUSCITATION.

THE difficulty of finding time to give blood to the large numbers of wounded men requiring blood transfusion has been felt by all surgeons during a busy time in a casualty clearing station.

The following routine has enabled us to give blood, in all cases in which indications for blood transfusion existed, and also to carry out in cases with multiple wounds very complete, shock-producing, sepsis-combating operations, which could not be undertaken successfully without the aid of blood.

The citrate method of blood transfusion is used. Robertson's technique in drawing blood from the donor is adopted; the blood is administered through funnel, tube, and cannula, into a vein by being poured from the bottle into the funnel. Several sets of apparatus and bottles are kept. The team sister keeps a sterile set of blood-giving instruments in a tray ready for immediate use during the tour of duty. Before the team goes on duty blood is drawn from donors; two or three bottles of 600 c.cm. each are generally found sufficient for a team doing resuscitation cases.

The receiving tubes and cork are removed from the bottle after the blood is taken, and the opening plugged with sterile gauze. The bottle can then be placed in a bath of water pleasantly warm to the hand. Citrated blood can be kept thus for twelve hours, and then administered with good results.

We have given citrated blood thirty-six hours after being drawn from the donor, but its safety after twelve hours has not yet been fully established. As many as six bottles of blood have been collected for two teams and used during their tour of duty.

The advantages of this routine are, that there is no delay for taking blood between operations, and the blood can be used quickly and freely when urgent symptoms arise in any patient in the hospital. If the blood is not used in one casualty clearing station because there is no suitable case, it need not be wasted, but can be taken to another of the group receiving wounded.

We have now used this routine in over fifty blood transfusions, given during "rush" times. Two teams operated in fourteen hours on forty-one cases of light and serious wounds, and did six transfusions. It took a medical officer an hour and a quarter to draw six bottles of blood before the wounded arrived.

For seven days one team on night duty operated on from eight to ten heavy resuscitation cases, and in addition did two to three transfusions each night.

Although finality in methods of resuscitation has not nearly been reached, gratifying results in the largest numbers of cases under casualty clearing station conditions have been obtained from the following procedures.

The treatment in the resuscitation ward is short in all cases, except in those with clean bullet wounds where there is no danger of the resuscitated patient dying of sepsis from delayed operative treatment. Forced fluids, 8 oz. by mouth and 8 oz. by rectum, are administered every half-hour, and charted, by special sisters and orderlies, who must enter with enthusiasm into the work. The operation is done under gas and oxygen, or in suitable cases under spinal anaesthesia. Towards the end of the operation the anaesthetist administers the blood, and if

indicated 1,000 to 1,500 c.cm. of sodium bicarbonate solution are also run in. In this way no time is lost. Forced fluids are continued when the patient returns to the ward.

E. T. C. MILLIGAN, Captain R.A.M.C.,
Surgical Specialist, — Casualty Clearing Station,
B.E.F.

FRED. L. NAPIER, Captain R.A.M.C.,
• Anaesthetist, — Casualty Clearing Station, B.E.F.

EXTEMPORIZED EAR SPECULUM AND MIRROR.

THERE are frequent occasions in the field when an ear speculum is not available. Diagnosis of ear complaints then becomes mere guess-work. I therefore venture to describe home-made appliances. The speculum is formed by rolling into shape around the end of a well pointed pencil a bright piece of thin "tin," such as is employed in hermetically sealing tobacco or cigarette tins. The tin can be cut into proper shape by the shears supplied in the field fracture box and the edges smoothed with the file also contained in that box. A hand mirror, sufficiently good for the purpose, may be evolved from the lid of a tobacco tin, through the centre of which a small round hole has been drilled.

N. Russia.

A. R. RENDLE,
Captain R.A.M.C.(T.C.).

Reports of Societies.

DISCUSSION ON INFLUENZA.

THE following is a continuation of the report, printed at p. 574 in our last issue, of the discussion on influenza at a meeting of the Fellows of the Royal Society of Medicine held on November 13th.

In discussing the morbid anatomy of the disease Dr. B. H. SPILSBURY said that he regarded the condition as a primary infection of the air passages by Pfeiffer's bacillus, the failure to find this organism in 40 per cent. of his *post-mortem* cases being due either to the search not being sufficiently thorough or to the organism having disappeared before death. Following this infection an invasion of the air passages and lungs by pneumococci or streptococci occurred, one of these organisms being responsible for the pneumonias. The changes found elsewhere in the body were due to acute toxæmia, and in no case had he found a pyæmic or septicæmic condition.

Sir BERTRAND DAWSON, speaking from the clinical side, said that though the onset was generally acute, it might be subacute or insidious. The seriousness of the cases depended upon the relative prominence of (1) the septicæmia, and (2) the amount of involvement of the respiratory tract and its nature. The evidence tended to show that Pfeiffer's bacillus played a dominant part as a pioneer preparing the way for other organisms.

Colonel W. LONGCOPE, U.S.M.C., said that by segregation and isolation it had been possible to prevent the spread of the disease in hospitals. In one hospital the patients were segregated according to the germ found, with the result that very little pneumonia developed.

Dr. R. MURRAY LESLIE said that pulmonary tuberculosis was a late complication. He had had under his care during the past few months young soldiers showing symptoms and signs of tuberculous disease within periods varying from a fortnight to four or five months after an attack of influenza.

Captain W. E. CARNEGIE DICKSON, R.A.M.C., gave an account of his experience of his "mixed influenza vaccine" with the approximate composition, taking the whole as 20, of streptococci 5 parts, staphylococci 5 parts, pneumococci 3 parts, minute Gram-negative influenza-like bacilli 3 parts, Friedländer's bacilli 2 parts, other organisms (*M. catarrhalis*, etc.) 2 parts. In prophylactic use 60, 100, and 150 million were given to adult males at weekly intervals; 40, 60, and 100 million to adult females. The amount of reaction produced by these doses appeared suitable in the majority of cases. In most cases without pulmonary complications the disease appeared to be shortened and the occurrence of complications prevented. In the severe cases, though the vaccine appeared to be helpful, there were not a sufficient number of cases upon which to base a scientific opinion. He had given the vaccine prophylactically to about 150 persons, and so far