Outrage in Japan over euthanasia without consent

Japanese police are considering a murder charge against Dr Yoshihiro Yamanaka, a physician who admitted to killing a patient with stomach cancer without the patient's consent. Euthanasia is legal in Japan but only if four conditions are met: the patient must be close to death, untreatable, and in great pain, and he or she must clearly express a wish to die.

Yamanaka, chief doctor at Keihoku Hospital near Kyoto, apparently chose to ignore the law. His middle aged male patient's illness was probably incurable, and the patient was certainly in pain: by April the cancer had spread beyond his stomach and had caused intestinal obstruction.

But by the doctor's own admission, the patient did not ask to be put out of his misery. Dr Yamanaka said that on 27 April, after determining that morphine injections were no longer adequate to dull the man's pain, he administered a fatal dose of muscle relaxant. The patient died within minutes.

At a press conference earlier this month the doctor argued that his patient, whom he had known for 20 years, was in no position to give informed consent to his own death, as he had never been told that he had terminal cancer. He said: "It is impossible to ask people who do not know they have cancer if they want euthanasia carried out—what I did could not possibly be called murder."

The case highlights one of the central debates of Japanese medical ethics. Traditionalists believe that the doctor, as an expert, always knows best. "Doctors in Japan often do not tell a patient that he has cancer because it is thought that the shock might give him a heart attack," said Dr Susumu Tokunaga, chief of the internal medicine department at Tottori Red Cross Hospital.

Dr Tokunaga argues that Dr Yamanaka's actions were justified. The patient's family seems to agree: his wife said that she would not press charges. But Koichiro Adachi, a spokesman for the Japan Society for Dying with Dignity, said that doctors should stop playing God.

Adachi is hopeful, however, that old attitudes are gradually disappearing. "The concept of informed consent is making rapid inroads in Japan," he said. "And since Emperor Hirohito's death from cancer in 1989, every stage of which was broadcast to the nation, the disease is losing its taboo. Most young doctors now tell patients with cancer what is wrong with them."—ROBERT GUEST, freelance journalist, Tokyo

In India it's more unhealthy to be a woman than a man

India's women get poor deal on health care, says World Bank

Girls and women in India below the age of 30 have higher death rates from illness than men in the same age group, says a new report by the World Bank. The report says that the poor health status of women in India is a major cause of India's female deficient sex ratio—927 females for 1000 males in 1991.

Overall loss of healthy life from non-fatal illnesses and pathological conditions is also higher for women than for men, according to the report. It says that cultural factors, gender bias, and inadequate health care are all contributing to women's poor health.

According to the report, women in India experience more episodes of illness than men and are less likely to receive medical treatment before the illness is well advanced. Communicable diseases, maternal and perinatal conditions, and malnutrition account for 68% of death or disabilities among Indian girls and women.

Community based studies in the country have shown that a high proportion of women receive no treatment at all for their illnesses and that among those who do the most common treatment methods entail self care, home remedies, or traditional medicine.

"Women's relatively low status and the risks associated with reproduction exacerbate what is already an unfavourable overall health situation," the report says. It says that excess female mortality up to the age of 30 is a "symptom of bias against females."

Although there are wide disparities in female morbidity and mortality among different Indian states and between rural and urban areas, the worst affected are the so-called Northern belt states of Bihar, Madhya Pradesh, Rajasthan, and Uttar Pradesh.

Drawing on national surveys, hospital records, and community based studies, the report says that 80% of India's maternal deaths—estimated at 437 per 100 000 live births—result from anaemia, haemorrhage, eclampsia, obstructed labour, infection, or abortion. Although there are big differences in the urban and rural situations, the report estimates that only a quarter of all deliveries take place in health centres.

Anaemia is widespread among Indian women and affects between 50% and 90% of pregnant women. The government's anaemia prophylaxis programme, which provides iron and folic acid tablets to pregnant women, is crippled by problems ranging from erratic supply to "poor and questionable" quality of tablets.

The report says that a lack of staff and facilities is pushing women towards illegal and unsafe abortions (estimated to be at least twice as many as the 600 000 legal abortions each year). Many existing facilities in the

Headlines

UK review of children's homes:

The prime minister, Mr John Major, has announced a review of measures to protect children in residential homes. This follows a number of recent convictions of people for sexual offences against children placed in their care.

London hospital to test 1000 for TB:

More than 1000 staff and patients are being tested for a drug resistant strain of tuberculosis after two confirmed and two suspected cases at London's St Thomas's Hospital.

Public opposes more NHS involvement in private medicine:

Seven out of 10 British adults are against more involvement by the NHS in private medicine, according to research published by the Nuffield Hospitals Group. They opposed the idea of their local NHS hospital selling its own private medical insurance and felt that NHS hospitals should not try to attract more private patients.

UK fecundity puts brakes on population growth:

Fecundity in the UK has now been at a level below that needed for the natural replacement of the population for more than two decades, according to the latest Population Trends from the Office for National Statistics. The publication also shows that the proportion of women in England and Wales still childless at 45 increased to 13% in 1994.

US experts urge switch from oral polio vaccine:

A panel of experts at the US Centers for Disease Control and Prevention have recommended a switch to injectable polio vaccines. The change is designed to prevent the eight to 10 cases of polio caused each year by the existing oral polio vaccine.

Food and Drug Administration approves t-PA for stroke:

The US Food and Drug Administration has approved the use of tissue plasminogen activator for use against non-haemorrhagic stroke. The thrombolytic agent has been shown to improve outcomes if used within three hours of onset of symptoms.

Parents get apology for vaccine tests:

The company Kaiser Permanente of southern California has apologised to 900 mostly black and Hispanic families for giving their children doses of an experimental measles vaccine called EZ. The vaccine was administered between 1989 and 1991 without notifying parents that it was unlicensed.

rural sector lack qualified specialists, operating theatres, or blood transfusion equipment.

Non-governmental organisations working on women's issues agree that government initiatives to improve women's health need to be strengthened significantly. They say that India's poor and vulnerable are suffering from inadequate government spending on public health, coupled with a growing private health sector.

"Existing government programmes are indeed making a difference, but a lot more can and needs to be done," says Rebeca Robboy, an external affairs officer for South Asia at the World Bank. The report recommends that the government should expand initiatives to increase adolescent girls' knowledge of health and nutrition.—GANAPATI MUDUR, *science writer, New Delhi*

Scientists discover how HIV enters cells

A new, recently discovered cofactor that allows HIV-1 to enter and infect human cells could prove a useful future therapeutic target, according to US scientists writing in the 28 June issue of *Science* (272;1955-8).

HIV-1 infects cells by binding to the cell surface molecule called CD4. Although this mechanism has been recognised for the past decade, researchers had noted that the presence of CD4 alone was not sufficient to guarantee infection. It became clear that a cofactor was needed.

One of the authors of this recent paper is Edward Berger, chief of the molecular structure section at the National Institute of Allergy and Infectious Diseases at the National Institutes of Health in Bethesda, Maryland, United States.

Berger said: "We knew that the basic mechanism was rather like two soap bubbles:

a large one representing the cells, and a small one, the virus. They stuck to each other, but their contents did not mix. It was this mechanism of viral mixing which we all knew to be crucial, but no one understood how it was achieved."

Last month scientists from Dr Berger's team identified the cofactor as fusin, a molecule that allows HIV to fuse with its target before entry (*Science*;272:872-7). However, only certain strains of HIV-1—those identified in the late stages of HIV infection—seemed to need this cofactor. Other strains, most commonly passed between individuals in the early stages of the infection, seem to have a different mechanism for entering cells.

Along with other teams of colleagues, who published an article in the 20 June issue of *Nature* (381;667-673), part of the same research group has identified a second fusin-type molecule called CC CKR5. Unlike fusin, which is found on T cells, CC CKR5 is found on macrophages.

CC CKR5 is a receptor for chemokines known to inhibit HIV infection. Chemokines have been shown to stop in vitro replication of HIV. They may achieve this by blocking HIV's access to their receptors, which act as viral docking sites.

"The number and distribution of these cofactors may help to explain why some individuals stay asymptomatic for a long time, while others become rapidly infected with HIV and progress to full blown AIDS faster," said Dr Berger. The race is now on to create transgenic animal models that have not only human CD4 receptors but also the two newly identified cofactors, fusin and CC CKR5.

"Many of the therapeutic implications of this discovery remain speculative, but we have reached a better understanding of a vital process in HIV infection which has remained unclear until now," said Dr Berger.—ALISON BOULTON, *freelance journalist, London*

Now we know how HIV gets into cells

US responds to new suggestion of Gulf war syndrome

An inspection by United Nations troops of an exploded Iraqi ammunition dump has reawakened the possibility that a Gulf war syndrome could exist, according to a Pentagon announcement last weekend.

During the 1991 Gulf war US troops destroyed an ammunition dump, and US inspections both before and after the demolition showed no evidence of chemical weapons present, according to the Pentagon.

But an inspection recently by United Nations troops, which are allowed to inspect the battle sites of the war, found traces of mustard gas and sarin, a nerve agent that was used in the poisoning of travellers on the underground system in Tokyo last year.

Dr Stephen Joseph, assistant secretary of defence for health affairs, said that an initial review of medical records from troops who were near the demolition site showed no evidence of an unusual number of symptoms associated with the so called Gulf war syndrome reported by US troops. However, the Defence Department is now studying the records of the 20000 troops who have sought medical examinations for vague symptoms to see if a high proportion had been near or down wind from the ammunition dump when it was destroyed.

Pentagon spokesman Kenneth Bacon said that US inspection equipment had apparently failed to detect the agents, though he could not explain how such a failure could occur. The Pentagon has said on numerous occasions that no evidence could be found that chemical agents were used by Iraq in the war, and recent reports have cast much doubt on whether the Gulf war syndrome exists.

Dr Joseph said that, while no reports of acute exposure had occurred, the issue really turned on whether there were any low level, chronic health effects from the dispersion. — JOHN ROBERTS, *North American editor, BMJ*

Survey finds NHS budgets pushed to the limit

The NHS faces greater pressure on its resources than at any time since the introduction of reforms, according to a survey by the National Association of Health Authorities and Trusts. Increasing demand for services in the care of elderly people and a rise in emergency admissions are pushing budgets to their limits, according to the survey.

Demand for treatment of elderly people has risen by 0.7% a year over the past five years, according to the survey of the 1996-7 contracting round. At the same time the cost per case in geriatrics was found to be expensive at £2673 (\$4010), compared with £991 per case across all acute specialties. While

The NHS faces greater pressure on resources than at any time since the introduction of the reforms

new outpatient attendances in geriatrics rose by 12.3%, acute admissions fell by only 1.1% over the same period. The survey also found a rise of between 3% and 13% in accident and emergency admissions, resulting in severe bed shortages, delays to booked operations, and long waits on trolleys.

Overall expenditure on the NHS for 1996-7 is planned at £42.49bn, including 1.1% growth in real terms. Efficiency savings of 3% are required, however, and these will be difficult to find, says the report.

Trust managers said that national priorities may not be achievable within existing resources. One mental health trust spokesman said: "We have seen no resultant benefit from mental illness being one of the foremost stated priorities nationally."

The survey shows that for trusts some of the greatest sources of pressure on costs include increased activity across elective, community, and emergency services; pay settlements; the new deal on junior doctors' hours; and the need to comply with requirements for continuing medical education. Almost a quarter of the 30 trusts surveyed predicted that they would meet their financial targets only "with great difficulty."

The National Association of Health Authorities and Trusts sampled opinion from 50 NHS purchasers and providers during three weeks in May 1996. Nearly three quarters of respondents thought that this had been a particularly difficult year in terms of the contracting round, though their comments were often positive: "It's been hard but it's injected reality into the system," said one. Respondents unanimously agreed that savings could be made by "sensible, planned reconfiguration of services." They preferred this to a decrease in activity as a means of saving money.

An area where reconfiguration could cut costs was that of two trusts close together both providing maternity services, each of

which operated at only 50% capacity. The problem was summarised by the chief executive of one trust, who said: "The structure is creaking again because it is not flexible enough to enable the reprofiling of the NHS." —SANDRA GOLDBECK-WOOD, *BMJ*

US court rules on confidentiality

Relations between a patient and his or her psychotherapist are confidential and are protected from disclosure in federal trials, the US Supreme Court ruled this month. Previously, only attorney-client communications and communications between husband and wife were protected as privileged in federal courts. To date, all 50 US states have rules that, in some way, protect forced disclosure of therapist-patient relationships.

America's highest court made the broad ruling in the case of *Jaffee v Redmond*. The case, which originated in Chicago, was begun by a family who sued a police officer after she had shot and killed a suspect. The officer had undergone psychotherapy after the shooting, and the family had sought to force disclosure of the therapy sessions.

In writing for the majority in the 7 to 2 decision, Justice John Paul Stevens said, "The psychotherapist-patient privilege is rooted in the imperative need for confidence and trust.... [A patient] must be willing to make a frank and complete disclosure of facts, emotions, memories, and fears.... The mere possibility of disclosure of confidential communications may impede development of the relationship necessary for successful treatment."

Although the ruling protects patients of many other mental health professionals as

well, the court did not take on the issue of whether all doctor-patient communications are protected. In fact, Justice Stevens implied that therapist-patient relationships are especially sensitive relationships, indicating that the court might rule otherwise in a non-mental health case.

The ruling was praised by police and psychiatric organisations. Dr Harold Eist, president of the American Psychiatric Association, said, "The therapeutic relationship is poisoned from the outset when either the doctor or the patient fears eventual disclosure of confidential communications."

Dr J Richard Ciccone, chairman of the Psychiatric Association's Council on Judicial Action, noted, however, that the threat to communications between patients and their doctors or therapists is not dead. Legislation now before Congress could permit insurers to disclose the content of privileged communications without permission of the doctor and patient.—JOHN ROBERTS, *North American editor, BMJ*

Cockroaches linked with asthma

A five year US study of asthma among poor people has pointed the finger at the common cockroach. The researchers found "huge levels" of cockroach antigens in many of the households they surveyed. Admission rates in the US for asthma are nearly six times higher among poor people.

Previously, researchers have identified many reasons for the higher rates of complications: housing with poor ventilation, lack of doctors in neighbourhoods, and inability to pay for common drugs used to treat asthma. But this new, multifaceted study of asthma among poor people, which is supported by the National Institutes of Allergy and Infectious Diseases (NIAID), is focusing on *Blattella germanica*, the common cockroach.

Allergy specialists have been teaching their colleagues that dust mites are the major household sourced antigen associated with asthma, and this may be so in richer as well as poorer homes. But among poor people, researchers have found that the proteins of cockroach faeces and carcasses are more antigenic than in richer homes.

Workers in the national cooperative inner city asthma study tested 1528 children under 10 and visited the homes of about half of them. "There were huge levels of cockroach antigens, much higher than has ever been reported," said Dr Peyton Eggleston of Johns Hopkins University.

Moreover, it was found that allergies to cockroach antigen were directly associated with the amount of antigen measured, which, if verified, may explain why the prevalence of asthma is so high in poorer homes.

The discovery that cockroach antigens are a major trigger for asthma helps to explain why asthma is becoming more common even as cigarette smoking and air pollution are decreasing.—JOHN ROBERTS, *North American editor, BMJ*

Canadian junior doctors fight fees

Junior doctors in Ontario may be asked to pay tuition fees for their postgraduate education programmes in an attempt to relieve the financial pressure on universities. During their postgraduate medical studies the medical residents are salaried hospital employees, earning from about £18 800 (\$28 200) in their first year to £28 000 in their sixth year. For this they work 80 to 100 hours a week for two to six years, depending on their specialty. They teach other residents and hospital employees as well as delivering medical care.

Because residents have completed their undergraduate work, those who have student loans from the government must also begin to pay them back during their residency. Five universities with medical schools recently asked the provincial government to rescind a regulation that prohibits them from charging residents tuition fees. If this is granted the universities propose to levy an annual fee, which in the case of the University of Toronto will be about £950. Medical tuition fees for undergraduates have already been increased by 30%, to about £2000 a year.

According to the dean of medicine at the University of Toronto, Dr Arnold Aberman, the request to charge fees has been made because universities are being asked to raise a greater proportion of their revenue from tuition generally. The Canadian Association of Interns and Residents is fighting the fee plan. It has sent a petition to the Ontario premier, Mike Harris, contending that, although initially it would bring more money to the universities, it would eventually cost the government lost revenue in taxes because by qualifying as full time students the residents would also receive education tax credits.

The residents also claim that they do not receive all the regular student privileges, such

as the use of campus facilities, because they work in the teaching hospitals. Lynn Hierlihy, a University of Toronto medical resident who organised the petition to the premier, said that residents are not asking for special status. If universities charge them tuition fees they will ask for full student rights and privileges, she said.—DAVID SPURGEON, *freelance journalist, Quebec, Canada*

US grants asylum to woman fleeing clitoridectomy

The fear of genital mutilation is adequate grounds for women to seek political asylum in the US, a court ruled last week.

The Board of Immigration Appeals, the highest immigration court, ruled that a 19 year old woman who fled Togo because she said she feared being forced to undergo clitoridectomy should be granted asylum. Until now, such pleas were not seen as political, and therefore such women had little hope of being allowed into the US.

Genital mutilation, including clitoridectomy, is routinely practised on millions of girls and women in at least 26 countries, most of them in Africa.

US immigration law allows a person to enter America if they have a well founded fear of persecution because of their race, religion, nationality, political opinions, or membership of social groups. The US Immigration Service, in arguing against the ruling, said that social ostracism for opposing the ritual did not meet a definition of "persecution."

Although the court refused to make a sweeping proclamation about the practice and the results it may have on immigration in America, it did say that the ritual, as

Do cockroaches really cause asthma?

ARDEA LONDON

practised by the Tchamba-Kasinga tribe in Togo, did warrant that asylum be granted to Fauziya Kasinga.

Ms Kasinga's father, a wealthy Togo businessman, had supported her refusal to undergo clitoridectomy, and he was able to deter the tribe. But he died when she was 15, and relatives moved in to ensure that the procedure was carried out. She fled to Ghana, then Germany, and finally the US.

Immigration officials said that the ruling may create an influx of women fleeing ritual genital mutilation, but a spokesman for the Canadian immigration authority said no such influx had occurred there, even though political asylum has long been granted to such women.—JOHN ROBERTS, *North American editor, BMJ*

Non-transplanted organs can be used for research

For the first time, medical researchers are to use organs and tissues given by British organ donors, under a new scheme launched last week at Leicester University. Previously, organs for which no transplant recipient could be found were destroyed unless they could be stored, and those who needed organs for purposes other than transplant had to import them.

Several American institutions already distribute unused organs for research. One such group, the International Institute for the Advancement of Medicine, in Philadelphia, has been supplying Leicester University's tissue bank with American organs for research purposes for nearly a year. The institute in Philadelphia has since persuaded several British drug companies to finance a project in Leicester that stores non-transplantable organs taken from British patients.

The British Association of Tissue Banks is not lending its support to the plan, however. It is concerned that patients and families will be discouraged from giving organs for transplantation out of fear that they might be used for research.

Bob Anderson, director of the Leicester bank, emphasises that transplants will continue to get priority. "We only keep non-transplantable tissue—heart, lung, liver, pancreas and small bowel."

He said: "I understand the caution of the British Association of Tissue Banks. They fought a long uphill battle to win public acceptance of organ donating for transplants. But this scheme uses organs that might otherwise have been thrown away. It spares living animals as well. Informed consent from next of kin is expected in all cases. The question would be something like: 'If these organs cannot be used for transplantation, would you consent to their use for medical research?' At a later date the family could be informed of the kind of research. Under current arrangements people have to scrounge about on an ad hoc basis if they

Organs will become more readily available for research

need tissue for research."

The Leicester tissue bank, says Anderson, runs in line with the guidelines laid down last year by the Nuffield Council on Bioethics' working party on the medical use of human tissue. Funding comes from several pharmaceutical companies, including Glaxo-Wellcome, Pfizer, and Roche, but the bank is run on a non-profit basis. The companies have estimated their tissue needs for one year and advanced half of the fee for that amount. They will pay the rest on the basis of their actual orders.

The Department of Health is currently drawing up formal guidelines for tissue banking. They have visited the Leicester facility and have no ethical complaints about the proposal. The Transplant Support Services Authority, which administers the donor card scheme, said that the wording on the two types of card already in circulation would not need to be changed. Doctors would still have to ask families to donate tissue for research.—OWEN DYER, *freelance journalist, London*

US is short of contraception choices

There is a growing shortage of contraception options in America and the problem is likely to get worse, says a new report from the US Institute of Medicine. Despite a growth in knowledge and need, many factors combine to keep new contraceptives off the market, both in America and elsewhere. Developers

face more liability law suits as well as political and social pressures.

Dr Allan Rosenfield, professor of obstetrics and gynaecology at Columbia University, cited the copper T, an effective intrauterine device, which was taken off the market despite its maker's successful defence of numerous law suits. The company was simply exhausted with legal bills, he said. In addition, products known to be useful are being kept out of America due to political pressures. The most obvious is RU486, the French drug that induces abortions early in pregnancy. "The political heat is such that industry doesn't like the publicity attached to it," Dr Rosenfield said.

The committee's report reviews the current range of contraceptive products and concludes that it presents too few options. In reviewing the needs of the world's population, said Dr Rosenfield, the group found no single option adequate for everyone.

Some 228 million women are at risk of unintended pregnancies, and if these pregnancies were prevented, the world's growth rate would fall by 19%. In the US 57% of pregnancies are unintended, and about half of these end in abortion.

The committee said that great gains had been made in research, especially in hormone regulation. But the research had not evolved into new products or devices. The committee nevertheless called for more research, especially in molecular biology and the role of specific genes recently isolated that affect fertility directly.

Other promising research topics that the committee recommended be pursued include: drugs to halt or alter sperm production without causing hormonal side effects; drugs to

prevent ovulation without affecting other elements of the menstrual cycle; and vaginal barriers, including foams or gels, to prevent passage of sperm and block transmission of sexually transmitted viruses and bacteria.

The report also reiterates a 1990 call for Congress to pass a law to offer some protection to contraceptive developers from liability law suits. And, specific to America, it urged broader coverage by insurers for contraceptive use.—JOHN ROBERTS, *North American editor, BMJ*

Contraceptive R&D: Looking to the Future is available from the National Academy Press, tel: +1 212 334 3313; world wide web <http://www.nas.edu>.

Britain's over-60s are still getting around

Most people over the age of 60 are sufficiently mobile to look after themselves and their homes without any difficulty, according to a new report. Even among those aged 80 or older, the majority can still get out and walk down the road.

The report, compiled by the Age Con-

cern Institute of Gerontology, King's College, London, examined data from the 1991 census and seven major national surveys, including the general household and family expenditure surveys.

It found that nine out of 10 elderly people over the age of 65 see relatives or friends at least once a month, with a third of those over 60 having daily contact with a daughter.

Relatives provide most of the help with domestic chores and personal tasks, but older people are themselves often carers: those aged between 55 and 69 are far more likely to give help to children and parents than to receive it.

But the picture is not all rosy. All disabled men and four fifths of disabled women over the age of 80 living at home said that they sometimes sat for hours doing nothing, with half finding it hard to stir themselves. The report also found that half of the older people had no access to a car and were the group least likely to have central heating, a microwave oven, or a washing machine.

The authors emphasise throughout the substantial differences between younger and older elderly people, but on the whole their report dispels myths about later life as inevitably a time of inactivity. They say: "Although it is clear that as men and women reach very late life their activities become more circumscribed, in earlier late life their mobility and task capacity are unimpaired

Keep fit by tiling

BRUCE STEPHENS IMPACT

and show them well able to be involved beyond their own home and household, in work, care giving, sport, and recreations." A few people continued paid work until they were 80.—CLAUDIA COURT, *BMJ*

Getting around after 60: a Profile of Britain's Older Population is available from HMSO, price £19.95.

Focus: Brighton

Why Tony Blair didn't go to Brighton

Trusts (NAHAT) were not new. Labour's health spokesperson, Harriet Harman, has been saying most of them for some time, mostly recently to the BMA's consultants last week.

The things that were interesting about Mr Blair's speech were (a) that it was he who said it, (b) whom he said it to, and (c) what he did not say.

Health is one of Labour's strongest electoral tickets. As Mr Blair said in his speech, "The NHS is the proudest creation of a past Labour government and the embodiment of our belief that we can achieve more together than we can alone....Labour created the NHS, New Labour will give it a new lease of life." Generally the public trusts Labour governments with the NHS but does not trust Conservative governments. So it is not surprising that the party leader is starting to talk about health as he gears up for an election

that might happen in the autumn.

But why couldn't Mr Blair have come to Brighton this week, rather than Harrogate last week, to say these things to doctors at the BMA's annual meeting, rather than to health service managers? The first and obvious reason is that the BMA didn't invite him.

The BMA's annual representative meeting isn't that sort of meeting. Even though most health service professionals in Britain and most medical associations outside Britain have recently changed their annual meetings to introduce outside speakers and themed discussions, the doctors' annual meeting in Britain remains an internal affair, making policy by passing motions. Increasingly this is a pity because provocation from outsiders might spark more thorough debates.

On many of the really big issues members of the BMA think as one: they genuinely do not disagree with each other. That often makes for dull debates, but also that solidarity is wasted when they display it only to themselves. The second reason that Mr Blair didn't come to Brighton is because he might have faced an audience that was too receptive for his needs.

Mr Blair and the BMA agree on a lot: tackling health inequalities, banning tobacco

advertising, the iniquities of a two tier system, the burgeoning costs of bureaucracy, the benefits of cooperation over competition, a moratorium on closing mental health beds. The BMA is not a group that Mr Blair needs to convince.

He doesn't have to convince all health service managers either. But managers as a group have been the protagonists and beneficiaries of the Conservatives' reforms in a way that doctors have not, so they are an important audience for Mr Blair to convince. If a Labour government comes to power and implements in the NHS all that the party promises then it will be the managers who will bear the brunt of implementation.

And what didn't Mr Blair say? Well, he didn't say that he would provide any more money. At Monday morning's session of the ARM, from the chairman of council's speech onwards (p1676) the theme underlying all the demands—for more beds, equity of access, the abandonment of "efficiency savings"—was the need for more money for the NHS. As the chairman of council, Sandy Macara, put it: "We can't go on doing more and more for more and more patients with no increase in resources." No politician seems to have the answer to that one.—JANE SMITH, *BMJ*