within the new journal can be divined. There is no reference to the second hand methodology, just the quoting of subjectively attractive and unqualified conclusions, fourth hand.

Those who are concerned with validity will examine raw data and access much more extensive databases by standard methods on the Internet on a more comprehensive scale at only second hand level. Those who are not concerned with validity will find a ready substitute for thought and effort. At best, evidence based medicine is a heuristic method for a lower level partial abstracting service. There is little new or of merit in this allegedly new discipline. Assessing the raw data and understanding their validity and the means of their creation make up the true evidence based foundation of scientific and academic inquiry.

Evidence based medicine in its present form is inconsistent and incompatible with science, and its lack of soundness is sufficient for us to consider whether it is even ethical. Neither the Renaissance nor the Reformation, during which the direct examination of the human body by Vesalius and Leonardo da Vinci replaced the evidence based teachings of Galen, would have been possible without the abandonment of contemporary evidence based systems. To a scientist, the advent of evidence based medicine creates an unassailable gulf and denies the fundamental tenets of millenniums of thought and philosophy of inquiry. To a university teacher devoted to honest original inquiry, it is a falsehood. And we are going to teach it, as an allegedly new specialty, in the new medical school curriculum recommended by the General Medical Council's medical education subcommittee.

NIGEL T JAMES
Senior lecturer

Department of Biomedical Science,
University of Sheffield,
PO Box 601,
Sheffield S10 2TN

- 1 Sackett DL, Rosenberg WMC, Muir Gray JA, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ* 1996;312:71-2. (13 January.)

Authors' redefinition is better but not perfect

EDITOR,—Although David L Sackett and colleagues have attempted to redefine evidence based medicine, they still argue that not everyone can be using it as striking variations in the uptake of treatments remain.¹ This look at outcome data raises a further question about outcomes: are cohort mortalities strikingly different in the various regions where uptake is different? We are given data to say whether people are using evidence based medicine but not whether treatment, according to the new principles, is working. Is the best evidence to be found in an evidence based database, or for certain questions can we be sure that such databases will be useless and we should look elsewhere?

We think it unlikely that papers that report harm will get into evidence based databases. In the same issue of the *BMJ* as Sackett and colleagues' editorial, Teifion Davies, in a commentary on a paper, states that "the clearest evidence of a causal relation [between antipsychotic drugs and sudden death] comes from a series of case reports."² As that evidence is a series of case reports³ one will look for it in an evidence based database in vain. It will have been excluded because one of the prime criteria for inclusion, a control group for comparison, is lacking.

Sackett and colleagues say that criticism of evidence based medicine ranges from it "being old hat to it being a dangerous innovation," but they do not say that a criticism is also that the databases may not contain the information we want, or perhaps need, to avoid litigation. For

example, if anaesthetists wish to have information on side effects of new drugs they may, if they access a database, be misled into thinking that no evidence exists when it does exist but has been excluded. Even old evidence on old drugs may not be there: McBride's original observations on thalidomide did not have a control group.⁴ Case series of side effects of suxamethonium⁵ or propofol would, because of a lack of controls, not feature in databases of best practice; nevertheless, it would be difficult to say that anaesthetists' practice is better because they do not know of them.

Sackett and colleagues' efforts to redefine evidence based medicine can be summed up as "better but not perfect."

OLIVER R DEARLOVE
Consultant paediatric anaesthetist
JO ROGERS
Registrar
ANDREW SHARPLES
Consultant paediatric anaesthetist

Royal Manchester Children's Hospital,
Pendlebury,
Manchester M27 1HA

- 1 Sackett DL, Rosenberg WMC, Muir Gray JA, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ* 1996;312:71-2. (13 January.)
- 2 Joseph KS, Blais L, Ernst P, Suissa S. Increased morbidity and mortality related to asthma among asthmatic patients who use major tranquilisers. *BMJ* 1996;312:79-83. [With commentaries by T Davies and M L Levy.]
- 3 Jusic N, Lader M. Post mortem antipsychotic drug concentrations and unexplained deaths. *Br J Psychiatry* 1994;165:787-91.
- 4 McBride WG. Thalidomide and congenital abnormalities. *Lancet* 1961;iii:1358.
- 5 Rosenberg H, Gronert GA. Intractable cardiac arrest in children given succinylcholine. *Anesthesiology* 1992; 77:1054.

Needs to be within framework of decision making based on decision analysis

EDITOR,—What evidence is there that clinicians' skill includes knowledge of how, explicitly, to integrate the best external evidence into an optimal decision for the patient in front of them?¹ A reasonable answer would be "none." Is the process involved in evidence based medicine, as reported, capable of ensuring that decision owners (patients) know how, explicitly, their preferences are to be integrated into decisions affecting them? A reasonable answer would be "no."

These two answers lead to the conclusion that the many undoubted virtues of evidence based medicine will bear fruit for most patients only when they occur within the overarching framework provided by medical decision making based on decision analysis.² Unless this happens, evidence based medicine is likely to prove an expensive way of changing the process and appearance of medical practice without improving the quality of outcomes for patients, properly evaluated.

JACK DOWIE
Senior lecturer

Faculty of Social Sciences,
Open University,
Milton Keynes MK7 6AA

- 1 Sackett DL, Rosenberg WMC, Muir Gray JA, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ* 1996;312:71-2. (13 January.)
- 2 Dowie J. "Evidence based," "cost-effective" and "preference-driven" medicine: decision analysis based medical decision making is the pre-requisite. *Journal of Health Services Research and Policy* (in press).

Cost effectiveness and equity are ignored

EDITOR,—David L Sackett and colleagues' editorial on evidence based medicine is confused and inadequate.¹ The authors argue, among other things, that "doctors practising evidence based medicine will identify and apply the most

efficacious interventions to maximise the quality and quantity of life for individual patients." (Note the use of "apply" (does the patient have no choice?) and "efficacious" rather than effective.)

This individual medical ethic has to be traded off against the social ethic of the efficient use of scarce resources. While the individual patient might welcome treatment regardless of cost, any health care system is unlikely to be able to afford or condone such behaviour. Society requires doctors to allocate resources on the basis of knowledge of cost effectiveness. This obliges doctors to deny patients access to efficacious treatments if such interventions are not cost effective. Failure to do this without reasonable cause means that scarce resources are wasted and patients who could benefit from care are left untreated. Such inefficient treatment is unethical and should be construed by employers as *prima facie* evidence for dismissal in an NHS striving to maximise health benefits from its £40 bn budget.

The necessity to ration or allocate care on the basis of cost effectiveness was recognised by Archie Cochrane nearly 25 years ago: "Allocations of funds and facilities are nearly always based on the opinions of senior consultants, but, more and more, requests for additional facilities will have to be based on detailed arguments with 'hard evidence' as to the gain to be expected from the patient's angle and the cost. Few can possibly object to this."²

Nowadays we would complement Cochrane's position by noting that the goal of efficiency might be mediated by considerations of equity—that is, society might deliberately decide to forgo efficiency (health gains) to discriminate in favour of poor people. It is remarkable that the approach of evidence based medicine ignores such considerations and, in so doing, favours the middle class, which has a greater capacity to benefit from care, rather than poor people, who, if treated, will yield fewer health gains because of their "mean" condition.

It is a pity that the so called apostles of Cochrane have yet to understand his gospel of cost effectiveness and be concerned by considerations of equity, which would have been close to his heart.

ALAN MAYNARD
Secretary

Nuffield Provincial Hospitals Trust,
London W1M 7RD

- 1 Sackett DL, Rosenberg WMC, Muir Gray JA, Haynes RB, Richardson WS. Evidence based medicine: what it is and what it isn't. *BMJ* 1996;312:71-2. (13 January.)
- 2 Cochrane AL. *Effectiveness and efficiency: random reflection on health services*. London: Nuffield Provincial Hospitals Trust, 1972.

Authors' reply

EDITOR,—Blair H Smith and Nigel T James have not done their homework. The crucial importance of clinical skill and the roles of both patients' needs and non-randomised evidence were emphasised four years ago in our initial paper on evidence based medicine.¹ Methodological and clinical criteria for articles in *Evidence-Based Medicine* are published in every issue, as is a glossary explaining methods and terms. Commentaries are signed, and both the commentators and authors of the original articles collaborate in writing the abstracts.

We agree with Oliver R Dearlove and colleagues about the challenges that clinicians face in searching for the best external evidence. When secondary sources of best evidence are silent we must extend our search into the primary literature.

Jack Dowie maintains that only decision analysis can provide the framework necessary for making evidence based medicine (and economic analysis) work. As we have described in texts²