US compensates subjects of radiation experiments

The United States federal government has announced that it will pay \$4.8m (£3.2m) in compensation to survivors of secret cold war experiments sponsored by the government in which patients were injected with radioactive isotopes without their consent.

The experiments were an offshoot of the Manhattan Project and were developed to gain an understanding of the biological consequences of nuclear warfare. They violated the Nuremberg code, as in most cases patients were unaware that they were experimental subjects and were not only unlikely to derive any therapeutic benefit from their participation but were also subjected to potential harm.

According to the energy secretary, Hazel O'Leary, the compensation is part of an ongoing effort by the government to rectify its past behaviour, but she said: "It in no way compensates families for what they have suffered or what they haven't known about their suffering."

The recent settlement follows the recommendations of the Presidential Advisory Committee on Human Radiation Experiments established by US President Bill Clinton in 1994. The advisory committee found that between 1944 and 1974 the US conducted or sponsored about 4000 experiments involving up to 20 000 people.

The experiments varied widely, from direct injections of uranium, polonium, and plutonium into unsuspecting patients to the testicular irradiation of prisoners and the intentional release of radiation into the atmosphere. Other experiments investigated by the committee included studies performed on army personnel stationed near atomic test sites and uranium miners, as well as the far reaching 1953 "Project Sunshine," in which human tissues and bones from areas of radioactive fallout worldwide were collected and tested for residual radioactivity.

The experiments were performed under the auspices of the Department of Defense, the Department of Energy, and the Atomic Energy Commission. They were conducted by both military officials and civilian physicians and scientists.

The experiments were intended to study the short and long term effects of radiation exposure, establish "safe" exposure limits, and develop accurate radioactivity monitoring assays. The monitoring assays developed are still standard today. Although much of the research advanced biomedical science,

Tests were performed on soldiers stationed near atomic sites

many studies were performed in the pursuit of national defence and in the interests of space exploration.

Isotope injections were given to 18 patients between 1945 and 1947 who had been admitted with various disorders including hepatitis, dermatitis, scleroderma, ulcers, heart attacks, and Addison's disease. Initially, researchers claimed that only those patients deemed "terminal" who were expected to die within a decade were chosen. This was believed to obviate the problem of cancers induced by radiation in the experimental subjects.

Some of the patients survived more than the 10 years predicted, and one is still alive. It is unclear whether the experiments themselves contributed to the subjects' death. However, excess morbidity, such as radiation induced osteopenia and uranium induced urinary tract disorders, have been directly attributed to the experiments and confirmed with postmortem examinations. As late as 1973, follow up studies on the radioactive injections were performed without patient consent.

The presidential advisory committee also discovered that under current federal regulations, human research can still be performed in secret, and that in some circumstances informed consent can be waived. Moreover, governmental policies still allow the intentional atmospheric release of biological and radioactive contaminants.

These findings highlight the ongoing conflict of preserving individual rights in the face of national security interests. Furthermore, the panel found that many of the existing informed consent forms used in conventional biomedical research intentionally misled prospective experimental subjects with overly optimistic portrayals of the potential benefits of participating in investigational

studies. In the next two months, President Clinton is expected to respond to the panel's report by announcing further measures to prevent recurrence of governmental abuses and to compensate more survivors.—
DEBORAH JOSEFSON, *Norwalk, Connecticut*

Patients do not read consent forms

Doctors have an enormous influence over whether a patient consents to take part in a clinical research trial, according to a study of patients' attitudes to research.

Patients tend to assume that any research that they enter into is safe. They often do not read consent forms carefully because they assume that someone else has scrutinised the risks and benefits on their behalf.

Interviews with 103 patients showed that many factors influence a decision to take part in medical research (*Hastings Center Report* 1996;26(5):25-9). The main motivation for subjects enrolled in therapeutic research was that the experimental intervention was better than any existing alternative and offered some personal benefit. Many patients thought that they had tried everything else and had little choice.

Doctors' recommendations were also powerful factors influencing the decision to participate in trials. Many of the respondents believed simply that the doctor knows best. Respondents were also trusting of the hospitals where they received their medical care, as well of the research system, believing adequate checks and balances were in place. Many of the patients interviewed said that they had decided to take part in a trial before they had been given the consent form to sign and that they did not pay attention to the details on the form.

The study authors from the United States advisory committee on human radiation experiments said: "Clinicians should be mindful of the tremendous influence they have over their patients, given that the mere suggestion of enrolment in research by a patient's personal physician was interpreted by many patients to be an endorsement."

They suggest that research should not be presented simply as a new intervention with possibilities for beneficial effects but as an intervention with little evidence suggesting whether effects will be beneficial or harmful. They also say that research committees should ensure that any benefits are not over-emphasised and strike out any comments on consent forms for phase I trials which suggest the likelihood of personal benefit to participants.—JACQUI WISE, *BMJ*

Anatomy textbook has Nazi origins

Cadavers in an anatomy textbook, the *Pernkopf Anatomy*, may have been the victims of political terror, allege two American doctors.

In a letter to *JAMA* Dr Howard Israel, an oral surgeon at Columbia University, New York, and Dr William Seidelman, the director of an AIDS clinic at the University of Toronto, also state that the author of the textbook was an ardent Nazi (*JAMA* 1996;276:1633-4).

The two doctors say that Dr Eduard Pernkopf became dean of the University of Vienna Faculty of Medicine after the Anschluss in 1938. A photograph in the *New York Times* of 26 November 1938 shows him in Nazi uniform standing under a portrait of Hitler while addressing the uniformed faculty from which he purged its Jewish members. Dr Pernkopf's illustrators incorporated small swastikas and SS runes into their signatures in the original edition but these were air-brushed out of the later edition.

Much more sinister is the source of the cadavers portrayed in the more than 800 detailed paintings of dissections in the original work. In their letter the two doctors say, "The precise origins of the cadavers used in Pernkopf's work are unknown, but evidence suggests they may have been the victims of political terror. It is known that the Anatomy Institute of the University of Vienna received the cadavers of prisoners executed at the Vienna district court and of others put to death at Gestapo execution chambers in Linz, Munich, and Prague. Some of these specimens may still exist today."

Drs Israel and Seidelman call for an impartial investigation to determine who the subjects portrayed in the *Pernkopf Anatomy* were and how they died. If indeed, the subjects had been victims of the Nazis there should be public commemoration of the victims by the institutions and organisations concerned. The Austrian universities seem to have agreed to do this, and the book's publisher, Waverly of Baltimore, has indicated its support for the investigation and has offered to contribute to the cost.

Dr Israel said that he had used the *Pernkopf Anatomy* since he was a student at Columbia University and that the book contained the best anatomical drawings he had ever seen. One day an older colleague saw him studying and commented that the book had Nazi origins. Dr Israel said, "I became upset, because I had benefited from the book."

Dr David Williams, a professor of medical art at the School of Veterinary Medicine, Purdue University, Indiana, said that he went to Austria to study the historical background of the *Pernkopf Anatomy* and its artists. He presented his findings in 1986 at the international congress for the history of medicine in Dusseldorf, publishing them in 1988.

Dr Williams found that Pernkopf joined the Nazi party in 1933 and the SA [stormtroops] a year later. He later became

Dr Pernkopf was a member of the Nazi party and the stormtroops

president of the university. When the war ended Pernkopf spent three years in an allied prisoner of war camp but was not charged with war crimes. He returned, a broken man, in 1948 to the University of Vienna and continued work on his atlas until his death in 1955.

Dr Arthur Caplan, director of the Center for Bioethics at the University of Pennsylvania School of Medicine, said that Drs Israel and Seidelman deserved credit for pursuing the ethical issue in the *Pernkopf Anatomy* and for raising questions about its use. "My view is that we're talking about tainted materials ... if lives hung in the balance, if there were no other option but to go to this source book, then there might be some justification for using it. But as the book is not the only source, despite its high quality, I would say, don't use it." (see also p 1463)—FRED B CHARATAN, *medical journalist, florida*

Lessons still need to be learned from Nuremberg

Fascist comparisons should not be used when discussing social issues such as abortion or euthanasia as this only tends to trivialise the enormity and atrocity of what Nazi doctors did, according to a leading medical ethicist.

Dr Michael Grodin, professor of medical ethics at Boston University said that he regrets that human experimentation issues, although central to the Nuremberg trials, tended to overshadow the broader issues of sterilisation, euthanasia, and eugenics that played a major part in German doctors' complicity in state ideology.

A speaker at a conference on the Nuremberg code and human rights at the Holocaust Memorial Museum in Washington, DC, this week, Dr Grodin said that doctors were indispensable to the Nazi ideology and there remains a legacy of concern surrounding the medical profession. Part of the problem is the

tendency to this day to medicalise social issues and to treat the public as an amorphous entity with a resultant debasing of the value of the individual. That debasement, he said, may occur when doctors fail to take the matter of informed consent seriously, when they "buy into" the notion that elderly people are a burden on society, or when they make far reaching and potentially dangerous connections between social pathology and genetics.

And while many people believe today that ethical issues can be resolved in law, this is not morally defensible, said Dr Edmund Pellegrino, founding director of the Center for Bioethics at Georgetown University. The Nazi doctors distorted medical ethics, subverting them to the will of the state, which made their actions legal and mandatory. This led during the Nuremberg trials to rationalisations about how human experiments at Auschwitz were justified for the greater good—the wellbeing of the military and victory. What we can learn from that, he said, is that the integrity of medical ethics must be preserved if patients and experimental subjects are not to become mere objects of political purpose. We cannot intentionally sacrifice individual lives even for the good of the whole, he said.

The US Food and Drug Administration recently issued new regulations allowing medical researchers to perform experiments on some patients without their permission, arguing that ultimately other patients will benefit from the new regulations. This is seen in some quarters as setting a dangerous precedent (16 November, p 1223).

Dr Arthur Caplan, head of the Center for Bioethics at the University of Pennsylvania, said that it was ironic that 50 years after Nuremberg we are seeing a serious pulling away from the old concept of mandatory informed consent. While there is a case to be made for waiving consent in some emergency situations, he said, there is a need for more explicit guidelines for research committees and for "the involvement of a community voice in reviewing each case."—DAVID WOODS, *medical journalist, Philadelphia*

Public supports euthanasia for most desperate cases

Almost nine out of 10 people favour euthanasia in the most desperate cases, according to the recent British social attitudes survey.

But the survey, carried out by Social and Community Planning Research, highlights the fact that people's responses vary according to the individual circumstances of the case. Complex judgments tend to be made about a patient's chance of recovery, pain levels, and quality of life. Very few people, for example, agreed with euthanasia if the person is simply lonely and tired of life.

The survey was based on interviews with 3500 people in England, Scotland, and Wales. When the question "Should doctors be permitted to end a life when someone requests it?" was asked, 82% said yes and 15% said no. When the same question was asked 10 years earlier 75% had said yes and 24% no. The researchers then presented seven scenarios where decisions about euthanasia might be made:

- A patient has an incurable illness and is too ill to make a life or death decision (for example, in a coma on a life support machine with no hope of regaining consciousness). The relatives agreed to euthanasia—percentage of respondents agreeing that euthanasia would be justified 86%
- The patient has an incurable and painful illness and is bound to die (for example, dying of cancer)—80%
- The patient is in a coma, not expected to regain consciousness but is not on a life support machine—58%
- The patient is not in pain or in danger of death but becomes permanently and completely dependent on relatives—51%
- The patient has an incurable illness from which he or she will die but which is not very painful (for example, leukaemia)—44%
- The patient has an incurable, painful, but not fatal, illness (for example) severe arthritis—42%
- Someone is not ill or close to death but is simply tired of life and wishes to die (for example, extremely lonely)—12%.

The survey says that the issue has become more prominent because more people are living into old age; there is greater geographical mobility, so fewer relatives are likely to live close by and family size is declining.

Greater numbers of people now assume that the burden of care in such cases belongs to the state not to them. Young people are more likely to approve of euthanasia than old people, mainly because fewer younger people are church goers. Religious beliefs and ethic background are much more powerful determinants of attitudes than age.

There are also regional variations with people from Scotland less accepting of euthanasia than those in England and Wales. Younger, but not older, disabled people are also more likely to endorse euthanasia.—JACQUI WISE, *BMJ*

MARCEL MOLLE

Professor van der Maas said that discussions about euthanasia now started earlier

Euthanasia reporting is increasing but is still low

Most Dutch doctors do not fulfil the legal obligations to report cases of euthanasia, according to a unique confidential study. But the researchers found that reporting has reached 41%, and the Royal Dutch Medical Association believes every act of euthanasia could be performed openly by the end of the century.

The four part study ordered by the Dutch government to evaluate the euthanasia reporting procedure entailed interviewing 1250 doctors, as well as coroners and magistrates. The response rate from doctors was between 84% and 98%. The study shows that reporting increased from 18% to 41% over five years, which, it argues, has strengthened social control and shows that decisions about the end of life are taken with increasing care.

The 59% of doctors still not notifying the authorities fear conviction, are concerned that families and next of kin should not face a criminal investigation, or do not regard the death as unnatural.

The study will now form the basis for new legislation that could allow doctors' actions to be judged in the first instance by their professional peers, rather than according to criminal law. Though euthanasia remains a criminal act, Dutch doctors are not prosecuted provided that they follow strict guidelines, including providing a detailed report to the local coroner.

The study, led by Paul van der Maas, professor of social health care at Erasmus University, Rotterdam, and Gerrit van der Wal, professor of social medicine at the Free University of Amsterdam, shows significant changes since the last major study five years ago. The number of initial requests by patients asking for euthanasia, if required in the future, increased by 37%, to 34 500, last year. Explicit requests rose less rapidly by 9%, to 9700 a year. Of these, 3200, or 2.4%

of all deaths, were granted, an increase from 30% to 37%.

In 1995 there were 900 more cases of euthanasia than in 1990, which the researchers argue is due to a comparative rise in deaths from cancer, increased medical possibilities for prolonging life, and an increase in the overall death rate.

Assisted suicides have remained the same, at 400 a year. Cases in which doctors reported ending a patient's life without an explicit request have declined from 1000 to 900 cases. Researchers argue that there is a grey area between these cases and palliative care as they often concerned patients with cancer within days of death. It is estimated that 15 such cases concerned severely handicapped newborn babies.

Professor van de Maas said that in five years the public had become more aware, discussions about euthanasia had started earlier, and decisions were taken more professionally. But there was much to be done with more formal consultation, such as with specialists in palliative care. We are in the process of a very difficult social change. We have to find a way to deal with extreme suffering at the end of life including all the nuances, he said. Some kind of reporting and review must be mandatory, society demands that, but at the moment it is too legalistic, he added.

Secretary of medical affairs at the Royal Dutch Medical Association, Robert Dillmann, called for three adjustments to improve reporting: expert advice should be available to doctors before a decision on euthanasia is taken; doctors actions should first be considered by an independent committee of experts such as doctors, ethicists, and lawyers, with the public prosecutor involved only if guidelines are not met; and new regulations should be introduced in which euthanasia performed according to the guidelines is not a criminal act.

If you combine these elements the chances of 100% reporting by the end of the century increases tremendously. We have always argued that physicians performing euthanasia should be willing to be open and to be judged, he said.—TONY SHELDON, *medical journalist, Utrecht*

Meningitis outbreak hits Cardiff university: Two students from the University of Wales, Cardiff, have died of meningitis. Three more students from the same hall of residence are being treated at the University Hospital of Wales, one of whom is in intensive care. Communicable disease experts believe that the group C strain of meningitis is to blame. Students at the hall of residence have been given prophylactic antibiotics, and a vaccination programme is now in place.

US clinics take sperm from dead men: Sperm samples are routinely taken from dead men at the request of their partners and families, according to a report in *New Scientist*. Preliminary results of a survey by two bioethicists in the United States were reported at the International Association of Bioethics in San Francisco. More than a dozen clinics have so far admitted to harvesting sperm from cadavers and storing it for later use, and three times as many said that they had been asked to perform the procedure.

Leading US haematology centre investigated: The US Food and Drug Administration and the Manhattan District Attorney's Office are conducting criminal investigations into the blood testing practices of the New York Blood Center. The move follows allegations that the centre's laboratory workers are encouraged to tamper with test results and violate safety practices to increase productivity.

London's homeless people die at 42: Research by the charity Crisis has found that homeless people in London are dying on the streets at an average age of 42 years, five years younger than in 1992. The research report, *Still Dying for a Home*, looked at London coroner's court records for the year to 31 August 1996 and found records of 74 deaths of homeless people.

WHO and drug industry to tackle antibiotic resistance: The World Health Organisation and the pharmaceutical industry have agreed a framework to contain the spread of antibiotic resistant bacteria. One strategy already under way is the development of a global network of laboratories using reliable methods for testing bacteria for antibiotic resistance (WHONET). Laboratories in Africa are to introduce this system of monitoring for the first time.

E coli 0157 kills five people in Scotland

An inquiry had been set up to examine the circumstances behind Britain's worst outbreak of food poisoning from *Escherichia coli* 0157, which has resulted in five deaths and left 280 people ill.

The outbreak, in central Scotland, has been linked to cold and cooked meat products sold by a butcher, John Barr and Son, in the Lanarkshire town of Wishaw and supplied to dozens of outlets in the surrounding area.

The deaths have all occurred among elderly people, two of whom were among a group of pensioners who shared a meal at a church in Wishaw on 17 November. They had eaten a steak pie supplied by John Barr, and tests have since confirmed the presence of *E coli* bacteria in the gravy. It soon became clear, however, that the problem was not confined to Wishaw when people from a wider area began reporting symptoms.

So far 148 cases have been confirmed, and 262 people are showing symptoms. The condition of 17 people was giving doctors cause for concern, and three children were receiving kidney dialysis.

This is the second serious outbreak to hit Scotland in the past three years, and it heightens concern about this particular form of food poisoning in a country that currently has one of the highest rates of *E coli* 0157 infection in the world. The number of annual cases has been running at around 250 a year—a rate of four cases per 100 000 population. In England and Wales the rate is one case per 100 000.

Hugh Pennington, professor of medical microbiology at the University of Aberdeen, whose laboratory analyses samples from all the suspected cases in Scotland, said that no convincing explanation has been put forward to indicate why the rate in Scotland should be so high. He speculated that it may just be

a matter of bad luck. Cattle are the principal source of the organism, and cattle in Scotland may have contracted it earlier than cattle in other countries.

There have been calls for more government funding for research to try to answer some of the many questions surrounding *E coli* 0157. Although Professor Pennington said that the matter is being taken seriously by government, he agreed that increased funding would help. He compared the money being spent on research into *E coli* 0157 with the much larger sums devoted to examining links with bovine spongiform encephalopathy (BSE) in cattle and Creutzfeldt-Jakob disease in humans. "We know for certain that people die from *E coli* 0157—we do not know that for certain with BSE," he said.

Professor Pennington has been appointed to lead the inquiry into the latest outbreak. The Scottish secretary, Michael Forsyth, said that the inquiry team will advise on the implications for food safety and report on any lessons to be learned.

"The expert group will examine the present knowledge of *E coli* taking into account scientific research and the adequacy of present arrangements for, and guidance on, handling of food poisoning outbreaks. This tragic outbreak has brought home to us all the overwhelming need to be careful when handling food, whether in food production, shops or in our homes," he said.

Mr Forsyth denied claims made by the Labour party that he had delayed releasing the list of outlets linked to the food poisoning outbreak. He insisted that the local health authorities made the decision not to identify businesses trading with John Barr and Son.

Concern is growing worldwide about the potential danger posed by *E coli* 0157. This summer 11 people died and 9000 became ill after a series of outbreaks in Japan that led the authorities to invoke the infectious diseases prevention law for the first time in two decades (27 July p 187).—BRYAN CHRISTIE, health correspondent, *Scotsman*

Pensioners gather outside the butcher John Barr and Son that has been implicated in the outbreak

Faecal occult blood testing cuts deaths by a fifth

Experts are calling for a national screening programme for colon cancer after two major trials published last week showed that faecal blood testing every two years reduces death rates by nearly one fifth.

In the first study nearly 150 000 people aged 45-74 were randomly allocated to screening or control groups (*Lancet* 1996;348:1472-7). The screening group checked their stools for blood using a simple faecal occult blood test every two years. Those with positive results were offered full colonoscopy. After a median follow up time of nearly eight years the Nottingham researchers found that colorectal cancers were detected at an earlier, less dangerous stage in the screening group.

"The death rate was 15% lower," reported Professor Jack Hardcastle from Queen's Medical Centre, Nottingham. A total of 360 people died from colorectal cancer in the screening group compared with 420 in the control group. "Consideration should now be given to the establishment of a national programme of faecal occult blood screening to reduce colorectal cancer mortality in the general population," he said.

Similar results were found in a second study in which more than 60 000 people aged 45-75 from Funen in Denmark were randomly allocated to screening and control groups (*Lancet* 1996;348:1467-71). At the end of the 10 year study the researchers reported that the death rate from colorectal cancer in the screening group was 18% lower.

Colorectal cancer has a comparatively high incidence and poor prognosis, with a five year survival rate of about 40%. It has a well defined benign stage and can be treated early with considerable reduction in morbidity and mortality. "In many ways it is the ideal tumour to screen for," suggested Professor Hardcastle.

Nicholas Wald, professor of environmental and preventive medicine at St Bartholomew's Hospital, London, said: "This research suggests that we should be looking at the possibility of general screening." He considers that the new findings have moved the issue of colorectal cancer screening an important step forward, showing that it is effective in reducing mortality. "We need to consider the benefit in relation to costs and resources before judging whether it is worth implementing on a wide scale."

The latest studies found that only about 25% of cancers in the screened groups were detected. This was probably due to limited sensitivity of the faecal occult blood test and non-compliance. Professor Hardcastle suggests that annual screening would improve the sensitivity of the testing. His group is also working on more specific tests for DNA.

In the Nottingham study only 38% of participants completed all of the tests offered, and in the Danish study only 46%. "However, this was achieved without population education or a statement of definite benefit in

Colorectal cancer can be treated if caught early

the invitation for screening," pointed out Professor Hardcastle. "It is even more encouraging that we found a 15% reduction in mortality even though half the screening group were not doing the test." He suggests that compliance would improve if a well organised national screening programme for colorectal cancer was introduced.

Funding a national colorectal screening programme would require considerable resources. Professor Hardcastle's group carried out a cost effectiveness analysis on their study, which will be published shortly. "We found that colorectal screening is more cost effective than screening for breast cancer, at about £4000 (\$6000) for each quality adjusted life year gained. This should make it a feasible proposition," he concluded.—SUSAN MAYOR, *medical journalist, London*

China implements 10 rules for hospitals

The Chinese ministry of public health has issued 10 new rules aimed at improving the poor standards in the country's hospitals.

The requirements, published last week (27 November) in the communist party's mouthpiece, the People's Daily, give some indications of the problems besetting a cash strapped medical service that is having to adjust from a socialist to a market driven economy. The 10 rules will at first apply only to 10 of the biggest urban hospitals in China and will gradually be phased in at other medical facilities. These flagship "enlightened service model hospitals" will supposedly be supervised and inspected to ensure compliance.

One of the 10 rules calls for the elimination of the "three longs and one short"—long queues for registration, paying of pharmacy bills, and collection of medicine, but a very short time spent with a doctor for diagnosis. Other edicts ban the over-prescription of medicine for the hospital's profit, the use of

"shoddy, bad quality and out of date medicine," and widespread overcharging.

In reality, shortage of money and trained staff will make it difficult even for the 10 relatively well placed hospitals to meet the new targets. Low salaries for doctors and inadequate state funding mean that China's hospitals are often more concerned about raising revenues than improving health care. Free medical care is a thing of the past in China, and patients these days find themselves subject to a bewildering array of bills covering doctors' fees, registration, medicine, heating, and electricity, as well as the expected under the table bribes to medical staff to secure proper service.

Delays are a major impediment to proper care. The fifth of the 10 rules states that treatment must start within five minutes of an emergency case reaching the hospital. Doctors who are called to attend an emergency case "must be present within 20 minutes," says another requirement."

As always in China, there is likely to be a large gap between intention and reality. Last week's report called on patients at the 10 named hospitals to lodge any complaints with the Ministry of Public Health's "rectification of incorrect work style" office and provided a telephone number to call. Two days later nobody was answering the telephone.—RICHARD TOMLINSON, *medical journalist, Peking*

Setback for French antiabortionists

Antiabortion activists had their arguments rejected last week by the criminal chamber of the Paris court of appeal, the highest court of appeal in France. The activists claimed that the 1975 legislation authorising abortion was incompatible with several international agreements signed by France.

The decision is seen as a setback for antiabortion campaigners, many of whom had benefited in the past from legal loopholes and lenient courts, despite a 1993 law that makes it an offence to impede a voluntary abortion.

The appeal had been filed by 17 people who had been fined and given suspended prison sentences by different courts for having participated in antiabortion activities, mostly chaining themselves to furniture in hospital rooms where abortions are performed. They claimed that the right to voluntary abortions contravened the New York convention on the rights of children, the European convention for the safeguard of human rights, the international pact on civil and political rights, and the Geneva convention against slavery.

The court, presided over by Judge Christian Le Guénec, countered these arguments one by one. In addition, it recognised the right of the French Women's Union to sue antiabortionists because "the defence of the right and dignity of women ... necessarily included the right of women to have access to contraception and abortion."—ALEXANDER DOROZYNSKI, *medical journalist, Paris*

Private finance deal signed for Norfolk hospital

Last week saw the signing of the first complete deal in the NHS under the private finance initiative scheme for a £193m (\$290m) hospital in Norfolk. Doubts are, however, growing about the success of scheme.

The health secretary, Stephen Dorrell, said: "I am pleased that the contract has been signed for the Norfolk and Norwich 2000 scheme, the first complete new build major district acute hospital to be developed under the government's PFI [private finance initiative]." He added: "The Norfolk scheme is an excellent example of how privately financed option can, and should, offer lower risk than would be the case in the public sector—better value for money, superiority in qualitative terms, and affordability to the purchaser."

The chancellor, Kenneth Clarke, announced in his Budget speech last Tuesday that investment through the private finance initiative was estimated at £900m over the next three years and that in line with the increased dependence on the private sector, the Department of Health's own spending on capital projects will be reduced by 16.4% next year.

But the health department, which set itself a target of completing private finance initiative deals worth more than £500m this financial year, is still far behind meeting this, with only four months to go. In May this year the health department said that 56 schemes had been approved since the launch, but only one has reached completion.

Chris Grimes, head of the health services division of the Chartered Institute of Public Finance Accountants, said: "The feeling from the people within the service is that things are going much slower than they would like to see. People accept that this is the way forward on the capital side, but it is a matter of risk assessment on both the private and the public side, and it is this issue that really needs to be addressed which isn't being at the moment."

Jon Ford, head of the BMA's health policy and economic research unit, thinks that part of the reluctance of commercial companies to get involved is due to the political uncertainty with a general election on the horizon. Mr Ford said: "From the BMA's point of view we can't see where the overall gains are going to be to the NHS. There is the gain to the government in the short term of not having to provide the capital, but in the long term commercial companies will want a return to reflect the risk they have taken, which will have to be made through leasing charges and other means such as reducing operating costs."

The BMA is worried that the involvement of commercial companies will result in poorer quality of care, and Mr Ford pointed out that hospital services that had already been privatised, such as cleaning and catering, were made profitable by exploiting the workforce.

Philip Hunt, director of the National

Association of Health Authorities and Trusts, has already expressed concerns about the private finance initiative. In a speech in June he said: "The NHS is on a steep learning curve with PFI, and it is vital that we ensure lessons are being learned. PFI must not lead the NHS down the road to privatisation. NAHAT believes the bulk of NHS provision should remain in the public sector and that overall control should remain firmly in NHS's hands."

A Department of Health spokesman denied any failure of the private finance initiative: "We are confident we will meet our target of £500m. Inevitably in a scheme this size there are problems that need ironed out, but the £193m investment means we are well on our way to the target."—JACKIE CRESSWELL, *freelance journalist, London*

NHS does well from British budget

The NHS in England was given extra money in the budget presented to parliament last week. Funding next year will rise by twice the amount needed to keep abreast of inflation.

The chancellor, Kenneth Clarke, allocated an extra £1.6bn (\$2.4bn), or 2.9% in real terms, for patient services. Another £525m is to come from efficiency savings of 2.7%, with an increase of 15p in prescription charges to £5.65 per item.

The new funding from next April amounts to more than £800m above inflation and was widely welcomed as averting a financial crisis in the NHS. Mounting deficits among trusts this winter can now be absorbed by the extra funding next year, with something to spare. About £25m will be available immediately to ease hospital bottlenecks and pressures on mental health

services. The health secretary, Stephen Dorrell, said that the new money would ensure financial stability.

Later in the week Mr Dorrell announced increased cash allocations to all 100 health authorities, increasing their average purchasing power by 2.4% in real terms, the individual allocations varying from 1.4% to 3%. In addition, Mr Dorrell is funding four new initiatives—in primary care, continuing care, mental health, and medical training. The details are:

- £100m for primary care and community services to promote innovation in general practice as envisaged in the white paper *Choice and Opportunity* (19 October, p 959)
- £100m to ease hospital bottlenecks and bed blocking by patients awaiting discharge. £20m will be available during this financial year
- £50m to support mental health services. An extra £5m will be available in this financial year to health authorities dealing with particular pressures
- £64m will be committed to expanding the number of training places for doctors and nurses.

Total current spending on the NHS in England for 1997-8 will amount to £33.04bn. Mr Clarke, said that the NHS remains at the top of the government's priorities.

Philip Hunt, director of the National Association of Health Authorities and Trusts, said that the extra funding would allow authorities to roll over some of this year's financial problems and meet next year's commitments, although the 2% allowance for inflation was low and would require a tight rein on costs and pay increases.

The BMA's chairman, Dr Sandy Macara, said that the funding was acceptable provided that the government held to its inflation target. The BMA also welcomed a double inflation increase in tobacco duty, raising the price of a packet of 20 cigarettes by 15p, to yield an extra £140m revenue.—JOHN WARDEN, *parliamentary correspondent, BMJ*

The government hopes that the extra NHS funding will avert a financial crisis this winter

Sixty medicines are blacklisted

Sixty medicines look likely to join the blacklist of drugs that GPs cannot prescribe, but patient care is unlikely to be affected despite protests from patient groups and the pharmaceutical industry.

Over half of the products are for skin disorders, with most of the others for allergic disorders, anaemia, diarrhoea, and sleep problems. The vast majority are already available over the counter. Many manufacturers avoided having their drugs blacklisted by reducing their prices in line with similar drugs after receiving letters from the committee.

Dr Peter Fellows, a GP member of the Advisory Committee on NHS Drugs and chair of the General Medical Services Committee's prescribing subcommittee, said: "We haven't banned any drug to which there isn't an alternative, and I don't anticipate any problems with the list."

Chair of the Royal College of General Practitioners' prescribing task force, Dr Ross Taylor, agreed adding: "I can't really understand why it has taken so long. Initially the word was that a very radical list was going to be produced by the committee."

The Department of Health announced in November 1992 which categories in the British National Formulary would come under the committee's scrutiny. One category was oral contraceptives, which provoked an outcry from doctors, family planning organisations, and women's groups. No oral contraceptive, however, is included in this list, and although Dr Fellows said that "eight to eleven" products are still being considered for blacklisting by the committee, he confirmed that none is a contraceptive.

Patient support groups such as the National Eczema Campaign and the Skincare Campaign have protested that patients need the widest range of products available because of problems with sensitisation. And the Association of the British Pharmaceutical Industry said: "Doctors should be free to choose for patients the medicine that suits them rather than the cheapest." Comments on the proposals should arrive at the Department of Health by 9 January 1997.—ADAM LEGGE, *medical journalist, London*

Labour reveals plans to dismantle internal market

Cooperative groupings of GPs would be the key to dismantling the NHS internal market under a Labour government. Local commissioning by groups of general practices would replace both individual fundholding and the main purchasing role of health authorities.

Far from reversing its pledge to replace fundholding, as had been forecast, the Labour party has now supplied the details of how a collective system would operate—legislating, if necessary, in the first year of an

Most of the blacklisted medicines are available over the counter

incoming government. Labour's health spokesman, Chris Smith, in a policy speech this week, predicted that the move to locality commissioning would take place over a period of two to three years.

And while a Labour government would want to proceed by evolution rather than overnight change, Mr Smith made clear that it would be incumbent on all practices to be part of a commissioning group, covering populations of 50 000 and upwards. This implies a minimum of five or six practices in a commissioning group. The choice of groupings and their boundaries would be voluntary, so long as they were contiguous.

National guidelines would ensure that a portion of the budget was specifically set aside for specialist treatment, distant referrals, emergency services, and so on. For the remainder of the budget, covering the broad needs of patients, the commissioning groups would be expected to sit down together with the providers in their locality to make long term agreements over three to five years for providing treatment.

Mr Smith said that the emphasis would be on cooperation and collaboration rather than competition between hospitals. Some general practices might choose to return functions to the health authority. He said: "We expect that most, if not all, direct commissioning would be done by the local groups, although they might choose to commission some services on a consortium basis and could opt to use the health authority itself to perform some functions on their behalf if they wished."

The health authority would cease to be a purchaser primarily and would be freed to have a much more strategic role in determining the overall health needs of the area, assessing priorities, promoting public health, and monitoring the quality and effectiveness of both the commissioners and providers. Commissioning practitioners would be represented on the health authority.

Labour's aim is not only to end the inequality whereby patients of fundholders are treated more quickly than others but also to end the competitive internal market and invoicing of surgical procedures. Mr Smith would bid for early legislation, but ironically he believes that much could be done by pilots under the present government's Primary

Care Bill, which began its passage in the House of Lords on the same day as he spoke.—JOHN WARDEN, *parliamentary correspondent, BMJ*

British clinical academic staff win pay battle

The UK Department for Education and Employment has provided additional funding to guarantee that from 1997 medical schools will be able to pay clinical academic staff the award recommended by the Doctors' and Dentists' Review Body for doctors in the NHS. It has also provided additional funding to meet the 1996 award, estimated by university employers to be £4.8m (\$7.2m).

The principle of pay parity was established in 1969 to overcome a major crisis in recruitment to clinical academic medicine. Despite repeated delays and difficulties the pay parity has been maintained until this year, when the university employers said that they could not pay the recommended increase unless the government provided additional funding. Until now the government had refused, and clinical academic staff had been offered a pay award of 1.5%, the same increase as offered to other groups of university staff (26 October, p 1086). The review body recommended an average increase for NHS doctors of 3.8%.

The BMA had conducted a lobbying campaign to draw attention to the recruitment crisis in academic medicine—57 clinical chairs are vacant—to secure the support of ministers and members of parliament for continued pay parity.

Dr Colin Smith, chairman of the BMA's Medical Academic Staff Committee, said of the education department's announcement: "This is absolutely marvellous news. It will give clinical academics a tremendous morale boost. Most importantly of all, we now have a commitment to maintain pay parity in the future which will help to secure research, teaching, and medical innovation in the future."—LINDA BEECHAM, *BMJ*

WHO steps up efforts against trachoma

The World Health Organisation has stepped up efforts for the global eradication of trachoma, the world's leading cause of preventable blindness. The WHO has called on governments, international organisations, and non-governmental organisations to join an alliance to combat the disease.

Trachoma is responsible for 15% of the world's blindness. About 6 million people have been irreversibly blinded by trachoma worldwide, and an estimated 146 million cases of active disease are in need of treatment if blindness is to be prevented.

International efforts to rid the world of trachoma will be based on the WHO developed strategy SAFE—surgery for trichiasis (ingrown eyelashes), antibiotics, facial cleanliness, and environmental improvement. The alliance will need to identify countries where trachoma is a problem, map the disease, initiate community based programmes on improving hygiene, and make surgery more widely available.

The strategy has been welcomed by David Mabey, professor of communicable diseases at the London School of Hygiene and Tropical Medicine: "Anything which raises the profile of trachoma should be encouraged, but it

will require great political commitment to eliminate the disease because it has become the forgotten disease of the poorest people of the world." He added: "Trachoma is getting worse in many parts of Africa, and more people will be blinded by the disease in the future unless something is done about it."

Trachoma is caused by the micro-organism *Chlamydia trachomatis* and is associated with overcrowding, poor hygiene, and limited access to water and sanitation. It spreads through contact with eye discharge from the infected person—for example, on towels, handkerchiefs, and fingers—and through transmission by flies seeking eyes. Infection provokes an inflammatory reaction in the eye with formation of follicles in the conjunctiva. After years of repeated infections the inside of the eyelids may be scarred so severely that the eyelid turns inwards with eyelashes rubbing on the eyeball. If untreated, this condition leads to blindness.

The best way of treating trachoma is still being investigated, according to Professor Mabey. Azithromycin, a new long acting antibiotic, is currently being tested for this use. It has the advantage of being effective as a single oral dose, whereas standard treatment with tetracycline eye ointment needs to be given daily for six weeks. But azithromycin is expensive and people become reinfected, so repeated doses may be necessary.

"We are conducting studies in the Gambia and Tanzania to see whether treating whole communities will delay reinfection," said Professor Mabey. "But work is also under way to develop a vaccine, which may be a better solution."—ZOSIA KMIETOWICZ, medical journalist, London

CAROLINE PENN/IMPACT

Trachoma causes 15% of the world's blindness

Focus: Sydney

Changing of the cancer guard

The end of 1996 was always going to be different for the New South Wales Cancer Council. Last year the council distributed over \$A1.2m (£0.6m; \$0.9m) in new research grants, making it the largest

sponsor of cancer research in the state and the state's largest health charity. A new act passed in October 1995 radically restructured its board. Instead of being dominated by research scientists nominated by the three medical schools and the Australian Medical Association, the new act requires nine members, of whom at least four are to be women and two medically qualified cancer specialists.

Nominations for the new board were vetted by the Minister for Health's office, and several people highly experienced in cancer research were rejected. A group including a trade union official, a rural nurse, a consultant to the Aboriginal community, and a former Labor party minder was announced in September.

The new board elected Deborah Saltman as chairwoman. Saltman is Australia's first woman professor of general practice. She is a feminist with a solid background as a women's health advocate, and foremost among her concerns are that the organisation

should reflect community priorities on cancer before it serves the interests of any group claiming research funding. At its first meeting, the board froze the award of all new research grants that were due to start in 1997, suspended all advisory committees, and announced a sweeping review of the council's functions and procedures.

All hell has broken loose, with all the main medical research agencies condemning the freeze as an attack on the peer review process. Professor Rick Kefford of Westmead Hospital, whose melanoma research group has received several grants in the past, has convened a Save Our Cancer Council group, which is threatening to set up an alternative body to attract bequests for research. Kefford fears that much of the board is captive to interest groups antipathetic to science. He cites radio comments by one member who, two weeks after his appointment, declared there was too much "test tube research" and that he considered researchers were not stakeholders in the cancer council. Epidemiological, behavioural, and palliative care research already account for 43% of the council's research funding—a proportion vastly in excess of that distributed by the National Health and Medical Research Council, so any view that money had been cosily distributed to a biomedical old boys' club is difficult to sustain.

Saltman and her board are in an invidious

position. She argues that they accepted the baton of reform that was passed to them by the actions of previous boards, which had instigated the changes to the board she now leads. To the accusation that the freeze on new research breaches a legitimate expectation that research selected through peer review should proceed, she counters that with only a three year term to proceed unquestioningly with major expenditure reflecting previous priorities would be to abrogate her mandate to make changes. If you've got to crack eggs to bake cakes, Saltman's group has rushed into the kitchen, but has yet to post its menu.

The American Cancer Society reported last month that total mortality from cancer in the US had fallen for the first time since records began. The major reason has been the continuing decline in smoking among men. This year's smoking control budget in the New South Wales health department was halved on the orders of health minister Dr Andrew Refshauge, whose office prattles soft left slogans about smoking control being an attack on workers. A plainer and more important test of the board's duty "to advise the minister on such other matters relating to cancer as the minister may from time to time require" would be harder to find.—SIMON CHAPMAN, associate professor of public health and community medicine, University of Sydney