British Library axes thousands of journals

The British Library is cutting thousands of subscriptions to journals used for medical and scientific research as part of a rationalisation exercise to cope with a reduction in government grants. Last week the library began its long awaited move to a new building near St Pancras station in London, a move which has been dogged by overspending, design problems, and protracted delays.

Alan Gomersall, director of the science, reference, and information service at the British Library has fought hard against the cuts, which he says will seriously affect the library's position as a national scientific information resource. "We are in danger of becoming an archive, instead of an active working scientific and technical library. For the last 150 years it has been the biggest science library in the country serving academic and industrial research and innovation, this function is now threatened.

"Until now we have also been seen as the long stop for other libraries, the provider of material that other libraries decide they cannot afford. Both the BMA and the Royal Society of Medicine use us in that way," he said.

The library has double subscriptions of journals, with one copy available for reference in the reading rooms in London and the other lodged in the document delivery service at Boston Spa, Lincolnshire. Under the rationalisation over 5000 non-British journals including the *Bulletin of the New York Academy of Medicine* and the *Indian Journal of Medical Sciences* will be cut down to a single subscription. Another 4500 titles that are either donated or obtained through exchange arrangements will be cut to a single copy from the end of next year. The cuts will mean that the most popular journals will be available only at Boston Spa for the first six months.

A thousand of the higher quality non-British titles, such as the *New England Journal of Medicine*, *Family Medicine* and *Primary Care*, were scheduled to be cut to one copy in 1997, but that decision has now been reversed. However, it is thought unlikely that they will escape cuts in the following year.

The document delivery service, widely used by libraries throughout the world, will be put under more pressure by the cuts. The proliferation of journals and the escalating costs of subscriptions, which have been rising at a rate four times that of inflation, have not been reflected in library charges so far. The option of increasing the charges made by the document delivery service is now being considered by the library.

Professor Frank Harris, dean of the faculty of medicine at the University of Leicester

and executive secretary of the Council of Deans of the UK Medical Schools and Faculties, expressed concern at these developments: "Currently the whole ethos of education and research is in evidence based medicine. The first step is to consult the literature to see what evidence there is. To do this one needs to be able to do a decent literature search and to have access to a wide range of journals. Cutting these subscriptions is an unfortunate development."—KATHRYN GODFREY, *medical journalist, London*

Medical research wins lottery funding

Only 43 medical research charities have been lucky enough to get lottery funding. The National Lottery Charities Board this week announced grants worth just £6.7m (\$10m) for medical research plus 13 grants worth £1.9m for social research.

This is the first time medical research has been the specific focus of a grants round, and it follows extensive lobbying by medical research charities. However, there is no guarantee that there will be any more such grants in the future.

The board received 10 400 applications for grants in the health, disability, and care programme; 243 were for research projects. A spokeswoman for the board said that each application went through a rigorous process of independent peer review before going to a medical advisory panel. She added that all the applications that fulfilled the necessary criteria were funded.

Diana Garnham, general secretary of the Association of Medical Research Charities, welcomed the announcement of the first grants for medical research, but she said that she was disappointed at the comparatively low amount of money awarded. "There are too many restrictions placed on applicants at the moment, and I hope that the board will be more flexible in the future."

She criticised the fact that charities could submit only one application and had to choose between medical research and social research. "This hit the large national charities the hardest, and, for example, a general cancer charity could only submit an application for one type of cancer."

But Ms Garnham welcomed the fact that the whole process was properly peer reviewed to ensure that all the research receiving funding was of a good quality.

The largest award—£542 772—went to the Mental Health Foundation for a research project to document and disseminate information about alternative strategies for living with mental illness. Other well known charities that won grants include the Cancer Research Campaign, which was awarded £476 973 to create a national centre for research into common cancers, and the British Diabetic Association, which will get £256 490 for a project to identify the genes that lead to the development of non-insulin dependent diabetes.

Smaller charities that were awarded grants include the Deaf Studies Trust, which will receive £394 387 for research into the needs of deaf people, and the Iris Fund for Prevention of Blindness, which will get £327 483 for a project to implement a new screening device for diabetic eye disease.—JACQUI WISE, *BMJ*

It could be you—but it probably won't be

NEIL MUNN/SPA NEWS

Inquiry ordered into *E coli* outbreak: The Lord Advocate Lord Mackay has ordered a fatal accident inquiry into Britain's worst outbreak of *E coli*, which has killed 10 people. The latest figures show that 386 people are showing symptoms, and the number of confirmed cases is 204.

Britain to review rules on sperm: Junior health minister Baroness Cumberlege announced a review of the rules that prevented Diane Blood from becoming pregnant using her dead husband's frozen sperm. Lady Cumberlege ruled out "wide ranging" changes to the 1990 Human Fertilisation and Embryology Act but said that ministers would look again at the legal, ethical, and practical issues arising from the case.

No medical benefit from cannabis: A report on the use of marijuana in medicine by the Dutch Health Council concludes that insufficient scientific evidence exists to support the prescribing of cannabis. The report was commissioned by the Dutch health minister, Professor Els Borst-Eilers, after calls earlier this year for doctors to prescribe the drug as an appetite stimulant for patients with AIDS or cancer or to relieve nausea after chemotherapy.

Nobel prize winners back animal research: A survey carried out by a British patients group of all living Nobel laureates in medicine or physiology found that they all agreed that animal research was vital for medical advances and that a total ban on animal experiments would hamper medical progress.

Government loses majority over hospital row: A long running dispute over the downgrading of a hospital casualty unit at Edgware, north London, effectively wiped out the British government's one seat majority in the Commons when the local Conservative MP, Sir John Gorst, "withdrew his cooperation," saying that he put the survival of his constituents above the survival of the government.

Europe lags behind on commercialisation of gene therapy: A report prepared for the European Commission by the Science Policy Research Unit shows that 40-50 biotechnology companies are working on gene therapy in the United States, compared with fewer than 10 in continental Europe and just a couple in Britain.

Time taken for approving drugs is similar in US to UK

The time taken to approve the marketing of new drugs in the United States is generally similar to that in Britain and faster than that in Germany and Japan, according to the Food and Drug Administration's retiring commissioner, Dr David Kessler.

Dr Kessler was one of the authors of a study of the marketing approval dates of 214 drugs introduced into the world market between January 1990 and December 1994 (*JAMA* 1996;276:1826-31). The study showed that the United States and Britain have similar patterns of drug availability, but the United States has several drugs that are not available in Britain which the Food and Drug Administration considers to have important public health benefits (table).

The study says that the association has streamlined its drug approval process by encouraging innovative clinical trial designs that speed up data collection without compromising quality; by "fast tracking" the approval of drugs for serious diseases such as HIV infection, and by authorising—through the Prescription Drug User Fee Act of 1992—mandated fees from pharmaceutical companies to be used to review applications more quickly by hiring additional review staff.

Jeffrey Trehwitt, a spokesman for the Pharmaceutical Research and Manufacturers of America, a trade association representing 80 pharmaceutical companies said that although the Food and Drug Administration is heading in the right direction, it still suffers from the effects of increased regulation and duplication. "The British tend to be two years faster than the US in completing the total review process," he said.

The study found that 58 of the 214 new chemical entities were approved in both

countries; an additional 29 were approved in Britain but not in the United States, and 18 approved were in the United States but not Britain. The authors claimed that none of the 29 drugs approved exclusively in Britain was of important public health interest to patients in the United States. Two of the drugs in this group were initially considered to be important, but both were subsequently withdrawn from the worldwide market primarily for safety reasons. The authors say that other products available exclusively in Britain are similar in action and therapeutic potential to drugs already available in the United States.

The authors cited an independent analysis conducted by the US General Accounting Office which showed that the Food and Drug Administration's median approval time for 20 new molecular entities was 18 months, with the fastest approval taking about six months and the slowest about 40 months. The median time for Britain's Medicines Control Agency was 30 months, with the fastest time being about four months and the slowest about 62 months.

The study concluded that the US approval times have been steadily declining from an average of 33 months in 1987 to an average of 19 months in 1992, with times for priority drugs falling even faster, to an average of 16 months in 1992.

The more cautious approach to drug licensing by the United States in the past has meant that it avoided the thalidomide disaster when thousands of infants in Europe were born with deformities after their mothers were given the antiemetic. The application for US approval was considered routine as the drug was already widely used in Europe. The Food and Drug Administration prevented the drug's approval in the US. The event led to a landmark law, which tightened up the safety requirements for new drug testing and required drug companies to report adverse effects during clinical tests and after marketing.—DAVID WOODS, *medical journalist, Philadelphia*

The US managed to avoid the thalidomide scandal

Drugs approved in the United States in 1994 but not in Britain

Benazepril
Cefprozil
Dezocine
Doxacurium chloride
Felbamate*
Gallium nitrate*
Halobetasol
Histrelin*
Imiglucerase*
Interferon alfa-n3
Interferon beta-1b (now available in Britain)*
Masoprocol
Merieux varicella vaccine
Pegademase bovine*
Pegaspargase
Stavudine (d4T)*
Succimer*
Tacrine*

*Considered to have important public health benefits

Prenatal magnesium sulphate cuts risk of cerebral palsy

Giving magnesium sulphate during pregnancy to women at risk of delivering very low birth weight babies reduces the risk of the offspring developing cerebral palsy and mental retardation, according to a study published this week.

American researchers followed up developmental outcome in over 500 very low birth weight babies (less than 1500 g) born in the metropolitan area of Atlanta who survived infancy. Infant mortality was also investigated in an additional group of 1097 very low birth weight babies born in Georgia over a two year period (*JAMA* 1996;276:1805-10).

Hospital medical records were checked to see if mothers had been given magnesium sulphate before delivery. Dr Diana Schendel, from the division of birth defects and developmental disabilities at the Centers for Disease Control and Prevention in Atlanta, reported: "Only one of the magnesium sulphate exposed children had cerebral palsy, corresponding to a 90% lower prevalence compared to those not exposed. Two had mental retardation, giving a 70% risk reduction." Reassuringly, magnesium sulphate was not found to increase the risk of mortality in exposed children.

The authors state: "The possible public health benefit conferred by a protective effect of prenatal magnesium sulphate exposure among very low birth weight infants could be substantial."

But researchers in the United Kingdom point out that the study fails to confirm that magnesium sulphate reduces neurological disabilities because it was not a randomised, controlled trial. Dr John Wyatt, reader in paediatrics at University College London, commented: "This is a very controversial issue. The critical point is whether magnesium sulphate itself in some way protects the brain. Alternatively, it may simply be a confounding variable, with the indication for which magnesium sulphate is often given (pre-eclampsia) being the underlying explanation of better neurological outcome in the baby."

Previous research has shown that the rate of cerebral palsy is 60 to 75 times higher in very low birth weight babies than in those of normal weight, with the rate of mental retardation being 8-14 times higher. However, other studies have shown that pre-eclampsia is associated with a significant reduction in disability compared with other causes of prematurity. "A randomised, controlled trial is necessary to show whether magnesium sulphate or pre-eclampsia is neuroprotective to the baby. But this would be difficult to carry out because it would mean depriving some women of a therapy shown to be beneficial to them," said Dr Wyatt.

However, the US researchers argue that they found similar, although slightly lower, benefits with magnesium sulphate when they excluded women with pre-eclampsia from their analysis. In their study 21.8% of

Very low birthweight babies are at risk of cerebral palsy

infants were exposed prenatally to magnesium sulphate, with 52% of mothers having pre-eclampsia or eclampsia.

In an editorial accompanying the Atlanta study, Dr Karin Nelson from the neuroepidemiology branch of the National Institutes of Health reports that several randomised trials are now under way in the United States. An international randomised trial in which magnesium sulphate is given to term babies with perinatal asphyxia is also about to restart in several countries, including the United Kingdom, after having been halted because babies were inadvertently given too high a dose of the drug.

But Dr Wyatt is more optimistic about the prospect of mild hypothermia reducing neurological damage in premature babies and those of normal weight suffering asphyxia during delivery. "Research has shown that cooling the brain by three or four degrees is very protective of anoxic damage, in contrast to magnesium sulphate which has failed to show benefits." He hopes that trials of this technique, using devices to cool the brain by about 34°C for around 48 hours after birth, will start in the near future.—SUSAN MAYOR, medical journalist, London

Stress may disturb the blood-brain barrier

Severe stress can disturb the blood-brain barrier that protects the brain from drugs and other chemicals that enter the circulatory system, say Israeli researchers. Their discovery may help to explain why soldiers given the drug pyridostigmine to protect against nerve gas poisoning during the Gulf war reacted differently from soldiers given the drug in peace time.

Professor Hermona Soreq, a neurobiologist at Jerusalem's Hebrew University, and Dr Alon Friedman, a neurosurgeon at Beer-sheba's Soroka Hospital who was a doctor in Israel's defence forces during the Gulf war,

reported their research in *Nature Medicine* (1996;2:1382-5). They caused severe stress in a group of mice by forcing them to swim for eight minutes and then injected them with pyridostigmine. The drug was found in the brain cells in the mice in the experimental group but not in those in a comparable control group. After this surprising finding, the researchers tested other substances, including dyes, and these too entered the brain in stressed animals.

The brain is unique among organs in that, due to an elaborate membrane structure, few chemicals have been known to pass into it from the blood. Pyridostigmine, an inhibitor of the neurotransmitter carbamate acetylcholinesterase, has been regarded as the most effective drug for protecting people exposed to nerve gas and was believed not to cause central nervous system symptoms because it "did not permeate" the blood-brain barrier.

However earlier research had shown that Israeli soldiers given pyridostigmine during the Gulf war showed a greater than threefold increase in the frequency of reported central nervous system symptoms than soldiers given the same regimen during clinical trials. This increase was not due to enhanced absorption or decreased elimination of the drug.

This latest research in mice supports the theory that the stress situation associated with war induces disruption in the blood brain barrier and allows pyridostigmine to penetrate the brain. "These findings suggest that peripherally acting drugs administered under stress may reach the brain and affect centrally controlled functions," the authors say.

The authors also postulate that changes to the blood-brain barrier may explain the vulnerability of stressed animals to viral infections of the central nervous system. And further understanding of the mechanisms underlying these alterations in the permeability of the blood-brain barrier may have far reaching clinical implications with regard to the delivery of drugs or gene therapy agents to the brain.—JUDY SIEGEL-ITZKOVICH, medical correspondent, *Jerusalem Post*

Microbiologist wins libel damages

The current affairs magazine the *Spectator* agreed last week to pay "very substantial" libel damages to a leading microbiologist whom it had accused of giving dishonest evidence in a medical negligence case.

David Reeves, professor of microbiology at Bristol University and consultant medical microbiologist and medical director at Southmead Hospital, Westbury on Trym, accepted the undisclosed sum in an out of court settlement.

In an article published in July last year, the *Spectator* accused Professor Reeves, president of the Association of Medical Microbiologists, of giving perjured evidence for a health authority in a case brought in the 1980s by Barbara Vernon, then a reader in chemical physiology at London University. The magazine alleged that the evidence he gave as to what constituted a dangerous dose of gentamicin contradicted his own views as expressed in published papers and also an opinion he gave in another case in which he was an expert witness for a plaintiff—a Mrs Brown—against a health authority.

The article claimed that his perjured evidence against Dr Vernon had lost her the case, deprived her of her damages, and left her with a bill for £35 000 (\$52 000) in costs. In a state-

ment read out in open court last week, the *Spectator* accepted that the two cases were "simply not directly comparable" and that Professor Reeves's evidence in Dr Vernon's case did not contradict his published views or the opinion that he gave in Mrs Brown's case. The two patients' physical conditions and the levels of monitoring that they received were different. The magazine accepted that the allegations were "completely false" and offered "sincere and unreserved apologies for the great distress which they accept their article caused [Professor Reeves]."—CLARE DYER, legal correspondent, *BMJ*

Skin lesion removal rationed in Florida

Florida's Medicare programme has placed stiff restrictions on the removal of certain skin lesions that are linked to solar exposure, but dermatologists and elderly people are taking legal action to oppose the restrictions.

Medicare, the health insurance scheme for people aged over 65, maintains that treatment of asymptomatic actinic keratosis is medically unnecessary. They have stipulated that actinic keratoses that are not considered premalignant must first be given a trial of treatment with 5-fluorouracil before removal.

The rate of removal of skin lesions in elderly people in Florida is three times the average rate in the rest of the United States. Whether this is due to excessive sunbathing or to superfluous treatment is unclear. Medicare estimates that removal of skin lesions costs about \$20m (£13m) a year.

Among the clinical criteria for approved removal of a skin lesion are: (a) if the patient presents with an actinic keratosis that has changed in size, developed erythema, thickened, ulcerated, eroded, developed changes at the tumour margins, or become noticeably hyperkeratotic or in which pain is present or a cutaneous horn has developed; and (b) if the patient has multiple actinic keratoses and has self administered 2% to 5% fluorouracil topical cream for two to four weeks, and the actinic keratoses have not responded one to two months after treatment.

The American Academy of Dermatology, the Florida Society of Dermatology, and the Seniors Coalition (with its 2.4 million members) have launched a lawsuit against Medicare, claiming interference by the insurer in medical decisions. Dr Lisa Zack, president of the Florida Society of Dermatology, said: "Dictating medical treatment and making patients tolerate a sometimes unsuccessful procedure is a very dangerous practice. In fact, in 1996 alone, 2300 people died of squamous cell carcinoma, the skin cancer that these actinic keratoses may progress to."—FRED B CHARATAN, medical journalist, Florida

Focus: Westminster

At last: a political division on the NHS

As Britain counts the weeks until a general election in the first half of 1997, a political divide has at last emerged on the NHS. The Labour party has finally put its cards on the table, pledging to abandon GP fundholding and, with it, the internal market. Textual analysis may cast doubt on Labour's true intention to do away with fundholding, though a realistic working assumption must be to take it at face value.

The plan is to replace individual fundholding with a system of local commissioning in which typically 10 or 20 practices negotiate a common budget for hospital treatment of their patients (7 December, p 1427). Labour health spokesman Chris Smith asserts that the scheme is consistent with previous policy, and the record tends to prove him right. Moreover, the government is not seeking to exploit the move as a Labour U turn towards fundholding. It is quite prepared to meet the issue head on, believing that Labour has played into its hands. Half of Britain's family doctors are

now fundholders and may not relish giving up their status quietly. After all, the history of the NHS is one of doctors fighting to retain what they hitherto opposed.

The new political divisions are rooted in party doctrine. For Labour, fundholding offends the egalitarian ideal that all NHS patients must be treated equally. Not even "new Labour" can tolerate the perceived inequity of fundholders' patients receiving preferential treatment. Group commissioning between GPs and provider hospitals is Labour's answer. Thereafter it can live with the argument about whether the change means levelling up or levelling down.

But change there will be. The stated aim of an incoming Labour government is to transform fundholding into "something very different." All GPs in a locality will be obliged collectively to negotiate referral rates with hospitals and draw them down as needed. Single practice fundholding will be frozen and totally replaced within three years, though with scope for exceptions.

Labour aims to build on the existing trend for GPs to group together in multi-funds or out of hours cooperatives. But collaboration by like minded participants is one thing, compelling Dr Cameron to sit with Dr Snoddie is another. A health minister's caus-

tic reference to "chain gang commissioning" gives a flavour of the criticism. Another Tory comparison with fundholding was to ask: "What happens to the profits?"

Mr Smith says that he wants evolution not revolution. Even so, party politics and medicopolitics could be parting company again. At present they are back in step—there is harmony, for example, on the NHS Primary Care Bill, itself a development of fundholding. Introducing the bill in the House of Lords last week, the junior health minister, Baroness Cumberlege, said: "The innovative proposals we seek cannot be squeezed out of unwilling practitioners. Willing volunteers are a critical feature of pilot schemes."

Labour should perhaps take note. It regards the Primary Care Bill as a convenient vehicle to pilot group commissioning. Mr Smith has expressed the hope that commissioning will be "enthusiastically embraced" by GPs. There is still a job of persuading to be done, as well as more work on the detail of what group commissioning entails.

If the circle can be squared Labour's ambition is that there will not be much difference between fundholding and commissioning in what doctors can do and have control over.—JOHN WARDEN, parliamentary correspondent, *BMJ*