most of what I had intended to say has been put before you much better than I could have done it. If I may be allowed to do so, I would ask you to consider Dr. West's remarks as embodying my views. I have not the ability or the very large experience of pneumothorax and pleural effusion which Dr. West possesses, but my own smaller experience—not altogether inconsiderable—leads me to endorse almost all that Dr. West has said. One slight point on which I would make some modification: I have had a fair number of cases of tuberculous pneumothorax, and in the great majority of these there was no need to aspirate. The urgent symptoms which always follow immediately after the perforation have in my experience comparatively rarely been so urgent as to need operative relief. My experience leads me to agree with Dr. Raw that many cases are best left alone. I am not altogether disposed to agree with Dr. Acland that purulent tuberculous effusions in the pleural sac should not be evacuated. Just as I advise the removal of local collections of pus in other parts, such as the limbs, in cases of pulmonary tuberculosis, so I should and do recommend the removal of pus from the pleural sac in these cases. I should like to endorse what Dr. Philip said as to the importance of keeping patients under observation for some time after the pleurisy is cured. It is just at this time that advance of the tuberculous process in the lung may go on without recognition, if the patient is not kept under observation. Hygienic conditions of life, including a plentiful supply of fresh air, are important aids to the successful treatment of tuberculous and other pleural effusions.

MEMORANDA:

MEDICAL, SURGICAL, OBSTETRICAL, THERAPEUTICAL, PATHOLOGICAL, Etc.

SUPPURATIVE GOITRE.

CASES of suppurative goitre due to a cryptogenetic infection appear to be sufficiently rare to justify a brief note. Eighteen months ago I was asked to examine a very large goitre in an old man of 74, that had suddenly become painful. I did so, and found a small focus of softening in the dense, evidently calcareous, mass. Incision was declined, and the abscess burst externally a few days later. I could find no obvious source of infection, but ever since the mass has been steadily undergoing a suppurative infiltration and without any surrounding cellulitis, disintegration, or apparent change in the general health of the patient, except that induced by the conviction that he is the victim of cancer. The only two other similar cases I have been able to collect occurred, as one would expect, in old persons over 70, with goitres that had been the seat of calcareous infiltration, but I find many experienced surgeons of forty years' standing have never seen a similar case, neither is the subject mentioned in textbooks, and an active thyroid is, with good reason, assumed to have an antipyrogenic action. Goitres of the adenomatous type are extremely common around Ullswater. The rocks are volcanic, chiefly lava and volcanic ash, without limestone. The water supply is presumably very similar to Manchester, being derived chiefly from the other side of the watershed to Thirlmere, and the people healthy except for disorders of the alimentary canal.

Ashton-under-Lyne. ARTHUR G. WILKINS, M.B., Ch.B. Vict.

PROTECTIVE POWER OF VACCINATION.

ON May 9th, 1904, I vaccinated A. L., aged 4½ months, residing at 78, Back Durham Street, in this city, with calf lymph procured from the Local Government Board, and on May 16th following, when I visited again to dress the baby's arm, found its mother in bed with a smart attack of discrete small-pox coming out and suckling the child at her breast. On examining the baby's arm I was gratified to find four good crops of vesicles had developed. The mother was removed at once to small-pox hospital; the father and rest of family were all revaccinated and sent to the isolation home, and the baby weaned from its mother. It has continued well ever since, and I saw it on July 20th in perfect health.

J. ACWORTH ANGUS, M.R.C.S. Eng., L.S.A. Lond.
Newcastle-upon-Tyne.

OF 950 ladies seeking admission to the Female Medical Institute of St. Petersburg 250 have been selected.

Introductory Addresses

AT THE

OPENING OF THE MEDICAL SCHOOLS.

LONDON SCHOOL OF TROPICAL MEDICINE.

By Sir CHARLES BRUCE, G.O.M.G.,
Late Governor of Mauritius.

COLONIAL SANITARY ADMINISTRATION AND TROPICAL DISEASES.

I HAVE greatly appreciated the honour conferred on me by the London School of Tropical Medicine in inviting me to deliver an inaugural address at the opening of a new session. When it was announced that I had accepted the invitation, a friend asked me the pertinent question, "Are you a doctor?" "No," I replied, "I am not a doctor, but in the treatment of disease there are always two parties concerned—the doctor and the patient. What I might find to say I shall say as a patient on behalf of patients." For over thirty-five years I have lived constantly in an environment of tropical disease. Early in my Colonial service I suffered so severely from the effects of malarial fever that Dr. Charles Murchison, a physician of celebrity in the treatment of tropical diseases, urged me to abandon my career, as so many of my contemporaries and colleagues have been forced to do. During the years that have since elapsed I have had abundant opportunity of learning by experience how seriously imperial and local interests in the administration of public affairs, in commerce, and in industry are impeded by those diseases which the London School of Tropical Medicine was established to study.

My first Colonial experience was in Mauritius in the year 1868. An epidemic of malarial fever of exceptional fatality had broken out shortly before and was still raging. Up to the time of this epidemic Mauritius had been one of the healthiest Colonies of the empire; a naval and military station of unsurpassed, it may perhaps be said of unrivalled, salubrity; a favourite health resort for Indian civilians on furlough; while commercial and agricultural enterprises were carried on amid surroundings which seemed to combine every charm of the tropics with the most favourable conditions of life in temperate climates. The centre of business and of pleasure was Port Louis. The Prince of Wales, on his return from his Imperial progress in 1901, spoke of the society of Mauritius as retaining many of the charming characteristics of old France. At the time of the outbreak of malarial fever to which I have referred, this society had grouped itself in and around Port Louis, where also were the military head quarters. It was in Port Louis that the fever commenced. Slowly but constantly it encroached on the suburban districts and on the line of sea level around the coast. As it advanced the residences of the wealthier society were removed to a higher elevation. The Port Louis Line Barracks were first abandoned, and subsequently, as the fever advanced along the coast, other military posts. In illustration of the gradual advance of the malarial area, I may mention that in 1870 the Government commenced the erection of the Royal Alfred Observatory at great cost. The site, in the district of Pamplémousses, not much above sea level, has since become so unhealthy that the Government has been urged to abandon it. In the hope that this necessity may be avoided, every measure of antimalarial sanitation advised by Sir Patrick Manson and the Schools of Tropical Medicine has been adopted. In 1880 it was thought that settlements at a height of 700 or 800 ft. above sea level were safe from malarial influences, and the Government undertook the erection of a vast and costly central prison at Beau-Bassin, then a favourite centre of society. Of late, however, the unhealthiness of this prison has caused grave anxiety, malarial fever having invaded the district in which it is situated with such intensity that military officers are no longer allowed to reside within it. Here, also, active measures of antimalarial sanitation have been taken in hand, and it is hoped that the results may be such as have followed similar operations in other parts of the world.

The census of 1901 showed very clearly the consequences of the migration caused by the malarial epidemic which prevailed during the last half of the decade 1860-70. It was found that the population of the district of Port Louis had decreased from 74,420 at the census of 1861 to 52,740; while the population of the district of Plaines Wilhelms, to which the refugee

community had resorted, had increased from 28,020 to 63,624. The district of Plaines Wilhelms rises to an altitude of about 1,800 ft., and embraces a number of centres in which society has established itself. The military have recently erected extensive ranges of barracks in this quarter. The barracks, and the district generally above the altitude of 1,000 ft., are at present beyond the area of intense malarial infection; but if the progress of the disease is not arrested it seems certain that the whole district will be absorbed in the area of malarial influence. I believe I am justified in saying that the Government of Mauritius has been fully alive to the importance of sanitation and the value of the researches conducted by the schools of tropical medicine and other agencies; and that nothing is being left undone to perfect a system of anti-malarial measures on the lines which investigation and experience have found to be best.

Looking at the records of the epidemic of 1866 by the light of recent knowledge, it is, I believe, accepted that it originated with the introduction of the malaria-bearing mosquito with immigrants from India. Had all that recent research has discovered been at the time within the range of medical knowledge, there seems to be little reason to doubt that the measures of prophylaxis and treatment which would have been at once adopted would have arrested the epidemic and saved the Colony from the consequences I have indicated—an enormous mortality, an endemic disease, a vast depreciation of property, and the displacement of the homes of a large section of the community.

In 1878 my services were transferred to Ceylon, and my appointment as Director of Public Instruction gave me exceptional facilities for visiting outlying districts and making myself acquainted with the condition of the people. In many parts of Ceylon, as in the tropics generally, epidemic and endemic diseases have a great influence on school attendance; but I propose to limit my observations on the present occasion to the North Central Province, where schools were few and very far between. They were also difficult of access; and in this way it happened that a school established in a village known by the ominous designation of Fever Village escaped a visit from the department for some years. An inspector sent with special instructions to visit the school found it, with some difficulty, seventy miles from the site where it had been established. The explanation was that the village, with its school, had, following a system known as "Ohena" cultivation, migrated to successive locations, from each of which it had been driven by visitations of fever until it had reached the spot where it was found by the inspector. I mention this incident because it may be said to be typical of the history of the North Central Province of Ceylon. Historically this province is the most interesting district in the Colony. It contains the city of Anuradhapura, with its sacred Bo-tree, its fallen temples and palaces; the sacred rock of Mihintale; the ruined city of Pollanarruva, and innumerable monuments of a great religious and political past. At the present day the province, once the most richly cultivated and the most thickly-populated part of the island, is a region of abandoned lands, the home of a sparse and anæmic population. It may never be possible to trace to its origin the cause of the desolation of this once prosperous and wealthy centre of Oriental life, but of the cause there can be no doubt. I have indicated some of the results of forty years of malarial fever in Mauritius; the same cause operating through centuries has produced the ruin and depopulation of the North Central Province of Ceylon. Since the days of Sir William Gregory much has been done in the hope of restoring prosperity to the province. The realization of this hope seems now to have been brought within the range of practical measures, and to await only the adoption of an appropriate system of anti-malarial sanitation. Restored to sanitary conditions such as generally prevail in the Colony, in the area of European commercial and agricultural enterprises, and in the chief centres of administration, the North-Western Province would probably be found to possess capabilities of development inferior to no other province of Ceylon. The construction of a railway through the province is likely to prove an interesting experiment. Railway construction through malarial areas in Ceylon, as elsewhere, has hitherto been accompanied by high rates of disease and mortality. It must be hoped that the precautionary measures recommended by experience, such as that of Drs. Sambon and Low in the Roman Campagna, will enable the work of railway construction to be prosecuted without danger. While I refer particularly to the North Central Province, malaria is a powerful factor in the disease and death-rate in many parts of Ceylon. Other tropical

diseases are also endemic, so that Ceylon, although it must be counted amongst the healthiest of the tropical colonies, may well be reckoned among the colonies likely to derive gain from recent discoveries and studies in tropical medicine and hygiene.

From 1885 to 1893 I served in British Guiana. It was a period of great interest, owing mainly to the impetus given to the development of the resources of the interior, including the gold fields. While looking back with pleasure and satisfaction to these years of my public life, my experience taught me that there are few colonies in which administration, industry, and commerce meet graver obstacles in the various forms of tropical disease. Endemic malaria, epidemics of yellow fever, and the ever-intrusive mosquito are formidable enemies and have to be met by strict measures of precaution. As I was responsible for the passing of the British Guiana Immigration Ordinance, 1891, an enactment recently much discussed in Parliament, I may point out that some provisions of the Ordinance severely criticized were introduced not in a spirit of despotism for the profit of the employer of labour but for the benefit of the coolie, and to ensure his adequate protection from disease on unhealthy estates. The outbreak of beri-beri among the Chinese imported into South Africa seems to have promptly justified analogous provisions in the Transvaal Labour Ordinance.

At the time of my residence in British Guiana it was not known that mosquitos and fever stood to each other in the relation of cause and effect. As the tropical diseases that have there principally imperilled life and property are all mosquito-borne, the results of recent researches and experiments in the prophylaxis and treatment of such diseases and an appropriate system of sanitation are likely to be of as great gain in British Guiana as in any part of our tropical possessions.

My residence in the tropics led me long ago to form a very strong opinion on the inadequacy of the *British Pharmacopoeia* to meet the requirements of our Colonial Empire. An incident in British Guiana tended to confirm this opinion. Early in 1889 a member of my family had a severe attack of pernicious fever. The fever having continued for some days, and extensive hæmorrhage having set in, my medical adviser, a dear friend of long Colonial practice and experience, suggested, as a last resource, the calling in of a local empiric. The next day he brought with him a native lady, who at once treated the patient with herbs gathered by herself in the garden of Government House. Within three hours the fever broke, and the patient, though in extreme exhaustion, was cured.

My views have been shared by many others, and I have naturally taken much interest in the work of a revision of the *Pharmacopoeia* by the adoption of the medical herbs and substances of proved efficacy, either in substitution of or in addition to, the recognized drugs. This important work has now for some years engaged the attention of the General Medical Council, and has already resulted in the publication, in 1900, of an Indian and Colonial Addendum. This is, however, only a preliminary step to the ultimate production of a complete imperial pharmacopoeia. Dr. Donald MacAlister, Chairman of the Pharmacopoeia Committee of the General Medical Council, has informed me that the work is being proceeded with, and he has been assured by the Secretaries of State for the Colonies and for India that the fullest official assistance will be given to the Pharmacopoeia Committee. I avail myself of this opportunity to express a hope that some, at least, of the students of the London School of Tropical Medicine will devote themselves to the investigation of herbs and other substances which they may find in empiric use in the sphere of their future labours.

In 1893 I was appointed Governor of the Windward Islands, and my knowledge of tropical diseases was enlarged by my experience of the loathsome disease known as "yaws," very prevalent in the islands. The position to be assigned to yaws among classified diseases is a subject about which considerable diversity of opinion seems still to exist. The volume of selections from Colonial Medical Reports for 1901-2, published as a Blue Book in July last, contains as an annexure to the St. Vincent Report a paper summarizing the additions made to our knowledge of the disease since 1901. Although a hope is expressed that satisfactory conclusions as to the true nature and treatment of the disease may soon be arrived at, it is evident that science has not yet revealed the secrets of yaws, a terrible scourge to the communities among which it prevails. Whatever may be found to be its true nature, the circumstances of the population among whom it is found

indicate beyond doubt that bodily nourishment has much to do with the susceptibility to infection and the severity and duration of the attack.

Although the head quarters of the Government of the Windward Islands are in Grenada, a very healthy island, the establishment of a protected coaling station and the maintenance of a large garrison at St. Lucia have raised that island to a position of great imperial importance. St. Lucia has suffered from endemic malaria and epidemics of yellow fever so severely that it has acquired an unenviable notoriety. Towards the end of the year 1894 an outbreak of yellow fever attacked the Training Squadron in Castries Harbour and the garrison, and caused grave anxiety. I observe from the latest reports that the Medical Department of St. Lucia have adopted the measures of sanitation which have proved of such efficacy against malaria in other tropical colonies, on the Suez Canal and elsewhere, and against yellow fever in Havana. There seems, therefore, to be a reasonable expectation that malaria and yellow fever may disappear, and that the fears that have been entertained on the subject of the health of the officers and men of the army and navy quartered in or visiting St. Lucia may soon be banished.

In 1897 I returned to Mauritius as Governor, and the period of my administration to the close of last year was rendered arduous by visitations of malaria, bubonic plague, and the epizooty known as surra. The prevalence of these diseases has made the question of sanitation the first concern of the Government. As regards malaria, to which I referred particularly at the commencement of my address, an organized and systematic campaign of antimalarial sanitation has been carried out. Mauritius has not been behind other colonies in the scientific study of the causes of malarial fever, as well as of other endemic diseases, and in the adoption of prophylactic and curative measures. For five years the exigencies of bubonic plague have taxed to the utmost the abilities of the Medical Department and the resources of the Colony. There are conditions in the physical formation and circumstances of the island which make it especially hard to deal with rats. There are no natural enemies of the rat in Mauritius, and the introduction of such enemies is attended with difficulties. The plague first appeared in 1899, in which year there were reported 1,417 cases and 1,117 deaths. From that date cases and deaths have steadily decreased, with the exception of the year 1901, when there was a serious recrudescence. During the nine months ending September 30th, 1903, there were reported 369 cases and 283 deaths. The colonial expenditure on plague account during the period indicated amounted to over a million and a half rupees—a large sum, but proportionately less than the expenditure on plague account in other colonies.

Up to the year 1902 my experience of tropical diseases was limited to the diseases that attack man. In 1902 an outbreak of the disease known as surra caused such a loss of animals as to destroy the system of transport of the Colony dependent on animal draught. I then learnt to recognize the necessity of extending the study of tropical diseases to those that attack animals. It became necessary, at an enormous cost, to substitute mechanical for animal transport by means of light railways, tramways, and traction engines, and the consequences of the disease not only imperilled the sugar industry upon which the public fortune of Mauritius depends, it affected every department of public and private activity. I am able, therefore, to appreciate the reciprocal arrangements which have been made for the association of this school with the Royal Veterinary College.

This brief narrative of my experiences, which are not exceptional but common to colonial service in tropical colonies, may be found, I hope, to justify my profession that for over five-and-thirty years I have lived in an environment of tropical diseases, and you will understand that my object has been to illustrate the importance and the responsibility of the duties the students of the London School of Tropical Medicine are fitting themselves to undertake. I would help them to realize to the full the multitude of the lives, the magnitude of the interests they are qualifying themselves to protect.

In the five years that have passed since your School was opened, much has been done in the way of education and research. The 400 students who have received instruction here have entered the service of the Colonial and Foreign Offices, the Admiralty, and the War Office; they are the agents of missionary societies; they are in the employment of railway companies, of trading and mineral corporations; they are members of foreign government services and foreign

universities. They have gone out into all the tropical world preaching the gospel of sanitation—*Sanitas sanatum omnia sanitas*. In an address delivered here in December last, Sir Patrick Manson gave some illustrations of the research work done by your men, and I learn from him that fresh discoveries of pathological interest and probably of practical importance are now being studied.

But if much has been done, much remains to be done. If I may be permitted, as a layman, to attempt to sum up the results of the study of tropical medicine during the last few years, commencing with the work of Sir Patrick Manson and Major Ross, I would say that the medical profession in tropical colonies are no longer called upon to fight a vague generalization styled "climate," but specific infections by discovered agencies working in accordance with ascertained natural laws. In the new system the London and Liverpool Schools of Tropical Medicine may be described as the Intelligence Department of the Army of Medicine in the tropics. On the work of the Department the welfare of our tropical possessions and protectorates depends.

In the conduct of a campaign against a specific infection the militant officers will probably look to the Intelligence Department for information as to the agents of infection, the means to be adopted for their reduction or extermination, methods of protection, and remedial agents. In the case of malaria the militant officers seem to be equipped at all points. Taking it for granted that malarial fever is contracted only from the bite of a mosquito (the *Anopheles* variety) that carries fever agency in its poison secretion, and that the *Anopheles* can get these germs only by previously biting persons carrying the malarial germs in the blood, the Intelligence Department has devised an antimalarial system of sanitation which experiments have proved to be adequate to reduce the agent of infection. It must, however, be borne in mind that much time and vast expenditure will be necessary before the antimalarial measures that have been applied with success in townships can be carried out so as to secure immunity in territories or extensive areas, such as the North-Central Province of Ceylon or the malarious districts of British Guiana. In the meantime the Intelligence Department has investigated and taught measures for the complete protection of residents in malarial areas, and a specific remedial agent has been found in quinine.

In respect of other tropical diseases—including yellow fever, as is shown by the fact that the Liverpool School is sending out a further yellow-fever expedition to the Amazon—much further research is necessary. The bacillus of plague has been found, and the chief source of danger and the carrying agent is known to be the rat; but there are other agents, and the multiplicity and habits of the agents make it almost hopeless to secure an immunity similar to the immunity obtained in dealing with malarial fever by the destruction of *Anopheles*. As regards prophylaxis and cure, the serum of Yersin and Haffkine's fluid secure a brief temporary immunity; but Haffkine's fluid is only prophylactic, and the complete curative adequacy of Yersin is not established. Such, at least, is the opinion of the medical staff in Mauritius, who have now had much experience of the disease. In any case the fact is that after years of scientific research and costly experiments the victims of plague are numbered by thousands a week.

It must suffice for me now to remind you only of the special need for further research in respect of the infection of man and the lower animals by the parasite trypanosoma, associated, as you are aware, with the propagation of some of the deadliest diseases to which man and animals are liable. It may seem impertinent to dwell on the importance of further research on trypanosomiasis in a school to which the world is mainly indebted for the knowledge that the trypanosoma is the cause of sleeping sickness; but I have in my mind the disastrous consequences to Mauritius of surra—an infection of animals by the same or a variety of the same parasite. Coincidentally with the prevalence of surra in Mauritius, the disease was raging with no less violence in the Philippine Islands when the enormous loss of animals led the Manila Biological Laboratory to undertake an exhaustive inquiry into trypanosomiasis with special reference to surra. Such was the fatality of this disease in Mauritius, that I believe I am correct in saying that no equine attacked by the disease recovered, although under certain treatment the parasite for a time disappeared from the blood.

You are aware of the researches into trypanosomiasis prosecuted by your colleagues in Liverpool. A few days ago I received the reports of their recent expedition to the Congo.

It is stated that the question of a curative agent has for a considerable time engaged the attention of the members of the expedition, and that experiments are now in progress to find a remedial agent which would have the same effect in trypanosomiasis that quinine has in malaria.

Speaking as a layman, the phrase seems to hit the nail on the head, and to be applicable to other groups of diseases besides trypanosomiasis. Research into no form of tropical disease would appear to be complete short of the discovery of such a remedial agent, or of a prophylactic serum not less efficacious than vaccine lymph against small-pox.

The recently-discovered Leishman-Donovan parasite has already been met with not only in India and Assam but in Tunis and the Soudan, and it will probably be found to have a much wider distribution, and to be of greater pathological importance than was at first suspected. If it should be proved to be the cause of the deadly kala-azar of Assam and Upper Bengal, long confounded with malaria, and no less fatal than plague, the discovery will be of great importance, and may be the first step towards the prevention and cure of a disease which has hitherto baffled medical skill. Whatever may be the ultimate results, the investigation of this parasite, which will engage your inquiry, cannot fail to throw light on some obscure points of tropical pathology.

Much, therefore, remains to be done in the way of research and experiment, and I venture to express a hope that the coming session of the London School of Tropical Medicine may be not less fruitful of good work than the sessions that have preceded it. It must be gratifying to all who have laboured for the school to find that the number of students entered for the forthcoming course is the largest ever entered on the opening day.

Before bringing to a close these desultory notes, which are all I have to offer you as an inaugural address, I cannot refrain, as one who held high Colonial office during the whole period of Mr. Chamberlain's administration, from expressing my sense of the service he has rendered to the health of the empire, and certainly not the least of his services has been the establishment of this school.

UNIVERSITY COLLEGE, BRISTOL.

By FRANCIS BROOKS, M.A.Oxon.,
Professor of Greek and Latin, University College, Bristol.

THE CLAIMS OF THE CLASSICS.

[ABSTRACT.]

AFTER pointing out that the supremacy which the classics enjoyed in education during the 400 years which followed the first revival of learning had within the last generation been seriously and successfully assailed, Professor Brooks said that in some quarters they were explicitly assailed as unscientific and what was called unpractical. In others they were not so much assailed as ignored, an attitude even more fatal to their interests than one of overt hostility. As a case which was not from time to time restated was apt to be considered to go by default, it might not, he thought, be inappropriate to examine briefly the current objections brought against the classics, and to set forth also their positive claims to consideration.

THE ALLEGED OPPOSITION BETWEEN CLASSICS AND SCIENCE.

In regard to the asserted opposition between classics and science, he hoped to show that this was a false antithesis due to the prevalent ignorance of what was really involved in classical study, and that, while it might be true that the classics were not present in science, the methods of science were, on the other hand, exemplified in the study of the classics. When it was said that classics did not enter into science there was one important exception to be made. It had been his privilege ever since it was first started to take in the *Stethoscope*, the organ of the Bristol Medical School. Nothing was more encouraging to a student of the classics than to observe how, in the technical articles of that journal, the vocabulary was almost wholly taken from the Greek; the small amount that was not Greek was Latin, and sometimes the two languages were combined with lawless dexterity in one and the same word. The dependence upon them was so absolute that one was driven irresistibly to the conclusion that if the Greek and Latin languages did not fortunately already exist it would have been necessary for the purpose of medical science to invent them. The same practice was followed in the other sciences. Sir William Ramsay, for instance, as he welcomed

each newborn element into the world duly endowed it with its Greek surname. Either it is "crypton," the hidden; "xenor," the stranger; or "neon," the new. All countries agreed in this tendency. Germany alone, in an excess of patriotic fervour, tried for a time the experiment of placing Teutonic roots side by side. The result was not philologically pleasing, and the attempt had been in great measure abandoned. It was surely a curious and somewhat pathetic tribute to the richness and flexibility of the ancient tongues that their modern rivals should have been thus compelled to resort to them for their phraseology.

CLASSICAL STUDY A BRANCH OF SCIENCE.

It was undoubtedly true that there was opposition between classics and science, more in detail so far as their subject-matter was concerned; for the one dealt with words and thoughts, and the other with substances and forces and the theories connected with them. But the test of experience showed that it ceased to be true with regard to the mental processes involved in each. The principles which underlay the pursuit of all science underlay also the study of the classics. In fact, from this point of view, they were a branch of science. The chief reason why they were so was that, owing to their remoteness in time, the language in which they were cast had been reduced to a system of exact and ordered law. It was exempt from the laxity and innovations and varying standard of usage which inevitably attended a spoken language. Again, it was highly inflectional. The change of meaning which was expressed in English by means of prepositions and auxiliaries was expressed in Greek and Latin by a change in the form of the word itself, so that one Greek or Latin word was often equivalent to three or four or even five English ones. Then, too, the order of the words in the ancient languages did not follow what we should regard as the natural order of the thought. The subject did not necessarily begin the sentence, the object constantly preceded its verb, and there was a tendency, especially strong in Latin, to reserve the verb for the last place in the sentence.

THE FACULTIES EXERCISED IN CLASSICAL STUDY.

In the study of the classics the faculties called into play were precisely those which were called into exercise in all science—memory, observation, accuracy, and, above all, the power of reasoning by analogy, of bearing in mind the main types of word-formation with which it was the student's first business to become acquainted, and then of recognizing in individual forms the signs which enabled him to refer them back each to its proper type. And not only had he to observe accurately, but the practice of composition in Greek and Latin forced him to reproduce accurately what he had observed. In all this there was mental discipline of a kind similar and equal to that bestowed by science, and exercised upon a sufficiently exacting subject-matter. Any one who had been able to master Latin grammar had a vice-like grip of the principles of all other grammar, our own included, and any one who had studied Latin syntax had had the benefit unwittingly of a course of systematized logic. Furthermore, the ancient languages were scientific not only in their formation but also in their interpretation, which consisted in the application of fixed laws to particular conditions. The general laws of the language must not be violated. On the other hand, the claims of the particular context must be considered, and the nice adjustment between the two in which right rendering lay could often be attained only by a long reasoning process. The classical student could not, if he would, escape the salutary fatigue of thought. He was necessarily and constantly engaged with the consideration of evidence, the drawing of inferences, and the passing of judgement. Primarily, and in not the least important of their aspects from an educational point of view, the classics were a branch of science, and must in the first instance be both studied and taught as such. Science, in fact, denoted a certain method of investigation rather than the particular objects of investigation with which it was connected in the popular mind, and a good deal of heated and mistaken controversy might have been avoided if this had been more generally recognized.

It was a curious but undoubted fact that the scientific spirit in which the classics had to be approached was often most conspicuously lacking in those students of them who were drawn from science. In saying this he was thinking of the matriculation forms in public schools in which were gathered the boys of the Science 6th, many of them holders of open scholarships who required to keep up a certain