UK NEWS House of Lords rules government's restrictions on foreign doctors is unlawful, p 1037

WORLD NEWS Proposals to strengthen ban on prenatal sex determination hide inaction, p 1038

bmj.com German doctor stands trial for forcibly administering emetic to police suspect who died

US medical schools should say no to pharma support

Janice Hopkins Tanne NEW YORK

A report from the Association of American Medical Colleges suggests that all 129 member medical schools should prohibit pharmaceutical and devices manufacturers from providing gifts, food, and travel to doctors, faculty members, and students. The report will be considered at the association's meeting in June.

The association set up a task force to examine industry funding and to guide the association, medical schools, and teaching hospitals in developing policies and procedures about gifts and funding from industry.

The report said that medical schools and teaching hospitals had become increasingly dependent on industry support for their core educational missions. "This reliance raises concerns because such support, including gifts, can influence the objectivity and integrity of academic teaching, learning, and practice, thereby calling into question the commitment of academia and industry together to promote the public's interest by fostering the most cost-effective, evidence-based medical care possible."

The report called on academic medical centers "to accelerate their adoption of policies that better manage, and when necessary, prohibit, academic-industry interactions that can inherently create conflicts of interest and undermine standards of professionalism." It concluded, "Industry should voluntarily discontinue those practices that compromise professionalism as well as public trust."

The *New York Times* noted that medical schools, with their prominent professors and impressionable trainees, were particularly attractive targets for marketing (28 April; www.nytimes.com/2008/04/28/us/28doctors.html).

In an editorial the newspaper said it hoped the medical schools would adopt and strengthen the association's guidelines. (29 April; www.nytimes.com/2008/04/29/opinion/29tue4.html).

Report of the AAMC Task Force on Industry Funding of Medical Education is at www.aamc.org

Demonstrators protest in 2006 over NICE's decision to limit the use of dementia drugs

Court rules that NICE procedure on dementia drugs was unfair

Clare Dyer BMJ

The hopes of people with mild Alzheimer's disease of having access to acetylcholinesterase inhibitors through the NHS were boosted last week when three appeal court judges ruled that a key step in the process for appraising the drugs for NHS use was "procedurally unfair."

The court unanimously overturned a High Court ruling that the National Institute for Health and Clinical Excellence (NICE) acted fairly when it refused to supply the drug company Eisai with a full version of the computer model it used to decide that the treatment would not be cost effective for the early stages of the illness (*BMJ* 2007;335:319).

The drugs cost £2.50 (€3.17; \$4.90) a day. In 2004 NICE decided that they were not cost effective for mild Alzheimer's disease. It will now have to give Eisai the "fully executable" version of the model in place of the read only model it

previously supplied and reconsider its decision in the light of any further submissions by Eisai, the UK licence holder for donepezil (Aricept), one of this group of drugs.

The case, the first to be lost in court by NICE, will have repercussions for future cost-benefit analyses of new drugs, which will have to become more transparent. Drug companies that ask for the fully executable model will have to be given it to enable them to carry out their own analyses.

Nick Burgin, managing director of Eisai, said, "We believe that this decision represents a victory for common sense. As soon as we have reviewed their cost effectiveness calculations we will submit any new findings to NICE."

"We hope that this action will ultimately restore access to antidementia medicines."

David Pannick, Eisai's QC, told the appeal court last month, "The evidence suggests that when the

guidance takes full effect—for no mild Alzheimer's sufferer will have current treatment discontinued as a result of the guidance—annually 96 600 patients with mild Alzheimer's will be refused treatment with acetylcholinesterase inhibitors that would have been made available."

The appeal court judges heard arguments by NICE that it was bound by confidentiality not to hand over the fully executable model, which was developed by academics, and that doing so would add another two or three months to the appraisal process.

But Lord Justice Richards, giving the court's judgment, said that NICE's refusal to hand over the full version put drug companies at a disadvantage in challenging the reliability of the model. "The possibility cannot be excluded that work done by them on the fully executable version would bring to light hitherto unrecognised weaknesses in the model," he added.

MARK THOMAS

IN BRIEF

Missing aid worker returns: Abdul Rab, the medical director for the aid organisation Kinderberg International in Afghanistan, who was reported to have gone missing on 8 April on a road between Kabul and Kunduz, returned home safe to his family on 26 April. A Kinderberg spokesman in Germany declined to comment further, but said that Mr Rab's driver, Abdul Hafiz, was also safe.

Philippines bans organ transplants:

The Philippines has placed a permanent ban on foreigners receiving transplanted organs from local donors to try to counter the growing trade in organs from impoverished Filipinos. From 2002 to 2006 there was a 62% increase in transplants of kidneys from living non-related donors to foreigners, the Department of Health reported. See www.pna.gov.ph/index.php?idn=0&nid=7&rid=135173.

Deaths from AIDS in Uganda rise by 30%:

The death toll from AIDS in Uganda has been rising for two years, with at least 100 000 deaths a year from the disease in the past two years. Between 2000 and 2006 there were an estimated 72 000 deaths a year from AIDS. The increase is because of population growth and new AIDS infections, said David Kihumuro Apuuri, director general of the state run Uganda Aids Commission.

Smokers lose 20 years to lung cancer:

Female smokers aged 35 to 69 with lung cancer lose on average 21.3 years in life expectancy, according to research based on a case-control study and a nationwide retrospective survey of mortality in China (*Annals of Epidemiology* 2008 Apr 28; doi: 10.1016/j.annepidem.2008.01.004). For men the loss was 18.3 years.

GPs' use of computers reaches 87%:

Just under nine out of 10 (87%) GPs in Europe use a computer in their surgeries, says a survey by the European Commission on electronic services in health care. Overall only 6% of GPs use electronic prescriptions, but the practice is particularly widespread in Denmark (97%), the Netherlands (71%), and Sweden (81%). See http://ec.europa.eu/information_society/eeurope/i2010/benchmarking/index_en.htm.

Cash might help to change unhealthy behaviour, MPs told

Adrian O'Dowd LONDON

Cash incentives to encourage people to change their behaviour may help to end health inequalities in the United Kingdom, MPs have been told.

Cash incentives will be considered by the clinical watchdog the National Institute for Health and Clinical Excellence (NICE), the parliamentary health select committee was told last week as part of its inquiry into health inequalities.

MPs asked whether cash incentives should be considered to encourage people to change their behaviour to improve health.

Mike Kelly, director of NICE's centre for public health excellence, said, "We've got that in the pipeline as something that NICE is going to look at to see the degree to which it would be effective."

"Although we haven't looked at the evidence systematically at this stage . . . the evidence coming from other countries looks quite promising in that regard. It's certainly something that deserves further detailed attention to see what we could learn."

Getting people to change their behaviour could be tackled in other ways, he added—for example, by getting people to understand the short and long term effects of their behaviour, and tailoring interventions to particular people's needs.

NICE's centre for public health excellence was set up in 2005 to look at the effectiveness and cost of public health interventions.

When asked what evidence based interventions would be most likely to reduce health inequalities, Professor Kelly suggested:

- Encouraging women to take folic acid before and during early pregnancy
- Supporting new mothers to breast feed

JOHN POWELL/REX

NICE will study evidence for cash incentives

- Providing tailored advice on counselling and support for smoking cessation.

A fellow witness, Sally Macintyre, director of the Medical Research Council's social and public health sciences unit in Glasgow, said that it was difficult to be sure what interventions would work. "I would say some of the most cost effective interventions may be major structural ones."

Professor Macintyre was asked about what her organisation had found from its studies of health inequalities in the west of Scotland.

"Mostly we found it is to do with multi-prong approaches. It is no single answer. There are a number of things that seem attractive, like area based approaches—for example, urban regeneration. But some early studies had shown adverse health effects for poor people in areas of urban regeneration, and mortality rose. "This was because of higher housing costs, so families could spend less on food."

Fifteen children a day attend Scottish

Bryan Christie EDINBURGH

About 15 children a day in Scotland under the age of 17 are arriving at hospital emergency departments drunk and in need of treatment.

The extent of the problem has been shown in an audit carried out at all 21 emergency departments in Scotland over six weeks. It found that 648 children under the age of 17 needed help for the effects of drinking alcohol, including 15 aged under 12 and one as young

as eight. They had consumed an average of 13 units of alcohol—the equivalent of six pints of lager—in the 24 hours before attendance.

William Morrison, a consultant in emergency medicine who chaired the group that carried out the survey, said the figures tell a stark tale of Scotland's serious alcohol problem.

"Many people will be shocked to learn that so many children, even as young as eight, are being treated in emergency departments for

House of Lords rules government's restriction on foreign doctors in NHS was unlawful

Clare Dyer **BMJ**

Guidance from the UK government that restricts the right of thousands of foreign doctors to work in the NHS was ruled unlawful by the United Kingdom's highest court, the House of Lords, last week.

The law lords' ruling, by a 4:1 majority, is a victory for the British Association of Physicians of Indian Origin (BAPIO), which challenged the guidance, issued two years ago by the health secretary at the time, Patricia Hewitt. It should secure the future for thousands of doctors, mainly from the Indian subcontinent, who were encouraged to come to the UK under the highly skilled migrant programme to help staff the NHS.

The guidance to NHS employers was that doctors in the UK under the programme whose leave to remain was to expire before the end date of any training post on offer should be offered the post only if there were no suitable candidates from the European Union.

Under the programme, doctors who were needed to fill training posts in the NHS were given permission to come to the UK for training and to settle after five years.

But from about 2005 UK medical schools were turning out larger numbers of doctors, and training jobs were needed for these doctors.

The Department of Health tried to get the Home Office, which is responsible for immigration, to change the immigration rules but failed to get agreement. So the department released guidance for NHS employers. The intention was to make places available by making it impossible in practice for international medical graduates, including those already in this country, to get appropriate NHS posts, said Lord Rodger, one of the four law lords who ruled against the government.

The guidance was held to be unlawful because it had in effect introduced a restriction that went further than the immigration rules, and dashed the "legitimate expectations" of practitioners. BAPIO's challenge originally failed in the High Court but succeeded in the Court of Appeal last year. Having lost in the House of Lords, the government has no further avenue of appeal.

A Department of Health spokesperson said, "This is a complex judgment which needs careful consideration. We are coming to the end of a consultation on this difficult issue. That

consultation is due to end on 6 May. We need to study the House of Lords' findings carefully alongside the responses to the consultation to see what the best course of action will be.

"It can cost up to £250 000 [€317 000; \$491 000] to train a UK medical student and, with the increase in UK medical schools, we are now pursuing a policy of self sufficiency."

Pending a decision on the matter, the government has announced temporary immigration regulations to bar doctors from beyond the EU from gaining postgraduate medical training places in the UK.

Hospital finds space for art

Lynn Eaton **LONDON**

Visitors to the Chelsea and Westminster Hospital in London can enjoy an exhibition of art by the painter and printmaker Anita Klein—a former student at the Chelsea and Slade schools of art—and at the same time can help the hospital's ambitious arts programme, aimed at creating a healing environment.

The prints are for sale, and 25% of the proceeds will go towards the Hospital Arts Health Charity. Klein is a trustee of Paintings in Hospitals and has donated many of her works to that fund.

The hospital will also be hosting regular lunchtime musical performances, including a gospel choir from a local girls' school, a violin

recital, and a concert of music fusing the north Indian tabla and saxophone.

The prints are on show until 27 June. For more details see www.hospitalarts.co.uk.

emergency departments as result of drinking alcohol

alcohol misuse, but the sad fact is these are not isolated cases. More than a dozen under 12s and more than 600 under 17s were treated.

"These figures represent the most shocking finding of our work, but whether it is in the number of assaults, in cases of self harm, or in the impact on young people we see the same picture emerging. Alcohol plays a significant role in a myriad of social problems and inflicts an incalculable human cost."

Binge drinking has long been a subject of concern in Scotland, and the Scottish government is due to publish details shortly of its national strategy to combat alcohol abuse.

The audit was carried out by NHS Quality Improvement Scotland, whose report recommends that further studies be carried out into the extent of alcohol misuse among children "to provide greater accuracy of data."

The audit also found that:

- Most alcohol related attendances in emergency departments involved people aged under 30
- Alcohol is involved in 70% of cases of assault seen in emergency departments, and
- Almost two thirds of men and half of women who self harm had been drinking before their attendance.

Harmful Drinking: Understanding Alcohol Misuse in Scotland is available at www.nhshealthquality.org.

Campaigners draw attention to disfiguring childhood disease

Peter Moszynski LONDON

A campaign has been launched to combat a childhood oral disease that occurs in areas of extreme poverty and malnutrition.

The World Health Organization estimates there are about 100 000 cases a year worldwide of noma (cancrum oris), an opportunistic infectious childhood oral disease, with an 80% fatality rate. Its survivors are left so badly scarred that often they are ostracised from their communities. It mainly affects

young children with micronutrient deficiencies and starts as gingivitis that turns into necrotising ulcerative tissue or an undetected oedema in the cheek. The infection develops rapidly in a few days before becoming irreversible because of weakening natural defences.

The No Noma Federation, a coalition of charities and organisations united to fight the disease, has been set up to improve prevention, detection, research, and medical and surgical management.

The Swiss consultant psychiatrist Bertrand Piccard, president of the No Noma Federation, previously established the Winds of Hope Foundation to tackle the underlying causes of the disease.

"Noma is a disease that not only leaves indelible scars on the faces of its very young victims but also on the soul of those who witness it—the shame of not knowing about it sooner; the horror of it happening in the 21st century; the incomprehension of so little

involvement by humanitarian organisations," he said.

During the first few days, he said, common antibiotics would halt the progression of the disease. "But no one knew... The child is now condemned to see a gangrenous infection ravage his face, destroying soft and hard tissue."

Luis Sambo, director of WHO's regional office for Africa, said, "We must look at Noma in all of its facets and address the significance of the other risk factors, like poverty,

US Senate outlaws discrimination on genetic grounds

Janice Hopkins Tanne NEW YORK

The US Senate has unanimously passed a bill banning discrimination against people on the grounds of their genetic make-up. The House of Representatives is expected to pass the bill, which is called the Genetic Information Non-discrimination Act (GINA) quickly, and President George W Bush has indicated he will sign it into law.

Genetic tests might alert people to inherited health problems and allow them to take preventive action, but there has been widespread fear that test results could lead to discrimination in employment and insurance coverage.

The bill forbids health insurance companies to use genetic information, including family histories, to deny insurance coverage, or to set higher rates for healthy people with a genetic predisposition to a disease. However, insurers can continue to make decisions about coverage and rates for people who already have the disease.

The bill also forbids employers, unions, and employment agencies to use genetic information in making decisions about hiring, paying, training, firing, promoting, or making job assignments.

The *New York Times* reported that the law was expected to be most helpful to people applying for individual insurance policies because federal law already bars group health insurance plans from discriminating against a person on the basis of genetic

information. (*New York Times* 23 April; www.nytimes.com/2008/04/23/business/23gene.html)

The genetic discrimination bill was first introduced in the House of Representatives 13 years ago by Louise Slaughter, a New York State Democrat who has degrees in microbiology and public health. In the Senate it was sponsored by Olympia Snowe, a Maine Republican. Versions of the bill were passed several times by both the House and the Senate, but never have they been passed by both houses of Congress at the same time to be sent to the president for signature (as required by the Constitution).

The current bill was held up in the Senate by Dr Tom Coburn, an Oklahoma Republican, who expressed concern that the bill would allow employees to file civil rights lawsuits against their employers if they had problems with medical insurance coverage. The bill was changed to set a "firewall" between the section relating to employers and insurance firms.

Genetic discrimination has become more likely with the growth in genetic tests, which are often advertised directly to the public. Senator Snowe told the *Washington Post* that more than 1100 genetic tests were available but they were "absolutely useless" if fear of discrimination discouraged people from taking them (24 April; www.washingtonpost.com/wp-dyn/content/article/2008/04/24/AR2008042401468.html).

The American College of Medical Genetics said it was important that a healthcare professional be involved in ordering a genetic test and helping to interpret it (www.acmg.net; <http://tinyurl.com/6x7scr>).

Activists claim on prenatal sex

Ganapati Mudur NEW DELHI

Doctors in India who disclose fetal sex to would-be parents could face harsher punishment under proposals by the Indian government to crack down on prenatal sex determination and selective abortion of female fetuses.

The proposals are intended to strengthen India's 14 year old law that prohibits prenatal sex determination and expand action to correct social prejudices at the root of India's declining sex ratio, health officials said last week.

India's sex ratio in children up to 6 years of age had dropped from 945 girls for every 1000 boys in 1991 to 927 girls in 2001, the year of the last census. The figure was less

of poverty

malnutrition, and hygiene. Although eradication is the ultimate goal we must also look at those already affected."

Dr Piccard maintains that there is tremendous need for public awareness because once secondary symptoms set in the disease seldom responds to treatment. The federation, in association with WHO and the World Dental Federation, will be convening an international symposium in Geneva from 22 May. See www.nonoma.org

Survivors of the disease are often so badly scarred that they are ostracised from their communities

proposals to strengthen ban determination hide inaction

than 800 in several states, including affluent urban districts.

Health officials accept estimates that tens of thousands of female fetuses are still aborted each year throughout the country after expectant parents learn the sex of their fetus through ultrasonography.

The proposals include prison terms of as long as seven years instead of three years and fines of up to 700 000 rupees (£8800; €11 000; \$17 000) instead of 100 000 rupees. District magistrates instead of district medical officers would have the mandate to build cases against errant doctors.

The government also plans to expand campaigns to generate awareness, which rely

on members of parliament, religious leaders, social activists, and health workers to reduce preferences for sons.

"Policing will succeed only when society as a whole begins to rebel against the practice of female feticide," said Pravir Krishn, joint secretary in the ministry of health and family welfare.

Although more than 400 cases have been filed against doctors or clinics for violations of the law prohibiting prenatal determination of sex, only about 20 have been convicted, Mr Krishn said.

However, health activists and doctors campaigning against female feticide have said that the proposals and plans for awareness campaigns are attempts by health authorities to hide their failure to enforce the existing law.

"Such actions only divert attention and resources away from strict enforcement of the law as it stands now," said Sabu George, a health activist who has been campaigning against female feticide for 23 years.

The low rate of convictions perhaps reflects a lack of will to act, Mr George said. Health officials and doctors have complained in the past that it is hard to convict doctors (*BMJ* 2006;332:257).

"Parliament enacted the law 14 years ago after social intervention failed," said Puneet Bedi, a fetal medicine consultant in New Delhi. "Doctors engaged in sex determination are criminals who need to be caught, treated, and punished as ordinary criminals," he told the *BMJ*.

Where are the girls? The ratio of girls to boys was less than 800 to 1000 in some Indian states in 2001

SIPA PRESS/REX

Prevalence of pre-existing diabetes in pregnancy doubles

David Spurgeon QUEBEC

The prevalence of pre-existing diabetes in pregnancy doubled during the seven years from 1999 to 2005 in a large study of an ethnically diverse population in California (*Diabetes Care* 2008;899-904; doi: 10.2337/dc07-2345).

Prevalence doubled for women aged 20-39 years and increased fivefold for teenagers in that time. Women aged 40 or more had a small but significant increase in prevalence of pre-existing diabetes. The increase among younger women was said possibly to reflect either an increasing prevalence of diabetes or an earlier age at diagnosis.

The study comprised 175 249 women aged 13-58 years who had 209 287 single pregnancies of at least 20 weeks' gestation during the study period in all Kaiser Permanente programme hospitals in southern California. Information from clinical databases and birth certificates was used to estimate the presence of two broad categories of diabetes—pre-existing type 1 or type 2 diabetes and gestational diabetes mellitus.

Being overweight and obese are known risk factors for diabetes. One third of all women aged 20-39 years in the United States were obese in 2003-4, and more than half of black women and more than 40% of Mexican-American women were obese.

In this study pre-existing diabetes was identified in 2784 out of 209 287 pregnancies (1.3%), rising from a prevalence of 0.81% in 1999 to 1.82% in 2005 ($P < 0.001$).

Significant increases were seen in all age and ethnic groups. After women with pre-existing diabetes were excluded, gestational diabetes mellitus was identified in 15 121 of 199 298 (7.6%) screened pregnancies.

The prevalence of gestational diabetes mellitus adjusted for age and ethnicity remained constant, at 7.5% in 1999 and 7.4% in 2005 ($P = 0.07$).

Among all deliveries by women with any form of diabetes, 10% were a result of pre-existing diabetes in 1999, rising to 21% in 2005; gestational diabetes mellitus accounted for the rest.

Women with gestational diabetes mellitus are at high risk of recurrence of the condition and of developing type 2 diabetes, say the authors of the study. This increasing proportion has implications for maternal and infant health that last far beyond pregnancy.

YVAIN GENEVIE RENATA