THE POWER OF PERSONALITY.*

BY

SIR ARCHIBALD GARROD, K.C.M.G.,
D.M., LL.D., F.R.S.

TEN years ago, on the eve of Sir William Osler's seventieth birthday, there forgathered at the house of the Royal Society of Medicine a number of his pupils, friends, and colleagues, to present to him a "Festschrift"—two volumes of essays and papers written by them in his honour—a form of tribute rare in this country although not uncommon on the Continent. The occasion was marked by a charming speech by the late Sir Clifford Allbutt, his opposite number at Cambridge, and by Osler's no less felicitous reply. We who were present at that gathering little thought that the man whom we had met together to honour had less than six more months to live.

Even during Osler's lifetime a volume of excerpts culled from his writings by Dr. Camac, and entitled "Counsels and Ideals," had had so large a sale that four impressions had been exhausted, and a new edition, which has since appeared, was called for. Again, it has been my privilege to address an Osler Society in Oxford, and now the Osler Club in London; and I believe that such societies, founded to perpetuate his tradition and ideals, are not confined to this side of the Atlantic. If we ask to what we are to ascribe these so personal tributes, and a tradition held in so great honour, all who knew Osler will attribute them, without hesitation, to his outstanding personality.

The fact that, as I am told, few if any of the younger members of this club ever saw Osler in the flesh, or heard his voice, shows that the influence and tradition of such a personality outlives its possessor, and is capable of being transmitted in his writings and those of others. The prophet Elijah and Alfred the Great are still vivid realities, and, like them, Shakespeare is immortal. What, then, do we mean when we speak of the personality of a man or woman? Turning to the great Oxford Dictionary I find the following definition of the term, in the sense in which I am using it: "That quality, or assemblage of qualities, which makes a person what he is, as distinct from other persons—distinct personal or individual character, especially when of a marked or notable kind." Obviously, in this sense, every human being has his personality. Each one of us differs from his fellows, not only in bodily structure and the proteins which enter into his composition, but apart from, or rather in consequence of, such individualities, men differ from their fellows still more obviously in mental outlook, character, and ability.

Amidst the great crowd of ordinary people, all different but none outstanding, we distinguish some individuals of unusual mental or moral stature, or personality, who owe their distinction less to any single quality than to an *assemblage* of such, as the dictionary suggests. These are the ferment folk who get things done. Surely it is hardly necessary to emphasize the part which such personality has played in the story of human progress, in the history of civilization. It assumes various aspects: is manifested in the orator who sways a crowd; in the poet who voices the soul of a people; in the musician who, like Rouget de Lisle, produces a tune which sets history working; in great warriors, such as Hannibal and Napoleon, who have made and led unconquerable armies; in great discoverers and thinkers who have changed the outlook of the human race. Yet it is not the same thing as genius. The brilliant discoverer, artist, or writer may lack personality; whereas men of far lesser gifts may, in virtue of their personalities, be leaders of men, and may be, as it were, surrounded by magnetic fields. I, at least, believe that individual stimulus and effort have played the largest part in history, and that progress is more often due to men of great personality than to the collective shove of multitudes of ordinary men.

Yet it must be remembered that each one of us has his personality, for good or ill; each one influences his fellows far more than he usually realizes, and the movements of

a crowd are the sum of those of its individual members, not merely of the cogs or teeth of a machine. There is no level at which personality begins, no sharp line between Socrates, Julius Caesar, and the tramp upon the high road, only a series of imperceptible gradations. Happily for us, we do not recognize the repercussions of our personalities as we walk through life, nor the extent to which even the most insignificant of us influences his neighbours. Did we do so we should be tempted to take refuge in a Trappist monastery.

People of outstanding personality, the ferment folk, differ widely amongst themselves, and various factors go to their making. Ability, I take it, they must possess, and wisdom; the gift of expression, a clear brain, a ready tongue. A sense of humour, one of Nature's choicest gifts, can hardly be dispensed with, and, among the essentials also, human sympathy and interest in the work and aims of others.

Each one of us, when he casts his thoughts backwards over his own life, recalls a few people who have influenced him powerfully either for good or evil; but it is upon the former that our memory likes to dwell. We recall the schoolmaster who awakened our interest in what has been our life's work; he who by a word of encouragement spoken in good season helped to give us confidence, and showed us that one person at least believed that there was something in us. Another may have succeeded in interesting us in subjects for which we had no aptitude—classics perhaps—and who seems to walk beside us when we tread the streets of Athens or of Rome. No doubt as we grow older these people tend to grow in stature in our memory, but they undoubtedly possessed striking personality, and sowed a grain of mustard seed which has produced a tree. Any man who teaches others cannot be a really good teacher unless he exerts some such influence; the lecturer must interest himself as well as his hearers. Probably each one of the elders of us has been told, by some former pupil, that he has never forgotten something which we said many years ago. We hope that he will recall one of our choice but forgotten aphorisms, but it usually turns out to be a platitude to which he has clung so long.

Apart from its personal magnetism, a striking personality may be reflected and, so to speak, crystallized by a great writer or biographer. How else is it that we so clearly recognize that which distinguishes Elijah from Elisha, and Queen Elizabeth from King Henry VII. Plato has been able to hand down to all time his own mental picture of the personality of Socrates, and Boswell reflects for us that of Samuel Johnson.

Personality in Medicine.

But I want to confine my remarks to our own field of work, to medicine and the sciences upon which it rests, and to consider how men of outstanding personality have influenced, and will influence, the progress of our science and art. It seems to me that my subject falls under three main heads, but that the categories overlap, and one man may come into several of the groups.

First let me speak of the men of "light and leading" who, like the Pied Piper of Hamelin, pipe a tune which others cannot but follow. Human sympathy and unselfishness are their chief weapons, and they promote in every way the brotherhood of their profession. Behind them their colleagues fall into line, in associations, societies, and less formal comings together; and around them they gather a group of disciples, who, going forth into the world, carry on their traditions and broadcast their teaching. A man may be a great teacher and yet be devoid of this power, and it may be wholly wanting in a great investigator.

Osler's outstanding personality was of this kind. In any international gathering he would draw around him friends from many nations; he did more than any of his contemporaries to promote the brotherhood of medicine. He was no detractor from his fellows, and was unwilling to listen to detraction—his power of turning the conversation away from such talk was celebrated. Many a younger man has gained encouragement from a postcard or telegram, which arrived opportunely, from wherever Osler

* An address delivered at the annual meeting of the Osler Club, on July 12th, 1929.

might be, to give a pat on the back to an aspiring author, or to congratulate the recipient of some distinction or step of promotion. His praise or encouragement was bestowed in delicate touches, not in gross daubs; and no one knew better how to convey the apt word of sympathy. He was eminently a man who liked to be liked.

Yet I am far from wanting to do him the injustice of drawing a picture of perfection. Aristides was not popular, nor, I suspect, was he the possessor of a great personality. Osler was very human, and his weaknesses added to his attraction. His very unwillingness to say "No" sometimes got him into trouble, as when he signed leaflets both for and against the abolition of compulsory Greek. His humour was impish, and at times mischievous; and his *alter ego*, Egerton Y. Davis (who was no other than Osler in impish mood), had many of the characteristics of Til Eulenspiegel. So troublesome did he become to his inventor that he had to be drowned in the Lachine Rapids in 1884, and his body was never recovered; but, oddly enough, he occasionally signed a note in the Oxford days, and once a "fake" examination paper. I am afraid the collected writings of Egerton Y. Davis have not been republished, but some are included in the catalogue of the library. On one occasion Osler spoke of himself as the possessor of a wild and wagging tongue which often got him into trouble, and we recall "Too old at forty."

His personality permeates his writings, and especially those lectures and addresses from which Dr. Camac's quoted passages are chiefly derived. *The Autocrat at the Breakfast Table* is included in Osler's medical student's library, and there is no little affinity in the personalities of the two men—Osler and Oliver Wendell Holmes—the same happy turn of phrase, the same broad humanity. We have known men who were as good teachers and as great physicians as Osler, and some equally learned in the standpoint of ancient medicine—men with Hippocratic minds—but who, for lack of that subtle quality which we call charm, and which is one of the manifestations of personality, could never have sounded that happy note which the children of Hamelin could not but follow.

I do not propose to dwell on the part played by the personality of the medical man in his relations with his patients. It is no less potent, but is much less far-reaching. The sympathetic touch, the cheery word, which must not imply a too sanguine optimism; the tactful conveyance of unwelcome truths, and an underlying sympathy with, and understanding of, his fellow man, gain him an influence over his patient which may turn the scale in a critical time. Without such qualities a man with equal knowledge and no less skill may be comparatively powerless to help.

The Clinical Teacher.

There is no one whose personality exerts more influence than does that of the teacher. That is true of medicine as of any other branch of study, and in that kind of clinical teaching which originated in this country, and is still carried out in the English schools, the opportunities for personal influence are specially great. The daily meeting, at the bedsides of the patients, of the teacher and his small band of pupils who share in the work of the clinic, brings teacher and taught into peculiarly close contact, much closer than that of a lecturer and his audience.

This feature of English clinical teaching has been the outcome of a gradual development. Our ancient universities, Oxford and Cambridge, which were the only English universities down to the thirties of the last century, have possessed Regius Professors of Medicine, or Physic, since the reign of Henry VIII, but no hospitals existed in those towns before the eighteenth century. Their professors expounded the writings of Hippocrates and Galen, but could impart no practical teaching in their subject. For such teaching their pupils had to go elsewhere—to Padua at first, as the great school of anatomy, and later to Leyden, where medicine was first taught at the bedside by university professors—or else acquired their experience as apprentices to practitioners. Later they found their way to Edinburgh, which a century ago was undoubtedly the first medical school of these islands, or "walked" the London hospitals for a time. When at length hospitals

were founded, first at Cambridge and afterwards in Oxford, there were teachers ready to teach in them, but the habit of going afield for such studies had become firmly established, and has been maintained.

Into almost all our modern English universities, on the other hand, a pre-existent medical school has been incorporated. In none of our universities has a medical school been initiated *de novo*, having attached to it a new hospital, free from the many restraints of vested interests to hamper in the choice of a staff. In this city the early medical students were apprenticed to the surgeons or apothecaries of the hospitals, and the clerks and dressers of to-day are the lineal descendants of those apprentices. Even in my own student days at St. Bartholomew's the dressers had to pay extra fees to the surgeons for whom they dressed, but not to the physicians for whom they clerked—a survival of the apprenticeship fees. A century ago there were many surgical students at the London hospitals, but students of medicine were few, being for the most part graduates of Oxford or Cambridge, or Edinburgh graduates who aspired to practise as physicians. As the number of clinical pupils increased some provision had to be made for teaching them other than clinical subjects. Lecturers, who were almost always members of the hospital staffs, were appointed in anatomy, chemistry, and, later, physiology, but the same lecturer often dealt with several subjects. So the private schools of anatomy gradually died out, and there grew up a number of medical schools, each attached to a large hospital. When University College was founded each professor dealt with only one subject in his lectures, but otherwise the original system was continued.

In Continental countries, on the other hand, the teaching of medical subjects has been in the hands of the universities, and was, and is, imparted by university professors, who are heads of clinics embracing wards and laboratories, and served by assistants who are often highly trained men. Until comparatively recently the German medical student had little direct contact with patients, save in the professors' demonstrations, until his examinations were passed, and had no part in the care and treatment of them in the wards. In this country, on the other hand, until comparatively recent years, the majority of our students had not the advantage of university training.

Under either system the personality of the teacher counts for much, for each student is, to some extent, a fellow-worker with his chief, and his work is shaped by his teacher's views. He learns from him how to approach a case, how to observe essential points, and can watch his treatment and its effects. He learns, too, courtesy to, and consideration for, the patient. It is not only the *art* of medicine which he learns. Remember that medical men in active practice built up the medical sciences, and, indeed, that they have played very large parts in the advancement of the sciences in general.

One need only recall such men as William Gilbert, President of the Royal College of Physicians, and father of magnetic science; Thomas Young, one of the greatest men of science which this country has produced, who played a large part alike in the foundation of the undulatory theory of light and in the deciphering of the Egyptian hieroglyphics. There is a memorial tablet on the house in which he lived and practised in Welbeck Street. Until recently the great advances in medicine were made by men in practice. Think of Bright and Addison and William Jenner. What a stimulating experience it must have been to clerk for Addison, or to have been his house-physician, for he was a great teacher as well as an investigator, and beloved by his pupils, as one may learn from Sir William Hale-White's memoir of him in the *Guy's Hospital Reports*. Nor is the race of such workers extinct. In the daily intercourse of the wards there is a constant passage of ideas from teacher to pupil, and indeed from pupil to teacher, in addition to what may be called the atmosphere of the hospital, that floating mass of knowledge, not to be found in textbooks, which reflects the collective experience of generations of teachers and learners. It differs from school to school, and those who work in special hospitals most fully recognize its importance.

On the other hand, the professor in a German university can exert a profound influence upon the students who attend his clinic, upon his assistants, and upon those who come from outside to work with him in the clinic. The daily clinical lecture is usually illustrated in every possible way which may add to its efficiency, whether by the cinematograph or by a cracked pot. The assistants who are charged with the preparations may have many hours of strenuous work in getting ready for the next morning's clinic.

From among the assistants are chosen the future professors of that or other universities. It is clear that special qualities are needed by the heads of such clinics, whether they be whole-time men, like the heads of our units in London, or, like most Continental professors, not debarred from practice, and usually with private wards under their care. They should be inspiring teachers, should be imbued with the investigator's spirit, should know their subject thoroughly, and should be versed alike in the clinical methods and those of the laboratory, which are of so great value in medicine. Anyone who believes that clinical observation is played out, and that there is no science of clinical medicine, is out of place at the head of a clinic.

I have dwelt at some length upon the power of personality in clinical teaching, because it seems to most of us who knew him that Osler's greatest achievement was the conception and establishment of the medical clinic at Johns Hopkins. There he was given a free hand, a new hospital with no established traditions to be broken through, and no existing staff to be replaced. He had, too, the inestimable advantage of the backing and advice of exceptional colleagues, such as Welsh, Halsted, and Kelly. He followed no definite model, but took what seemed to him best in the English and Continental systems, and, above all, made sure that students and teachers alike should take their respective shares in the work of the clinic and care of the patients. The assistants whom he trained have spread the light widely, and I think I need not fear contradiction if I say that from Osler's clinic at Johns Hopkins there has gone forth an influence which has transformed medical education in the United States and in Canada, and has had repercussions upon this side of the Atlantic also.

As you know well, there are widely different methods of bedside teaching, even in a single medical school. There is a method which has a strong appeal to many students, and which may be called the tabulation method. Its appeal is like that of the cram-book, and it calls for no personality in the teacher. I remember going round once with a distinguished physician, long since dead, who had a considerable reputation as a teacher. At the bedside of a patient admitted for haematemesis the clinical clerks were questioned as to the causes of that morbid event, and twenty-eight causes in all were elicited, ending with swallowed knives and forks. In that way it is possible to become acquainted with many facts, but not to know them. Nothing could be further removed from Osler's method. When a case was under discussion in his clinic, not only were the signs and symptoms noted and the diagnosis discussed, but also the history of our knowledge of the malady, and even some points in the life of the man who first described it. If the case were one of typhoid fever, some of the students would be set tasks to be carried out before the next meeting of the class: one to look up Jenner's original papers on the differentiation of the malady, another to compare the symptoms observed with those recorded on a table of such cases seen in the clinic during the year. Osler held unwaveringly to the conviction that clinical medicine must rest upon a solid basis of morbid anatomy, and that the older as well as the most modern diagnostic methods should be applied wherever possible; and he looked upon the medicine of to-day against a background of its history.

He was so deeply interested in the subjects of which he spoke that his students could not escape the infection of his enthusiasm. All the time he was noting any unfamiliar congeries of signs, and from time to time there came from his pen descriptions of unrecognized, or partly recognized,

syndromes—polycythaemia with enlarged spleen, hereditary telangiectases with haemorrhages, the visceral complications of the erythema group, and the like. Moreover, through his textbook and other writings he taught and communicated his enthusiasm to thousands who never heard his voice. Yet, withal, he was not a great man of science, nor, I would venture to suggest, one of the greatest of physicians; but because of the appeal of his personality, and the ferment influence which he exerted, his is one of the greatest figures of Anglo-Saxon medicine, and the medicine of to-day is much greater because of him. Unquestionably he was a great leader, a great teacher, and had a great belief in his fellow men.

Personality in Research.

There is yet another aspect of my subject, which I have left to the last, by no means because it is unimportant, but rather because of its immense importance. The great investigator may plough a lonely furrow, and have little personal contact with his fellow men, and yet his writings and the results which he obtains, his discoveries, may change the whole course of human thought. There are other investigators who gather around them, as a magnet does iron filings, men who draw inspiration from them, to whom they suggest lines of research, and whom they restrain from wasting their efforts by exploring blind alleys; this last a very important function. These men are the born professors. In these days, when the word research has degenerated to the level of jargon, we need to remember that it is not every man's *métier*. There are men of high attainments, excellent teachers perhaps, who are what Osler called transmitters, not creators, nor even transmuters, to use another of his terms. In another class are those who, although they do not tend to embark upon investigation on their own initiative, are well fitted to carry out original work under guidance. Men of that class are more fully utilized on the Continent than in our country, and they contribute largely to the scientific output of Continental clinics. Such a man occasionally figures as joint author of a classical monograph, but may never again appear in the *Index Medicus*. Such men far outnumber the primary investigators, but they do not readily find places in our medical scheme. We do not need to fuss about the primary investigator, he cannot help trying to find out; but his output will be greatly increased if he be given opportunities of stimulating and training a group of secondary workers. Team work calls for someone to drive the team, otherwise it tends to become herd work.

Whether, given the opportunity, a man shall become a successful professor depends largely upon his personality; on his power of infecting others with his own enthusiasm; his reactions to his fellow men and theirs to him. For research work calls for perseverance in face of discouragement; equanimity when weeks or months of patient work leads to nothing, insight to interpret results, ingenuity in devising methods, knowledge, and judgement. In the words of Ecclesiasticus, it is only when Wisdom has walked with him in crooked ways, and has tormented him with her discipline, that she returns unto the investigator the straight way, and shows him her secrets. The arduous nature of the path adds to the pleasure of discovery. Probably there is no greater pleasure open to man than that derived from the discovery of some new fact, even a very little one; or from the finding of the key which unlocks some unexplored chamber in the house of knowledge, and the finder delights to show his find to kindred minds which share his enthusiasm.

I am conscious of the fact that this discourse of mine has no moral. It would be useless for me to exhort you to do your best to acquire outstanding personality—such a thing cometh not by seeking; the assemblage of qualities which constitute it are inborn, inherent in the chromosomes from which its possessor springs. Many ancestors have contributed stones to the building. To one is owing the mental ability and clearness of vision, to another the gift of speech or writing, to another the sympathetic outlook, to yet another the sense of humour. All the ingredients need to be judiciously mixed and well balanced

if a great personality is to emerge. It is judicious blending which produces the best results.

Yet is there not a moral after all? For each one of us has his personality such as it is, and it behoves him to make the best of it. It is within our power to control, to some extent, the factors of our personality, or at least to keep in the background those which please us least. But yet it is not by concentrating our attention upon our own qualities that we shall learn to lead our fellow men.

THE STATE OF THE PUBLIC HEALTH.

SIR GEORGE NEWMAN'S REPORT FOR 1928.

[SECOND (CONCLUDING) NOTICE.]

General Epidemiology.

DURING the year under review the outstanding epidemiological events in England and Wales have been the continued prevalence of small-pox, an unusually large number of scarlet fever notifications, and, during the winter of 1928-29, the most extensive epidemic of influenza since 1918-19. While the number of cases of small-pox was 2,367 less than in 1927 (12,420 as against 14,787), the number of deaths rose from 47 to 53. The usual relation between the vaccinal condition of the patients and the incidence of small-pox has been maintained, a table compiled from information supplied by medical officers of health and others showing that only five vaccinated persons and no fewer than 532 unvaccinated under 15 years of age contracted the disease. Even in the prevailing mild form of small-pox cases of greater severity have occasionally been encountered, characterized by pronounced prodromal symptoms—pains, vomiting, marked pyrexia, prostration, and delirium. The notifications of scarlet fever cases amounted to 102,611, as compared with 84,450 during 1927; the number of deaths registered, on the other hand, was only 580, as compared with 579 in the previous year. Since 1924 the incidence of diphtheria has risen steadily from 41,980 notified cases to 61,134. During the year there were 3,191 deaths from this cause, representing a case mortality of 5.2 per cent.; for scarlet fever the parallel figure is 0.56. Measles, next to whooping-cough the most fatal infectious disease of childhood, accounted for 4,302 deaths; deaths from whooping-cough, however, showed a decline, being 2,976, as against 3,681 in 1927. The figures for the enteric fevers differ little from those of last year. Sir George Newman points out that while gross sanitary defects are becoming less and less responsible for the spread of these diseases, special danger now lurks in the fact that modern methods of wholesale distribution of milk and foodstuffs make it extremely difficult to trace the distributing agents of the infection. In general, there has been a decline in the incidence of the infectious diseases which attack the nervous system. Notifications of acute poliomyelitis decreased from 801 to 452, though the number of deaths registered—namely, 112—remained the same. Similarly, there has been a decline both in the number of case notifications and of registered deaths in respect of encephalitis lethargica; and the cerebro-spinal fever notifications, notwithstanding their rise towards the end of the 1928-29 winter, show, in the Chief Medical Officer's view, no cause for disquietude. With regard to the nervous complications following vaccinia, Sir George Newman points out that it is not correct to assume that these may never follow primary vaccination of infancy; it is, however, true to say that the larger proportion of cases of post-vaccinal nervous disease seem to have occurred after primary vaccination of older children.

Gradually more precise information is being accumulated about the value of various methods of immunization against diphtheria, scarlet fever, and measles. Experience has strengthened belief in the value of toxoid-antitoxin in the prophylaxis of diphtheria, but has tended to show that better results are obtained if an interval of two or three weeks is allowed between the injections. Scarlet fever antitoxin appears to reduce the tendency to complications, and consequently to shorten the average duration of stay

in hospital. Active immunization with toxin has proved effective in protecting staffs of hospitals, but the number of doses required makes its general adoption impracticable. Serums prepared from organisms alleged to be responsible for the causation of measles have proved valueless in the prevention or treatment of the disease. Intramuscular injection of 3 to 5 c.cm. of convalescent serum, however, if made before the sixth day after exposure to infection, will almost invariably confer complete protection for about three weeks; given later it usually modifies the attack, and thus has the advantage of establishing permanent immunity at comparatively small risk. The Chief Medical Officer expresses the hope that more use will be made of convalescent serum, and that local authorities who are able to collect a supply will make it available for young children at home as well as in institutions. Collection, he points out, is merely a matter of administration, only a few adult donors being required to meet the needs of a small community.

Influenza.

Having surveyed briefly the occurrences of influenza in England and Wales subsequent to the great pandemic of 1918-19, Sir George Newman proceeds to describe the epidemic of 1928-29, and recalls the interesting fact that, as the prevalence of respiratory disease during the last months of 1928 was low, and there was no indication of an increased incidence of epidemic nervous diseases, there was little to suggest the approach of epidemic influenza. On the other hand, disquieting news from America made it desirable in the first week of January to draw the attention of local authorities to the possibility of an outbreak of more than usual magnitude. The situation completely changed about the middle of January, 1929, and from then to the end of March an epidemic prevailed more serious than any experienced since that of 1918-19. The increase in mortality returns, gradual during December and early January, became abrupt at the end of the latter month, but thereafter, week by week, the disease gained ground until early in March the maximum weekly mortality of 2,183 was reached; from this date the prevalence of the disease declined rapidly and the fall in the death returns was progressive and uninterrupted. In the first week of December, 1928, the death rate from influenza per 1,000 of population stood at 0.16; by the last week of February it had risen to 5.78. In London, which suffered less than other towns, the maximum reached was 5.35. The Midlands sustained the brunt of the epidemic, their influenza death rate in the first week of March being 9.67 per 1,000; in the North, attacked less severely, the climax was 6.26 per 1,000. Wales escaped most lightly of all, with the maximum death rate of 2.74. The climax of the epidemic was not reached at the same time in all parts of the country; nor did the disease always develop coincidentally in neighbouring large towns. From figures supplied by the Registrar-General it would seem that the epidemic moved in two main waves, one extending northwards from Greater London, and an earlier one proceeding southwards from Glasgow. Generally speaking, the chief mortality affected those of 65 and over.

Having described the clinical manifestations of influenza of recent years, including those of the 1928-29 epidemic—noting incidentally that the severity and clinical characters of the disease differed in various regions of the country, and that lobar pneumonia occurred with unusual frequency in London—Sir George Newman proceeds to discuss the occurrence of rashes in influenza, pointing out that as it is not always appreciated that these may appear—their description, indeed, being omitted from many textbooks in medicine—their presence may give rise to errors of diagnosis. He suggests that during an epidemic the general practitioner should bear in mind the possibility of such rashes, and consult with the medical officer of health on any doubtful case.

Influenza being a disease spread by personal contact and droplet infection, it might appear that its prevention could be attained by the administrative enforcement of strict isolation. In fact, the epidemiological problem is not that of a disease like plague or small-pox, where the isolation of the infected is equivalent to a separation of the diseased from the healthy. Not only is the causal organism of influenza not definitely established, but no