—*Flectere si nequeo superos, Acheronta movebo*—they denounce legitimate medicine as useless and go to the lowest impostor, and will afterwards tell their friends that after being “given up by the faculty” they found instant and miraculous relief in a single box of wind-pills, a galvanic belt, or a pad of “oriental herbs” worn on the pit of the stomach.

The fact is that we cannot expect our patients should understand the scientific basis of medicine, the meaning of etiology, or the possible degree of efficiency of treatment. What they frequently ask of us is to allow them to continue the very course of life to which we have laboriously traced their symptoms, and to give them some medicine which, as if by a charm, will break the inevitable sequence of cause and effect. They are slow to understand that this world gives nothing for nothing, and that we can only subdue Nature by obeying her laws.

There is, in fact, but one way in which we can obtain what we call our just recognition. Our services, however great, are services to the individual, not to the community. It is therefore absurd for us to expect the honorific or the more solid rewards justly assigned to statesmen, to generals, or to judges; but from individuals we may expect—and I venture to say that as a rule we receive—the trust, the honour, and the gratitude which we have earned. Few of our patients will ever understand our principles or our methods, the reason for our successes, or the explanation of our failures; what they do understand is personal character, honesty and sense, kindness and sympathy, liberality and benevolence to rich and poor. These are the qualities which have always gained and still gain the respect of our fellow-men; and I venture to say there is not a town in the three kingdoms where such respect is not widely and deservedly earned by our profession. In every cathedral, in almost every parish church, we see tablets bearing witness to the esteem in which the local practitioner lived and died. He spent his life in the constant exercise of his best faculties, intellectual and benevolent—a sure path to happiness; every day brought fresh interest and left no time for melancholy; he earned not only money but money's worth, in respect and influence; and when the practitioner became the patient—as we all must one day be—he had pleasant memories of a life spent in the service of God and man, and he still lives in the hearts of his grateful patients.

And there sepulchred in such pomp doth lie
That kings for such a tomb might wish to die.

ITALIAN LARYNGOLOGICAL SOCIETY.—The Italian Society of Laryngology, Otology, and Rhinology held its fifth Congress at Naples, contemporaneously with the Tuberculosis Congress, under the presidency of Professor Masini. Among the communications presented were reports on tuberculosis of the regions of the body with which the Society specially concerns itself. Professor Massei dealt with the disease as it affects the upper respiratory passages, and Professor Gradenigo with tuberculosis of the ear. The morbid anatomy and bacteriology of such cases were discussed by Professor Martuscelli; Dr. Cozzolino treated of sanatoria in relation to laryngeal phthisis, and Drs. Ferreri and Rosati submitted suggestions for prophylaxis. Professor De Rossi reported the results of his investigations as to the testing of the hearing in railway servants, and a resolution was passed approving the step taken by the Sicilian Company in having the hearing of the men in their employ regularly tested, and expressing the wish that its example might be followed by the other railway companies of Italy.

AN INTERNATIONAL SPIRITUALIST CONGRESS.—Like the rest of the world the Spiritualists are taking advantage of the Paris Exhibition to hold an international congress. Their Congress comprises five sections: Spiritual, Magnetic, Hermetic, Theosophic, and Individual Spiritualism. In the Magnetic Section such questions will be discussed as the impropriety of classing human magnetism with hypnotism; human magnetism, magnetic procedures, passing of the hands, etc., action of the eyes and of the look; healing mediums, the rôle of suggestion; application of massage in acute or chronic affections; the appreciation of magnetism and massage in different countries; the facilities or obstacles which they met with in different countries; the divining rod; the extermination of sensibility, etc.

ADDRESS IN SURGERY

BY

FREDERICK TREVES, F.R.C.S.,

Surgeon-Extraordinary to H.M. the Queen;
Surgeon-in-Ordinary to H.R.H. the Duke of York; Consulting Surgeon
to the London Hospital.

At the Annual Meeting of the British Medical Association at
Ipswich, August, 1900.

THE SURGEON IN THE NINETEENTH CENTURY.

MR. PRESIDENT, LADIES AND GENTLEMEN,—The honour of being selected to address an association which represents not only in numbers but also in dignity and repute the medical profession of this country is an honour of such a kind that I feel it can only be belittled by any expressions of gratitude I am able to command. I will do no more therefore than sincerely thank you for bestowing upon me a great distinction, and at the same time remind myself of the words of Goethe that “it is easier to bind a wreath than to find a head worthy to wear it.”

I am fortunate also in the circumstance that the occasion for the giving of this address should coincide with the concluding year of the nineteenth century. This century has been without a parallel in the history of human culture, and so far as the art of surgery is concerned has embodied an advance in principle and in practice which has been no other than revolutionary. I do not propose to attempt a review of the progress of surgery during the last hundred years. That work has been already done by abler hands. I would venture rather to deal with the progress of the surgeon himself during this period, and with the advancement of the individual as an exponent of a grave profession.

There is little difficulty in fashioning a picture of England as it was one hundred years ago. A sympathetic literature has left us with ample records of the men and women of the time and of the scenes they moved among. These records are rich with the littleness of personal affairs and are made living by the very gossip and petty commentaries of those who constituted society when the century was young. The life in England then was largely life spent in the country, in sleepy villages, and in sober self-esteeming county towns. The conditions were yet immature which led men to herd together in ever-extending cities and to swarm around oases of blackened chimneys and restless furnaces.

Travelling was a luxury limited to the few. The many were content to live and die within sight of fields and spires which had been familiar from babyhood. They were apparently content to keep to their own stations in life, to take their notions of dignity from the squire and their conceptions of religion from the vicar, and to be satisfied with such excitement as was afforded by harvests and market days, by the movements of the locally great and by the achievements and misdoings of their neighbours. In many a town it was no little event when the coach from London lumbered through the cobbled streets or when a gang of pressed men marched by on their way to the sea or when some soldier home from the wars made the little ale house lurid with tales of arms and tragic lands. These simple folk were comparatively free from the fever of social ambition, from the almost savage conflict of modern commerce, and from the bewildering hurry of events which compass the peace of later times.

London was then not one-fourth of its present size; the great city ended, towards the west, at Sloane Street and beyond were quiet field and meadows intersected by footpaths, certain of which led to the hamlet of Kensington and the little riverside village of Chelsea. The lover of solitude would have found seclusion in the wide open country through which ran the Edgware Road. Paddington was still in the fields. Game could be shot about Westbourne Green and around the isolated farm house which marked the present settlement of St. John's Wood. Few would have cared to venture after dark across the bare fields of Battersea or to traverse the expanse of open land which stretched to the north of Tottenham Court.

No railway terminus flaunted its hideous structure in the city's midst, and neither omnibus nor cab nor tram car invaded the narrow streets. There was no telegraph and no

telephone. The postal system was without form and void. The gayest streets were lit by oil lamps, and the gloom by night was only equalled by the dirt by day. It was not until 1829 that the omnipotent policeman appeared upon the scene, and his early experience of the city's traffic was concerned with sedan chairs and cabriolets, with gaudy coaches and creeping wains, with link boys and running footmen. It was not until 1821 that the English Channel was crossed by steamboats and that the picturesque hoys and coasting sloops, the dignified frigates and the stately East Indiamen, began to vanish from the sea.

Education among the mass of the people was a matter of little account, and was to a great extent actually non-existing. The average man of the middle class was quite content with a degree of learning which would do little more than satisfy the demands of a modern School Board.

As to the surgeon in those days, he was but a sorry element in social life. In the great towns and cities there were esteemed practitioners of surgery who were eminent by reason of their scientific work and their successful practice, but their numbers were few. At the commencement of the period under notice London was the centre of surgical activity, and the prominent exponents of the art at that time were John Abernethy, Henry Cline, Sir William Blizard, Sir Everard Home, Sir Astley Cooper, William Lawrence, and Charles Aston Key. The great John Hunter had died in 1793, having accomplished a work which marks an epoch in British surgery. In the provinces the most conspicuous surgeons were Edward Alanson of Liverpool and William Hey of Leeds, while in Edinburgh the position of the leading operator was held for many years by John Bell. A little later in the century we find among the names of prominent men in England those of Sir Charles Bell, Sir Benjamin Brodie, and the ingenious and learned Benjamin Travers.

At the beginning of the century surgery on the Continent was represented by such men as Sabatier, Deschamps, Boyer, and Larrey in France, Scarpa in Italy, Langenbeck, Chelius, and Diefenbach in Germany, and Warren and Physick in America.

The surgeon or common practitioner in the village and town in these early days has been depicted by many writers. Possibly the most precise of these was Smollett, who was himself in turn an apprentice, an assistant, a surgeon's mate, a practitioner, and a graduate in medicine. Smollett died in 1771. The account he has furnished of the leech of his time is tolerably discouraging. We find him an ignorant, illiterate, sordid creature, not above the allurements of money-grubbing, and not without suspicion of dishonest practices and of a leaning towards the bottle. He was to a large extent a mere retailer of physic, and in the public eye he ranked with the quacks and nostrum-sellers with whom he competed. There was probably some excuse for a writer who, in a discourse in the *New Monthly Magazine* for 1828, speaks of the general body of surgeons as a "cringing pulse-feeling race." Smollett's description could not have been true of all his brethren, and there is no doubt he wrote with the bitterness of an unfortunate experience. Still, there can be little question that Launcelot Crab represented a type not yet extinct when the century began, and he must be taken as a forerunner of the cultured and esteemed general practitioner of the present day.

1.—*The Surgeon as an Adviser.*

In noting the advances made by the surgeon during the century, the first matter which may be dealt with concerns his position as an adviser to his patient. In reviewing this subject, one cannot fail to be immediately impressed by the paramount influence which exact knowledge—or *a fortiori* the want of exact knowledge—has had upon the attitude of the medical profession.

It is obvious that the progress of any science is to be measured by the amount of absolute truths which may have been accumulated at a given time. The lack of knowledge, the mass of things unknown, represent merely a void to be filled. In the development of the science of medicine the element of the unknown has not remained so negative a factor, but has on the contrary, proved to be a stimulus for a very luxuriant invention, the products of which have been tabulated as facts.

There is no science outside our own in which there has

been, during the stages of development, such an extreme disproportion between the amount of knowledge professed and the amount proved ultimately to be exact and sound. As an example of this may be cited the "humoral" system of pathology which, in spite of its ancient origin and its more or less obvious foolishness, held a position in medicine for centuries, and struggled on, as a distorted and dying creed, even into modern times. This system, in its barest features, asserted that four cardinal humours occupied the human body, and that practically all diseases, and certainly all tumours, were due to disorders of certain of these fluids. The pathology of this system was precise, dogmatic, elaborately classified, and full of detail. Upon it all treatment was founded, and yet the whole of this precious system was a mere daring fiction, an ingenious fancy, the product of an impudent and unscrupulous imagery.

The reason for all this lies more with the sick man than with the man of medicine. The sick man requires absolute and exact knowledge from his doctor. He will accept neither possibilities nor doubts nor confessions of ignorance. He will accept such from his lawyer and from his man of business but not from the man who attends him in illness.

It is no matter of wonder that in the past the physician has made good by fiction what he lacked in fact. The demands of the patient have been hopelessly beyond any powers of supply, and the deficiency has been furnished by the products of invention. It would seem that the less the man of medicine knew the more he invented, and the more diligently he hid his little light under the bushel of a ceremonious and mystery-making treatment. The judicial wig, the academic ruff, the gold-headed cane, the reflective snuff-box, and the Socratic air all made an effective covering for the few poor bones which formed the skeleton of his knowledge.

It thus happens that a good deal of the pretence and humbug with which medical practice has been associated in the past has been forced upon the practitioner by the demands of unreasoning people. With such people the surgeon, in the early part of the century, had more largely to deal than he has to do at the present day, and yet his stock of knowledge could seldom meet the demands even of the reasonable. Hereby it came to pass that the puzzled man of medicine had to repudiate his ignorance, had to concoct such explanations and to construct such pathologies as could meet the sick man's inquisitiveness, and at the same time give a semblance of reason to an empirical and tawdry system of therapeutics. His utterances were tangled and confused by conceits of his own invention. A false attitude towards his patient was unconsciously forced upon him, and the folly of his pretence to an unattainable learning was apparent to all but the simplest. As an adviser, therefore, he spoke not as one having authority, and his position intellectually is well illustrated by the endless lampoons and caricatures to which he was publicly subjected.

The surgeon of the present day, as an adviser, is in a position which is so greatly improved that it could hardly have been imagined by his forbears of one hundred years ago. He has in the first place to deal with a more enlightened public, with patients whose education to a large extent enables them to appreciate the nature of scientific problems, and with whom it is possible to discuss difficulties, and to own to lapses of information.

In the second place, the additions made to surgical lore have been so substantial that in many departments surgery has reached to the status of an exact science. There is indeed no longer need to call upon invention to supply such gaps as still indicate the unknown. An intelligent patient is satisfied with the assurance that practically nothing at present is known of the nature and causes of cancer. Such assurance is at least as valuable as the information provided at the beginning of the century, when the inquirer would have been told that cancer was "a diseased hardness,"¹ or a "scirrhus degeneration."²

We have perhaps not quite shaken off the poor vestments of mummery with which ignorance was clad, nor rid ourselves of forms of speech which still pass current for sense, but which are little more than sounding brass and tinkling cymbal. We speak assuredly of the "constitution" and of "states of the system" and of the "supporting of the system." We sanction such terms as "poverty of blood," "diminished vitality,"

and "sympathetic inflammation." We profess to believe in "tonics," in medicines the swallowing of which will give strength, in "galactagogues," in "alteratives," in "astringents," and in "cooling physic." We profess moreover to "strengthen the lungs" and give "tone to the stomach."

The modern surgeon can well afford to dispense with all this empty verbiage, since he can base his opinion upon demonstrated facts and can express it in plain words, free from any of the embellishments of a literary masquerade. For many reasons this is well.

2.—The Surgeon as a Man of Learning.

The surgeon at the commencement of the century appears to have lacked most of what we now consider to be the essentials of the art, and we can only view with amazement the scantiness of his learning and the poverty of his equipment. He knew little more of inflammation than that it was represented by swelling, heat, redness, and pain. His knowledge of the causes of inflammation and of those dangers which follow upon open wounds was scarcely in advance of that professed in the days of Hippocrates. He had no glimmer of the possibilities of ascpis. He had no anæsthetic, no hypodermic syringe, no clinical thermometer and no practical means of investigation in clinical chemistry. The very name bacteriology did not exist, and the treatment of disease by prepared serums would have appeared to him as wild as the wildest therapeutic dream of ancient days. Although vaccination had been introduced in the last year of the eighteenth century, the magnitude and nature of the principle it involved had not been appreciated.

The microscope as an aid to diagnosis played no part in the equipment of the surgeon. He had neither laryngoscope nor ophthalmoscope, and his acquaintance with otology, skin affections, and the diseases of women was at the best rudimentary and indistinct. He had only rude mediæval orthopædic appliances, and he knew nothing of the lithotrite nor of the array of instruments which are now in daily use in connection with ophthalmic, laryngeal, cranial, and abdominal surgery. It would seem indeed that there was little for him to do but to open abscesses and sow the seeds of chronic septicæmia, to excise tumours of the structure of which he talked much and knew little, to amputate limbs for diseases he could not mend, and to draw blood whenever doubt existed as to what was best to be done.

Conservative surgery was not understood, and was certainly not practised, and plastic methods of operation had no place in treatment.

Lord Thurlow, in speaking against the Surgeons Bill in the House of Lords in 1797, declared, with some basis of truth, that "surgeons in this country are not respectable men, their pretensions are unjust and illegal because they are not a scientific body."

In 1800 a man could practise as a doctor without passing an examination of any kind. Indeed one itinerant practitioner is reported to have assumed the title of assistant surgeon on the ground that he had served an apprenticeship to the crutch-maker of a hospital. The examination for the diploma of the Royal College of Surgeons was by *viva voce* only. There was no examination of patients, and no dissection of the subject. Candidates were required to produce evidences of apprenticeship, of attendance upon anatomical and surgical lectures, of having performed dissections, and of having attended the practice of a recognised hospital for a period of six months.

In 1813 the period of compulsory attendance at a hospital was raised to one year. The standard of knowledge, however, does not appear to have risen in corresponding proportion, for in 1822 the then President, Sir William Blizard, felt called upon to address the Court of Examiners on certain "tokens of remissness in teachers, and of inattention in students," which had been forced upon his notice. He regrets that candidates are commonly ignorant of the situation of nerves and blood vessels, of the disposition of the muscular fibres of the heart, gullet, and stomach, and of the diameters of the intestine. He further adds that "the deficiency of candidates in physiological information is far more remarkable," and enters into such detail as the following: "Often do we find them," says the President, "ignorant of the reasons why the ribs in inspiration are, from their figure and muscular connection,

moved upwards and outwards, of the systole and diastole of the heart, of the process and intention of respiration, of the nature and distinction of the pulse, of the distinct offices of divers muscles, of the figure of the lens and uses of the humours of the eye in vision."

He concludes by deploring that there is a "correspondent darkness of mind relating to the symptoms, seat, causes, and rational treatment of diseases and injuries," and furnishes a catalogue of items with which candidates do not appear to have been commonly conversant, although the list presents such matters as the signs of fractures and dislocations, the symptoms of compression and of inflammation of the brain, the consequences of fractured rib, and the *rationale* of the symptoms of hernia.

At the commencement of the century there was, indeed, no systematised medical education. The training of the surgeon was paltry, casual, and inefficient. His preliminary education was miserably meagre. It was necessary that he should be able to read and write and pretend to some smattering of Latin. He became an apprentice, and, in that menial capacity, gleaned what he might from his master and from attendance upon sundry lectures. So far as hospital practice was concerned, his attitude as a learner was well expressed by the phrase, "He walked the Hospital." The institutions which he thus attended for a period of six months were in a state of rude squalor as regards administration, sanitary arrangements, and nursing, and well deserved the abuse which was lavished upon them.

3.—The Surgeon as an Operator.

During the nineteenth century the surgeon, as an operator, passed through a rapid metamorphosis, and has now reached at least the level of the unexpected. It may have been supposed that there is little to be learnt in the way of using a knife which had not been learnt during a period of over eighteen hundred years, for there were surgeons before the Christian era. Yet time has shown that even in 1800 there was a technic in operating which was as little like the technic of to-day as are the slashes of a cutlass when compared with the studied movements of a foil. It may have been surmised that twenty centuries would have exhausted the methods by which a limb could be cut off. Yet in 1800 modes of amputation were in vogue which are now regarded as uncouth. It cannot even be said that the commencement of the century saw in use a ready and efficient means of checking bleeding, although that measure represents the most elementary of the surgeon's duties.

The operator of olden times certainly possessed many qualities which are now falling into abeyance, and which cannot pass away quite unregretted. The success of his craft depended largely upon his daring, upon the alertness of his eye, the steadiness of his nerve, and the rapidity of his movements. He stepped into the arena of the operating theatre as a matador strides into the ring. Around him was a gaping audience and before him a conscious victim, quivering, terror-stricken, and palsied with expectation. His knife was thrust through living flesh and acutely-feeling tissues, and the sole kindness of his mission was to be quick. In spite of moans for mercy from gagged lips the knife had to move on its way steadily, and, undeterred by struggles and bursts of hæmorrhage, the blade must needs pass without faltering or sign of hesitancy.

There is less need for such qualities now. The dramatic element in surgery has gone with the men who unconsciously fostered it. The operating theatre of the present day has lost its horrors, and has changed from a shambles to a chamber of sleep. The surgeon's hand can move with leisurely precision, and theatrical passes of the knife are favoured only by those who have not yet learnt that mere brilliancy is no measure of success.

It may be that the present-day surgeon is a loser in that he has less need for those dashing qualities which were essential to the operator before the days of anæsthetics; but, on the other hand, he has gained much in the direction of the sympathetic handling of his patient and in the culture of gentleness.

It is little wonder if the older surgeon became rough and stern, if his sense of feeling became dulled, and if the sympathetic side of his nature suffered some suppression. Indeed,

contemporary accounts are apt to represent the operator of preanæsthetic times as rough almost to brutality, and as coarse both in his conduct and in his utterances. His language, it would appear, savoured of the cockpit, and the hasty flourishing of his knife led occasionally to unintended mutilations.

Within the compass of some thirty years the whole state of affairs has changed. Consideration for the patient and for the patient's sensibilities have become a matter of the first moment, and the operator has learnt that his work is best done if done with gentleness and tact, and that haste and bluster, coarseness and coarse handling are out of place around the operating table. A striving after effect at any cost has ceased to be an element in the surgeon's work. Success is no longer to be measured by the number of minutes occupied in the amputation of a limb, but by the state of the patient many days after the measure has been completed. The triumph of the older surgeon was immediate and scarcely reached beyond the arena of the theatre. The triumph of the modern surgeon is deferred, and is found in the operation ward and in the convalescent home.

Still, the fact remains that it is easier to be a surgeon of some degree at the end of the century than it was at the commencement, since in the earlier days the qualities needed for success in operating were rare and of a kind not readily to be acquired.

On passing more into detail, one notices that beyond these general changes in the attitude of the operator there have been others which owe their existence to special advances in the surgeon's art. Prominent among these may be named: (1) An improved knowledge of anatomy; (2) a readier method of arresting hæmorrhage; (3) the employment of anæsthetics; and (4) the introduction of antiseptic measures.

1. *An Improved Knowledge of Anatomy.*—Among the surgeons of the early part of the century there were many competent anatomists, and not a few who could lay claim to be deeply versed in that science. Among the latter were such men as Astley Cooper and William Lawrence. Still, in the education of the average surgeon the study of anatomy did not play a prominent part. Anatomy was largely taught by means of public demonstrations. The teacher dissected and the student looked on, much as he did in the days when Rembrandt's great picture of Nicolaus Tulp and his pupils was painted. The knowledge required was scant and superficial and had little practical basis, and no methods of teaching existed which can in any way compare with those in vogue at the present day. The science of anatomy was well advanced at the commencement of the century, but it was not taught to the common student. *Quain's Anatomy*, first published in 1828, contained a very sound account of the human body, although the whole work was then represented by a single small volume of 700 pages which was without illustrations.

The facilities for acquiring a practical knowledge of anatomy were not only few, but were hampered by many sordid difficulties. Anatomical schools were regarded with disfavour and were actively discouraged. They were viewed with unconcealed suspicion by the public, and were surrounded by a ghoulish romance in which rifled graves and unseemly dealings with the hangman played a pungent part. Indeed, the teacher in an anatomical school found himself involved in a squalid and disreputable traffic, very uncongenial to any earnest man of science.

Among the many qualifications needed for success in operating, a practical knowledge of anatomy as acquired by repeated dissection, is conspicuous. Such knowledge as the surgeon needs is to be learnt not from books but from the patient use of the scalpel and forceps. The dissecting room is the surgeon's nursery. The tissues of the body are the material with which he works, and he must needs know them as the sculptor knows the marble he chisels and the potter the clay he moulds.

It is no matter of surprise that the older surgeon often lacked confidence in operating, that he failed in initiative, and clung only to formulated methods, and that a departure from accepted lines was attended with fear and hesitancy. Ignorance encouraged in the rash heroic passages of the knife and in the timid an over-cautious and dangerous fumbling. And as to this it is probable that in preantiseptic days as much ill attended the nervous fingers which were creeping

clumsily into the unknown as followed the reckless operator who essayed to draw his bow at a venture.

2. *A Readier Method of Arresting Hæmorrhage.*—At the commencement of the century the means employed for the control of bleeding were numerous, and were represented by such familiar measures as the ligature, the suture, styptics of many kinds, and the actual cautery. In applying the ligature the vessel was picked up by forceps and tied as at the present day. The instruments used were those of Dieffenbach, Assilini, and Liston. The older types of instruments were not readily applied, or at least required time in their adjustment. The bleeding from the vessel was not necessarily controlled by the forceps when in position. The general rule in amputation was to apply a tourniquet and to ligature the individual arteries after the limb had been removed. In the excision of tumours the practice was recommended of securing each vessel as it was divided.

When it is remembered that operations were carried out without anæsthetics, it will be understood that the older surgeon had an absolute terror of bleeding, and was driven to undesirable shifts to avoid the need of facing it. He was indeed a coward where hæmorrhage was concerned, and there was reason for alarm when a conscious patient was struggling and showing signs of exhaustion, and when the means for staying the stream of blood were slow of application.

We find, then, that hæmorrhage was expected, and that a liberal loss of blood was considered to be a necessary adjunct to every major operation. Tourniquets were employed freely and with considerable harshness. Raw surfaces were bathed with styptic solutions which were often destructive in their action or at least opposed to primary healing. The actual cautery with which to sear the bleeding area was in some request, and every well-equipped operating theatre kept its stove and its cautery irons in constant readiness.

The least pleasant evidence of the surgeon's dread of hæmorrhage and of his inability to deal with it was afforded by the treatment of certain nævi in infants and children. These growths were strangled by ligatures which slowly cut their way through the skin and the neoplasm, assisted by a benevolent process of suppuration. A painful ingenuity was expended upon amplifications of this measure, the cruelty of which was but little mitigated by the introduction of chloroform.

Allied to this procedure was the *écraseur* of later date. Its invention was due to Chassaignac, and it was freely used in England until quite recent times. It was employed for the removal of growths of various kinds, but its most baneful employment was as a means for excising the tongue. It is scarcely to be believed that within the period of the introduction of anæsthetics the tongue has been torn out of the mouth by means of a loop of hemp or wire which strangled it at its root.

The *écraseur* will remain in the archives of surgery as the insignium of the incompetent and the timorous, and will stand out as a blot in an otherwise bright period of progress and enlightenment. The shadow of this mediæval instrument has been slow to fade, and as the ovarian clamp and the *serre-nœud*, it clung about the confines of reasonable surgery and hindered the development of the operations of ovariectomy and excision of the uterus.

At the present day the surgeon has little dread of hæmorrhage, and the confidence he possesses is based upon good grounds.

In the first place, he makes larger use of the precautionary ligature of vessels. It has become a commoner practice to apply a temporary or permanent ligature to a main artery before a part supplied by that vessel is excised. This is carried out frequently in dealing with large and vascular tumours. In removal of the tongue, moreover, an excellent method is that in which a preliminary ligature of both linguals in the neck is carried out. In removing the uterus through an abdominal incision the question of hæmorrhage is disposed of by an early ligature of the ovarian and uterine vessels. A further example of this mode of anticipating bleeding is afforded by that method of hip amputation which is known as the anterior racket. Here the main vessels and even the main branches are secured before the flaps are cut, whereas by the older plan the vessels were severed with the flaps and were tied after the limb had been removed.

In the second place, the latter-day surgeon is operating upon an anaesthetised patient and can proceed with slowness and deliberation. The importance of this fact in connection with the present subject cannot be over-stated. In the instances which have been just cited an excision of the tongue in a conscious patient would be greatly extended by the twofold operation in the neck, and whereas the amputation of the hip by transfixion occupied in able hands but a minute or so, the operation by the anterior racket is tedious and involves relatively much expenditure of time.

Thirdly, the treatment of hæmorrhage has been to a remarkable extent simplified, if not indeed rendered complete, by the introduction of the pressure forceps of Sir Spencer Wells. These little instruments represent the most valuable addition which has ever been made to the surgeon's appliances. It is not uncommon in operations of a certain type to have twenty or more pairs of pressure forceps applied to the surface of the wound at one time. This represents a degree of possible bleeding which in the old days, when every vessel had to be separately tied, would have been replaced by actual bleeding of a fatal type. No instrument has brought with it so great an assurance of security or has done more to extend the area of safe operation.

3. *The Employment of Anæsthetics.*—The value of the anæsthetic and the radical and beneficent transformation it has effected in surgical practice call for no comment in this place. The changes that the discovery has wrought in the personality of the surgeon, in his bearing, in his methods, and in his capabilities are as wondrous as the discovery itself. The operator is undisturbed by the harass of alarms and the misery of giving pain. He can afford to be leisurely without fear of being regarded as timorous. To the older surgeon every tick of the clock upon the wall was a mandate for haste, every groan of the patient a call for hurried action, and he alone did best who had the quickest fingers and the hardest heart. Time now counts for little, and success is no longer to be measured by the beatings of a watch. The mask of the anæsthetist has blotted out the anguished face of the patient, and the horror of a vivisection on a fellow-man has passed away. Thus it happens that the surgeon has gained dignity, calmness, confidence, and, not least of all, the gentle hand.

Anæsthetics have, moreover, greatly extended the domain of surgery by rendering possible operations which before could have been only dreamt about, and by allowing elaborate measures to be carried out step by step.

The introduction of anæsthetics has not only developed surgery, but it has engendered surgeons. It has opened up the craft to the many, for in the preanæsthetic days the qualities required for success in operating were qualities to be expected only in the few.

In the technique of established operations chloroform and its allies have led to advantageous changes. This is well seen in the case of amputations. In the olden days that method of removing a limb was best which was the most speedy. A prominent position was, on this account, given to the cutting of flaps by transfixion, a long narrow blade being used for the purpose. This rapier-like instrument required great skill in handling, and in the grasp of the feeble it was a fearsome weapon. Muscles were sliced through in such a way that the widest possible section of their substance was often made. Vessels and nerves were, in like manner, cut almost in the direction of their long axes, and the resulting incision gave the maximum area of wounding. At the present day transfixion is abandoned, and the murderous amputating knife has found its way into the museums of the curious. Muscles can now be severed at right angles to their length, or in such a way as to secure the smallest possible surface of section. Vessels and nerves are cleanly divided in the same manner, and the resulting area of the wound is reduced to a minimum. This difference in methods is vividly illustrated by amputation at the hip-joint.

4. *The Introduction of Antiseptic Measures.*—Of the great work of Lister, and of the introducing of the antiseptic treatment, there is no call to speak at this time. When the century was young the touch of the operator was the touch of a tainted hand; the balm he poured into the wound was poisoned, and he himself undid the good his science strained to effect. It is sad to think that behind the earnest man with the ready knife there stood a shadow which rendered hopeless

his kindest effort, and which only too often proved to be the veritable shadow of death.

The change has been great, and its greatness lies in its littleness, for it is bound up with no more than this: that the surgeon has learnt to be clean.

The operator of days gone by would have turned with some petulance from the grand simplicity of the counsel to be clean. He ever sought some means of mighty bearing to rid him of the incubus of failure, and, like Naaman of old, he would have hesitated to dip in the Jordan of antisepticism to be free of his leprosy.

The surgeon has not only learnt to be clean, but he has become aware of the potency of little things. The demands of the antiseptic treatment have made him minutely careful, distrustful of any aid that he cannot control, and suspicious of any semblance of error.

It is possible that the abandonment of the old easy order of things has been followed by a too slavish devotion to mere ceremonial. The remarkable and extravagant preparations with which some surgeons now approach an operation, the cleansings and the washings which precede the laying on of hands, smack a little of fetish worship, and foster the cult of the surgical Pharisee. On the other hand these performances, this "making clean of the outside of the cup and platter," seem to give assurance, and to render the devotee thankful that he is not as other men.

The Surgeon in the Future.

Circumstances in the tendencies of to-day foreshadow to some extent what may lie buried in the future. The changes which have swept over the world of surgery have extended the possibilities of the art, and have, at the same time, added a host to the ranks of those who practise it. Some thirty years ago the roll of such as could claim to be accomplished operators was very small. The greater deeds of surgery were limited to cities and the larger towns. The general practitioner seldom took up the scalpel except in minor necessities. Even in London the list of consulting surgeons was meagre. In the hospitals of the metropolis the number of operations performed in the year would be less than is now the quorum for a month.

But here at the close of the century the disposition of affairs is wholly altered. Where there was one surgeon there are now ten, and throughout the breadth of the land and to its utmost limits the work of the operator has extended. The more ambitious performances of surgery are no longer restricted to great centres, but are carried out in the little town, in the cottage hospital, and even in the cottage itself. The general practitioner is laying claim to operate upon his own patients, and is carrying out his intention in no hesitating manner. The days of the great operator, of the one man to whom all came who could, are rapidly passing away. Indeed, the practice of pure surgery, which was at one time limited to the prominent few, is now becoming common to the many. The man who excels conspicuously as an operator will always attain such eminence as his ability deserves, but the exclusiveness of the practice of operative surgery is quietly vanishing with the century. This change is well. It is a change that is inevitable. The democratic movement is the active power of the day, and that an oligarchy in the community of surgeons should be replaced by an earnest democracy is precisely in accord with the spirit of the times.

In every great change there must—at first at least—be some undesirable developments, and it is impossible to deny that the wider distribution of the practice of operative surgery may lead to the occasional performance of major operations by men who are not justified, either by experience or by training, in undertaking them. Furthermore, there is, among the signs of the times, some evidence that the reaction in the matter of operative surgery is to some degree extreme, and that we are in danger of passing from the policy of doing too little to the policy of doing too much. Operations we know were too few in the past, but there is some foundation for the impression that they are occasionally too frequent in the present.

One other matter which looms out of the future will suffice to bring this subject to a close. So many have been the artificial aids to clinical investigation which recent science has introduced that it comes to be a question whether the

natural acumen of the surgeon will not deteriorate in proportion as he fails to encourage that particular learning which clings to the finger tips of all great diagnosticians. That there will be such a decadence is beyond doubt. The loss is to be deplored, for if there be one point of excellence which stands before all in the qualifications of the perfect surgeon, it is bound up in that refined sensibility, that critical perception, that inestimable cunning, which lies in the surgeon's touch.

Examples of the directions in which this loss will be felt come readily to mind. A considerable amount of skill, for example, is demanded in the examination of complex fractures, of lesions of deep-seated bones, and of injuries about joints. What was to be learnt of these troubles had to be acquired by a tedious manipulation demanding considerable refinement. The surgeon who has now to deal with such conditions can afford to dispense with a prolix examination, and can submit the inquiry to a demonstrator of the Roentgen rays. The skiagraph, although its value is much exaggerated, embodies a substantial gain, but it is to be discounted by the loss of the great element in education which it is slowly replacing.

An obscure tumour—to take another instance—presents itself, and no longer is the surgeon compelled to trust to the acuteness of his inquiry and his patient review of all the physical details of the mass. For what his ready fingers may have learnt can be substituted the findings of the exploratory incision, the trochar, and the aspirator. Here once more an advantage is minimised by a loss.

Or, again, an abdominal swelling is brought under notice. Its features are obscure, but much of the uncertainty of outline can be dissipated by a cultured hand which, with infinite patience and repetition, has learnt to construct a reality out of a shadow. It may be said that it is needless to persist in bringing this much elaborated means of inquiry to further perfection since the problem is at once to be solved by an exploratory laparotomy. By such little operation a great advantage is gained but an opportunity to add to one of the most refined forms of learning is lost. The value of the exploratory incision is beyond question, but among the signs of the times it is impossible not to notice a tendency to resort too readily to this means of solution. The Gordian knot, according to the legend, was ultimately cut, and it is a question whether the sum of human ingenuity would not have been substantially increased if attempts to untie the noose had been more diligently persisted in.

In another example, let it be supposed that a suspicious ulcer presents itself for diagnosis. In such case is it well to devote time to a precise and tedious inspection of its edges and to a careful tactile examination of its base, and to check what is discovered by results laboriously gained from like inquiries? Is it not simpler to take a scraping of the affected surface and to submit it to a microscopist, and thus to be spared a method of examination which, although it may not give final results, yet represents an opportunity of furthering a priceless accomplishment?

Finally, there are cases which present symptoms hard to interpret at any superficial inquiry. Is it worth while in such to undertake an exhaustive critical research and to submit the whole to a trained judgment? The quest would no doubt develop habits of observation and powers of weighing evidence; but the process is slow, and an inquiry carried out in a bacteriological laboratory will clear up all doubts, and at the same time dispense with the efforts of a cultured sense.

Those, therefore, who are concerned with the education of the surgeon of the future would do well to still cherish this ancient power, and to foster a memory of the fact that surgery is, in its very essence, a handicraft, and that in all that he does the surgeon's great endeavour should be to make his own hands self-sufficing.

It is sad to think that this hardly-acquired faculty dies with the possessor of it, and never was this more vividly presented than it has been by the loss which surgery has sustained in the death of Sir James Paget. One can picture the great surgeon composed in his last sleep, and can see the once busy fingers lying lifeless on the white sheet, and then comes the wonder at the wealth of learning, at the exquisite cunning, at the refined sense which lay dead in the dead hand. No written book

can hold a tithe of the dainty knowledge which had been mastered by those subtle fingers, and no record, however laboured or however loving, can tell of the power which once rested in that magic touch.

An individual loss does not, however, hinder the general tide of progress. Advance in such a work as ours depends upon the uneventful work of the whole body and is only accentuated by the achievements of the prominent few. The movement is the movement of a multitude in which individuality is, at a distance of time, little to be distinguished and in which personal eminence contributes a smaller factor than the present is ready to acknowledge. Those who stand forth as the leaders of the advance are merely the elect of the common body and the representatives of a wide intellectual franchise. Even he who startles the world as a discoverer has often done little more than give expression to what was already nascent in the multitude. So as one great surgeon after another drops out of the ranks his place is rapidly and imperceptibly filled, and the advancing line moves on with still the same solid and unbroken front.

The continuity of progress is undisturbed by the uncertainties of human life, and, as one writer has well expressed it—

"No work begun shall ever pause for death."

REFERENCES.

¹ Samuel Cooper's *First Lines*, London, 1807. ² South's *Chelitis*, 1826-46.

INTRODUCTORY REMARKS

DELIVERED AT THE OPENING OF THE

SECTION OF SURGERY.

At the Annual Meeting of the British Medical Association at Ipswich, July-August, 1900.

By HOWARD MARSH, F.R.C.S.,

Surgeon and Lecturer on Surgery, St. Bartholomew's Hospital; President of the Section.

It has been agreed that there shall be no formal addresses at the opening of the various sections. I think members will endorse this arrangement. It may be possible to make such addresses interesting and perhaps even instructive; but they are in no way a necessary part of your proceedings, and they would encroach materially on the very limited time which is at your disposal for the proper business of the meeting—the reading and adequate discussion of clinical papers.

A very few remarks, however, which have a direct reference to the work of the Section may be really useful. On some previous occasions so many papers have been accepted for reading that many valuable contributions could only be hurried through in abstract, and no discussion was possible. This was unsatisfactory to all concerned. On the present occasion the object has been to cut the garment according to the cloth; in other words, to adjust the number of papers to the time that is available, so that each may have a fair hearing, and be fully discussed. I anticipate that all who are present will regard this as the proper method. Two set discussions have been arranged on subjects both of which I feel certain members will regard as well worthy of their attention; subdiaphragmatic abscess is no doubt a somewhat rare condition, yet it may occur in the practice of anyone. It is highly dangerous to life, and both in regard to diagnosis and treatment it presents difficulties of a very grave and embarrassing order. As the subject will be introduced by Mr. Godlee, and discussed by those whose names are a guarantee of their knowledge and sound judgment, I am sure that valuable information will be forthcoming.

The subject of fractures belongs to a different order. It is so old and familiar that it may appear at first sight too hackneyed and barren to be worthy of your notice. On second thoughts, however, I believe it will be felt that the opposite is really the case. Long a mere matter of routine the treatment of fractures has lately felt the influence of modern advance in other departments of surgery. The Roentgen process secures an accuracy of diagnosis which formerly was often impossible. The aseptic method makes operative interference safe, so that when necessary it can be adopted with