object is of course to relax the system, and through it the stricture, and this desirable object is frequently attained in inguinal hernia; but in *femoral* the case is widely different, and if the gut be strangulated it is very unlikely that by bleeding we shall be able to reduce it. I do not mean to deprecate the use of the lancet entirely, as such a course tends beneficially after the operation; but to bleed for the purpose of relaxing the stricture is, in my humble opinion, chimerical. When the gut is once strangulated in femoral hernia there is, I fear, little chance of overcoming it by bleeding.

It may be thought that, subsequent to the operation I carried the depleting system to too great an extent. I was fully aware that typhoid symptoms would probably supervene after the second attack of inflammation, from the severity of the treatment on a constitution at the best of times weak; but still I did not feel justified in altering my plan until it had been subdued. The result of the case proves, I think, the justification and the importance of a determined perseverance in the use of remedies, for on two occasions the patient was looked upon as in articulo mortis.

Before I conclude, I wish to say a few words as to the delay of the operation after strangulation had taken place. Is it right to wait until unequivocal or urgent symptoms of strangulation come on before you operate? I think not; and I further think that, had I operated immediately after the usual means had been tried for the reduction of the hernia, I should not have been harassed to the extent I was by the inflammation. The danger of the operation itself is well known to be trifling when compared with the danger of delay, and my only reason for not operating sooner was from a deference on my part to the opinions of others. I have to thank my friend, Mr. Hoare, for his vigilance during my absence, and which greatly contributed to the success of the case.

CASE OF SALIVATION EXCITED THROUGH THE LUNGS.

By EDWARD D. WALKER, M.R.C.S.,

Surgeon to the Reading Dispensary.

(Read before the Reading Pathological Society.)

The following case, possessing some features of presumed novelty, I have thought of sufficient interest to bring under the notice of the society:—

Mrs. H—, of a sanguine and bilious temperament, 33 years of age, consulted me on the 12th of July for a painful affection of the mouth, which she said had come on three days before. I found that her gums were swollen, inflamed, and ulcerated; the tongue was swollen, and covered with a whitish crust; the salivary glands were enlarged and painful; and the breath had an extremely strong mercurial fœtor: in short, she was labouring under all the symptoms of mercurial salivation in a severe degree. She had been in close attendance on her mother, who was affected with pneumonia, for which she had been taking calomel to the extent of between twenty and thirty grains. As soon as the medicine began to exert its usual specific effect on the system, it was discontinued. The daughter (the subject of the present communication) sat up several nights with her mother, and was in the habit of occasionally lying down on the same bed for some hours. The affection of her mouth came on fourteen days after her mother began the use of the medicine. On my inquiring what medicine she had been using, she stated that she had taken nothing but one antibilious pill, which both herself and her mother had long been in the habit of using, and which they obtained from a druggist.*

* On subsequent application to the respectable druggist who supplied the pills, he assured me that they contained no calomel, or other mercurial preparation.

My firm impression was that she must have taken some of the pills prescribed for her mother; but this she positively and solemnly denied, and has uniformly done so since, whenever I have questioned her upon the subject, adding that she knew of no reason which she could have for wishing to deceive me. The case seemed so singular—was so new, at least to me—that I took every pains to investigate the circumstances; and, at last, seeing no good reason for distrusting the woman's statements, I felt bound to believe her, and to conclude that she had become so affected with the mercurial poison, by the long continued inhalation of an atmosphere tainted with the pulmonary and cuticular exhalations from another, under the influence of the medicine.

Whether this case is unique, or not, I do not know, but conclude that it has not been often observed, since I do not recollect to have met with a similar one in the course of my own reading or experience before; nor have I been able to learn of any such from the professional friends to whom I have mentioned it.

But now, taking into consideration certain physical, as well as physiological and pathological facts, it does not seem difficult to admit the inference which appears to be unavoidable from the foregoing relation; and, moreover, that such an occurrence is not only possible, but highly probable.

It is well known that mercury is emitted in the form of vapour from the body of a person who is under the influence of the mineral, so as to impregnate the surrounding atmosphere. This is proved by the familiar fact, that a piece of gold or copper rubbed on the skin, or placed in the mouth, or worn in the pocket, of a person under the mercurial influence, becomes covered with a coating of quicksilver.* We might also infer that such would be the case, from the records of some authentic post-mortem examinations, considered in conjunction with what we know of the physical properties of the metal. Many instances have been collected by Dr. Christison, Dr. Sigmond, and others, of large quantities of fluid mercury having been found in the bodies of those who had taken its preparations during life. It has been discovered in the bones, in the brain, the blood, and several of the secretions; and the skull-cup is said to be a frequent seat of these curious accumulations. Now this fact, taken in connection with another—namely, that “mercury emits a sensible vapour, between 68 deg. and 80 deg.,” as stated by Graham,† and others, and first proved, I believe, by Faraday, would seem to justify the conclusion that abundant vapour might be thrown off at the naturally higher temperature of the body.

Again, it is also well known that mercury in the state of vapour can be received into the system of a healthy person, by inhalation, so as to produce its specific effects. In proof of this, I need only refer to common experience of the method of administering the remedy in the form of vapour baths; and to the well known effects of the fumes upon those who are exposed to their influence—as miners and gilders. A remarkable instance of the same kind, which occurred on board of two British ships, in 1812, is referred to by most writers on the subject, the circumstances of which are so familiar, that I need not take up the time of the society by detailing them. Dr. Christison‡ states that “one of the readiest means of bringing the system under the poisonous action of mercury is, by introducing its preparations into the lungs.” And again, after adverting to the fact which I have before noticed, that vapours arise from metallic mercury at the ordinary temperature of the atmosphere, he goes on to remark that “the vapours thus discharged may

* See Sigmond's Lectures on Materia Medica; “Lancet,” 1827-8, vol. i., p. 226; Christison on Poisons; Thomson's Materia Medica, vol. i., p. 371, &c. &c.

† Elements of Chemistry, p. 649.

‡ On Poisons, p. 619.

produce the worst species of mercurialism, if they are diffused through an apartment not sufficiently ventilated."

With those facts before us, it appears to me that in the case under consideration, the *indicatio causalis*, was completely fulfilled; and that there is no reason to deny, on any sound principle, this apparent agreement of theory and experience. Neither can any exception be taken against this conclusion, on the ground of the inadequacy of the dose that could be received in this way, to produce such effects; since the experience of every practitioner will afford an answer, in the well known extreme susceptibility in some constitutions of the action of the medicine in any form. Cases are recorded of severe effects, and even death, having been occasioned by small doses (Sigmond, *Loco Citato*, p. 294). Some years ago I prescribed calomel in doses of a twelfth of a grain daily, for an adult male patient, and he was compelled to discontinue the medicine before he had taken half a grain, in consequence of his mouth having become affected. In another instance one of the most severe cases of salivation I ever saw was occasioned by a few grains of the hydrarg. c. cretâ. But the most remarkable instances of this kind, that I remember to have met with, are mentioned by the late Dr. Mcintosh,* of Edinburgh, who states that his patients in the hospital, at the castle, using the black wash to venereal sores on the penis, became constitutionally affected without any other mercurial treatment.

There are some other circumstances attending this case which ought to be noticed. The room in which the mother lay, was small, very low pitched, and, being in the roof of the house, it had *coved* or sloping walls nearly from the floor to the ceiling on two sides. There was but one small casement window, and the only access to the apartment was by a hole in the floor, so small that it was approached by a perpendicular ladder. It is obvious that ventilation in such a place could be but very imperfectly maintained. Moreover, the weather was then, and had for some time before, been very damp and wet, and this, occurring at the hottest season of the year, formed a conjunction of circumstances the most favourable to the action of mercury on the system.

It is presumed, therefore, that the facts advanced, and the reasoning deduced from them, are sufficient to justify the conclusions which appear to me inevitable from the foregoing relation.

I need not further occupy the time of the society, by remarking upon the importance to the profession of the knowledge that such an occurrence may take place, as questions in connection with it might arise—both in a medico-legal point of view, and affecting the credit of the practitioner.

P.S.—I am happy at being permitted to send you also the history of a similar case, kindly furnished me by Mr. Boulger, in whose practice it has since occurred. He brought it forward at a subsequent meeting of the society, and it was considered by the members to be a valuable confirmation of mine.

"London-street, Jan. 12, 1842.

My dear Sir,—I am sorry that I could not find time to send you the annexed history before, but I trust it will not come too late for any purpose you may require it.

It is a very strong case, and there can be no mistake about it.

Believe me,

My dear Sir,

Yours faithfully,

To E. D. Walker, Esq. EDWARD BOULGER.

Nov. 29, 1841. I was sent for to Mrs. Collins. Three weeks ago her husband, a painter and glazier, was

under my care for an attack of colica pictonum. Inflammatory symptoms having supervened, I was obliged to resort to mercurials, and his gums were rendered slightly tender, and maintained in that state for a few days, when the remedies were discontinued, and he speedily recovered.

His wife (they had been married only two months) had nursed him throughout the illness with much care and assiduity. She was in good health until two or three days before I saw her, when she began to feel her mouth and gums sore, and her breath fetid. She then took a few grains of magnesia out of a bottle, but finding no relief from it, I was called in. I found her profusely salivated; the mercurial factor was excessive, and ulceration of the gums had likewise commenced, and was with difficulty checked by acid hydrochlor. fort. and argent. nit., with senna draughts and sulphur sublimat.

The bottle of magnesia I secured, and its contents proved genuine and unadulterated. The patient had enjoyed such health that she had taken no kind of medicine for a year or more previously.—E. B."

SOME ACCOUNT

OF A

NEW REMEDIAL AGENT.

By CONWAY J. EDWARDS, M.R.C.S., Batheaston, Bath.

The addition to our very extended catalogue of medicines, to which I would wish to draw the attention of the profession, is of a nature so simple, that medical gentlemen will rather be inclined to doubt its possession of any medicinal properties than to believe that it contains those which can effect great and beneficial changes in diseases, which frequently baffle the most eminent of the profession. Indeed, the very name of "clinkers" (under which title I beg leave to introduce it) is calculated to set the seal of condemnation on the substance, without affording it the benefit of further consideration; nevertheless, in face of the great obstacle to a "fair hearing," which such a name must of necessity impose, I have no hesitation in advancing an opinion, that its powers as a tonic and colorific are of no mean order; and this statement is supported by the experience of Dr. Watson, of Bath, who was the first initiated in the mystery of its preparation, and the first to sanction its use.

"Clinkers" is the refuse of the blacksmith's forge, and differs from common ashes and coke in its greater specific gravity, component parts, and external appearance. As a medicine in cachectic disorders, particularly those of females, it has been used for many years, by "knowing old women" in certain manufacturing districts; and the success which attends its exhibition, particularly in chlorotic disorders, is such as to have won for it the title of "specific."

The following is the formula for its preparation:—The bluest and heaviest clinker, being selected from a mass, is reduced to an impalpable powder (a work of no small difficulty, on account of its metalloïd nature). Any quantity of this powder may be mixed, with a sufficiency of treacle, to form a stiff paste; and to every eight ounces of the mass half an ounce of magnesia, and the like quantity of ginger, must be added. Thus formed, it is any thing but inviting to the eye; but this can be remedied by using honey in lieu of treacle, and adding half a drachm of the peroxide of iron to the compound.

The directions which accompanied the formula were as unique as the formula itself. It must be taken three successive days and nights (twice a day), for three days; omitted for a like period, and so continued until the course which has been decided upon should

* Practice of Physic, second edition, vol. ii., p. 298.